

Error Message Explanations

This lists all error messages originating in the Windows NetWare Administrator that are prefixed by NWDxxx.

Many of these errors are caused by insufficient workstation memory.

Select the error number below to see an explanation of the error and action you can take to correct the error.

If you know the error number, you can also choose the "Search" button in the Help window to search for that error.

[3](#)
[92](#)
[97](#)
[98](#)
[100](#)
[101](#)
[102](#)
[105](#)
[106](#)
[107](#)
[108](#)
[109](#)
[110](#)
[111](#)
[112](#)
[113](#)
[119](#)
[120](#)
[122](#)
[124](#)
[511](#)
[512](#)
[513](#)
[514](#)
[515](#)
[516](#)
[517](#)
[518](#)
[519](#)
[520](#)
[521](#)
[522](#)
[523](#)
[524](#)
[525](#)
[526](#)
[527](#)
[528](#)
[539](#)
[540](#)
[541](#)
[551](#)
[552](#)
[553](#)
[554](#)
[555](#)

556
560
561
772
773
778
789
783
784
785
786
787
788
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1018
1019
1021
1022
1023
1024
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075

1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1250
1251
1320

1321
1322
1323
1324
1325
1326
1327
1328
1329
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1458
1459
1460
1461
1463
1464
1469
1470
1471

1472
1473
1479
1480
1481
1482
1483
1484
1485
1489
1490
1491
1492
1493
1494
1495
1496
1499
1500
1501
1675
1676
1677
1678
1679
1685
1686
1687
1688
1689
1690
1691
1692
1694
1695
1696
1697
1705
1706
1707
1708
1710
1711
1712
1713
1714
1715
1716
1720
1721
1732
1733
1734
1735
1736
1737

1741
1742
1743
1752
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1963
1965
1967
1968
1970
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995

Insufficient Workstation Memory

To resolve an insufficient workstation memory error, you should add more memory by installing a larger memory board. To temporarily free memory, do one or more of the following:

- Close some Browser windows and other open Windows applications.
- Unload any unneeded TSR (terminate-and-stay-resident) programs.
- Modify CONFIG.SYS to reduce the number of files that can be open at the same time, the number of buffers allocated for disk drives, and the memory size allocated by the shell for your DOS environment (the /E option). The following settings are sufficient for normal workstation operation, but the values can be reduced further until problems occur:

FILES=20

BUFFERS=20

SHELL=C:\COMMAND.COM /E:640 /P

You must reboot your machine after modifying the CONFIG.SYS file.

You may need to close the NetWare Administrator and reopen it to continue.

3: The base resource file could not be initialized.

Explanation

Part of the NetWare Administrator is not available.

Action

Make sure all necessary files are in directories that you have search drives mapped to. Then reopen the NetWare Administrator.

92: The Bitmap menu style requested for <string> is not supported by the NetWare Administrator menuing system.

Explanation

One of the menus for this utility cannot be prepared because the utility does not support it.

Action

Make sure you are not using a third party add-on to this utility that is not compatible. Contact your Novell Authorized Reseller.

97: The menu being duplicated has become corrupt. Exit this application and start over.

Explanation

While preparing menus for display, part of the screen data was corrupted. Your data is probably intact, but you may not be able to see it.

Action

Exit the utility as soon as possible and restart it.

98: The system does not have enough memory to duplicate a menu.

Explanation

The utility has run out of memory while preparing menus for display. Although data may display improperly, it is not corrupted.

Action

Correct the memory problem.

100: A fatal error # <number> occurred at <location> in <string>.

Explanation

An error occurred which made the current operation impossible to complete.

Action

Try the operation again. If the problem persists, contact your Novell Authorized Reseller.

101: An error occurred during an attempt to lock memory for handle <handle>.

Explanation

A conflict occurred while requesting memory or an identification code to complete the current operation.

Action

Try the operation again. If the problem persists, contact your Novell Authorized Reseller.

102: The NetWare Administrator and its views are out of memory.

Explanation

The utility has run out of memory and may not be able to continue.

Action

Correct the memory problem. You may need to close the utility and reopen it to continue.

105: The procedure name <name> for a Class Add Procedure is invalid. The DLL <filename> may be invalid or corrupted.

Explanation

A procedure that is needed to complete a requested action is not available to the utility. The utility attempted to load the procedure from another file, and that file is not available. Some of the NetWare Administrator's files are missing or corrupted.

Action

Check your search drives to see if all utility files are available. Recopy the NetWare Administrator and its associated files to your work area (usually the \PUBLIC directory) from the NetWare program diskettes or CD-ROM.

106: The new procedure <name> cannot be located in the <filename> file. Your Path variable is invalid or your DLLs are corrupted.

Explanation

A procedure that is needed to complete a requested action is not available to the utility. The utility attempted to load the procedure from another file, and that file is not available. Some of the NetWare Administrator's files are missing or corrupted.

Action

Check your search drives to see if all utility files are available. Recopy the NetWare Administrator and its associated files to your work area (usually the PUBLIC directory) from the NetWare program diskettes or CD-ROM.

107: The initialization file is invalid. Load the initialization file from a backup or reinstall the NetWare Administrator.

Explanation

A file that is needed to complete a requested action is not available. One of the NetWare Administrator's files is missing or corrupted.

Action

Check your search drives to see if all utility files are available. Recopy the NetWare Administrator and its associated files to your work area (usually the PUBLIC directory) from the NetWare program diskettes or CD-ROM.

108: An invalid library handle was detected (<handle>).

Explanation

A code identifying a section of the program was invalid.

Action

Try the action again. If necessary, close the NetWare Administrator and then reopen it before trying the action again. If the problem persists, contact your Novell Authorized Reseller.

109: The menu handle <handle> is invalid.

Explanation

A code identifying a section of the program is invalid.

Action

Try the action again. If necessary, close the NetWare Administrator and then reopen it before trying the action again. If the problem persists, contact your Novell Authorized Reseller.

110: An invalid object handle was detected (<handle>).

Explanation

A code identifying a section of the program is not acceptable.

Action

Try the action again. If necessary, close the NetWare Administrator and then reopen it before trying the action again. If the problem persists, contact your Novell Authorized Reseller.

111: The contents of popup menu <name> are invalid.

Explanation

A code identifying a section of the program was invalid.

Action

Try the action again. If necessary, close the NetWare Administrator and then reopen it before trying the action again. If the problem persists, contact your Novell Authorized Reseller.

112: The dynamic link library <filename> cannot be located. Your Path variable is invalid or your DLLs were not installed correctly.

Explanation

A file that is needed to complete a requested action is not available to the utility. One of the NetWare Administrator's files is missing or corrupted.

Action

Check your search drives to see if all utility files are available. Recopy the NetWare Administrator and its associated files to your work area (usually the PUBLIC directory) from the NetWare program diskettes or CD-ROM.

113: A message could not be found, or a bad resource DLL was detected.

Explanation

A message that the utility needs to display is not available. One of the NetWare Administrator's files may be missing or corrupted.

Action

Check your search drives to see if all utility files are available. Try the action again. If the error recurs, recopy the NetWare Administrator and its associated files to your work area (usually the PUBLIC directory) from the NetWare program diskettes or CD-ROM.

119: The NetWare Administrator has run out of memory. Terminate some applications, free some space on your swap disk, or run NetWare Administrator on a computer with more memory.

Explanation

The utility has run out of memory and may not be able to continue.

Action

Correct the memory problem. You may need to close the utility and reopen it to continue.

120: The Ownerdraw menu style requested for <string> is not supported by the NetWare Administrator menuing system.

Explanation

A section of the utility (perhaps a third-party product) has requested a menu style that the NetWare Administrator cannot display properly.

Action

Remove the third-party product, then try again. If the error persists, contact your Novell Authorized Reseller.

122: The command <string> was unclaimed by an object. Either the object is in the wrong list, or the command is unknown to the object.

Explanation

An instruction that was directed to a section of the utility did not execute as expected. The utility may have sent the wrong message, or the object receiving the message was unexpectedly removed by another process.

Action

Close and reopen the current set of dialogs in the NetWare Administrator and try repeating the operation. If that does not succeed, close and reopen Windows, reload the utility, and try again. If the problem persists, contact your Novell Authorized Reseller.

124: A class is loaded into the NetWare Administrator that does not handle the Update message.

Explanation

An instruction that was directed to a section of the utility did not execute as expected. The object receiving the message may have been unexpectedly removed by another process.

Action

Close and reopen the current set of dialogs in the NetWare Administrator and try repeating the operation. If that does not succeed, close and reopen Windows, reload the utility and try again. If the problem persists, contact your Novell Authorized Reseller.

511: An error occurred during an attempt to initialize the Trustees dialog.

Explanation

The "Trustee List" dialog cannot be opened. There may not be enough memory.

Action

Try closing and reopening the current dialog. You may need to free memory.. If the problem persists, contact your Novell Authorized Reseller.

512: An error occurred during an attempt to write changes to the trustee list.

Explanation

Changes to the trustee list or to trustee's rights could not be saved to the Directory Database. NetWare Directory Services may not allow access at the moment, or the new data may be corrupted.

Action

Try closing and reopening the dialog before reentering the information.

513: An error occurred during an attempt to delete the trustees.

Explanation

The selected trustee cannot be deleted. One of the following may have occurred:

- NetWare Directory Services received a command it did not understand.
- The object has subordinates.
- The name of the object is invalid for NetWare Directory Services.
- The request was corrupted.

Action

Check each of the above possible problems; then try the operation again.

514: An error occurred during an attempt to delete a trustee's rights.

Explanation

The rights granted to the selected trustee cannot be deleted. Either NetWare Directory Services did not understand the request because it was corrupted, or the trustee information is stored incorrectly.

Action

Try closing and reopening the dialog. Try the operation from another workstation.

515: An error occurred during an attempt to add trustees.

Explanation

New trustee or trustees cannot be added to the trustees list. One of the following may have occurred:

- The trustees list may be corrupted.
- You may not have enough available memory to add to the list.
- The names of the new trustees returned by NetWare Directory Services may not be accurate.

Action

Correct the memory problem. Try the operation again. If the problem persists, notify your Novell Authorized Reseller.

516: An error occurred during an attempt to get trustee rights data.

Explanation

The rights granted to the selected trustee cannot be found. NetWare Directory Services may have returned incorrect information, or the name of the trustee may be corrupted in memory.

Action

Try closing and reopening the current dialog.

517: An error occurred during an attempt to set trustee rights data.

Explanation

New rights for the trustee cannot be set. Windows may be unable to allocate sufficient memory to save the information, or the trustee or request to change rights may be corrupted and unreadable.

Action

Correct the memory problem. Try the operation again. If the problem persists, notify your Novell Authorized Reseller.

518: An error occurred during an attempt to read the object's effective rights.

Explanation

The effective rights of the requested object cannot be found. NetWare Directory Services may not have responded to a request, or the name of the object may be corrupted.

Action

Close and reopen the current dialog.

519: You must be logged in to Directory Services to use the Trustees dialog.

Explanation

The "Trustees" dialog is only available to authenticated NetWare Directory Services users. You must have rights to read the trustees to open the dialog.

Action

Log in to NetWare Directory Services using a valid username and password (if required). Then open the "Trustees" dialog.

520: An error occurred during an attempt to open the Effective Rights dialog.

Explanation

The "Effective Rights" dialog cannot be opened. There may not be enough memory.

Action

Close and reopen the current dialog. Correct the memory problem.

521: An error occurred during an attempt to build the list of properties for an object.

Explanation

The list of properties cannot be assembled. Either Directory Services did not respond to the request, or the object name or property data was corrupted.

Action

Close and reopen the current dialog.

522: An error occurred during an attempt to free the trustee rights data.

Explanation

The rights granted to the selected trustee cannot be freed.

Action

Close and reopen the current dialog.

523: An error occurred during an attempt to build the list of an object's trustees.

Explanation

The list of trustees cannot be assembled. Either NetWare Directory Services did not respond to the request, or the object name or trustee data was corrupted. Windows may not have sufficient memory to build the list.

Action

Close and reopen the current dialog. Correct the memory problem. If the problem persists, notify your Novell Authorized Reseller.

524: A string resource (message) could not be read from Windows.

Explanation

A message that should be displayed cannot be found in Windows.

Action

Repeat this action. If this does not work, exit and reenter the current dialog.

525: An error occurred during an attempt to get the Inherited Rights Filter data.

Explanation

The rights that make up the Inherited Rights Filter for this object cannot be found. NetWare Directory Services may have returned incorrect information, or the request may be corrupted in memory.

Action

Close and reopen the current dialog.

526: An error occurred during an attempt to set the Inherited Rights Filter data.

Explanation

New rights for the Inherited Rights Filter cannot be set. Windows may be unable to allocate sufficient resources to save the information, or the request to change rights may be corrupted and unreadable.

Action

Close and reopen the current dialog. Correct the memory problem. If the problem persists, notify your Novell Authorized Reseller.

527: An error occurred during an attempt to restore the original check box value.

Explanation

When you tried to reset a gray check box to its original (gray) setting, the utility could not determine the original setting. A gray check box affects all selected objects or properties. The information from those objects or properties is not available or is corrupted.

Action

Close the dialog and reopen it. Check the information that was selected to be sure that it is not corrupted.

528: An error occurred during an attempt to get the selected object's effective rights.

Explanation

The effective rights of the requested object cannot be found. NetWare Directory Services may not have responded to a request, or the name of the object may be corrupted.

Action

Close and reopen the current dialog.

539: An error occurred during an attempt to build the list of this object's trustee assignments.

Explanation

The list of trustees cannot be assembled. Either NetWare Directory Services did not respond to the request, or the object name or property data was corrupted.

Action

Close and reopen this dialog.

540: An error occurred during an attempt to initialize the Rights to Other Objects dialog.

Explanation

The "Rights to Other Objects" dialog cannot be opened. NetWare Directory Services may not have responded to the request for trustees, or there may not be enough memory.

Action

Close and reopen the current dialog. This dialog may take a long time to open if you have a large tree and this object has many trustee assignments. Correct the memory problem.

541: An error occurred during an attempt to write changes to the trustee list of object <name>.

Explanation

Changes to the trustee list or to trustee's rights cannot be saved to the Directory database. NetWare Directory Services may not allow access at the moment, or the new data may be corrupted.

Action

Close and reopen the dialog; then reenter the information.

551: An error has occurred in Directory Services.

Explanation

A problem has occurred which prevented NetWare Directory Services from responding to a request from the utility.

Action

Check your connection to the network and make sure a server containing a replica of the partition you are working in is available.

552: Out of memory.

Explanation

The utility has run out of memory and may not be able to continue.

Action

Correct the memory problem. You may need to close the utility and reopen it to continue.

553: An error occurred during an attempt to build the list of subordinate objects.

Explanation

The subordinates of an object cannot be found for the object that you selected. There may not be enough memory, or NetWare Directory Services may not have responded to the request for information.

Action

Try the operation again. Check your network connection to a valid NetWare Directory Services server. Correct the memory problem.

554: An error occurred during an attempt to return the selected items.

Explanation

Information on the items that you selected cannot be received from NetWare Directory Services. NetWare Directory Services may not be available at the moment, or the object name or returned information have been corrupted on the network or in memory.

Action

Try the operation again. Exit the utility first and check your network connection if necessary.

555: No object could be found for the context entered.

Explanation

The context entered appears to contain no objects.

Action

Make sure you have entered the context that contains the object you want to refer to. Try the operation again. NetWare Directory Services may have received a corrupted request.

556: An error occurred during an attempt to get a connection ID to <string>.

Explanation

In order to complete the current operation, a connection must be established, but this connection cannot be established. NetWare Directory Services may not be available, or the request may have been corrupted during transmission.

Action

Try the operation again. Make sure you have allowed sufficient connections to the network.

560: An error occurred during an attempt to move a Directory Services object.

Explanation

The request to move a NetWare Directory Services object cannot be completed. Another move or delete operation may be in progress and another is not allowed yet, or the name of the object that you want to move may have been corrupted when sent to NetWare Directory Services.

Action

Wait a moment for NetWare Directory Services to complete any operations in progress. Try the operation again, and close and reopen the current dialog if necessary.

561: An error occurred during an attempt to get the logged-in object's effective rights to the selected object.

Explanation

The effective rights of the requested object cannot be found. NetWare Directory Services may not have responded to a request, or the name of the object may be corrupted.

Action

Close and reopen the current dialog.

772: Objects could not be created in this context.

Explanation

The utility cannot create the requested object in this context. You may not have rights, or the object may not be allowed within this container object. NetWare Directory Services may also be processing partition updates and is not allowing updates to the Directory Database at the moment.

Action

Make sure your effective rights in the container include the Create object right. Check to see if the object you want to create can be created in this container. If these actions do not help, wait for NetWare Directory Services to resynchronize the database and attempt the operation again.

773: An internal error has occurred. Snapin Error: NModel in NBrowser::New/Add

Explanation

A part of the utility cannot be made functional. The rest of the utility may run properly.

Action

Exit Windows and try to run the utility again. Make sure all needed files are available. If parts of the utility are still not working, contact your Novell Authorized Reseller.

778: An unknown error has occurred. The selected object could not be deleted.

Explanation

For some unknown reason, the delete operation cannot be completed. Here are some possible explanations:

- A break in your connection with the NetWare Directory Services database may have occurred.
- You may not have sufficient rights to delete.
- You may be trying to delete a container that is not empty.
- You may be trying to delete the User Template object.
- If NetWare Directory Services has not completed the clean-up tasks from a previous delete or move operation, it may not allow another delete operation in the same area until it has finished.

Action

Check each of the possible causes listed above. If you have rights and no other problems are visible, wait for NetWare Directory Services to complete any operations that may be in progress and try the operation again.

789: Subordinate objects still exist. The selected object could not be deleted.

Explanation

You cannot delete containers that contain other objects. You tried to delete a container that contains other objects.

Action

Delete any objects that are in the container (except the User Template object) and try the operation again.

783: You cannot open a new Browser window with only a leaf object.

Explanation

The top or root object of a new Browser window must be a container object or a Volume object.

Action

Select a Country, Organization, Organizational Unit, or Volume object and try the operation again.

784: The program was not able to obtain the vis object.

Explanation

A record for the display of an object in a Browser was not available when needed.

Action

Close the Browser windows and reopen them. If the problem persists, exit and restart the utility.

785: The program was not able to obtain the model object.

Explanation

The record of the object cannot be found in order to display it. A problem may exist getting information from NetWare Directory Services.

Action

Close the Browser windows and reopen them. If the problem persists, exit and restart the utility. Also check your connection to NetWare Directory Services, and log in again if necessary.

786: The program was not able to obtain the list node.

Explanation

The position of an object within the current Browser is not available or is corrupted. The objects may not display correctly.

Action

Close the Browser windows and reopen them. If the problem persists, exit and restart the utility. Also check your connection to NetWare Directory Services, and log in again if necessary.

787: No object is selected, or too many objects are selected.

Explanation

The operation requested requires a certain number of selected objects in order to be completed. The number of objects selected was not within the acceptable range.

Action

Attempt the operation again, selecting the correct number of objects. Because the problem may be no objects selected or too many objects selected, start by selecting one object if you are unsure how many the operation requires.

788: The program was not able to obtain the list.

Explanation

The list of objects within the current Browser is not available or is corrupted. The objects may not display correctly.

Action

Close the Browser windows and reopen them. If the problem persists, exit and restart the utility. Also check your connection to NetWare Directory Services, and log in again if necessary.

1006: The NetWare Administrator is out of memory.

Explanation

The utility has run out of memory and may not be able to continue.

Action

Close Browser windows or other applications to free memory. You may need to close the utility and reopen it to continue. Correct the memory problem.

1007: An error occurred during an attempt to save this object's rights to the file system.

Explanation

A trustee assignment to a file or directory cannot be saved to the file or directory's trustee list. The object that you selected as a trustee may be invalid. The connection to the volume containing the file or directory may be unavailable now, even if it was available moments ago. This made it impossible to write the new trustee assignment to the file or directory.

Action

Wait a while, check your network connection, and try again.

1008: An error occurred during an attempt to add a new file or directory to the list of trustee assignments.

Explanation

A trustee assignment to a file or directory cannot be saved to the file or directory's trustee list. The object that you selected as a trustee may be invalid. The connection to the volume containing the file or directory may be unavailable now, even if it was available moments ago. This made it impossible to write the new trustee assignment to the file or directory.

Action

Wait a while, check your network connection, and try again.

1009: An error occurred during an attempt to delete a file or directory from the list of trustee assignments.

Explanation

A trustee assignment to a file or directory cannot be deleted from the file or directory's trustee list. The object that you selected as a trustee may be invalid. The connection to the volume containing the file or directory may be unavailable now, even if it was available moments ago. This made it impossible to write the new trustee assignment to the file or directory.

Action

Wait a while, check your network connection, and try again.

1010: An error occurred during an attempt to get the Volumes list.

Explanation

The list of volumes associated with this dialog for listing trustee assignments is not available because NetWare Directory Services cannot return it or it has become corrupted.

Action

Close the dialog and try the operation again. If necessary, close Windows and check your network connection.

1011: An error occurred during an attempt to add an item to the list.

Explanation

The list of objects within the current dialog or Browser is not available or is corrupted. Objects cannot be added to the list, and may not display correctly.

Action

Close the Browser windows and reopen them. If the problem persists, exit and restart the utility. Also check your connection to NetWare Directory Services, and log in again if necessary.

1012: An error occurred during an attempt to remove a volume from the Volumes list.

Explanation

The list of volumes associated with this dialog for listing trustee assignments is not available. The most likely explanation is that NetWare Directory Services cannot return it or it has become corrupted. Because the list is not accessible, a volume cannot be removed from it. Another possible explanation is that the request to remove a volume from the list may be corrupted.

Action

Close the dialog and try the operation again. If necessary, close Windows and check your network connection first.

1013: An error occurred during an attempt to gray the dialog buttons.

Explanation

The utility needed to shade parts of this dialog because access is not allowed or is inappropriate, but the dialog cannot be changed.

Action

Close the dialog and reopen it.

1014: An error occurred during an attempt to display this object's trustee rights to a file or directory.

Explanation

A trustee assignment to a file or directory cannot be displayed because the file or directory is not accessible at the moment. The address of the volume may be unavailable, or NetWare Directory Services may not have found another piece of needed information. The object you selected as a trustee may be invalid.

Action

Wait a while, check your network connection, and try again.

1015: An error occurred during an attempt to set this object's trustee rights to a file or directory.

Explanation

A trustee assignment to a file or directory cannot be set because the file or directory is not accessible at the moment. The address of the volume may be unavailable, or NetWare Directory Services may not have found another piece of needed information. The object you selected as a trustee may be invalid.

Action

Wait a while, check your network connection, and try again.

1018: An error occurred during an attempt to get this trustee's effective rights.

Explanation

The effective rights of the requested object cannot be found. NetWare Directory Services may not have responded to a request, or the name of the object may be corrupted.

Action

Close and reopen the current dialog.

1019: An error occurred during an attempt to get a server connection ID.

Explanation

The utility needed to identify the server that it is receiving information from, but it was not able to identify the server's connection ID.

Action

Make sure that you are connected to the network and that the needed NetWare Directory Services server is functioning properly. Try the operation again; exit and restart the utility if necessary.

1021: An error occurred during an attempt to open the Effective Rights dialog.

Explanation

The "Effective Rights" dialog cannot be opened. Windows may have insufficient available memory.

Action

Close and reopen the current dialog. Free system memory if possible.

1022: An error occurred during an attempt to get the Directory Services context.

Explanation

The context of an object is needed to complete an operation, but the context cannot be determined. An incorrect context may have been entered, or rights may not be sufficient to work in the context that was entered.

Action

Try the operation again, and close and reopen the current dialog if necessary.

1023: An error occurred during an attempt to get the trustee list of the selected object.

Explanation

The trustee list cannot be assembled. Either NetWare Directory Services did not respond to the request, or the object name or trustee data was corrupted.

Action

Close and reopen this dialog.

1024: An error occurred during an attempt to get the trustee's object ID.

Explanation

A code that identifies a trustee of this object is needed to complete this operation, but it cannot be determined. Either NetWare Directory Services did not respond to the request, or the object name or trustee data was corrupted.

Action

Close and reopen this dialog.

1049: An error occurred during an attempt to get a connection ID.

Explanation

A connection to the requested server cannot be established because a connection ID number is not available for this user.

Action

Try the operation again. If the operation still fails, check your network connections and rights to the requested server.

1050: An error occurred during an attempt to get a volume number.

Explanation

The request cannot get a volume number from the server.

Action

Try the operation again. If the operation still fails, check your network connections and rights to the requested server.

1051: An error occurred during an attempt to retrieve entry information.

Explanation

The entry information was not returned as requested. You may not have sufficient rights to the server, or the server cannot be located on the network, either because the server object is in a different context, or the physical volume's host server address is not available or is invalid.

Action

Make sure that you have rights to the server and that the server is up and running on the network. Check the context of the server object and the volume's host server network address.

1052: An error occurred during an attempt to read name space information.

Explanation

The name space information about a volume was not returned as requested. Name space information cannot be shown. You may not have sufficient rights to the volume, or the volume cannot be located on the network, because

- The Volume object is in a different context, or
- The physical volume's host server address is not available or is invalid.

Action

Make sure that you have rights to the server and that the server is up and running on the network. Check the context of the server object and the volume's host server network address.

1053: An error occurred during an attempt to allocate a temporary directory handle.

Explanation

This operation required a resource that is not available because of insufficient memory or an incorrect request.

Action

Try the operation again. If necessary, exit the utility or Windows and try to free memory.

1054: An error occurred during an attempt to deallocate a temporary directory handle.

Explanation

This operation is required to release resources, but is unable to do so because of an incorrect request or problem with the application or Windows.

Action

Try the operation again. If necessary, exit the utility or Windows.

1055: An error occurred during an attempt to read restriction information.

Explanation

This operation requires that the restriction information be read, but that information is not available because NetWare Directory Services did not respond to the request, or you did not have sufficient rights to read the information.

Action

If you have sufficient rights, try the operation again. Make sure NetWare Directory Services is responding to requests.

1056: An error occurred during an attempt to delete a directory. Make sure the directory is empty and not currently in use.

Explanation

The request to delete a directory could not be completed. You may not have sufficient rights to delete a directory; the directory may still have files or subdirectories. or someone may be using the current directory.

Action

If the directory still has files or subdirectories, delete them before you attempt to delete this directory. Make sure the directory is not currently being used.

1057: An error occurred during an attempt to create a new directory.

Explanation

The request to create a directory cannot be completed. You may not have sufficient rights to create a directory.

Action

Check that you have sufficient rights to create a directory. If you have sufficient rights, check your network connections and server status.

1058: An error occurred during an attempt to get the contents of the directory.

Explanation

The request to get the contents of a directory cannot be completed. You may not have sufficient rights to create a directory.

Action

Check that you have sufficient rights to create a directory. If you have sufficient rights, check your network connections and server status.

1059: An error occurred during an attempt to get the files that have been deleted from this directory.

Explanation

The request to get the files deleted from this directory cannot be completed. You may not have sufficient rights to retrieve deleted files into this directory.

Action

Make sure you have sufficient rights. If you have sufficient rights, check your network connections and server status.

1060: An error occurred during an attempt to get the files that have been deleted from deleted directories.

Explanation

The request to get the files deleted from deleted directories cannot be completed. You may not have sufficient rights to retrieve deleted files from the deleted directories.

Action

Make sure that you have sufficient rights. If you have sufficient rights, check your network connections and server status.

1061: An error occurred during an attempt to update the directory.

Explanation

The request to update the directory cannot be completed. You may not have sufficient rights to update the directory.

Action

Make sure you have sufficient rights. If you have sufficient rights, check your network connections and server status.

1062: The file was not copied. Source and destination cannot be the same file.

Explanation

The request to copy the file cannot be completed. The file cannot be copied to itself.

Action

Specify a path to copy the file to.

1063: An error occurred during an attempt to get effective rights to the source directory.

Explanation

The request to get effective rights to the source directory cannot be completed. You may not have sufficient rights to get effective rights to the source directory.

Action

Make sure you have sufficient rights. If you have sufficient rights, check your network connections and server status.

1064: The file was not copied. An error occurred during an attempt to copy the file.

Explanation

The request to copy the file cannot be completed. You may not have sufficient rights in the source or destination directory to copy the file.

Action

Make sure you have sufficient rights. If you have sufficient rights in the source and destination directory, check your network connections and server status.

1065: The file was not copied. You have insufficient rights to the source or destination directory.

Explanation

The request to copy the file could not be completed. You probably do not have sufficient rights in the source or destination directory to copy the file.

Action

Make sure you have sufficient rights. If you have sufficient rights in the source and destination directory, check your network connections and server status.

1066: This file already exists in the destination directory; you cannot overwrite it.

Explanation

The file already exists in the directory where you are trying to copy it.

Action

Change the flags on the file in the destination directory so it can be deleted, and delete it. Then try the operation again. If it still fails, check your network connections and server status.

1067: An error occurred during an attempt to get volume information.

Explanation

The request cannot get volume information from the server. You may not have sufficient rights to the server, or the server cannot be located on the network, either because

- The server object is in a different context, or
- The physical volume's host server address is not available or is invalid.

Action

Make sure that you have rights to the server and that the server is up and running on the network. Check the context of the server object and the volume's host server network address.

1068: An error occurred during an attempt to get extended volume information.

Explanation

The request cannot get extended volume information from the server. You may not have sufficient rights to the server, or the server cannot be located on the network, either because the server object is in a different context, or the physical volume's host server address is not available or is invalid.

Action

Make sure that you have rights to the server and that the server is up and running on the network. Check the context of the server object and the volume's host server network address.

1069: An error occurred during an attempt to get object restriction data.

Explanation

The request cannot get object restriction data.

Action

Try the operation again. Check your network connections and server status if the operation still fails.

1070: An error occurred during an attempt to scan for trustee assignments.

Explanation

The request to find trustee assignments cannot be returned. You may not have sufficient rights to the server.

Action

Make sure you have sufficient rights. If you have sufficient rights, check your network connections and server status.

1071: An error occurred during an attempt to read disk restrictions.

Explanation

The request to read disk restrictions cannot be returned. You may not have sufficient rights to the server, or the server cannot be located on the network.

Action

Make sure you have sufficient rights. If you have sufficient rights, check your network connections and server status.

1072: An error occurred during an attempt to obtain the volume utilization.

Explanation

The request to obtain the volume utilization cannot be returned. You may not have sufficient rights to the server, or the server cannot be located on the network, either because the server object is in a different context, or the physical volume's host server address is not available or is invalid.

Action

Make sure that you have rights to the server and that the server is up and running on the network. Check the context of the server object and the volume's host server network address.

1073: An error occurred during an attempt to update the volume restrictions.

Explanation

The request to update the volume restrictions cannot be completed. You may not have sufficient rights to the server, or the server cannot be located on the network, either because the server object is in a different context, or the physical volume's host server address is not available or is invalid.

Action

Make sure that you have rights to the server and that the server is up and running on the network. Check the context of the server object and the volume's host server network address.

1074: An error occurred during an attempt to delete the file.

Explanation

The request to delete the file cannot be completed. You may not have sufficient rights to the server, directory or file, or the server cannot be located on the network.

Action

Make sure you have sufficient rights. If you have sufficient rights, check your network connections and server status.

1075: An error occurred during an attempt to update the file information.

Explanation

The request to update the file information cannot be completed. You may not have sufficient rights to the server, directory, or file, or the server cannot be located on the network.

Action

Make sure you have sufficient rights. If you have sufficient rights, check your network connections and server status.

1076: An error occurred during an attempt to read the deleted file information.

Explanation

The request to read deleted file information cannot be completed. You may not have sufficient rights to the server, directory, or file, or the server cannot be located on the network.

Action

Make sure you have sufficient rights. If you have sufficient rights, check your network connections and server status.

1077: An error occurred during an attempt to recover the deleted file.

Explanation

The request to recover the deleted file cannot be completed. You may not have sufficient rights to the server, directory or file, or the server cannot be located on the network.

Action

Make sure you have sufficient rights. If you have sufficient rights, check your network connections and server status.

1078: An error occurred during an attempt to purge the deleted file.

Explanation

The request to purge the deleted file cannot be completed. You may not have sufficient rights to the server, directory or file, or the server cannot be located on the network.

Action

Make sure you have sufficient rights. If you have sufficient rights, check your network connections and server status.

1079: A network error has occurred. Please note the following numbers.

Explanation

An unexplained error with your network connection has caused this operation to fail.

Action

Record the numbers displayed and contact your Novell Authorized Reseller.

1080: The copy operation failed on file <name>.

Explanation

The request to copy the file cannot be completed. You may not have sufficient rights to the server, directory or file, or the server cannot be located on the network.

Action

Make sure you have sufficient rights. If you have sufficient rights in both the source and destination directories, check your network connections and server status.

1081: The move operation failed on file <name>. It is possible that the file was successfully copied to the new location, but could not be deleted from its original location.

Explanation

The request to move the file cannot be completed. You may not have sufficient rights to the server, directory or file, or the server cannot be located on the network.

Action

Make sure you have sufficient rights. If you have sufficient rights in both the source and destination directories, check your network connections and server status.

1082: An invalid file or directory name was given as the destination.

Explanation

One of the following causes may account for this error:

- The file or directory where you wanted to copy the file is invalid.
- You do not have sufficient rights to the server, directory, or file.
- The server cannot be located on the network.

Action

Make sure that the file and directory names are valid and that you have sufficient rights in both the source and destination directories. Also check your network connections and server status.

1083: No files were selected to move or copy.

Explanation

You did not select files to be moved or copied.

Action

Select the files to be moved or copied, and then try the operation again.

1084: <Object name> could not be found. Please check that it still exists and that you still have rights to see it.

Explanation

You may not have sufficient rights to the server, directory, or file, or the server cannot be located on the network.

Action

If you have sufficient rights, check your network connections and server status.

1085: <Object> is of an object class that cannot be contained by the destination object.

Explanation

The object you selected cannot be contained by the destination object.

Action

Make sure that you select an object class that can contain the type of object you are attempting to use.

1086: No more server connection slots are available. Log out of a server that you are not using, or increase the maximum number of connections.

Explanation

To complete this operation, you must attach to a server, but no slots are available for the new connection.

Action

Detach from a server that you are not using, or increase the maximum number of slots that can be used.

1087: Authentication to this server has failed. You have only [Public] rights.

Explanation

The request to log in to this server has failed. You are attached with [Public] rights only. You may not have sufficient rights to the server, or the server cannot be located on the network.

Action

Make sure you have sufficient rights. If you have sufficient rights, try the operation again, using the proper login name and password.

1088: Login has failed. You have no account balance.

Explanation

You cannot log in because accounting has been set and you do not have a balance.

Action

Contact your network supervisor.

1089 Login has failed. You have no credit in your account balance.

Explanation

You cannot log in because accounting has been set and you do not have a balance.

Action

Contact your network supervisor.

1090: Login has failed. Your account has been locked because an intruder was detected.

Explanation

Your account has been locked because an intruder was detected. Either you typed in the wrong name or password, or someone tried to log in as you.

Action

Contact your network supervisor to have your account unlocked.

1091: Login has failed. You do not have a valid connection to this server.

Explanation

Your request to log in has failed because you do not have a valid connection to the server.

Action

Try again, using the correct login name and password. If the request still fails, contact your network supervisor.

1092: Login has failed. You have exceeded your maximum concurrent logins.

Explanation

Your account has a limit on the number of logins you can have at one time.

Action

Contact your network supervisor.

1093: Login has failed. You are not authorized to log in on this day at this time.

Explanation

Your account has specific times set when you can log in. You are not allowed to log in at this time.

Action

Contact your network supervisor.

1094: Login has failed. You are not authorized to log in from this workstation.

Explanation

Your account has specific workstation addresses set that you can use to log in. You cannot log in from this workstation.

Action

Contact your network supervisor.

1095: Login has failed. Your account has been disabled.

Explanation

Your account has a date set when it will be disabled. That date arrived, and you are not allowed to log in.

Action

Contact your network supervisor.

1096: Login has failed. Your password has expired and your grace logins have been used.

Explanation

Your account has been set so that you must change your password regularly. Your password expired and the grace logins allowed have also been used.

Action

Contact your network supervisor.

1097: Your password has expired. Please change your password immediately.

Explanation

Your account has been set so that you must change your password regularly. Your password has expired

Action

Choose a new password.

1098: Login has failed. Please make sure you have correctly entered your name and password and that the server is functional.

Explanation

Either the login name or the password was typed incorrectly, or the server is not functioning properly.

Action

You may not have sufficient rights to the server, or the server cannot be located on the network. If you have sufficient rights, make sure you type the login name and password correctly. If that doesn't work, check network connections and server status.

1099: The selected server cannot be found.

Explanation

The request for the selected server could not be completed.

Action

You may not have sufficient rights to the server, or the server cannot be located on the network, either because the server object is in a different context, or the physical volume's host server address is not available or is invalid. If you have sufficient rights, check network connections and server status.

1250: The selected directory's existence cannot be confirmed.

Explanation

This directory was located when first displayed, but can no longer be found. It may still exist, but not be available to this dialog because of partition or network connections that have changed since you first saw the directory listed in the dialog.

Action

Close and reopen this dialog to see if the directory is still visible to NetWare Directory Services. If it is not, check with your network supervisor to find out if partitions or network connections have been changed recently.

1251: The selected file's existence cannot be confirmed.

Explanation

This file was located when first displayed, but can no longer be found. It may still exist, but not be available to this dialog because of partition or network connections that have changed since you first saw the file listed in the dialog.

Action

Close and reopen this dialog to see if the file is still visible to NetWare Directory Services. If it is not, check with your network supervisor to find out if partitions or network connections have been changed recently.

1963: The Device Name must be unique.

Explanation

You specified a device name that is already assigned to another device. Each printer device must have a unique name to avoid ambiguous requests for service.

Action

Use a different name that is not already listed as a printer device.

1965: The Form Name must be unique and must start with an alphabetic character. The Form Number must be unique (0-255), Length (1-255), Width (1-999).

Explanation

The form name cannot already exist in the list. It must also start with a character from A to Z.

Action

Enter a new form name that is unique and begins with a letter from A to Z.

1967 The Function Name must be unique.

Explanation

You specified a form name that is already on the list. The function name cannot already exist in the list.

Action

Enter a new form name that is unique.

1968: Memory was unavailable for function sequence information. Please close unneeded applications. Check Windows information on how to increase available memory.

Explanation

The utility has run out of memory and may not be able to continue.

Action

Correct the memory problem.

1970: The Mode Name must be unique. Cannot modify name nor delete (Re-initialize) mode.

Explanation

The mode name cannot already exist in the list. The Re-Initialize mode is always listed, even if you have not added it or defined functions for it.

Action

Enter a new mode name that is unique. Define functions for the Re-Initialize mode, if desired; otherwise, ignore it.

1980: NWDSSetContext problem.

Explanation

The function named could not complete its execution properly.

Action

Close the dialog and try the operation again, taking care that you are working with the correct object and context. If the problem persists, contact your Novell Authorized Reseller.

1981: NWDSFreeContext problem.

Explanation

The function named could not complete its execution properly.

Action

Close the dialog and try the operation again, taking care that you are working with the correct object and context. If the problem persists, contact your Novell Authorized Reseller.

1982: NWSPdfAddForm problem.

Explanation

The function named could not complete its execution properly.

Action

Close the dialog and try the operation again, taking care that you are working with the correct object and context. If the problem persists, contact your Novell Authorized Reseller.

1983: NWSPdfUpdateForm problem.

Explanation

The function named could not complete its execution properly.

Action

Close the dialog and try the operation again, taking care that you are working with the correct object and context. If the problem persists, contact your Novell Authorized Reseller.

1984: NWSPdfDeleteForm problem.

Explanation

The function named could not complete its execution properly.

Action

Close the dialog and try the operation again, taking care that you are working with the correct object and context. If the problem persists, contact your Novell Authorized Reseller.

1985: NWSPdfAddDevice problem.

Explanation

The function named could not complete its execution properly.

Action

Close the dialog and try the operation again, taking care that you are working with the correct object and context. If the problem persists, contact your Novell Authorized Reseller.

1986: NWSPdfUpdateDevice problem.

Explanation

The function named could not complete its execution properly.

Action

Close the dialog and try the operation again, taking care that you are working with the correct object and context. If the problem persists, contact your Novell Authorized Reseller.

1987: NWPSpdfDeleteDevice problem.

Explanation

The function named could not complete its execution properly.

Action

Close the dialog and try the operation again, taking care that you are working with the correct object and context. If the problem persists, contact your Novell Authorized Reseller.

1988: NWSPdfAddFunction problem.

Explanation

The function named could not complete its execution properly.

Action

Close the dialog and try the operation again, taking care that you are working with the correct object and context. If the problem persists, contact your Novell Authorized Reseller.

1989: NWSPdfUpdateFunction problem.

Explanation

The function named could not complete its execution properly.

Action

Close the dialog and try the operation again, taking care that you are working with the correct object and context. If the problem persists, contact your Novell Authorized Reseller.

1990: NWSPdfDeleteFunction problem.

Explanation

The function named could not complete its execution properly.

Action

Close the dialog and try the operation again, taking care that you are working with the correct object and context. If the problem persists, contact your Novell Authorized Reseller.

1991: NWPSdfAddModeFunction problem.

Explanation

The function named could not complete its execution properly.

Action

Close the dialog and try the operation again, taking care that you are working with the correct object and context. If the problem persists, contact your Novell Authorized Reseller.

1992: NWSPdfDeleteMode problem.

Explanation

The function named could not complete its execution properly.

Action

Close the dialog and try the operation again, taking care that you are working with the correct object and context. If the problem persists, contact your Novell Authorized Reseller.

1993: The filename used for export may already exist; a problem occurred in NWSPdfExportDevice.

Explanation

The function named could not complete its execution properly.

Action

Close the dialog and try the operation again, taking care that you are working with the correct object and context. If the problem persists, contact your Novell Authorized Reseller.

1994: The device imported may already exist; a problem occurred in NWPSPdfImportDevice.

Explanation

The function named could not complete its execution properly. Each printer device must have a unique name.

Action

Close the dialog and try the operation again, taking care that you are working with the correct object and context. If the same error occurs, try renaming printer devices that may conflict with the printer device that you are trying to import. If the problem persists, contact your Novell Authorized Reseller.

1995: A problem has occurred with an internal action flag.

Explanation

An internal flag was set unexpectedly. The reason for the flag cannot be determined.

Action

Close the current dialog and try the operation again. Exit and restart the utility if necessary. If the problem persists, contact your Novell Authorized Reseller.

1150: The NetWare Administrator has run out of memory.

Explanation

The utility has run out of memory and may not be able to continue.

Action

Correct the memory problem.

1151: An error occurred during an attempt to add new trustees.

Explanation

New trustee or trustees could not be added to the trustees list. The trustees list may be corrupted, Windows may not be able to access sufficient memory to add to the list, or the names of the new trustees returned by NetWare Directory Services may not be accurate.

Action

Correct the memory problem. Then retry the operation. If the problem persists, contact your Novell Authorized Reseller.

1152: A string resource (message) could not be loaded.

Explanation

A message that would have been displayed cannot be found within Windows.

Action

Try repeating this action. If this fails, exiting and enter the current dialog again.

1153 An error occurred during an attempt to build the list of trustees.

Explanation

The list of trustees could not be assembled. Either NetWare Directory Services did not respond to the request, or the object name or trustee data was corrupted.

Action

Try closing and opening this dialog again.

1154: An error occurred during an attempt to get trustee rights.

Explanation

The rights granted to the selected trustee cannot be found. NetWare Directory Services may have returned incorrect information, or the name of the trustee may be corrupted in memory.

Action

Try closing and opening the current dialog again.

1155: An error occurred during an attempt to open the Effective Rights dialog.

Explanation

The "Effective Rights" dialog cannot be opened. There may not be enough memory.

Action

Try closing and opening the current dialog again. Correct the memory problem.

1156: An error occurred during an attempt to get the effective rights.

Explanation

The effective rights of the requested object cannot be found. NetWare Directory Services may not have responded to a request, or the name of the object may be corrupted.

Action

Try closing and opening the current dialog again.

1157: An error occurred during an attempt to save Directory Facts changes.

Explanation

Changes that you made in the "Directory Facts" page could not be saved. The directory may be unavailable, or the new information may be corrupted.

Action

Try closing the dialog and opening it again. Enter the information again.

1158: An error occurred during an attempt to save Directory Identification changes.

Explanation

Changes that you made in the "Directory Identification" page could not be saved. The directory may be unavailable, or the new information may be corrupted.

Action

Try closing the dialog and reopening it to enter the information again.

1159: An error occurred during an attempt to save Trustee changes.

Explanation

Changes to the trustee list or to trustee's rights could not be saved to the Directory Database. NetWare Directory Services may not allow access at the moment, or the new data may be corrupted.

Action

Try closing and reopening the dialog before reentering the information.

1160: An error occurred during an attempt to initialize the Directory Facts dialog.

Explanation

The "Directory Facts" information cannot be opened. There may not be enough memory.

Action

Try closing and reopening the current dialog. Correct the memory problem.

1161: An error occurred during an attempt to get the object's effective rights.

Explanation

The effective rights of the requested object cannot be found. NetWare Directory Services may not have responded to a request, or the name of the object may be corrupted.

Action

Try closing and reopening the current dialog.

1162: An error occurred during an attempt to initialize the Directory Identification dialog.

Explanation

The "Directory Identification" dialog cannot be opened. There may not be enough memory.

Action

Try closing and reopening the current dialog. Correct the memory problem.

1163: An error occurred during an attempt to return the list of bindery users and groups.

Explanation

When you were using Bindery Emulation or a NetWare v3.11 server, the list of Users and Groups from the bindery could not be completed. The request may be corrupted.

Explanation

Close and reopen the current dialog before attempting this again.

1164: An error occurred during an attempt to rename the file or directory.

Explanation

The object could not be renamed. The old name may be corrupted and so cannot be found, or the new name may be unacceptable. NetWare Directory Services may not be accepting the request to update the Directory Database.

Action

Close and reopen the current dialog before attempting this again.

1165: An error occurred during an attempt to delete a trustee.

Explanation

The selected trustee could not be deleted. One of the following happened:

- Either NetWare Directory Services received a command it did not understand
- The object has subordinates
- The name of the object is not acceptable to NetWare Directory Services
- The request was corrupted

Action

Close and reopen the current dialog before attempting this again.

1166: An error occurred during an attempt to set the trustee rights.

Explanation

New rights for the trustee could not be set. Windows may be unable to allocate sufficient memory to save the information, or the trustee or request to change rights may be corrupted and unreadable.

Action

Correct the memory problems.

1167: An error occurred during an attempt to save changes to the directory attributes.

Explanation

Changes that you made in the Directory Attributes could not be saved. The directory may be unavailable, or the new information may be corrupted.

Action

Try closing the dialog and reopening it to enter the information again.

1168: An error occurred during an attempt to get the trustee rights.

Explanation

The rights granted to the selected trustee cannot be found. NetWare Directory Services may have returned incorrect information, or the name of the trustee may be corrupted in memory.

Action

Close and reopen the current dialog before attempting this again.

1169: An error occurred during an attempt to save File Facts changes.

Explanation

Changes that you made in the File Facts page could not be saved. The file may be unavailable, or the new information may be corrupted.

Action

Try closing the dialog and reopening it to enter the information again.

1170: An error occurred during an attempt to initialize the File Facts dialog.

Explanation

The "File Facts" dialog cannot be opened. There may not be enough memory.

Action

Close and reopen the current dialog before attempting this again. Correct the memory problem.

1171: An error occurred during an attempt to save changes to the file attributes.

Explanation

Changes that you made in the File Attributes could not be saved. The file may be unavailable, or the new information may be corrupted.

Action

Try closing the dialog and reopening it to enter the information again.

1172: An error occurred during an attempt to initialize the Bindery User and Group Selector dialog.

Explanation

The "Bindery User and Group" information cannot be opened. There may not be enough memory.

Action

Close and reopen the current dialog before attempting this again. If the attempt fails again, correct the memory problem.

1173: An error occurred while sorting the salvageable file list.

Explanation

The list of salvageable files could not be sorted by the sort option that you have selected. There may not be enough memory available to complete the sort. The files should still be displayed in a non-sorted list.

Action

Correct the memory problem.

1174: An error occurred during an attempt to initialize the Salvage dialog.

Explanation

The "Salvage" dialog cannot be opened. There may not be enough memory.

Action

Try opening the dialog again. Then try exiting and reentering the utility. Correct the memory problem.

1175: An error occurred during an attempt to retrieve the salvageable file list.

Explanation

The list of files from the selected directory that can be salvaged could not be compiled. The volume may not be responding, or the request was corrupted.

Action

Close the "Salvage" dialog and reopen it.

1176: An error occurred during an attempt to display the salvageable file list.

Explanation

The list of salvageable files was retrieved from the directory that you requested, but it cannot be displayed. Either the list was corrupted and contains bad information, or Windows cannot allocate sufficient memory to display the list.

Action

Close and reopen the current dialog. If the attempt fails again, check memory. Correct the memory problem.

1177: An error occurred during an attempt to salvage files.

Explanation

The file or files that you tried to salvage could not be salvaged. The file names may have been corrupted sending them to the volume, or the volume may be unable to complete the operation.

Action

Close and reopen the current dialog before attempting this again.

1178: An error occurred during an attempt to purge files.

Explanation

The file or files that you tried to purge could not be salvaged. The file names may have been corrupted sending them to the volume, or the volume may be unable to complete the operation.

Action

Close and reopen the current dialog before attempting this again.

1320: The object name is invalid.**Explanation**

One of the following may explain this error

- The name entered for an object contains characters that are invalid.
- The name entered for an object refers to an object that does not exist or cannot be accessed at the moment.
- You may have lost your connection to NetWare Directory Services. Requests may have been delayed or access to the database interrupted.

Action

Try entering a different name or correcting characters in the name. If the name is correct, check your connection to NetWare Directory Services.

1321: The Country name is too long. Only two characters are allowed.

Explanation

The name of a Country object can only be two characters long. It is intended to be used for the international code for the country, with a complete name stored in the Description property.

Action

Reenter the Country name, using the correct two-character code. Commonly used codes are found in the help topic for the Country "Create" dialog.

1322: A system error has occurred.

Explanation

An error has occurred with the system.

Action

Check your network connection, exit Windows, and restart the utility.

1323: No server can be found.

Explanation

In order to complete most tasks, a server containing a partition of the NetWare Directory Services database must be available. If a server cannot be located because of a broken network connection or other problem, most functions cannot be completed.

Action

Check your connection to the network and your configuration files to see that your login is correct. Restart your system or log in again to search for a server.

1324: No connection can be established.

Explanation

The utility needed to identify a server to receive information from but was not able to identify a valid connection.

Action

Make sure that you still have a connection to the network and that a NetWare Directory Services server is functioning properly. Try the operation again. If the attempt fails again, exit and restart the utility.

1325: The name entered is too long.

Explanation

You have entered a name that is too long for the value requested. Your entry will not fit.

Action

Enter a shorter name.

1326: A duplicate type is not allowed.

Explanation

Duplicates are not allowed here.

Action

Locate the duplicate and then try the operation again, being careful not to duplicate an existing type.

1327: You are not logged in.

Explanation

You must be logged in as an authenticated NetWare Directory Services object to complete this task.

Action

Log in to NetWare Directory Services with a valid username and password (if required).

1328: Invalid password characters were entered.

Explanation

You have entered invalid characters as part of a password.

Action

Reenter the password using valid characters

1329: An invalid name was entered.

Explanation

One of the following may explain this error

- The name entered for an object contains characters that are invalid.
- The name entered for an object refers to an object that does not exist or cannot be accessed at the moment.
- You may have lost your connection to NetWare Directory Services. Requests may have been delayed or access to the database interrupted.

Action

Try entering a different name or correcting characters in the name. If the name is correct, check your connection to NetWare Directory Services.

1350: The object cannot be read. It may have been deleted from another workstation, or you may not have sufficient rights to read it.

Explanation

The object specified cannot be located in the database. It may have been deleted at another workstation since the time that it appeared on your screen. Another possibility is that you can see the object but have insufficient rights to read its properties.

Action

Close and reopen this dialog. If the object no longer appears, it was deleted at another station. If it still appears, check your effective rights to the object.

1351: There is no such value.

Explanation

The requested value does not exist or cannot be found at the moment.

Action

Try the operation again. If it fails repeatedly, try a different value.

1352: An object with that name already exists. Please try a different name.

Explanation

Objects within the same container must have unique names so that their complete names are unique.

Action

Use a different name for this object, one that is not used yet in this container.

1353: A name was entered that is invalid in Directory Services. The maximum length is 256 characters.

Explanation

The name entered for this object was too long or used invalid characters.

Action

Reenter the name, being careful not to use invalid characters or to exceed the maximum length.

1354: This object class cannot be created in this container.

Explanation

Only certain classes can be created in each type of container object. You have tried to create an object that this container object cannot accept.

Action

Select a different container to create the new object in, or create a different class of object in this container.

1355: Syntax has been violated.

Explanation

The request could not be understood because its form or syntax was incorrect.

Action

Try the command again. If the error recurs, check the documentation or ask your network supervisor for assistance with the correct form for this command or request.

1356: A duplicate value has been entered.

Explanation

Duplicates are not allowed here.

Action

Enter a unique value.

1357: The naming value cannot be removed.

Explanation

For any object to exist, it must have a name. The name is actually one of the values of one of the properties of the object. You have tried to remove the value of the property that names the object. This is not allowed.

Action

Remove all other values as needed. Use the "Rename" option to change the object's name, or the "Delete" option to delete the object.

1358: An invalid request has been made.

Explanation

The requested operation is invalid or was not understood. You may have requested an operation that cannot be performed on the selected object (like creating an object under a leaf object).

Action

Check your request for appropriateness, then try your request again. If the error persists, contact your network supervisor.

1359: Ambiguous containment cannot be resolved.

Explanation

The containment of objects cannot be determined. Either the immediate container of the selected object cannot be determined, or the appropriate rules governing objects of the selected class cannot be determined.

Action

Close and reopen the current dialog and try the operation again. Review the rules for containment if necessary.

1360: Ambiguous naming cannot be resolved.

Explanation

The name of the object cannot be clearly understood. Either different values are set as the naming value, or the naming value cannot be found.

Action

Try the operation again. Also check for corruption in your database. If the problem persists, you may need to delete and recreate this object.

1361: A duplicate value has been entered.

Explanation

Duplicate values are not allowed here.

Action

Enter a unique value.

1362: A duplicate value has been entered.

Explanation

Duplicate values are not allowed here.

Action

Enter a unique value.

1363: Access is not allowed.

Explanation

Access to this object or property is not allowed at this time. You may have insufficient rights, or NetWare Directory Services may be currently processing a command (such as a delete or move) that requires locking out certain other actions until it is completed.

Action

Wait until NetWare Directory Services has finished; then try the operation again. If the error persists, ask your network supervisor to grant you more rights to the area.

1429: An error occurred during an attempt to load mvebb.dll.

Explanation

A file that was needed to complete a requested action is not available to the utility. One of the NetWare Administrator's files is missing or corrupted.

Action

Recopy the NetWare Administrator and its associated files to your work area (probably the PUBLIC directory) from the NetWare program disks or CD-ROM.

1430: An error occurred during an attempt to load muscroll.dll.

Explanation

A file that was needed to complete a requested action is not available to the utility. One of the NetWare Administrator's files is missing or corrupted.

Action

Recopy the NetWare Administrator and its associated files to your work area (probably the PUBLIC directory) from the NetWare program disks or CDROM.

1431: An error occurred during an attempt to call `CN can close.'

Explanation

The specified function call could not be completed. Data may have become corrupted during processing, or NetWare Directory Services did not provide or request sufficient information to complete the task. The value entered may not have been saved.

Action

Close the current dialog and reopen it. Repeat the operation. If the error occur again, check your network connection and contact your network supervisor. If the problem persists, contact your Novell Authorized Reseller.

1432: An error occurred during an attempt to call `Server can close.'

Explanation

The specified function call could not be completed. Data may have become corrupted during processing, or NetWare Directory Services did not provide or request sufficient information to complete the task. The value entered may not have been saved.

Action

Close the current dialog and reopen it. Repeat the operation. If the errors occurs again, check your network connection and contact your network supervisor. If the problem persists, contact your Novell Authorized Reseller.

1433: An error occurred during an attempt to call `Description can close.'

Explanation

The specified function call could not be completed. Data may have become corrupted during processing, or NetWare Directory Services did not provide or request sufficient information to complete the task. The value entered may not have been saved.

Action

Close the current dialog and reopen it. Repeat the operation. If the error occurs again, check your network connection and contact your network supervisor. If the problem persists, contact your Novell Authorized Reseller.

1434: An error occurred during an attempt to call `Locality can close.'

Explanation

The specified function call could not be completed. Data may have become corrupted during processing, or NetWare Directory Services did not provide or request sufficient information to complete the task. The value entered may not have been saved.

Action

Close the current dialog and reopen it. Repeat the operation. If the error occurs again, check your network connection and contact your network supervisor. If the problem persists, contact your Novell Authorized Reseller.

1435: An error occurred during an attempt to call `OU can close.'

Explanation

The specified function call could not be completed. Data may have become corrupted during processing, or NetWare Directory Services did not provide or request sufficient information to complete the task. The value entered may not have been saved.

Action

Close the current dialog and reopen it. Repeat the operation. If the error occurs again, check your network connection and contact your network supervisor. If the problem persists, contact your Novell Authorized Reseller.

1436: An error occurred during an attempt to call `O can close.'

Explanation

The specified function call could not be completed. Data may have become corrupted during processing, or NetWare Directory Services did not provide or request sufficient information to complete the task. The value entered may not have been saved.

Action

Close the current dialog and reopen it. Repeat the operation. If the error occurs again, check your network connection and contact your network supervisor. If the problem persists, contact your Novell Authorized Reseller.

1437: An error occurred during an attempt to call `Owner can close.'

Explanation

The specified function call could not be completed. Data may have become corrupted during processing, or NetWare Directory Services did not provide or request sufficient information to complete the task. The value entered may not have been saved.

Action

Close the current dialog and reopen it. Repeat the operation. If the error occurs again, check your network connection and contact your network supervisor. If the problem persists, contact your Novell Authorized Reseller.

1438: An error occurred during an attempt to call `Serial Number can close.'

Explanation

The specified function call could not be completed. Data may have become corrupted during processing, or NetWare Directory Services did not provide or request sufficient information to complete the task. The value entered may not have been saved.

Action

Close the current dialog and reopen it. Repeat the operation. If the error occurs again, check your network connection and contact your network supervisor. If the problem persists, contact your Novell Authorized Reseller.

1439: An error occurred during an attempt to load the flat browser dll.

Explanation

A file needed to complete the operation is not available or is corrupted.

Action

Make sure all necessary files are available to the utility. If any are missing or corrupted, recopy them to your work area.

1440: An error occurred during an attempt to reference the transfer buffer.

Explanation

An internal memory area that was needed to complete an operation cannot be accessed.

Action

There may be a memory conflict or an error in the requested operation. Close and reopen the dialog and try the operation again. You may need to exit Windows if the problem persists.

1441: An error occurred during an attempt to create a new object.

Explanation

The new object cannot be created because of a problem with the utility or with the NetWare Directory Services database. You may also have insufficient rights to create an object here, or the object you want to create may not be allowed within this container class.

Action

Try again to create the object. You may need to exit the utility first, and then reopen it. Also check your connection to NetWare Directory Services. If your connection is invalid, you cannot create a new object.

1442: An error occurred because the view pointer is invalid.

Explanation

A pointer needed to reference an area of the screen is invalid or cannot be found. The display may be incorrect, even though the data has not been altered.

Action

Close all Browsers and reopen them. You may need to close the utility and reopen it. If the problem persists, check your network connection and consider using replicas of this partition to correct any corrupted object data.

1443: An error occurred because the Windows object is invalid.

Explanation

The structure used to display information has become corrupted or cannot be found.

Action

Close the utility, and perhaps Windows, and reopen them. If the problem persists, contact your network supervisor.

1444: An error occurred because the model object is invalid.

Explanation

The needed information from the database about the selected object could not be found or understood.

Action

Close the dialog or Browser and reopen it. If the problem persists, check your network connection and consider using replicas of this partition to correct any corrupted object data.

1445: An error occurred because the program was not able to get the Browser handle.

Explanation

The information needed to correctly display the Browser could not be found or understood. Although the information on the screen may appear garbled, the data has not been altered.

Action

Close the Browser window, or perhaps the utility, and try the operation again.

1446: An error occurred during an attempt to call `fax can close.'

Explanation

The specified function call could not be completed. Data may have become corrupted during processing, or NetWare Directory Services did not provide or request sufficient information to complete the task. The value entered may not have been saved.

Action

Close the current dialog and reopen it. Repeat the operation. If the error occurs again, check your network connection and contact your network supervisor. If the problem persists, contact your Novell Authorized Reseller.

1447: An error occurred during an attempt to call `email can close.'

Explanation

The specified function call could not be completed. Data may have become corrupted during processing, or NetWare Directory Services did not provide or request sufficient information to complete the task. The value entered may not have been saved.

Action

Close the current dialog and reopen it. Repeat the operation. If the error occurs again, check your network connection and contact your network supervisor. If the problem persists, contact your Novell Authorized Reseller.

1448: An error occurred during an attempt to call `role occupant can close.'

Explanation

The specified function call could not be completed. Data may have become corrupted during processing, or NetWare Directory Services did not provide or request sufficient information to complete the task. The value entered may not have been saved.

Action

Close the current dialog and reopen it. Repeat the operation. If the error occurs again, check your network connection and contact your network supervisor. If the problem persists, contact your Novell Authorized Reseller.

1449: An error occurred during an attempt to call `telephone number can close.'

Explanation

The specified function call could not be completed. Data may have become corrupted during processing, or NetWare Directory Services did not provide or request sufficient information to complete the task. The value entered may not have been saved.

Action

Close the current dialog and reopen it. Repeat the operation. If the error occurs again, check your network connection and contact your network supervisor. If the problem persists, contact your Novell Authorized Reseller.

1450: An error occurred during an attempt to call `host server can close.'

Explanation

The specified function call could not be completed. Data may have become corrupted during processing, or NetWare Directory Services did not provide or request sufficient information to complete the task. The value entered may not have been saved.

Action

Close the current dialog and reopen it. Repeat the operation. If the error occurs again, check your network connection and contact your network supervisor. If the problem persists, contact your Novell Authorized Reseller.

1451: An error occurred during an attempt to call `aliased object name can close.'

Explanation

The specified function call could not be completed. Data may have become corrupted during processing, or NetWare Directory Services did not provide or request sufficient information to complete the task. The value entered may not have been saved.

Action

Close the current dialog and reopen it. Repeat the operation. If the error occurs again, check your network connection and contact your network supervisor. If the problem persists, contact your Novell Authorized Reseller.

1452: An error occurred during an attempt to call `version can close.'

Explanation

The specified function call could not be completed. Data may have become corrupted during processing, or NetWare Directory Services did not provide or request sufficient information to complete the task. The value entered may not have been saved.

Action

Close the current dialog and reopen it. Repeat the operation. If the error occurs again, check your network connection and contact your network supervisor. If the problem persists, contact your Novell Authorized Reseller.

1458: Due to an unknown error, the current operation may fail.

Explanation

Some information needed to complete this operation is unavailable or cannot be understood.

Action

Try the operation again. If repeated attempts fail, exit the utility and check your network connection. Also try the operation on other workstations to see if the problem is in the database or with your workstation.

1459: An error occurred during an attempt to add an object. The operation may fail.

Explanation

The new object could not be created. One of the following may account for this error:

- A problem occurred with the utility or with the NetWare Directory Services database.
- You have insufficient rights to create an object here.
- The object you want to create may not be allowed within this container class.

Action

Try again to create the object. You may need to exit the utility first, and then reopen it. Also check your connection to NetWare Directory Services. If your connection is invalid, you cannot create a new object.

1460: An error occurred during an attempt to read an object. The operation may fail.

Explanation

A problem may have occurred with the utility or with the NetWare Directory Services database, or you may have insufficient rights to complete this operation.

Action

Try again to read the object. You may need to exit the utility first, and then reopen it. Also check your connection to NetWare Directory Services. If your connection is invalid, you cannot read an object. Make sure you have sufficient rights.

1461: An error occurred during an attempt to save changes. The operation may fail.

Explanation

The changes to the object cannot be saved because of a problem with the utility or with the NetWare Directory Services database. Another possibility is that you have insufficient rights to modify this object.

Action

Try again to modify the object and save the changes. You may need to exit the utility first, and then reopen it. Also check your connection to NetWare Directory Services. If your connection is invalid, you cannot modify objects. Make sure you have sufficient rights.

1463: An error occurred during an attempt to rename an object. The operation may fail.

Explanation

A problem may have occurred with the utility or with the NetWare Directory Services database. Another possibility is that you have insufficient rights to complete this operation.

Action

Try again to rename the object. You may need to exit the utility first, and then reopen it. Also check your connection to NetWare Directory Services. If your connection is invalid, you cannot rename an object. Make sure you have sufficient rights.

1464: An error occurred. The current operation may fail.

Explanation

A problem may have occurred with the utility or with the NetWare Directory Services database. Another possibility is that you have insufficient rights to complete this operation.

Action

Try the operation again. You may need to exit the utility first, and then reopen it. Also check your connection to NetWare Directory Services. Make sure you have sufficient rights.

1469: The new object could not be created.

Explanation

The new object could not be created. One of the following may account for this error:

- A problem occurred with the utility or with the NetWare Directory Services database.
- You have insufficient rights to create an object here.
- The object you want to create may not be allowed within this container class.

Action

Try again to create the object. You may need to exit the utility first, and then reopen it. Also check your connection to NetWare Directory Services. If your connection is invalid, you cannot create a new object.

1470: The object could not be read.

Explanation

The object could not be read because of a problem with the utility or with the NetWare Directory Services database. Another possibility is that you have insufficient rights to read this object.

Action

Try again to read the object. You may need to exit the utility first, and then reopen it. Also check your connection to NetWare Directory Services. If your connection is invalid, you cannot read an object. Make sure you have sufficient rights.

1471: The object could not be modified.

Explanation

The changes to the object cannot be saved because of a problem with the utility or with the NetWare Directory Services database. Another possibility is that you have insufficient rights to modify this object.

Action

Try again to modify the object and save the changes. You may need to exit the utility first, and then reopen it. Also check your connection to NetWare Directory Services. If your connection is invalid, you cannot modify objects. Make sure you have sufficient rights.

1472: The object could not be renamed.

Explanation

The object cannot be renamed because of a problem with the utility or with the NetWare Directory Services database. Another possibility is that you have insufficient rights to rename this object.

Action

Try again to rename the object. You may need to exit the utility first, and then reopen it. Also check your connection to NetWare Directory Services. If your connection is invalid, you cannot rename an object.

1473: An object key pair could not be generated.

Explanation

A property used during login cannot be created properly. You may not be able to log in successfully or complete other operations requiring authentication.

Action

See your network supervisor.

1479: A buffer could not be allocated. The current operation may fail.

Explanation

Space needed to complete this operation was not available. The operation may or may not be completed without that extra space.

Action

Try the operation again, closing dialogs or Browser windows if necessary to free memory. Correct the memory problem. If more memory does not solve the problem, a problem may exist in Windows. Check your Windows settings. Try exiting Windows before repeating the operation.

1480: The user's login name could not be determined.

Explanation

The login name entered is unreadable, or the name of the user already logged in cannot be found but is needed for the current operation.

Action

Try the operation again. The database may have been unavailable for a moment. Make sure the required username is a valid object name and exists in the database where expected.

1481: Effective rights could not be determined.

Explanation

The effective rights of the requested object cannot be found. NetWare Directory Services may not have responded to a request, or the name of the object may be corrupted.

Action

Try closing and reopening the current dialog.

1482: The name could not be mapped to an ID. The current operation may fail.

Explanation

The name entered was understood, but cannot be converted to an internal code needed for this operation. Without that code, the operation is likely to fail.

Action

Try the operation again. The database may have been unavailable for a moment. Make sure the entered username is a valid object name and exists in the database where expected.

1483 The model object could not be found. The current operation may fail.

Explanation

The needed information from the database about the selected object cannot be found or understood.

Action

Close the dialog or Browser and reopen it. If the problem persists, check your network connection and consider using replicas of this partition to correct any corrupted object data.

1484: The object could not be renamed.

Explanation

The object could not be renamed because of a problem with the utility or with the NetWare Directory Services database. Another possibility is that you have insufficient rights to rename this object.

Action

Try again to rename the object. You may need to exit the utility first, and then reopen it. Also check your connection to NetWare Directory Services. If your connection is invalid, you cannot rename an object. Make sure you have sufficient rights.

1485: The password could not be changed.

Explanation

The password cannot be changed because of a problem with the utility or with the NetWare Directory Services database. Another possibility is that you have insufficient rights to change the password.

Action

Try again to change the password. You may need to exit the utility first, and then reopen it. Also check your connection to NetWare Directory Services. If your connection has become invalid, you are no longer authenticated as a user and cannot change the password. Make sure you have sufficient rights.

1489: The login script file could not be opened.

Explanation

The file containing the login script property cannot be successfully opened. The correct volume may be unavailable, or you may not have rights to the property.

Action

If you have rights to the login script property, check your connection to your default server on the network. If you still cannot open the login script, it may be corrupted. If this is the case, you will have to reenter the login script.

1490: The login script file could not be read.

Explanation

The file containing the login script property cannot be read successfully. The correct volume may be unavailable, or you may not have rights to the property.

Action

If you have rights to the login script property, check your connection to your default server on the network. If you still cannot read the login script, it may be corrupted. If this is the case, exit the utility and reenter the changes to the login script.

1491: The login script file could not be written.

Explanation

The file containing the login script property cannot be successfully written. The correct volume may be unavailable, even if it was available when you read the login script. Another possibility is that you do not have rights to the property.

Action

Try to write the changes again. If you have rights to the login script property, check your connection to your default server on the network. If you still cannot write the login script, it may be corrupted. Exit the utility and reenter the changes to the login script.

1492: The login script file could not be closed.

Explanation

The file containing the login script property cannot be successfully closed. The correct volume may be unavailable, or you may not have rights to the property. If the file cannot be closed, any changes that you made may be lost. If you have not changed the login script, no damage should occur.

Action

If you have rights to the login script property, check your connection to your default server on the network. If you still cannot close the login script, it may be corrupted. Exit and reenter the utility and look at the login script. Reenter any changes that were lost.

1493: The login script was not completely saved due to an unknown error.

Explanation

The file containing the login script property could not be successfully saved. The correct volume may be unavailable, even if it was available when you read the login script. Another possibility is that you do not have rights to the property.

Action

Try to save the changes again. If you have rights to the login script property, check your connection to your default server on the network. If you still cannot save the login script, it may be corrupted. Exit the utility and reenter the changes to the login script.

1494: The login script file could not be changed. The previous login script may not be deleted completely.

Explanation

The file containing the login script property cannot be successfully updated. The correct volume may be unavailable, even if it was available when you read the login script. Another possibility is that you do not have rights to the property.

Action

Try to write the changes again. If you have rights to the login script property, check your connection to your default server on the network. If you still cannot update the login script, it may be corrupted. Exit the utility and reenter the changes to the login script. Check the login script again after making changes to be sure that the login script is complete and has not been corrupted.

1495: The login script could not be read because of insufficient memory.

Explanation

The utility has run out of memory and may not be able to continue.

Action

Correct the memory problem.

1496: The login script could not be saved because of insufficient memory.

Explanation

The utility has run out of memory and may not be able to continue.

Action

Correct the memory problem.

1499: This property requires valid Directory Services objects.

Explanation

The property requested must be associated with a NetWare Directory Services object, but none is specified or available.

Action

Specify a different property. Many NetWare Directory Services properties are similar to other properties, so be careful how you specify it.

1500 The following entries are invalid

Explanation

Entries have been selected that the utility cannot process. The entry may be unavailable at the moment or the operation may be invalid on certain classes of objects.

Action

Examine each invalid item to determine what caused it be invalid. Remove invalid selections from the list of selections.

1501: You do not have sufficient rights to complete this operation.

Explanation

Your effective rights to this object, file, or directory, which are computed from trustee assignments, inheritance, and security equivalence, are not sufficient to complete this operation.

Action

Ask the network supervisor to grant you more rights.

1675: A previous password cannot be used; enter a unique password.

Explanation

To increase network security, your network supervisor has required that passwords be unique. You cannot use a password that has been used previously.

Action

Enter a new password that you have not used previously.

1676 The password is too short.

Explanation

A minimum password length was set by the network supervisor for this user. The password selected must be at least that long.

Action

Try a different password that is at least as long as the minimum required length. Ask your network supervisor if you do not know how long to make your password.

1677: The password is invalid.

Explanation

The password entered is not the correct one for the username entered. If intruder detection has been set and you enter an incorrect password too many times, your account may be locked.

Action

Enter the correct password.

1678: The password has expired.

Explanation

Either your account or your password for this user account has expired and is no longer valid.

Action

If you have grace logins, you can use one of them to log in and then change your password. If you do not have grace logins, or if the account has expired, contact your network supervisor to allow access to the account.

1679: Retype the new password.

Explanation

A new password must be entered twice to guard against typing errors. This ensures that your password has been changed to what you think it has been changed to.

Action

Reenter the same new password that you just typed.

1685: Accounting could not be removed. (Delete property operation failed.)

Explanation

Accounting cannot be removed from this server for one of the following reasons:

- The server was unavailable to receive the command.
- Other processes cannot be interrupted right now.

Action

Try the operation again. If the error persists, check the server and your network connection.

1686: Accounting could not be installed. (Create property operation failed.)

Explanation

Accounting cannot be removed from this server for one of the following reasons:

- The server was unavailable to receive the command.
- Other processes cannot be interrupted right now.

Action

Try the operation again. If the error persists, check the server and your network connection.

1687: An error occurred during an attempt to install accounting.

Explanation

Accounting cannot be installed on this server for one of the following reasons:

- The server was unavailable to receive the command.
- Other processes cannot be interrupted right now.

Action

Try the operation again. If the error persists, check the server and your network connection.

1688: An error occurred during an attempt to remove accounting.

Explanation

Accounting cannot be removed from this server for one of the following reasons:

- The server was unavailable to receive the command.
- Other processes cannot be interrupted right now.

Action

Try the operation again. If the error persists, check the server and your network connection.

1689: An error occurred during an attempt to read a property value.

Explanation

A property value was requested to complete this operation, but none was returned. NetWare Directory Services may not have responded, or the request may have been invalid because of the object or property name used.

Action

Try the operation again. Close the utility and check your network connection if necessary.

1690: An error occurred during an attempt to write a property value.

Explanation

The utility attempted to update a property value to complete this operation, but the new value was not accepted. NetWare Directory Services may not have responded, or the request may have been invalid because of the object or property name used.

Action

Try the operation again. Close the utility and check your network connection if necessary.

1691: That is an invalid charge rate.

Explanation

The values that you entered for the multiplier and divisor form an invalid charge rate.

Action

See the help screens for instructions on deciding on what charge rates to use.

1692: A maximum of 20 different charge rates are allowed among all services.

Explanation

Only 20 different charge rates are allowed among all five resources that accounting tracks. For example, if you have 10 charge rates for disk storage and 10 for service requests, you cannot enter a charge rate for blocks read until you delete one of the other charge rates.

Action

Delete a charge rate from this or another resource to free one of the 20 charge rates available. Then reenter the new charge rate.

1694: No Charge cannot be deleted.

Explanation

The "No Charge" designation cannot be removed from the list.

Action

Do not try to delete "No Charge."

1695: The selected charge rate cannot be deleted because it is still in use.

Explanation

You cannot delete a charge rate that is still in use in the day/time grid.

Action

Find all days and times when this charge rate is in use, and change those days and times to another charge rate. Then select the charge rate that you want to delete and choose "Delete" again.

1696: A charge rate must be selected to delete.

Explanation

You chose "Delete," but you did not select a charge rate to delete from the list.

Action

First select a charge rate from the list, then choose "Delete" again. You can only delete a charge rate that is not in use.

1697: The charge rate could not be added.

Explanation

The charge rate you entered cannot be added. It may be caused by one of the following:

- You entered an invalid charge rate.
- The maximum number of charge rates has been exceeded. Only 20 different charge rates are allowed among all five resources that accounting tracks.
- The server has not accepted the new information.

Action

Try the operation again. Make sure that the server is functioning, that the charge rate is valid, and that it is not the 21st charge rate.

1705: All fields must be filled in.

Explanation

To complete the requested operation, all of the fields displayed must be completed. This may be because they are mandatory properties for this object class, or because information that is incomplete cannot be given to NetWare Directory Services.

Action

Fill in all the of the fields shown. See the help topic for information on each field.

1706: The entry contains invalid characters, or the value is too large.

Explanation

Either the value that you entered for this field is too large, or you have entered invalid characters that do not allow the field to be understood and sent to NetWare Directory Services.

Action

Reenter a smaller value or an entry that does not include invalid characters. See the help topic for information about what constitutes a valid entry in this dialog.

1707: You do not have sufficient rights to the current property or its pair. The following value cannot be added to the list:

Explanation

Your effective rights to this object, file, or directory, which are computed from trustee assignments, inheritance, and security equivalence, are not sufficient to complete this operation.

Action

Ask the network supervisor grant you more rights.

1708: You do not have sufficient rights to the current property or its pair. The following value cannot be deleted from the list:

Explanation

Your effective rights to this object, file, or directory, which are computed from trustee assignments, inheritance, and security equivalence, are not sufficient to complete this operation.

Action

Ask the network supervisor grant you more rights.

1710: The server error log file could not be opened.

Explanation

The file containing the server error log cannot be opened successfully. The correct volume may be unavailable, or you may not have rights to the server.

Action

If you have rights to the server, check your connection to your default server on the network. If you still cannot open the error log, it may be corrupted.

1711: An error occurred during an attempt to close the server error log file.

Explanation

The file containing the server error log could not be successfully closed. The correct volume may be unavailable, or you may not have rights to the server. Because you cannot change the error log, only view it, no damage should occur. This problem may indicate another problem, however, and you may want to check the server.

Action

Exit and reenter the utility and look at the error log.

1712: The server error log file could not be read.

Explanation

The file containing the server error log could not be successfully read. The correct volume may be unavailable, or you may not have rights to the server.

Action

If you have rights to the server, check your connection to your default server on the network. If you still cannot read the error log, it may be corrupted.

1713: The server error log file could not be cleared.

Explanation

The file containing the server error log could not be successfully erased. The correct volume may be unavailable, even if it was available when you read the error log; or you may not have rights to the server.

Action

Try to clear the error log again. If you have rights to the server, check your connection to your default server on the network. If you still cannot clear the error log, it may be corrupted. Exit the utility and reenter it to view the error log.

1714: The Alias of a country can only be named by two characters.

Explanation

Because the name of a Country object can only be two characters, an Alias to a Country can also only be named by two characters.

Action

Enter a new name for the Alias to a Country object using only two characters.

1715: A Country object must be named by two characters.

Explanation

The name of a Country object must be only two characters. This name is intended to be used as the international two-character code for each country.

Action

Enter a new name for the Country object that uses only two characters. See the help topic for a list of codes for many countries.

1716: The home directory could not be created.

Explanation

A home directory for a user was specified, but cannot be created because of insufficient rights, because access to the volume was not possible, or because a problem (such as too many directory entries) exists on the volume that you specified.

Action

Try the operation again. Make sure you have sufficient rights to create a directory in the area you have selected. Check with the network supervisor if there seems to be a problem on the volume.

1720: The TCP/IP address is invalid. All fields must be between 0 and 255.

Explanation

The TCP/IP address that you have entered is invalid because the values entered are not within ranges specified by the TCP/IP protocol.

Action

Enter correct values for each field. All values must be between 0 and 255.

1721 The Volume field must be filled in.**Explanation**

In order to complete this operation, a volume must be specified. The volume provides an address to access the file system and the server to which it is attached. You can use the "Select Object" dialog to select an object from the Browser if you are not certain what volumes are available.

Action

Complete the volume field by entering a volume object's name (or complete name, if in another context), or by selecting a volume from the "Select Object" dialog.

1732: You cannot delete a Server object using the NetWare Administrator. Use the Partition Manger.

Explanation

Server objects can be deleted only by using the Partition Manager. Deleting NetWare server objects using the Browser in the NetWare Administrator could make portions of the Directory database inaccessible because partition replicas could be on the deleted server. Partition Manager will not allow you to delete a server unless all parts of the Directory database are available from other servers.

Action

Use to the Partition Manager option to delete NetWare Server objects.

1733: The server cannot be added. A server connection cannot be established.

Explanation

The utility needed to identify the server which it is receiving information from but was not able to identify its connection ID to add it to the current list of server connections.

Action

Make sure that you are connected to the network and that the needed NetWare Directory Services server is functioning properly. Try the operation again; exit and restart the utility, if necessary.

1734: The server cannot be added. The name of the Directory tree used by this server cannot be determined.

Explanation

The Directory tree used by this server cannot be determined. Without that information, it cannot be added here.

Action

Make sure that you are connected to the network and that the needed NetWare Directory Services server is functioning properly. Try the operation again; exit and restart the utility, if necessary.

1735: The server cannot be added. The server already exists in this part of the Directory tree.

Explanation

Two NetWare Server objects that refer to the same physical server cannot be in the same container.

Action

Create the second NetWare Server object within a different container.

1736: The server cannot be added. The server's network address cannot be determined.

Explanation

In order to create a NetWare Server object, NetWare Directory Services must be able to locate the appropriate network address for the physical server.

Action

Make sure you are specifying the correct network address for this server. Check your network connection to see that the server is accessible.

1737: The server cannot be added. The server's version cannot be determined.

Explanation

In order to create a NetWare Server object, NetWare Directory Services must be able to determine which version of NetWare is being used on the server.

Action

Check your network connection to make sure that the server is accessible.

1741: The name of the Directory tree used by this server cannot be determined.

Explanation

The Directory tree used by this server cannot be determined.

Action

Make sure that you are connected to the network and that the needed NetWare Directory Services server is functioning properly. Try the operation again; exit and restart the utility, if necessary.

1742: A preferred server connection cannot be established.

Explanation

The utility needed to identify the server specified as the preferred server, but was not able to identify its connection ID.

Action

Make sure that you are connected to the network and that the needed NetWare Directory Services server is functioning properly. Try the operation again; exit and restart the utility, if necessary.

1743: The Error Log file is too big to display. Only the most recent portion is shown.

Explanation

The server error log file is too large to load into memory in its entirety for display. Only the most recently logged errors are displayed.

Action

After examining the server error log, clear the error log so that, in the future, the file will not be too large to display.

1752: You cannot delete a mandatory property.

Explanation

Certain properties must have values for this object to exist in NetWare Directory Services. You cannot remove all values from these mandatory properties.

Action

You can remove all but the last value of a mandatory property.

1850 Form numbers must be in the range 0 to 255.

Explanation

The number of a form that you enter must be between 0 and 255.

Action

Reenter a form number with a value from 0 to 255.

1851: The print server is not responding. Printer status failed.

Explanation

An attempt to get the status of the printer by reading properties of the print server failed because the print server did not respond to a request. NetWare Directory Services or your connection to a valid server may be broken.

Action

Check your network connection and try the operation again.

1852: No attachment has been made to the print server. Printer status failed.

Explanation

An attempt to get the status of the printer by reading properties of the print server failed. The print server did not respond to a request or could not be found. NetWare Directory Services or your connection to a valid server may be broken.

Action

Check your network connection and try the operation again.

1853: The user is not a print server operator. Printer status failed.

Explanation

In attempt to get the status of the printer by reading properties of the print server failed. The user requesting status is not authorized to receive information from the print server.

Action

You must have more rights to the print server to get the requested status information.

1854: A printer status error has occurred.

Explanation

An attempt to get the status of the printer by reading properties of the print server failed for an unknown reason. NetWare Directory Services or your connection to a valid server may be broken.

Action

Check your network connection and try the operation again.

1855: The system timer cannot be read. The printer status will not be updated.

Explanation

An internal error has caused the system time to be unavailable. Because an incorrect system time can cause many problems, the printer status is left unchanged.

Action

Make sure that you have a valid connection to a server and that server is functioning as a time server. Try the operation again.

1856: The system timer cannot be read. The queue job list will not be updated.

Explanation

An internal error has caused the system time to be unavailable. Because an incorrect system time can cause many problems, the queue job list is left unchanged.

Action

Make sure that you have a valid connection to a server and that server is functioning as a time server. Try the operation again.

1857: You do not have sufficient rights to examine the queue job.

Explanation

You do not have sufficient rights to the printing-related objects of this part of the Directory tree to examine the print queue job.

Action

Ask the network supervisor to grant you more rights.

1858: An error occurred during an attempt to read the queue job information.

Explanation

The print queue job information cannot be read successfully. The correct object may be unavailable, or you may not have rights to the correct object.

Action

If you have rights to the object, check your connection to your default server on the network. If you still cannot read the queue job information, it may be corrupted.

1859: The system timer cannot be read. The print queue job details will not be updated.

Explanation

An internal error has caused the system time to be unavailable. Because an incorrect system time can cause many problems, the print job details are left unchanged.

Action

Make sure that you have a valid connection to a server and that server is functioning as a time server. Try the operation again.

1860: An error occurred in the print queue list. The print queue ID cannot be read.

Explanation

The file containing the print queue job list could not be successfully read. The correct volume may be unavailable, or you may not have rights to the server.

Action

If you have rights to the server, check your connection to your default server on the network. If you still cannot read the print queue ID, it may be corrupted.

