

# **Companion**

Amigan Software

**COLLABORATORS**

	<i>TITLE :</i> Companion		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Amigan Software	January 25, 2023	

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>Companion</b>	<b>1</b>
1.1	Developer CD 2.1 Companion 2.1	1
1.2	Articles	1
1.3	Autodocs	7
1.4	Tools	10
1.5	Examples	19
1.6	3rd Party Contributions	20
1.7	AbsLoad	20
1.8	AddMem	21
1.9	ALink	21
1.10	ASLTester	21
1.11	Atom	22
1.12	Autodoc	22
1.13	BLoad	22
1.14	BreakTask	22
1.15	BumpBPR	23
1.16	BumpRev	23
1.17	Cards	23
1.18	CatComp	23
1.19	CharSet	24
1.20	ClipView	24
1.21	ConfigDev	24
1.22	Decigel020	24
1.23	DevList	25
1.24	DevMon	25
1.25	DiskEd	25
1.26	Display	25
1.27	DOSList	25
1.28	Drip	26
1.29	DTest	26

---

---

1.30	DTO	26
1.31	EatCycles	26
1.32	EatMem	27
1.33	EndRun	27
1.34	Enforcer	27
1.35	ExaminedT	27
1.36	FindHit	28
1.37	Flash	28
1.38	Flush	28
1.39	FontList	28
1.40	Frag	29
1.41	GetVolumeDev	29
1.42	IntList	29
1.43	ILBMScan	29
1.44	Installer	30
1.45	IO_Torture	30
1.46	IsCustomMonitor	30
1.47	KeyMatrix	30
1.48	KTest	30
1.49	LhUnArc	31
1.50	LoadC	31
1.51	Localize	31
1.52	LVO	31
1.53	MemList	32
1.54	MemMon	32
1.55	MemMung	32
1.56	Memoration	33
1.57	MemoryTide	33
1.58	MemOwner	33
1.59	MemWall	33
1.60	MergeIcons	33
1.61	MergeMem	34
1.62	MKS_Lens	34
1.63	ModList	34
1.64	Move4K	34
1.65	MungList	35
1.66	MungWall	35
1.67	Peek	35
1.68	PlaySound	36

---

---

1.69	Poke	36
1.70	PortList	36
1.71	PrintA	36
1.72	PrinterTest	37
1.73	ReActor	37
1.74	ReadPixel	37
1.75	RebootOff	37
1.76	Report	37
1.77	ReqOnOff	38
1.78	ROMWack	38
1.79	SaveMem	38
1.80	Scratch	38
1.81	ScreenSave	39
1.82	SearchFile	39
1.83	SegTracker	39
1.84	SetCAMG	39
1.85	SetParallel	40
1.86	SetTaskName	40
1.87	ShowConfig	40
1.88	ShowGfxBase	40
1.89	ShowLocks	41
1.90	Sift	41
1.91	Snoop	41
1.92	SpareMem	41
1.93	SRT	42
1.94	StripA	42
1.95	StripC	42
1.96	Sushi	42
1.97	SysLock	43
1.98	SysPM	43
1.99	TaskList	43
1.100	TaskPri	43
1.101	TNT	44
1.102	TStat	44
1.103	Wack	44
1.104	WatchMem	44
1.105	Wedge	45
1.106	WinList	45
1.107	AddIcon	45

---

---

1.108BlackCfg . . . . .	45
1.109BlowUp . . . . .	46
1.110BookFile . . . . .	46
1.111BookIt . . . . .	46
1.112BootNTSC . . . . .	46
1.113BootPAL . . . . .	47
1.114BuildCD . . . . .	47
1.115CCopy . . . . .	47
1.116CD2xSpeed . . . . .	47
1.117CDGSXL . . . . .	48
1.118CDMPEG . . . . .	48
1.119CDSetMap . . . . .	48
1.120CheckGuide . . . . .	48
1.121Complainer . . . . .	49
1.122Config . . . . .	49
1.123ConPaste . . . . .	49
1.124Conversion . . . . .	49
1.125CopyIcon . . . . .	50
1.126CPUTrap . . . . .	50
1.127CV . . . . .	50
1.128DeBox . . . . .	50
1.129DeShow . . . . .	51
1.130DirDiff . . . . .	51
1.131DumpSector . . . . .	51
1.132FakIR . . . . .	51
1.133HDToolBox . . . . .	51
1.134HowDeep . . . . .	52
1.135IconSort . . . . .	52
1.136ISO2 . . . . .	52
1.137ISOCD . . . . .	53
1.138ISOVal . . . . .	53
1.139JoyCheck . . . . .	53
1.140JoyMouse . . . . .	53
1.141Keeper . . . . .	53
1.142Kiskometer . . . . .	54
1.143LhArc . . . . .	54
1.144LibList . . . . .	54
1.145MailBx . . . . .	54
1.146MakeBin . . . . .	55

---

---

1.147MakeQuick . . . . .	55
1.148MIDIPorts . . . . .	55
1.149NoReset . . . . .	55
1.150NSDPatch . . . . .	56
1.151NSDQuery . . . . .	56
1.152NTSC . . . . .	56
1.153OptCD . . . . .	56
1.154PadStream . . . . .	57
1.155PAL . . . . .	57
1.156PartInfo . . . . .	57
1.157PatchWork . . . . .	57
1.158Prod_Prep . . . . .	58
1.159QuickStart . . . . .	58
1.160Sashimi . . . . .	58
1.161SBox . . . . .	58
1.162SetCDFS . . . . .	59
1.163SimCD . . . . .	59
1.164SimCD32 . . . . .	59
1.165TreeGuide . . . . .	59
1.166VideoDisc . . . . .	59
1.167WarnIfNotPAL . . . . .	60
1.168WarnIfPressed . . . . .	60
1.169WipeOut . . . . .	60
1.170XLTools . . . . .	61

---

# Chapter 1

## Companion

### 1.1 Developer CD 2.1 Companion 2.1

3rd Party Contributions

Articles

Autodocs

Examples

ROM Kernel Manuals

Devices

Hardware

Includes and Autodocs

Libraries

Tools

Please send any additions, corrections, suggestions, etc.

EMail: [james.jacobs@bigpond.com](mailto:james.jacobs@bigpond.com)

URL: <http://users.bigpond.com/james.jacobs/amigan.html>

V2.1: 29/04/04

V2.0: 02/09/03

V1.0: 17/10/01

### 1.2 Articles

#### I. Programming Practices and Standards

##### Amiga Mail 1

Avoiding Port, Task, and File Name Conflicts

Five Alive (or How to Help your Program Survive)

PAL and NTSC Differences

Programming for Portability and Compatibility

Getting Software to Run on Hard Disks

Official Warning to ROM-Jumpers, Structure-Hackers,  
and Others

Testing for European Compatibility without Going to



- Europe
    - Troubleshooting your Software
    - Writing Software for All the Amigas
  - Amiga Mail 2
    - 1. Tag Items and Tag Lists
    - 3. 2.0 Version Strings
    - 7. The ASL Library
    - 19. 2.0 Compatibility Problem Areas
    - 35. Release 2.0 Specific Functions and Commands
    - 43. Callback Hooks
    - 47. Debugging with Enforcer and MungWall
  - DevCon
    - Attention Game Vendors!
    - Debugging Tools - Choosing the Right Tool for the Job
    - Disk Drives - What YOU Are Doing Wrong!
    - How to Waste Time
    - Official Way to Software Reboot an Amiga, The
    - Official Warning to ROM-Jumpers, Structure-Hackers,
    - and Others
    - Using Amiga Debugging Tools
  - II. AmigaDOS
    - Amiga Mail 1
      - CON: and Raw Event Streams
      - Creating Multiple Processes with Re-Entrant Code
      - Fast Filing System
      - Infodata
      - Low Level Differences between FFS and the ROM Filing System
      - New Packets and Structures in 1.2 AmigaDOS
      - Setting Up Your Hard Disk for Workbench 1.3 (part 1)
      - Setting Up Your Hard Disk for Workbench 1.3 (part 2)
      - Tricks with AmigaDOS (part 2)
      - Which.c - Locates your commands
    - Amiga Mail 2
      - 1. Executing External Programs with Release 2.0
      - 5. AmigaDOS Packet Interface Specification
      - 27. Standard Command Line Parsing
      - 31. Notification
      - 37. Using the AmigaDOS Pattern Matching Functions
      - 43. The 2.0 DOS.library Pathname Handling Functions
      - 49. Directory Scanning
      - 65. Writing a UserShell
      - 77. Fast AmigaDOS I/O
      - 87. Cooperative Record Locking with AmigaDOS
      - 95. Packet Level I/O under Release 2
      - 107. Even Faster AmigaDOS I/O
      - 113. Handling Multiple Assigns with Conventional Directories
  - NDK
    - 1.2 dos.library Changes
    - 1.3 Fast Filing System
    - New V39 DOS Packets
    - Preliminary HardBlocks and FileSysRes Documents
  - III. Exec
    - Amiga Mail 1
      - Assembler Device I/O - The Easy Way
      - Exception Vector Warning
-

- Amiga Mail 2
    - 1. Using SetFunction() in a Debugger
    - 11. 68040 Compatibility Warning
    - 17. Signalling with SIGF\_SINGLE
    - 19. Memory Pools
    - 25. Quick Interrupts
    - 29. Creating Exec Libraries with SAS/C 6.x
  - DevCon
    - Advanced Exec and CPU Issues
  - NDK
    - 1.2 exec.library Changes
  - Other
    - Future OS
  - IV. Intuition and Workbench
    - Amiga Mail 1
      - Disabled Render - How to Supply an Alternate Image for a Gadget which is Disabled
      - Opening Full Size Screens and Windows on Any System
    - Amiga Mail 2
      - 1. Obtaining an Icon Image
      - 3. An Introduction to V36 Screens and Windows
      - 17. Opening Screens and Windows on Any Amiga
      - 23. Introduction to BOOPSI
      - 41. Writing a BOOPSI Image Class
      - 57. BOOPSI's Transparent Base Classes
      - 59. AppWindows, AppIcons, and AppMenuItems
      - 69. Making Your Windows More Shiny and Manageable
      - 77. Optimized Window Refreshing
      - 91. Color Wheel and Gradient Slider BOOPSI Classes
      - 101. Introduction to the Datatypes library
      - 111. BOOPSI in Release 3
      - 125. Features of V39 GadTools
      - 137. Menu Verify
    - DevCon
      - Creating Sprites in C from the Intuition Pointer
    - NDK
      - 1.3 Preferences
      - DataTypes
      - Intuition V33
      - Intuition V39
    - Other
      - Hints
      - LockLayer()
      - ObtainGIRPort()
  - V. Graphics
    - Amiga Mail 1
      - Creating Sprites in C from the Intuition Pointer
      - Disabling Sprite DMA from a Vertical Blank Interrupt
      - Extended Text Fonts
      - Lost Blitter Documents, The
    - Amiga Mail 2
      - 1. Using the ECS Genlocking Features
      - 11. Finding the Aspect Ratio
      - 15. Amiga Font Scaling and Aspect Ratio
      - 23. Using Compugraphic Typefaces with Bullet
      - 39. Naming Graphics Display Modes
    - DevCon
-

- V39 and AGA Compatibility
- NDK
  - 1.2 graphics.library Changes
  - A2024 Functional Specification and Programmer's Reference
  - Bullet Library and Compugraphic Typefaces
  - V39 AGA Compatibility
  - V39 AGA Graphics
- VI. Sound and Music
  - Amiga Mail 1
    - Amiga Audio Cutoff Filter
    - DTMF - A Program for Generating Touch-Tone Signals
    - PAL and Audio
    - Simple Audio
  - Amiga Mail 2
    - 1. Creating Virtual Voices with Amiga Audio
  - Other
    - Commodore-Amiga MIDI Driver (CAMD)
    - How to Write a Hardware Driver for CAMD
    - MIDI Basics
- VII. IFF
  - Amiga Mail 1
    - 8SVX: Playing Samples Larger than 128K
    - A SMUS Player
    - Intro to IFF Amiga ILBM Files and Amiga Viewmodes
  - Amiga Mail 2
    - 1. The DR2D FORM
    - 17. ECS Display Modes and ILBM CAMG
    - 21. Developing New IFF FORMs and Chunks
    - 25. AmigaGuide 101
  - DevCon
    - ANIM: An IFF Format for CEL Animations
    - IFF News - April 1988
    - IFF Parsing Library
    - ILBM Files: V39 and AGA Support Issues
    - NewIFF V39: IFF Modules with AGA Support
    - PGTB: An IFF Format for ProGram TraceBack
- NDK
  - ILBM Files: V39 and AGA Issues
- Other
  - Background on the Example IFF Source Code
  - IFF News - November 1988
  - IFFParse Module
  - IFF Registry - November 1988
  - IFF Registry - March 1993
  - Tips for Compiling IFF Examples
- VIII. UNIX and Networking
  - Amiga Mail 2
    - 1. Using the Amiga A3000UX as a NFS File Server
    - 9. Keeping Time - Interval Timing in Amiga UNIX
    - 17. Developing Network Applications for the Amiga
    - 31. A Shared Socket Library Server and Client
    - 51. SANA-II Network Device Specification
  - Other
    - Networking
      - SANA-II
        - Specification - Revision 3

- ArcNet
  - EtherNet
  - IX. Timer, Serial, and Parallel
    - Amiga Mail 1
      - Amiga Multiple Serial Ports
      - A Timer Using the CIA Resource
      - How to Waste Time
      - SoftInt MsgPorts and the Timer Device
      - Using the Serial and Parallel Port Resources
    - Amiga Mail 2
      - 1. Four Can Play - Supporting Parallel Port Joysticks
  - X. Output
    - Amiga Mail 1
      - Amiga V1.3 Workbench Printer Driver Listing (10-88)
      - Changes to the Printer Device for V1.3
      - Programmer Notes on Calling the V1.3 Printer Device
      - PostScript Primer for Programmers
      - Printer.c - A Printer Text and Graphics Module
      - Troubleshooting PostScript Printers
      - V1.3 Preferences
      - Writing a V1.3 Graphics Printer Driver
    - NDK
      - 1.2 Printer Changes
      - 1.3 Printer Preferences
      - 1.3 Printer Driver Notes
      - printer.device V44 Applications
      - printer.device V44 Drivers
      - printer.device V44 Preferences
      - Programmer Notes on Calling the 1.3 Printer Device
      - Summary of Changes to the Printer Device for 1.3
      - Tips for Generating Better/Faster Graphics Dumps
      - Writing a 1.3 Graphics Printer Driver
  - XI. Input
    - Amiga Mail 1
      - Amiga Keyboard Input and Keymaps
      - Allocation of Input and Other System Resources
      - International Keyboard Input
      - Joystick Port Output
    - Amiga Mail 2
      - 1. Introduction to Commodities Exchange
      - 21. Loading Keymaps
      - 25. Customizing the Keypad Keymap
  - XII. CDTV/CD<sup>3</sup>CD<sup>2</sup>
    - Amiga Mail 2
      - 1. Guidelines for CDTV Applications
      - 9. Making CDTV Titles That Work on Amigas
      - 17. Memory Limits for Various CDTV Configurations
    - DevCon
      - Fighting with Lasers
    - Other
      - Additional CD<sup>3</sup>CD<sup>2</sup> Information and Tips from CATS
      - CD<sup>3</sup>CD<sup>2</sup> Titles and CD<sup>3</sup>CD<sup>2</sup>-Compatible Peripherals
      - CD-ROM Extensions to AIFF Standard
      - CDTV Pre-Mastering Procedure
      - Rock Ridge Amiga Specifics
      - Tips for Developing an AmigaCD Title
  - XIII. Hardware
-

---

- Amiga Mail 2
  - 1. Video Adapter Diagrams
  - 5. The 68030 and 68040 and the Zorro III Bus
  - 11. Expanding RAM on the Amiga 4000
  - 15. A1200 CPU Card Expansion RAM
  - 17. A600 Game Port Connector Form Factor
- DevCon
  - A600/A1200 PCMCIA Card Slot
  - Issues for PCMCIA Peripheral Manufacturers
  - Preparing Software for Credit Card Distribution
- ARexx
  - NDK
    - ARexx Hosts and Clients
    - ARexx Function Libraries
    - V40 MultiView ARexx Commands
    - Workbench ARexx Interface
- ASL
  - NDK
    - V38 ASL
- Boot, Expansion, Configuration
  - Amiga Mail 1
    - Amiga 2000 Motherboard Revision History
    - Using Byte-Wide Autoboot ROMs under AmigaOS V1.3
    - Using the I/O Space In Time Critical Applications
    - V1.3 Kickstart and Autoboot
    - Your Manufacturer Number
- Devices
  - Amiga Mail 1
    - Amiga Floppy Drives
    - Amiga Low-Level Disk Access
    - Notes on 1.2 Amiga Trackdisk Format
  - DevCon
    - Flushing Devices
    - HardBlocks specification
  - Other
    - New Style Devices
      - Command Specifications
      - Device Specifics
      - Future Directions
      - History and Conformance
      - Thoughts and Consequences
    - Trackdisk 64
- International
  - NDK
    - Locale Library
  - Other
    - Guidelines for German Translations of Amiga Documentation
- Kickstart
  - NDK
    - Autoboot
    - Kickstart 1.2.1 Release Documentation
- Linker Libraries
  - NDK
    - 1.2 amiga.lib Changes
- Math
  - Amiga Mail 1

---

Amiga Math: Fast Fourier Transform  
Introduction to 1.3 IEEE Double Precision Libraries

Miscellaneous

- Amiga Mail 1
  - Amiga Virus, The News
  - Stereoscopy and the Amiga
  - Using the Clipboard Device

NDK

- 1.2 General Information
- 1.2 Other Device Changes
- 1.2 Other Library Changes
- 3.1 NDK Instructions
- Bug Report Form
- More about AmigaMail
- Known 1.2 Bugs
- Omega 3-7 Changes
- OS Game Techniques
- Using Amiga Startups
- Using Amiga Debugging Tools
- V38 Overview
- V38-V40 Changes
- V39 Colourwheel
- V40 Release Notes
- Writing Reentrant C Programs

Other

- Blacklist - Bad Software
- OS Changes: 1.3-2.04
- OS Changes: 2.04-2.1
- OS Changes: 2.1-3.0
- OS Changes: 3.0-3.1
- Required Reading
  - Amiga Guru Book
- Style - Coding Standards

## 1.3 Autodocs

### Classes

#### NDK

- arexx.class
- window.class

### DataTypes

#### NDK

- amigaguide
- animation
- picture
- sound
- text

### Devices

#### NDK

- audio.device
- cd.device
- clipboard.device
- console.device
- gameport.device

---

- input.device
- keyboard.device
- narrator.device
- parallel.device
- printer.device
- serial.device
- timer.device
- trackdisk.device
- Other
  - cd32mpeg.device
  - cdtv.device
  - sana2.device
- Gadgets
  - NDK
    - button.gadget
    - checkbox.gadget
    - chooser.gadget
    - clicktab.gadget
    - colorwheel.gadget
    - fuelgauge.gadget
    - getfile.gadget
    - getfont.gadget
    - getscreenmode.gadget
    - gradientslider.gadget
    - integer.gadget
    - layout.gadget
    - listbrowser.gadget
    - page.gadget
    - palette.gadget
    - radiobutton.gadget
    - scroller.gadget
    - speedbar.gadget
    - string.gadget
    - texteditor.gadget
  - Other
    - calendar.gadget
    - tabs.gadget
- Handlers
  - NDK
    - port-handler
    - queue-handler
- Images
  - NDK
    - bevel.image
    - bitmap.image
    - drawlist.image
    - glyph.image
    - label.image
    - penmap.image
  - Other
    - led.image
- Linker Libraries
  - NDK
    - amiga.lib
    - ddebug.lib
    - debug.lib
    - reaction.lib

---

---

- Other
  - camdlists.lib
- Resources
  - NDK
    - battclock.resource
    - battmem.resource
    - card.resource
    - cia.resource
    - disk.resource
    - filesystem.resource
    - misc.resource
    - potgo.resource
- Runtime Libraries
  - NDK
    - amigaguide.library
    - aml.library
    - asl.library
    - bullet.library
    - commodities.library
    - datatypes.library
    - diskfont.library
    - dos.library
    - exec.library
    - expansion.library
    - gadtools.library
    - graphics.library
    - gadtools.library
    - icon.library
    - iffparse.library
    - intuition.library
    - keymap.library
    - layers.library
    - locale.library
    - lowlevel.library
    - mathffp.library
    - mathieeedoubbas.library
    - mathieeedoubtrans.library
    - mathieeesingbas.library
    - mathieeesingtrans.library
    - mathtrans.library
    - nonvolatile.library
    - realtime.library
    - resource.library
    - rexsyslib.library
    - translator.library
    - utility.library
    - workbench.library
  - Other
    - any\_sana2\_protocol
    - audiocdxl.library
    - camd.library
    - debox.library
    - playerprefs.library
    - runcdxl.library

---



## 1.4 Tools

### NDK Tools

#### AbsLoad

To convert Amiga loader format to Motorola srecords

#### AddMem

To link external, non-autoconfigured RAM added to the Amiga's system free list

#### ALink

To link Amiga binary object files into loadable files

#### ASLTester

To experiment with ASL requesters

#### Atom

To specify the portions of a program that should be loaded into CHIP memory and/or FAST memory

#### Autodoc

To extract and sort autodocs from the given files to stdout

#### BLoad

To copy a file to cleared unallocated memory

#### BreakTask

To send a break signal to any task or process

#### BumpBPR

To emulate AGA scan line padding on systems without AGA chips

#### BumpRev

To update revision include files

#### Cards

To display the index cards in an ASCII card file

#### CatComp

To handle the creation and maintenance of message catalogs

#### CharSet

To display the Amiga character set and their ASCII values

#### ClipView

To view the clipboard

#### ConfigDev

To list expansion boards

#### Decigel020

---

To fix software that uses MOVE SR

DevList  
To list resident system devices

DevMon  
For debugging device I/O problems

DiskEd  
To inspect and patch disk blocks

Display  
To display IFF ILBM images

DOSList  
To examine the DOS device list

Drip  
To reveal unrestrained memory allocation or deallocation

DTest  
To check parallel debugging setup

DTO  
To embed a DataType object within an Intuition window

EatCycles  
To test software behaviour under heavy system load

EatMem  
To test software behaviour under low memory conditions

EndRun  
To execute a given command with Workbench closed

Enforcer  
To watch for illegal memory accesses

ExaminedT  
To examines a file using datatypes.library

FindHit  
To locate the source file and line number that a SegTracker report happened at

Flash  
To copy disk-like media to PCMCIA FlashROM cards

Flush  
To flush all currently unused devices/libraries/  
fonts from memory

FontList  
To list fonts currently in the system

FragS

---

To display system free memory size distribution

GetVolumeDev

To get the exec device and unit of a DOS handler, a DOS volume or a DOS assign

ILBMScan

To print the size, aspect, mode, etc. of ILBMs

Installer

To present a consistent installation environment to the end user

IntList

To list system interrupt nodes

IO\_Torture

Used to check for improper use or reuse of device I/O requests

IsCustomMonitor

To check if the monitor driver of the public screen is one of the Amiga standard monitors

KeyMatrix

To display the scancodes of various keys

KTest

To check parallel debugging setup

LhUnArc

Fast .LZH extractor

LoadC

To add the appropriate PCMCIA tuples to identify code as AmigaXIP (execute-in-place) code

Localize

To localize C source files

LVO

1. To list the LVO offset and FD comment for any library function
2. To list all of the LVOs for one library
3. To find a function name given a library name and an LVO value
4. To find a probable function from a library name and a ROM address
5. To generate a Wedge command line for wedging a library function

MemList

To list used and free memory chunks

MemMon

To produce a commented record of memory usage

---

---

MemMung  
To test for illegal use of memory

Memoration  
To simulates the effect of a low-memory condition

MemoryTide  
To watch changes of available memory

MemOwner  
To find the "owner" of a RAM or ROM address

MemWall  
To monitor memory allocation overwrites/underwrites

MergeIcons  
To replace the palette images of destination icons  
with the image of the source icon(s)

MergeMem  
To merge the MemLists of RAM boards

MKS\_Lens  
Magnify lens

ModList  
To list resident system modules

Move4K  
To move as much out of the lower 4K of RAM as possible

MungList  
To list the owners and allocation information for  
memory blocks which are in use

MungWall  
Munges memory and watches for illegal FreeMems

Peek  
To check the contents of a memory address

PlaySound  
To play a sound file

Poke  
To change the contents of a memory address

PortList  
To list message ports

PrintA  
To print the contents of Amiga binary format files

PrinterTest  
To test the printer

ReActor

---

To provide easy creation of GUIs

ReadPixel

To read the XY screen location and colour of pixels

RebootOff

To turn off Enforcer when a keyboard reset happens

Report

Generates bug reports, compatibility reports, and enhancement requests

ReqOnOff

To tell a process not to open any AmigaDOS requesters anymore

ROMWack

To run the Amiga's ROM-resident debugger

SaveMem

To save a memory range

Scratch

To provoke code with improper register usage to fail

ScreenSave

To save the frontmost screen after a 10-second delay

SearchFile

To find a hex value or string in a file

SegTracker

A global SegList tracking utility

SetCAMG

To change an ILBM CAMG mode

SetParallel

To change the parameters for the parallel port

SetTaskName

To give a shell a new name

ShowConfig

To list motherboard and AUTOCONFIG configuration

ShowGfxBase

To examine GfxBase normal display sizes and flags

ShowLocks

To print out the access mode and path for every DOS file lock on a particular volume

Sift

To tell the contents and verify the syntax of any IFF file

Snoop  
To debug unfreed memory problems

SpareMem  
To limit available memory in a startup-sequence

SRT  
To replace standard requester text with replacement strings from a plain ASCII file

StripA  
To remove debug and symbol hunks from binary load files

StripC  
To remove comments and extraneous white space characters

Sushi  
To intercept raw serial debugging output on your own machine

SysLock  
To grab all input events until passcode is reentered

SysPM  
To monitor system performance

TaskList  
To list system tasks

TaskPri  
To show or change the priority of the named task

TNT  
To catch software error traps

TStat  
To snoop on the activity of other tasks

Wack  
A local and remote debugger

WatchMem  
To detect illegal writes to low memory

Wedge  
To monitor calls to any library function

WinList  
To examine addresses, titles, flags, sizes of screens and windows

#### Other Tools

AddIcon  
?

---

BlackCfg  
To make all colours stored in system-  
configuration black for booting with a black  
screen.

BlowUp  
To catch and display task errors

BookFile  
?

BookIt  
CDTV configuration/bookmark reader

BootNTSC  
To switch to NTSC

BootPAL  
To switch to PAL

BuildCD  
To cut "gold disc" CD-ROMs

CCopy  
To copy files contiguously

CD2xSpeed  
To turn CD double read speed on/off

CDGSXL  
To play CDXL files

CDMPEG  
CD<sup>3</sup>CD<sup>2</sup> MPEG player

CDSetMap  
To set the global default keymap

CheckGuide  
To check the consistency of AmigaGuide databases

Complainer  
A3000 MMU watchdog

Config  
To display your system configuration

ConPaste  
To paste clipped text into anything

Conversion  
To merge two Studio 16 audio files into an  
audio CD source file

CopyIcon  
To selectively copy data from one icon to another

---

---

CPUTrap  
A2500 MMU watchdog

CV  
To convert a Macintosh sampled SND to an Amiga  
raw sample

DeBox  
To decompress files

DeShow  
To decompress and display pictures

DirDiff  
To scan, compare, synchronize and replicate files

DumpSector  
To perform a byte dump of a given CD sector

FakIR  
?

HDToolBox  
To prepare, partition and format hard drives

HowDeep  
To list directories deeper than a specified depth

IconSort  
?

ISO2  
To pre-master CDTV discs

ISOCD  
To create an ISO-9660 CD-ROM image

ISOVal  
ISO-9660 validator

JoyCheck  
To test game controllers

JoyMouse  
To emulate mouse with CD<sup>3</sup><sup>2</sup> controller

Keeper  
To display a picture while booting

Kiskometer  
To check which functions have been patched  
and by which programs

LhArc  
Archive program

---



---

LibList  
To list all currently loaded/available libraries

MailBx  
To convert emails

MakeBin  
To convert a load file to a plain binary

MakeQuick  
To create an archive

MIDIPorts  
To adjust MIDI preferences

NoReset  
To prevent the system reset that occurs  
when a CD is ejected

NSDPatch  
To patch devices to make them look NSD compliant

NSDQuery  
To check devices for their NSD capabilities

NTSC  
To switch to NTSC immediately

OptCD  
To monitor FSE data from CDFS

PadStream  
To pad and align the sectors of a raw MPEG  
stream

PAL  
To switch to PAL immediately

PartInfo  
To obtain partition device and geometry data

PatchWork  
To check system function arguments

Prod\_Prep  
To control SCSI units

QuickStart  
To unpack an archive

Sashimi  
To intercept raw serial debugging output on your  
own machine

SBox  
To decompress files

---

SetCDFS  
To set CD filesystem options

SimCD  
?

SimCD32  
To simulate a cd.device/CD-ROM environment

TreeGuide  
?

VideoDisc  
To control videodisc equipment via ARexx

WarnIfNotPAL  
To return WARN if not a PAL system

WarnIfPressed  
To return WARN if the specified game  
controller or joystick keys/direction keys are  
being pressed

WipeOut  
To trace and munge memory and detect memory  
trashing

XLTools  
To manipulate CDXL files

## 1.5 Examples

### Examples

```

ADCD_2.1:CDTV/CDTVTools-11/CD-DA/
ADCD_2.1:CDTV/CDTVTools-11/CDXL/
ADCD_2.1:CDTV/CDTVTools-11/DeBox/
ADCD_2.1:CDTV/CDTVTools-11/Debug/Examples/
ADCD_2.1:CDTV/CDTVTools-11/MemCard/
ADCD_2.1:CDTV/CDTVTools-11/NTSC-PAL/PALTest/
ADCD_2.1:CDTV/CDTVTools-11/System/
ADCD_2.1:CDTV/CDTVTools-20/Audio/
ADCD_2.1:CDTV/CDTVTools-20/cdtv_device/
ADCD_2.1:CDTV/CDTVTools-20/VideoDisc/
ADCD_2.1:CD32/CD32_Support/Examples/
ADCD_2.1:CD32/CD32-Tools/CDXL-1/XLMsg/
ADCD_2.1:CD32/XLExample/
ADCD_2.1:CD32/XL_Toolkit_1.1/Code/
ADCD_2.1:Contributions/Ralph_Babel/Development/WBPath/
ADCD_2.1:Extras/BOOPSI/GI1/Examples/
ADCD_2.1:Extras/Development/Example_Code_V37/
ADCD_2.1:Extras/Development/RKM_Companion_V2.04/
ADCD_2.1:Extras/IFF/Old_IFF_Packages/November_1988/Examples/
ADCD_2.1:Extras/IFF/Old_IFF_Packages/November_1988/Source/
ADCD_2.1:Extras/IFF/Old_IFF_Packages/July_1992/Apps/
ADCD_2.1:Extras/IFF/Old_IFF_Packages/July_1992/Modules/

```

ADCD\_2.1:Extras/IFF/Old\_IFF\_Packages/July\_1992/Other/  
ADCD\_2.1:Extras/MIDI/CAMD-37.1/Development/Examples/  
ADCD\_2.1:NDK/NDK\_1.3/Read-Me1.3/A2024Docs/  
ADCD\_2.1:NDK/NDK\_1.3/Read-Me1.3/Workbench1.3/IEEE.Examples/  
ADCD\_2.1:NDK/NDK\_1.3/Read-Me1.3/Printer1.3/Driver.Examples/  
ADCD\_2.1:NDK/NDK\_2.0/NDK2.0-2/Debug\_Examples/  
ADCD\_2.1:NDK/NDK\_2.0/NDK2.0-2/Development/SupportFiles/Startups/  
ADCD\_2.1:NDK/NDK\_2.0/NDK2.0-3/AmigaMail/AmigaMail/  
ADCD\_2.1:NDK/NDK\_2.0/NDK2.0-3/ARexx/  
ADCD\_2.1:NDK/NDK\_2.0/NDK2.0-3/Libraries/  
ADCD\_2.1:NDK/NDK\_2.0/NDK2.0-3/SCSI/  
ADCD\_2.1:NDK/NDK\_3.1/Examples1/  
ADCD\_2.1:NDK/NDK\_3.1/Examples2/  
ADCD\_2.1:NDK/NDK\_3.5/Examples/  
ADCD\_2.1:NDK/NDK\_3.5/Tutorials/ARexx/Host/  
ADCD\_2.1:NDK/NDK\_3.5/Tutorials/ARexx/FunctionLibrary/

Amiga Mail Source Code Examples

DevCon AmigaOS Component Sources

- Commodities
  - AutoPoint2
  - Blanker
  - IHelp
  - NoCapsLock
- DataTypes
  - BMP
  - WAV
- Printer Drivers
  - ColorMaster
  - ColorMaster2
  - EpsonQ
  - EpsonX
  - HP
  - OkiMate20
  - Xerox\_4020

## 1.6 3rd Party Contributions

3rd Party Contributions

- 68060.library
- CyberGraphX SDK
- Envoy 3.0 SDK
- I-Net 225 SDK
- MakeCD 3.2b
- Miami SDK
- MMU.library
- Picasso96 SDK
- PPaint 6.4
- StormC 3.0

## 1.7 AbsLoad

## AbsLoad

Format: ABSLOAD [-D] [-M] [-X] [-S] [-B <Ksize>] [-O <sfile>] [-T<addr>] [  
 <lfile>]  
Template: -D/S, -M/S, -X/S, -S/S, -B/K, -O/K, -T/K  
Path: ADCD\_2.1:NDK/NDK\_3.1/Includes&Libs/DevTools/AbsLoad  
Document: ADCD\_2.1:NDK/NDK\_3.1/Includes&Libs/DevTools/Docs/AbsLoad.doc  
Version: ?  
Purpose: To convert Amiga loader format to Motorola srecords  
See Also: PrintA

## 1.8 AddMem

### AddMem

Format: ADDMEM <lower-hex-address> <upper-hex-address> [NOCLEAR]  
Template: LOWER-HEX-ADDRESS, UPPER-HEX-ADDRESS, NOCLEAR/S  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/AddMem  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: 1.3 (23-May-88)  
Purpose: To link external, non-autoconfigured RAM added to the Amiga's  
system free list.

## 1.9 ALink

### ALink

Format: ALINK [[FROM|ROOT] <file>[[,|+]<file>]] [WITH <files>]  
 [MAP <file>] [LIB|LIBRARY <file>[[,|+]<file>]] [TO <file>]  
 [VER <file>] [XREF <file>] [WIDTH <n>] [SMALL]  
Template: FROM=ROOT, TO/K, WITH/K, VER/K, LIBRARY=LIB/K, MAP/K, XREF/K,  
 WIDTH/K, SMALL/S  
Path: ADCD\_2.1:NDK/NDK\_3.1/Includes&Libs/DevTools/ALink  
Document: ADCD\_2.1:NDK/NDK\_3.1/Includes&Libs/DevTools/Docs/ALink.doc  
Version: 2.32 (1986)  
Purpose: To link Amiga binary object files into loadable files  
See Also: PrintA

## 1.10 ASLTester

### ASLTester

Template: ,  
Path: ADCD\_2.1:NDK/NDK\_3.1/Examples1/ASL/ASLTester  
Document: ?  
Source: ADCD\_2.1:NDK/NDK\_3.1/Examples1/ASL/ASLTester.c  
Version: 39.2 (01/22/93)  
Purpose: To experiment with ASL requesters

## 1.11 Atom

Atom

Format: Atom <infile> <outfile> [-I]  
or Atom <infile> <outfile> [-C[C|D|B]] [-F[C|D|B]] [-P[C|D|B]]  
Template: INFILE,OUTFILE,-I/K  
or INFILE,OUTFILE,-C/K,-F/K,-P/K  
Path: ADCD\_2.1:NDK/NDK\_3.1/Includes&Libs/DevTools/Atom  
Document: ADCD\_2.1:NDK/NDK\_3.1/Includes&Libs/DevTools/Docs/Atom.doc  
Version: 1.0  
Purpose: To specify the portions of a program that should be loaded into  
CHIP memory and/or FAST memory

## 1.12 Autodoc

Autodoc

Format: Autodoc [-t<num>] [-i] [-a] [-s] [-C] [-l<num>] [-w]  
[-c] [-f] [-r] [-F<file>] [-I] <file1> [<file2>] [...]  
Path: ADCD\_2.1:NDK/NDK\_3.1/Includes&Libs/DevTools/Autodoc  
Document: ADCD\_2.1:NDK/NDK\_3.1/Includes&Libs/DevTools/Docs/Autodoc.doc,  
ADCD\_2.1:NDK/NDK\_3.1/Includes&Libs/DevTools/Docs/Autodoc.style,  
ADCD\_2.1:NDK/NDK\_3.1/Includes&Libs/DevTools/Docs/Autodoc.sample  
Version: 1.00 (21 August 1989)  
Purpose: To extract and sort autodocs from the given files to stdout

## 1.13 BLoad

Format: BLoad <filename> 0x<hhhhhhhh>  
Path: ADCD\_2.1:NDK/NDK\_3.1/Examples1/PCMCIA/Tools/BLoad  
Document: ADCD\_2.1:NDK/NDK\_3.1/Examples1/PCMCIA/README.Tools  
Version: ?  
Purpose: To copy a file to cleared unallocated memory

## 1.14 BreakTask

BreakTask

Format: BreakTask <taskorcommandname> [c][d][e][f]  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/BreakTask  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: 37.10 (1990)  
Purpose: To send a break signal to any task or process

## 1.15 BumpBPR

BumpBPR

Format: BumpBPR ON|OFF <32|64|128>  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/BreakTask  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: 37.1 (1992)  
Purpose: To emulate AGA scan line padding on systems without AGA chips

## 1.16 BumpRev

BumpRev

Format: BumpRev <version> <basename> [<depend-list-file>]  
Path: ADCD\_2.1:NDK/NDK\_3.5/Tools/BumpRev  
Document: ADCD\_2.1:NDK/NDK\_3.1/Includes&Libs/DevTools/Docs/BumpRev.doc  
Version: 44.1 (10/11/99)  
Purpose: To update revision include files

## 1.17 Cards

Cards

Format: Cards <cardfile>  
Format: CARDFILE/A  
Path: ADCD\_2.1:NDK/NDK\_3.1/Includes&Libs/DevTools/Cards  
Document: ADCD\_2.1:NDK/NDK\_3.1/Includes&Libs/DevTools/Docs/Cards.doc  
Version: 37.8  
Notes: 68000.cards is a useful cardfile of 68000 CPU instructions  
Purpose: To display the index cards in an ASCII card file

## 1.18 CatComp

CatComp

Template: NAME/A, DEVENV/K, ADRENV/K  
Path: ADCD\_2.1:NDK/NDK\_3.5/Tools/CatComp  
Document: ADCD\_2.1:NDK/NDK\_3.5/Tools/CatComp.doc  
Version: 44.6 (10/12/99)  
Purpose: To handle the creation and maintenance of message catalogs

Specification:

CatComp is a program to handle the creation and maintenance of the message catalogs used by locale.library. Message catalogs are IFF files read by locale.library that contain all the text strings used by an application. By providing several of these catalog files, an application can use locale.library and transparently adapt itself to the user's preferred language.

---

CatComp reads and processes two kinds of input files, and produces five types of output files.

## 1.19 CharSet

CharSet

Template: ,  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/CharSet  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: 37.2 (1990)  
Purpose: To display the Amiga character set and their ASCII values

## 1.20 ClipView

ClipView

Template: PUBSCREEN/K, CLIPUNIT/K/N  
Path: ADCD\_2.1:NDK/NDK\_3.1/Examples2/DataTypes/Bin/ClipView  
Document: ?  
Source: ADCD\_2.1:NDK/NDK\_3.1/Examples2/DataTypes/Src/ClipView/ClipView.c  
Version: 39.1 (05/29/92)  
Purpose: To view the clipboard

## 1.21 ConfigDev

ConfigDev

Template: ,  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/ConfigDev  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: ?  
Purpose: To list expansion boards  
See Also:  
    ShowConfig

## 1.22 Decigel020

Decigel020

Template: ,  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Decigel020  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: ?  
Purpose: To fix software that uses MOVE SR

---

## 1.23 DevList

DevList

Template: ,  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/DevList  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: 37.1 (1990)  
Purpose: To list resident system devices

## 1.24 DevMon

DevMon

Format: DevMon <name.device> <unitnum> [REMOTE] [HEX] [ALLUNITS] [FULL]  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/DevMon  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/DevMon.doc  
Version: 37.12 (1999)  
Purpose: For debugging device I/O problems

## 1.25 DiskEd

DiskEd

Format: DiskEd <device>  
Template: DEVICE/A  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/DiskEd  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/DiskEd.doc  
Version: 3.4  
Purpose: To inspect and patch disk blocks

## 1.26 Display

Display

Format: Display [FROM <filelist>|<file> [<file> <file> ...]  
[OPT [mlbpaenvf][t=<n>][d=<x>]]  
Path: ADCD\_2.1:NDK/NDK\_3.1/Examples2/IFF/Other/Display  
Document: ADCD\_2.1:NDK/NDK\_3.1/Examples2/IFF/Other/Display.doc  
Version: 39.11 (09/27/93)  
Purpose: To display IFF ILBM images

## 1.27 DOSList



DOSList

Format: DOSList [DEVS|VOLS|DIRS]  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/DOSList  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: 37.1  
Purpose: To examine the DOS device list

## 1.28 Drip

Drip

Format: Drip [<threshold>]  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Drip  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/Drip.doc  
Version: 39.1 (1993)  
Purpose: To reveal unrestrained memory allocation or deallocation

## 1.29 DTest

DTest

Template: ,  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/DTest  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: ?  
Purpose: To check parallel debugging setup  
See Also: KTest

## 1.30 DTO

DTO

Template: NAME/A  
Path: ADCD\_2.1:NDK/NDK\_3.1/Examples2/DataTypes/Src/DTO  
Document: ?  
Source: ADCD\_2.1:NDK/NDK\_3.1/Examples2/DataTypes/Src/DTO.c  
Version: ?  
Purpose: To embed a DataType object within an Intuition window

## 1.31 EatCycles

EatCycles

Template: LOAD/N  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/EatCycles  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc

---

Version: 1.1 (1990)

Purpose: To test software behaviour under heavy system load

## 1.32 EatMem

EatMem

Template: ,

Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/EatMem

Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc

Version: 1.0 (1990)

Purpose: To test software behaviour under low memory conditions

## 1.33 EndRun

EndRun

Format: EndRun <command>

Path: ADCD\_2.1:NDK/NDK\_3.1/Includes&Libs/DevTools/EndRun

Document: ADCD\_2.1:NDK/NDK\_3.1/Includes&Libs/DevTools/Docs/EndRun.doc

Version: 37.2 (08/23/91)

Purpose: To execute a given command with Workbench closed

## 1.34 Enforcer

Enforcer

Template: QUIET/S, TINY/S, SMALL/S, SHOWPC/S, STACKLINES/K/N, STACKCHECK/S,  
AREGCHECK/S, DREGCHECK/S, DATESTAMP/S, DEADLY/S, FSPACE/S, VERBOSE/S,  
LED/K/N/, PARALLEL/S, RAWIO/S, FILE/K, STDIO/S, BUFFERSIZE/K/N,  
INTRO/K, PRIORITY/K/N, NOALERTPATCH/S, ON/S, QUIT=OFF/S

Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Enforcer-37.64/Enforcer

Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Enforcer-37.64/Enforcer.doc,  
ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Enforcer-37.64/Enforcer.guide,  
ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Enforcer-37.64/Enforcer.readme

Version: 37.62 (07/04/94)

Purpose: To watch for illegal memory accesses

See Also: FindHit, Move4K, RebootOff, SegTracker, WatchMem

Variants: Enforcer1.3, Enforcer1.3.Megastack, Enforcer1.3.PAR,  
Enforcer.Megastack, Lawbreaker

## 1.35 ExaminedT

ExaminedT

Template: NAMES/M/A

Path: ADCD\_2.1:NDK/NDK\_3.1/Examples2/DataTypes/ExaminedT

Document: ?  
Source: ADCD\_2.1:NDK/NDK\_3.1/Examples2/DataTypes/ExaminedT.c  
Version: ?  
Purpose: To examines a file using datatypes.library

## 1.36 FindHit

FindHit

Template: FILE/A,OFFSETS/A/M  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Enforcer-37.64/FindHit  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Enforcer-37.64/Enforcer.doc,  
ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Enforcer-37.64/Enforcer.guide  
Version: 37.62 (07/04/94)  
Purpose: To locate the source file and line number that a  
SegTracker  
report happened at  
See Also: Enforcer, Move4K, RebootOff, SegTracker

## 1.37 Flash

Template: HELP/S  
Path: ADCD\_2.1:NDK/NDK\_3.1/Examples1/PCMCIA/Tools/Flash  
Document: ADCD\_2.1:NDK/NDK\_3.1/Examples1/PCMCIA/Tools/Flash.doc,  
ADCD\_2.1:NDK/NDK\_3.1/Examples1/PCMCIA/README.Tools  
Version: 1.4 (10/26/92)  
Purpose: To copy disk-like media to PCMCIA FlashROM cards

## 1.38 Flush

Flush

Template: ,  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Flush  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: ?  
Purpose: To flush all currently unused devices/libraries/fonts from  
memory

## 1.39 FontList

FontList

Template: ,  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/FontList  
Document: ?  
Version: 37.2 (1992)  
Purpose: To list fonts currently in the system

---

## 1.40 Frags

FragS

Format: Frags [FULL]  
Template: FULL/S  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/FragS  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: ?  
Purpose: To display system free memory size distribution

## 1.41 GetVolumeDev

GetVolumeDev

Template: NAME/A,DEVENV/K,ADRENV/K  
Path: ADCD\_2.1:NDK/NDK\_3.5/Tools/Installer/Tools/GetVolumeDev  
Document: ADCD\_2.1:NDK/NDK\_3.5/Tools/Installer/Documentation/  
GetVolumeDev.doc  
Version: ?  
Purpose: To get the exec device and unit of a DOS handler, a DOS volume  
or a DOS assign  
See Also: Installer, IsCustomMonitor, MergeIcons, ReqOnOff

## 1.42 IntList

IntList

Template: ,  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/IntList  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: 36.10  
Purpose: To list system interrupt nodes

## 1.43 ILBMScan

ILBMScan

Format: ILBMScan <ifffilename>|-c  
Path: ADCD\_2.1:NDK/NDK\_3.1/Examples2/IFF/Other/ILBMScan  
Document: ?  
Source: ADCD\_2.1:NDK/NDK\_3.1/Examples2/IFF/Other/ILBMScan.c  
Version: 37.3  
Purpose: To print the size, aspect, mode, etc. of ILBMs

## 1.44 Installer

Format: Installer [SCRIPT] filename [APPNAME <name>] [MINUSER <level>]  
[DEFUSER <default>] [LOGFILE <logname>] [LANGUAGE language]  
[NOPRETEND] [NOLOG] [NOPRINT]  
Path: ADCD\_2.1:NDK/NDK\_3.5/Tools/Installer/Installer  
Document: ADCD\_2.1:NDK/NDK\_3.5/Tools/Installer/Installer.guide  
Version: 44.10 (1/10/99)  
Purpose: To present a consistent installation environment to the end user  
See Also: GetVolumeDev, IsCustomMonitor, MergeIcons, ReqOnOff

## 1.45 IO\_Torture

IO\_Torture

Template: ,  
Path: ADCD\_2.1:NDK/NDK\_3.5/Installer/IO\_Torture  
Document: ADCD\_2.1:NDK/NDK\_3.5/Tools/Installer/Documentation/  
IO\_Torture.doc  
Version: 37.7 (05/24/93)  
Purpose: Used to check for improper use or reuse of device I/O requests  
Variants: IO\_Torture.PAR

## 1.46 IsCustomMonitor

Template: PUBSCREEN/K  
Path: ADCD\_2.1:NDK/NDK\_3.5/Tools/Installer/Tools/IsCustomMonitor  
Document: ADCD\_2.1:NDK/NDK\_3.5/Tools/Installer/Documentation/  
IsCustomMonitor.doc  
Version: 44.2 (6/22/99)  
Purpose: To check if the monitor driver of the public screen is one of  
the Amiga standard monitors  
See Also: Installer

## 1.47 KeyMatrix

Template: PUBSCREEN/K  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/KeyMatrix  
Document: ?  
Version: ?  
Purpose: To display the scancodes of various keys

## 1.48 KTest

KTest

Template: ,  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/KTest  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: ?  
Purpose: To check serial debugging setup  
See Also: DTest

## 1.49 LhUnArc

LhUnArc

Format: LhUnArc [V] <archive> [<file> ...]  
Path: ADCD\_2.1:NDK/NDK\_2.0/NDK2.0-2/LhUnArc  
Document: ADCD\_2.1:NDK/NDK\_2.0/NDK2.0-2/LhUnArc.doc  
Version: 0.96 (31 March 1990)  
Purpose: Fast .LZH extractor

## 1.50 LoadC

LoadC

Format: LoadC [<module>]  
Path: ADCD\_2.1:NDK/NDK\_3.1/Examples1/PCMCIA/AmigaXIP/LoadC  
Document: ?  
Version: ?  
Purpose: To add the appropriate PCMCIA tuples to identify code as AmigaXIP (execute-in-place) code

## 1.51 Localize

Localize

Template: PATCH/S, DIR=DIRECTORY/K, MC=MERGE CATALOG/K, SORT/S,  
MIN=MINIMUM/K/S, NEST/S, EXF=EXCEPTFUNCS/K, EXS=EXCEPTSTRINGS/K,  
FUNC=FUNCTION/K, TEMP=TEMPLATE/K, PS=PREPENDSTRING/K,  
PF=PREPENDFILE/K, AS=APPENDSTRING/K, AF=APPENDFILE/K, SH=SILENT/S,  
FILES/A/M  
Path: ADCD\_2.1:NDK/NDK\_3.1/Examples1/Locale/Localize/Localize  
Document: ADCD\_2.1:NDK/NDK\_3.1/Examples1/Locale/Localize/Localize.doc  
Version: 2.9  
Purpose: To localize C source files

## 1.52 LVO

LVO

Format: LVO <library> [<funcname> | LVO=0xhhhh.-0xhhhh,-n | ROMADDRESS=0xhhhhhhhh] [CONTAINS] [WEDGE LINE [<wedgeopts>]]

Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/LVO

Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/LVO.doc

Version: 37.3 (1993)

Purposes: 1. To list the LVO offset and FD comment for any library function

2. To list all of the LVOs for one library

3. To find a function name given a library name and an LVO value

4. To find a probable function from a library name and a ROM address

5. To generate a Wedge command line for wedging a library function

See Also: Wedge

## 1.53 MemList

MemList

Format: MemList [LARGE] [SUM]

Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/MemList

Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc

Version: 37.2 (1993)

Purpose: To list used and free memory chunks

## 1.54 MemMon

MemMon

Format: MemMon [NOFLUSH]

Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/MemMon

Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc

Version: 36.11

Purpose: To produce a commented record of memory usage

## 1.55 MemMung

MemMung

Format: MemMung

Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/MemMung

Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc

Version: 3.0

Purpose: To test for illegal use of memory

See Also: MemWall, MungList, MungWall

## 1.56 Memoration

Memoration

Template: MODULE, TASK/K, CLI/K/N, OFF/S, MIN/K/N, MAX/K/N, AFTER/K/N, EVERY/K/N,  
ALLADDR/S, ALLOCVEC/S, CHIP/S, FAST/S, BACKTRACE/K/N  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Memoration  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/Memoration.doc  
Version: 1.0  
Purpose: To simulates the effect of a low-memory condition

## 1.57 MemoryTide

MemoryTide

Format: MemoryTide [<ticks>]  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/MemoryTide  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: 37.1  
Purpose: To watch changes of available memory

## 1.58 MemOwner

MemOwner

Format: MemOwner [0x | \$]address [0x | \$]address ...  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/MemOwner  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/MemOwner.doc  
Version: 37.3  
Purpose: To find the "owner" of a RAM or ROM address  
Notes: This program was previously named Owner

## 1.59 MemWall

MemWall

Format: MemWall [ALL] [FILL <n>] [PRESIZE <n>] [POSTSIZE <n>] [SNOOP]  
[SUPERSNOOP]  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/MemWall  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: 36.13  
Purpose: To monitor memory allocation overwrites/underwrites  
See Also: MemMung, MungList, MungWall

## 1.60 Mergelcons

---



## MergeIcons

Template: FROM, TO/A/M, WITH/K, MSS=MINSTACKSIZE/K/N, FP=FREEPOS/S, X/K/N,  
Y/K/N, BL=BORDERLESS/S  
Path: ADCD\_2.1:NDK/NDK\_3.5/Installer/MergeIcons  
Document: ADCD\_2.1:NDK/NDK\_3.5/Tools/Installer/Documentation/  
MergeIcons.doc  
Version: 44.3 (8/6/99)  
Purpose: To replace the palette images of destination icons with the  
image of the source icon(s)  
See Also: GetVolumeDev, Installer, IsCustomMonitor, ReqOnOff

## 1.61 MergeMem

Template: ,  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/MergeMem  
Document: ADCD\_2.1:NDK/NDK\_3.5/SWToolkit3/Docs/MergeMem  
Version: 39.1 (1993)  
Purpose: To merge the MemLists of RAM boards

## 1.62 MKS\_Lens

### MKS\_Lens

Template: ,  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/MKS\_Lens  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/MKS\_Lens.doc  
Version: ?  
Purpose: Magnify lens

## 1.63 ModList

### ModList

Template: ,  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/ModList  
Document: ?  
Version: 40.1 (1993)  
Purpose: To list resident system modules

## 1.64 Move4K

### Move4K

Template: ,  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Enforcer37.64/Move4K  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Enforcer-37.64/Enforcer.doc,

---

ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Enforcer-37.64/Enforcer.guide  
Version: 37.62 (07/04/94)  
Purpose: To move as much out of the lower 4K of RAM as possible  
See Also: Enforcer, FindHit, RebootOff, SegTracker

## 1.65 MungList

MungList

Format: MungList [<buffsize>] [SHOWHUNK] [CHECK] [REMUNGE] [SHOWTIME]  
[-<tickdelay>] [MARK] [SINCE MARK] [ONLY|TOTAL <taskname>]  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/MungList  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/MungWall.doc  
Version: 37.12  
Purpose: To list the owners and allocation information for memory  
          blocks which are in use  
Notes: Requires MungWall  
See Also: MemMung, MemWall, MungWall

## 1.66 MungWall

MungWall

Format: MungWall [UPDATE] [TASK <name>] [WAIT|NOWAIT]  
[SHOWFAIL|NOSHOWFAIL] [SNOOP|NOSNOOP] [INFO]  
[SHOWSTACK|NOSHOWSTACK] [SHOWWPC|NOSHOWWPC] [SHOWHUNK|NOSHOWHUNK]  
[NAMETAG|NONAMETAG] [TIMESTAMP|NOTIMESTAMP] [PRESIZE <n>]  
[POSTSIZE <n>] [FILLCHAR 0x<hh>]  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/MungWall  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/MungWall.doc  
Version: 37.71 (10/01/93)  
Purpose: Munges memory and watches for illegal FreeMems  
See Also: MemMung, MemWall, MungList, Snoop  
Variants: MungWall.PAR

## 1.67 Peek

Peek

Format: Peek B|BYTE|W|WORD|L|LONG [0x]<address> [[0x]<compvalue>]  
[[0x]<mask>]  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Peek  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: ?  
Purpose: To check the contents of a memory address  
See Also: Poke

## 1.68 PlaySound

PlaySound

Format: PlaySound <file>  
Path: ADCD\_2.1:NDK/NDK\_3.1/Examples2/DataTypes/Src/PlaySound  
Document: ?  
Source: ADCD\_2.1:NDK/NDK\_3.1/Examples2/DataTypes/Src/PlaySound.c  
Version: ?  
Purpose: To play a sound file

## 1.69 Poke

Poke

Format: Poke B|BYTE|W|WORD|L|LONG [0x]<address> [0x]<value>  
[0x<mask>]  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Poke  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: ?  
Purpose: To change the contents of a memory address  
See Also: Peek

## 1.70 PortList

PortList

Format: PortList  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/PortList  
Document: ?  
Version: 37.1  
Purpose: To list message ports

## 1.71 PrintA

PrintA

Format: PrintA <file> [NOHUNK]  
Template: FROM,A/NOHUNK/S  
Path: ADCD\_2.1:NDK/NDK\_3.1/Includes&Libs/DevTools/PrintA  
Document: ADCD\_2.1:NDK/NDK\_3.1/Includes&Libs/DevTools/Docs/PrintA.doc  
Version: ?  
Purpose: To print the contents of Amiga binary format files  
See Also: ALink, AbsLoad

---

## 1.72 PrinterTest

PrinterTest

Format: PrinterTest  
Path: ADCD\_2.1:NDK/NDK\_3.1/Includes&Libs/DevTools/PrinterTest  
Document: ADCD\_2.1:NDK/NDK\_3.1/Includes&Libs/DevTools/Docs/PrinterTest.doc  
Version: ?  
Purpose: To test the printer

## 1.73 ReActor

ReActor

Template: ,  
Path: ADCD\_2.1:NDK/NDK\_3.5/Tools/ReActor/ReActor  
Document: ADCD\_2.1:NDK/NDK\_3.5/Tools/ReActor/ReActor.guide  
Version: 1.1 (10/25/99)  
Purpose: To provide easy creation of GUIs

## 1.74 ReadPixel

ReadPixel

Template: ,  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/ReadPixel  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: 36.10  
Purpose: To read the XY screen location and colour of pixels

## 1.75 RebootOff

RebootOff

Template: ,  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Enforcer37.64/RebootOff  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Enforcer-37.64/Enforcer.doc,  
ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Enforcer-37.64/Enforcer.guide  
Version: ?  
Purpose: To turn off Enforcer when a keyboard reset happens  
See Also: Enforcer, FindHit, Move4K, SegTracker

## 1.76 Report

---

## Report

Format: Report [<outfile>] [HELP]  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Report  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/Report.doc  
Version: 40.2  
Notes: Use Report+ instead ;-)  
Purpose: Generates bug reports, compatibility reports, and enhancement requests

## 1.77 ReqOnOff

### ReqOnOff

Template: ON/S, OFF/S, TOGGLE/S  
Path: ADCD\_2.1:NDK/NDK\_3.5/Installer/Tools/ReqOnOff  
Document: ADCD\_2.1:NDK/NDK\_3.5/Installer/Documentation/ReqOnOff.doc  
Version: 44.1 (6/22/99)  
Purpose: To tell a process not to open any AmigaDOS requesters anymore  
See Also: GetVolumeDev, Installer, IsCustomMonitor, MergeIcons

## 1.78 ROMWack

### ROMWack

Template: ,  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/ROMWack  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: ?  
Purpose: To run the Amiga's ROM-resident debugger  
See Also: Wack

## 1.79 SaveMem

### SaveMem

Format: SaveMem <filename> [0x]<startaddress> [0x]<lastaddress>  
Path: ADCD\_2.1:NDK/NDK\_3.1/Examples1/PCMCIA/Tools/SaveMem  
Document: ADCD\_2.1:NDK/NDK\_3.1/Examples1/PCMCIA/README.Tools  
Version: 37.1  
Purpose: To save a memory range

## 1.80 Scratch

## Scratch

Template: NAME/A, EXCEPT/M, ZEPATCH/S  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Scratch  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/Scratch.doc  
Version: ?  
Purpose: To provoke code with improper register usage to fail  
Notes: See ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/ScratchAll.script

## 1.81 ScreenSave

### ScreenSave

Format: ScreenSave <filename>  
Path: ADCD\_2.1:NDK/NDK\_3.1/Examples2/IFF/Apps/ScreenSave/ScreenSave  
Document: ?  
Source: ADCD\_2.1:NDK/NDK\_3.1/Examples2/IFF/Apps/ScreenSave/ScreenSave.c  
Version: 39.11 (09/27/93)  
Purpose: To save the frontmost screen after a 10-second delay

## 1.82 SearchFile

Format: SearchFile <file> 0x<hex>|/<ascii>/  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/SearchFile  
Document: ?  
Version: 37.4  
Purpose: To find a hex value or string in a file

## 1.83 SegTracker

### SegTracker

Template: SHOW/S, DUMP/S, NOROM/S, FIND/M  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Enforcer37.64/SegTracker  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Enforcer-37.64/Enforcer.doc,  
ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Enforcer-37.64/Enforcer.guide  
Version: 37.62 (07/04/94)  
Purpose: A global SegList tracking utility  
See Also: Enforcer, FindHit, MemOwner, Move4K, MungWall,  
RebootOff, TNT  
Notes: Used by Enforcer, MemOwner, Mungwall, TNT

## 1.84 SetCAMG

## SetCAMG

Format: SetCAMG <ilbmname> <flag> [<flag> <flag> <flag> ....]  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/SetCAMG  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: 37.62 (07/04/94)  
Purpose: To change an IIBM CAMG mode  
Notes: Flags are HIRES, LORES, LACE, HAM, HALFBRITE, SUPERHIRES, PAL,  
NTSC, PRODUCTIVITY, VGA, EURO72, DBLPAL, DBLNTSC  
Example: SetCAMG mypicture HIRES HAM LACE

## 1.85 SetParallel

### SetParallel

Format: SetParallel <index> <value>  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/SetParallel  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: 1.1  
Purpose: To change the parameters for the parallel port  
Examples: 1> SETPARALLEL EOF x51040303  
1> SETPARALLEL QUERY

## 1.86 SetTaskName

### SetTaskName

Format: SetTaskName <newname>  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/SetTaskName  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: 36.10  
Purpose: To give a shell a unique name

## 1.87 ShowConfig

### ShowConfig

Format: ShowConfig [DEBUG]  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/ShowConfig  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: 39.1 (05/21/92)  
Purpose: To list motherboard and AUTOCONFIG configuration  
See Also: ConfigDev

## 1.88 ShowGfxBase

ShowGfxBase

Template: ,  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/ShowGfxBase  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: 36.10 (1990)  
Purpose: To examine GfxBase normal display sizes and flags

## 1.89 ShowLocks

ShowLocks

Format: ShowLocks <volumename>:  
Template: VOLUME  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/ShowLocks  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: ? (1988)  
Purpose: To print out the access mode and path for every DOS file lock on a particular volume

## 1.90 Sift

Sift

Format: <ifffilename>|-c  
Path: ADCD\_2.1:NDK/NDK\_3.1/Example2/IFF/Other/Sift  
Document: ?  
Source: ADCD\_2.1:NDK/NDK\_3.1/Example2/IFF/Other/Sift.c  
Version: 37.1  
Purpose: To tell the contents and verify the syntax of any IFF file

## 1.91 Snoop

Snoop

Format: Snoop [<vector>]  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Snoop  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: 36.15  
Purpose: To debug unfreed memory problems  
See Also: MungWall  
Variants: SnoopStrip

## 1.92 SpareMem



## SpareMem

Format: SpareMem c=[-]<bytes> f=[-]<bytes> [NOISY]  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/SpareMem  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: 36.11 (1990)  
Purpose: To limit available memory in a startup-sequence

## 1.93 SRT

### SRT

Format: SRT <file>|RESET  
Path: ADCD\_2.1:NDK/NDK\_2.0/NDK\_2.0-1/DebugTools/SRT  
Document: ADCD\_2.1:Reference/DevCon/Washington\_1988/DevCon\_Extras/SRT/  
README  
Version: 1.32 (1988)  
Purpose: To replace standard requester text with replacement strings from  
a plain ASCII file

## 1.94 StripA

### StripA

Format: StripA [FROM] <sourcefile> [TO] <destinationfile>  
Template: FROM,TO/A  
Path: ADCD\_2.1:NDK/NDK\_3.1/Includes&Libs/DevTools/StripA  
Document: ADCD\_2.1:NDK/NDK\_3.1/Includes&Libs/DevTools/Docs/StripA.doc  
Version: ?  
Purpose: To remove debug and symbol hunks from binary load files

## 1.95 StripC

### StripC

Format: StripC <sourcefile> <destinationfile>  
Template: SOURCEFILE,DESTINATIONFILE  
Path: ADCD\_2.1:NDK/NDK\_3.1/Includes&Libs/DevTools/StripC  
Document: ADCD\_2.1:NDK/NDK\_3.1/Includes&Libs/DevTools/Docs/StripC.doc  
Version: ?  
Purpose: To remove comments and extraneous white space characters

## 1.96 Sushi

Sushi

Format:

Startup: Sushi [ON] [BUFK=<n>] [NOPROMPT] [QUIET] [ASKEEXIT] [ASKSAVE]  
Runtime: Sushi [OFF] [SAVE] [SAVEAS <filename>] [EMPTY]  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Sushi  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/Sushi.doc  
Version: 37.10  
Purpose: To intercept raw serial debugging output on your own machine

## 1.97 SysLock

SysLock

Format: SysLock [-qXX] [-cXX]  
Path: ADCD\_2.1:NDK/NDK\_3.1/Includes&Libs/DevTools/SysLock  
Document: ADCD\_2.1:NDK/NDK\_3.1/Includes&Libs/DevTools/Docs/SysLock.doc  
Version: 1.5 (06/03/91)  
Purpose: To grab all input events until passcode is reentered

## 1.98 SysPM

SysPM

Template: ,  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/SysPM  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: 37.1  
Purpose: To monitor system performance

## 1.99 TaskList

TaskList

Template: ,  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/TaskList  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: 37.1 (1990)  
Purpose: To list system tasks

## 1.100 TaskPri

TaskPri

Format: TaskPri <taskorcommandname> [<priority>]  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/TaskPri  
Document: ?

---

Version: 37.10 (1990)  
Purpose: To show or change the priority of the named task

## 1.101 TNT

TNT

Format: TNT [FORCE|OFF] [SERIAL]  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/TNT  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: 37.4 (1993)  
Purpose: To catch software error traps

## 1.102 TStat

TStat

Format: TStat [<clinumber>] [NOCTRL] [--<tickdelay>] [SHOWSTACK] [SHOWPC]  
[SHOWHUNK] [SHOWHUNKCODE] [SERIAL]  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/TStat  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/TStat.doc  
Version: 37.10  
Purpose: To snoop on the activity of other tasks

## 1.103 Wack

Wack

Template: TARGET,PUBSCREEN/K, FROM/K  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Wack/Wack  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Wack/Wack.doc  
Version: 40.290 (11/05/93)  
Purpose: A local and remote debugger  
See Also: ROMWack  
Variants: Wack1.0, WackServer

## 1.104 WatchMem

WatchMem

Format: WatchMem [<file>|<window>] [OPT N] [<interval>]  
Template: TO, OPT/K, INTERVAL  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/WatchMem  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: ?  
Purpose: To detect illegal writes to low memory  
See Also: Enforcer

---

Notes: See Enforcer instead if you have an MMU  
Examples: 1> WatchMem  
1> WatchMem SER: OPT N

## 1.105 Wedge

Wedge

Template: LIBRARY, OFFSET, REGS/K, PTRS/K, OPT/S, T=/K, B=/K, C=/K, D=/K  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Wedge  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/Wedge.doc  
Source: ADCD\_2.1:Reference/DevCon/Washington\_1988/DevCon88.1/  
SystemWedges/Wedge.c  
Version: 37.1  
Purpose: To monitor calls to any library function  
See Also: LVO

## 1.106 WinList

WinList

Template: ,  
Path: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/WinList  
Document: ADCD\_2.1:NDK/NDK\_3.1/SWToolkit3/Docs/OtherTools.doc  
Version: 37.2 (1991)  
Purpose: To examine addresses, titles, flags, sizes of screens and  
windows

## 1.107 AddIcon

AddIcon

Template: TEXT/S, SOURCE/S, TOOL/S, PROJECT/S, SOUND/S, PICTURE/S, FILES/A/M  
Path: ADCD\_2.1:EA/ST/ER/ E/GG/Tools/AddIcon  
Document: ?  
Source: ADCD\_2.1:EA/ST/ER/ E/GG/Tools/AddIcon.c  
Version: 40.2  
Purpose: ?

## 1.108 BlackCfg

BlackCfg

Format: BlackCfg <system-configuration-file>  
Path: ADCD\_2.1:CDTV/CDTVTools-11/BlackCfg/BlackCfg  
Document: ?  
Source: ADCD\_2.1:CDTV/CDTVTools-11/BlackCfg/BlackCfg.asm

---

Version: 1991  
Purpose: To make all colours stored in system-configuration black for booting with a black screen.

## 1.109 BlowUp

BlowUp

Template: QUIT=OFF/S, PARALLEL/S, QUIET=NOBANNER/S, DREGCHECK/S,  
NODREGCHECK/S, AREGCHECK/S, NOAREGCHECK/S, STACKCHECK/S,  
NOSTACKCHECK/S, STACKLINES/K/N  
Path: ADCD\_2.1:Contributions/Olaf\_Barthel/Tools/Debugging/BlowUp/  
BlowUp  
Document: ADCD\_2.1:Contributions/Olaf\_Barthel/Tools/Debugging/BlowUp/  
BlowUp.doc  
Source: ADCD\_2.1:Contributions/Olaf\_Barthel/Tools/Debugging/BlowUp/  
Source/main.c  
Version: 1.7 (27/06/1999)  
Purpose: To catch and display task errors

## 1.110 BookFile

BookFile

Format: BookFile [<options>] <file>  
Path: ADCD\_2.1:CD32/ISO9660Tools\_V1.04/SimCD/BookFile  
Document: ?  
Version: 1.02 (1992)  
Purpose: ?  
See Also: FakIR, SimCD

## 1.111 BookIt

BookIt

Format: BookIt [b][j][v][c][s][l]  
Path: ADCD\_2.1:CDTV/CDTVTools-11/BookIt/BookIt  
Document: ADCD\_2.1:CDTV/CDTVTools-11/BookIt/BookIt.doc  
Version: 1.11 (1991)  
Purpose: CDTV configuration/bookmark reader

## 1.112 BootNTSC

BootNTSC

Format: BootNTSC INSTALL|REMOVE  
Path: ADCD\_2.1:CDTV/CDTVTools-11/NTSC-PAL/BootNTSC

---

Document: ADCD\_2.1:CDTV/CDTVTools-11/NTSC-PAL/NTSC-PAL.doc  
Source: ADCD\_2.1:CDTV/CDTVTools-11/NTSC-PAL/BootNTSC.asm  
Version: 1.0 (3 Mar 1990)  
Purpose: To switch to NTSC  
See Also: BootPAL, NTSC, PAL

### 1.113 BootPAL

BootPAL

Format: BootPAL INSTALL|REMOVE  
Path: ADCD\_2.1:CDTV/CDTVTools-11/NTSC-PAL/BootPAL  
Document: ADCD\_2.1:CDTV/CDTVTools-11/NTSC-PAL/NTSC-PAL.doc  
Source: ADCD\_2.1:CDTV/CDTVTools-11/NTSC-PAL/BootPAL.asm  
Version: 1.0 (3 Mar 1990)  
Purpose: To switch to PAL  
See Also: BootNTSC, NTSC, PAL

### 1.114 BuildCD

BuildCD

Template: FROM, SCREEN/S  
Path: ADCD\_2.1:CD32/BuildCD/BuildCD-1.33/BuildCD  
Document: ADCD\_2.1:CD32/BuildCD/BuildCD-1.33/BuildCD.doc  
Version: 1.33 (1/01/1994)  
Purpose: To cut "gold disc" CD-ROMs  
See Also: CCopy, PadStream

### 1.115 CCopy

CCopy

Template: FROM/M, TO/A, ALL/S, QUIET/S, BUF=BUFFER/K/N, CLONE/S, DATE/S, NOPRO/S,  
COM/S, NOREQ/S  
Path: ADCD\_2.1:CD32/BuildCD/BuildCD-1.33/CCopy  
Document: ADCD\_2.1:CD32/BuildCD/BuildCD-1.33/CCopy.doc  
Version: 37.13 (6/06/1991)  
Purpose: To copy files contiguously  
See Also: BuildCD, PadStream

### 1.116 CD2xSpeed

CD2xSpeed

Template: ON/S, OFF/S  
Path: ADCD\_2.1:CD32/CD32\_Support/Examples/CD2xSpeed/CD2xSpeed

---

Document: ADCD\_2.1:CD32/CD32\_Support/Examples/CD2xSpeed/Doc/  
CD2xSpeed.doc  
Source: ADCD\_2.1:CD32/CD32\_Support/Examples/CD2xSpeed/CD2xSpeed.c  
Version: 1.5 (16/09/1993)  
Purpose: To turn CD double read speed on/off

## 1.117 CDGSXL

Template: FROM/A,X/K/N,Y/K/N,VOL/K/N,VIEW/S,BLIT/S,BACK/K,MULTIPAL/S,  
XLSPEED/K/N,XLEEC/S,XLPAL/S,LACE/S,NONLACE/S,HIRES/S,LORES/S,  
BOXIT/S,SDBL/S,NTSC/S,PAL/S,DEFMON/S,NOPOINTER/S,XLMODEID/S,  
ENDDELAY/K/N,LOOP/K/N,CDXL/S,DOSXL/S,NOPROMOTE/S,LMBABORT/S,  
RMBABORT/S,FIREABORT/S,MSGPORTNAME/K,HAM/S,NONHAM/S,EHB/S,  
NONEHB/S,PATCHOPENWB/S  
Path: ADCD\_2.1:CD32/CD32-Tools/CDXL-1/CDGSXL  
Document: ADCD\_2.1:CD32/CD32-Tools/CDXL-1/ReadMe,  
ADCD\_2.1:CD32/CD32-Tools/CDXL-1/Doc/CDGSXL.doc  
Source: ADCD\_2.1:CD32/CD32-Tools/CDXL-1/CDGSXL.c  
Version: 1.50 (15/10/1993)  
Purpose: To play CDXL files

## 1.118 CDMPEG

Template: TRACK/A/N,BACK/K,LMBABORT/S,RMBABORT/S,FIREABORT/S,LACE/S,INFO/S  
Path: ADCD\_2.1:CD32/CD32-Tools/CDMPEG-110/CDMPEG  
Document: ADCD\_2.1:CD32/CD32-Tools/CDMPEG-110/Doc/CDMPEG.doc,  
ADCD\_2.1:CD32/CD32-Tools/CDMPEG-110/Doc/ReadMe  
Source: ADCD\_2.1:CD32/CD32-Tools/CDMPEG-110/CDMPEG.c  
Version: 1.10 (11/03/1994)  
Purpose: CD<sup>3</sup> MPEG player

## 1.119 CDSetMap

CDSetMap

Format: CDSetMap [<keymap-name>] [DEFAULT/K]  
Path: ADCD\_2.1:CDTV/CDTVTools-20/CDSetMap/CDSetMap  
Document: ADCD\_2.1:CDTV/CDTVTools-20/CDSetMap/CDSetMap.doc  
Version: ?  
Purpose: To set the global default keymap

## 1.120 CheckGuide

CheckGuide

Format: CheckGuide [-r|--recursive] [-o|--onlyguidefiles]  
[-w|--nowarnings] <files>

Path: ADCD\_2.1:Contributions/Olaf\_Barthel/Tools/AmigaGuide/CheckGuide/  
CheckGuide  
Document: ADCD\_2.1:Contributions/Olaf\_Barthel/Tools/AmigaGuide/  
CheckGuide/CheckGuide.doc  
Source: ADCD\_2.1:Contributions/Olaf\_Barthel/Tools/AmigaGuide/CheckGuide/Source/ ↔  
CheckGuide.c  
Version: 1.8 (21/08/1997)  
Purpose: To check the consistency of AmigaGuide databases

## 1.121 Complainer

Complainer

Format: Complainer ON|OFF  
Path: ADCD\_2.1:CDTV/CDTVTools-11/Debug/Watchdog/Complainer  
Document: ADCD\_2.1:CDTV/CDTVTools-11/Debug/ReadMe  
Version: 1.0a (1990)  
Purpose: A3000 MMU watchdog  
Variants: Complainer.PAR

## 1.122 Config

Config

Format: Config [DEBUG]  
Path: ADCD\_2.1:CDTV/CDTVTools-11/Debug/Lister/Config  
Document: ADCD\_2.1:CDTV/CDTVTools-11/Debug/ReadMe  
Version: 36.10 (1990)  
Purpose: To display your system configuration

## 1.123 ConPaste

ConPaste

Format: ConPaste [CX\_PRIORITY=<n>]  
Path: ADCD\_2.1:Extras/Tools/ConPaste/ConPaste  
Document: ADCD\_2.1:Extras/Tools/ConPaste/ConPaste.doc  
Version: 37.25 (25/03/1994)  
Purpose: To paste clipped text into anything

## 1.124 Conversion

Conversion

Format: Conversion [MONO|STEREO] <left-source> <right-source>  
<output-file> [-s]  
Path: ADCD\_2.1:CD32/BuildCD-1.33/BuildCD/Conversion

---



Document: ADCD\_2.1:CD32/BuildCD-1.33/BuildCD/Conversion.doc  
Version: 0.0  
Purpose: To merge two Studio 16 audio files into an audio CD source file

## 1.125 CopyIcon

CopyIcon

Format: CopyIcon [-<options>] <from> <to> [DrwPX DrwPY DrwSX DrwSY]  
Path: ADCD\_2.1:Contributions/Cloanto/Tools/CopyIcon/CopyIcon  
Document: ADCD\_2.1:Contributions/Cloanto/Tools/CopyIcon/CopyIcon.readme  
Version: 4.0 (1997)  
Purpose: To selectively copy data from one icon to another

## 1.126 CPUTrap

CPUTrap

Format: CPUTrap  
Path: ADCD\_2.1:CDTV/CDTVTools-11/Debug/Watchdog/CPUTrap  
Document: ADCD\_2.1:CDTV/CDTVTools-11/Debug/ReadMe  
Version: ?  
Purpose: A2500 MMU watchdog  
Variants: CPUTrap.PAR

## 1.127 CV

CV

Format: CV <infile> <outfile>  
Path: ADCD\_2.1:CDTV/CDTVTools-11/Audio/CV  
Document: ADCD\_2.1:CDTV/CDTVTools-11/Audio/CV.doc  
Source: ADCD\_2.1:CDTV/CDTVTools-11/Audio/CV.c  
Version: ? (May 1990)  
Purpose: To convert a Macintosh sampled SND to an Amiga raw sample

## 1.128 DeBox

DeBox

Format: DeBox [-<options>] <input-file> [TO <output-file>]  
Path: ADCD\_2.1:CDTV/CDTVTools-11/DeBox/DeBox  
Document: ?  
Version: 1.0 (1990)  
Purpose: To decompress files  
See Also: DeShow, SBox

---

## 1.129 DeShow

DeShow

Format: DeShow [-M] <input-file>  
Path: ADCD\_2.1:CDTV/CDTVTools-11/DeBox/DeShow  
Document: ?  
Version: 1.0 (1990)  
Purpose: To decompress and display pictures  
See Also: DeBox, SBox

## 1.130 DirDiff

DirDiff

Format: DirDiff 1|2 [-b] [-c] [-n] [-u] [-mp] [-l] [-f] <Dir1> [<Dir2>]  
Path: ADCD\_2.1:Contributions/Cloanto/Tools/DirDiff/DirDiff  
Document: ADCD\_2.1:Contributions/Cloanto/Tools/DirDiff/DirDiff.readme,  
ADCD\_2.1:Contributions/Cloanto/Tools/DirDiff/DirDiff.man  
Version: 5.1 (1998)  
Purpose: To scan, compare, synchronize and replicate files

## 1.131 DumpSector

DumpSector

Format: DumpSector <sector>  
Path: ADCD\_2.1:CDTV/CDTVTools-11/System/DumpSector  
Document: ADCD\_2.1:CDTV/CDTVTools-11/System/ReadMe  
Source: ADCD\_2.1:CDTV/CDTVTools-11/System/DumpSector.c  
Version: 1.0 (26 Sep 1990)  
Purpose: To perform a byte dump of a given CD sector

## 1.132 FakIR

FakIR

Format: FakIR  
Path: ADCD\_2.1:CD32/ISO9660Tools\_V1.04/SimCD/FakIR  
Document: ?  
Version: ?  
Purpose: ?  
See Also: BookFile, SimCD

## 1.133 HDToolBox

---

HDToolBox

Format: HDToolBox  
Path: ADCD\_2.1:CD32/BuildCD/BuildCD1-33/V40\_Files/Tools/HDToolBox  
Document: ?  
Version: 2.2  
Purpose: To prepare, partition and format hard drives

### 1.134 HowDeep

HowDeep

Format: HowDeep [<volume>|<directory>] [<threshold>]  
Path: ADCD\_2.1:CD32/BuildCD/BuildCD-1.33/HowDeep  
Document: ADCD\_2.1:CD32/BuildCD/BuildCD-1.33/HowDeep.doc  
Version: 37.1  
Purpose: To list directories deeper than a specified depth

### 1.135 IconSort

IconSort

Template: INDENT/S, DRAWER/A/M  
Path: ADCD\_2.1:EA/ST/ER/ E/GG/Tools/IconSort  
Document: ?  
Source: ADCD\_2.1:EA/ST/ER/ E/GG/Tools/IconSort.c  
Version: 40.3  
Purpose: ?

### 1.136 ISO2

BuildTrack  
ByteDrive  
Exam  
FixTM  
ISO\_Volume\_Start  
ISO\_Volume\_End  
RMTM  
SCSIView

Formats: various  
Path: ADCD\_2.1:CDTV/ISODevPack-41/ISO2/  
Document: ADCD\_2.1:CDTV/ISODevPack-41/ReadMe.txt  
Version: various  
Purpose: To pre-master CDTV discs

---

## 1.137 ISOCD

ISOCD

Format: ISOCD [<options>] <directory>  
Path: ADCD\_2.1:CD32/ISO9660Tools\_V1.04/ISOCD/ISOCD  
Document: ?  
Version: 1.04 (1992)  
Purpose: To create an ISO-9660 CD-ROM image

## 1.138 ISOVal

ISOVal

Format: ISOVal <volume> [LOWER] [AUTOUPPER]  
Path: ADCD\_2.1:CDTV/CDTVTools-20/ISOVal/ISOVal  
Document: ADCD\_2.1:CDTV/CDTVTools-20/ISOVal/UserDocs  
Version: ? (1991)  
Purpose: ISO-9660 validator

## 1.139 JoyCheck

JoyCheck

Format: JoyCheck  
Path: ADCD\_2.1:CD32/CD32\_Support/Examples/JoyCheck  
Document: ?  
Source: ADCD\_2.1:CD32/CD32\_Support/Examples/JoyCheck.c  
Version: 39.3  
Purpose: To test game controllers

## 1.140 JoyMouse

JoyMouse

Format: JoyMouse [XMOVE=<n>] [YMOVE=<n>] [DELAY=<n-frames>] [ACCEL]  
[CREATEKEYS]  
or JoyMouse OFF  
Path: ADCD\_2.1:CD32/CD32-Tools/JoyMouse-1/JoyMouse  
Document: ADCD\_2.1:CD32/CD32-Tools/JoyMouse-1/JoyMouse.doc  
Version: 40.2 (1999)  
Purpose: To emulate mouse with CD<sup>3</sup>\$<sup>2</sup> controller

## 1.141 Keeper

## Keeper

Format: Keeper <picname>|QUIT  
Path: ADCD\_2.1:CDTV/CDTVTools-11/Keeper/Keeper  
Document: ADCD\_2.1:CDTV/CDTVTools-11/Keeper/Keeper.readme  
Source: ADCD\_2.1:CDTV/CDTVTools-11/Keeper/Keeper.c  
Version: 1991  
Purpose: To display a picture while booting

## 1.142 Kiskometer

### Kiskometer

Format: Kiskometer [<options>] [<output-filename>] [LIBOFFSDIR <dir>]  
or Kiskometer HELP|QUIT  
Path: ADCD\_2.1:Contributions/Angela\_Schmidt/Tools/Kiskometer\_1.2/  
Kiskometer  
Document: ADCD\_2.1:Contributions/Angela\_Schmidt/Tools/Kiskometer\_1.2/  
Kiskometer\_English.guide  
Version: 1.2 (5 Apr 1996)  
Purpose: To check which functions have been patched and by which programs

## 1.143 LhArc

### LhArc

Format: LhArc [<switches>] <command> <archive> [<dest-path>]  
[<file-patterns>]  
Path: ADCD\_2.1:CDTV/CDTVTools-11/LhArc/LhArc  
Document: ADCD\_2.1:CDTV/CDTVTools-11/LhArc/LhArc.doc  
Version: 1.21 (8 Aug 1990)  
Purpose: Archive program

## 1.144 LibList

### LibList

Format: LibList  
Path: ADCD\_2.1:CDTV/CDTVTools-11/Debug/Lister/LibList  
Document: ADCD\_2.1:CDTV/CDTVTools-11/Debug/ReadMe  
Version: 36.10 (1990)  
Purpose: To list all currently loaded/available libraries

## 1.145 MailBx

## MailBx

Format: MailBx <input-file> <output-file>  
Path: ADCD\_2.1:Contributions/Cloanto/Tools/MailBx/MailBx  
Document: ADCD\_2.1:Contributions/Cloanto/Tools/MailBx/MailBx.readme  
Version: 1.1 (1998-09-27)  
Purpose: To convert emails

## 1.146 MakeBin

### MakeBin

Format: MakeBin <loadin> <binout>  
Path: ADCD\_2.1:CDTV/CDTVTools-11/MemCard/MakeBin  
Document: ?  
Version: ?  
Purpose: To convert a load file to a plain binary

## 1.147 MakeQuick

### MakeQuick

Format: MakeQuick [FROM/M] [TO/K]  
Path: ADCD\_2.1:CDTV/CDTVTools-20/QuickStart/MakeQuick  
Document: ADCD\_2.1:CDTV/CDTVTools-20/QuickStart/QuickStart.doc  
Version: 37.1 (19/11/1991)  
Purpose: To create an archive  
See Also: QuickStart

## 1.148 MIDIPorts

### MIDIPorts

Format: MIDIPorts  
Path: ADCD\_2.1:Extras/MIDI/CAMD-37.1/Runtime/Prefs/MIDIPorts  
Document: ?  
Version: 1.0 (28/07/1992)  
Purpose: To adjust MIDI preferences

## 1.149 NoReset

### NoReset

Format: NoReset  
Path: ADCD\_2.1:CDTV/CDTVTools-11/System/NoReset  
Document: ADCD\_2.1:CDTV/CDTVTools-11/System/ReadMe  
Source: ADCD\_2.1:CDTV/CDTVTools-11/System/NoReset.c

---

Version: 1.0 (26 Sep 1990)

Purpose: To prevent the system reset that occurs when a CD is ejected

## 1.150 NSDPatch

NSDPatch

Template: PATCHCONFIGFILE=PCF/K, PATCHCONFIGLINE=PCL/K, QUIET/S, PATCHINFO=PI/S, STRANGELONGWINDEDOPTIONNAME/S

Path: ADCD\_2.1:DevInfo/DeviceDevelopment/NSDPatch/NSDPatch

Document: ADCD\_2.1:DevInfo/DeviceDevelopment/NSDPatch/ReadMe.guide

Version: 43.21 (31/10/1999)

Purpose: To patch devices to make them look NSD compliant

See Also: NSDQuery

## 1.151 NSDQuery

NSDQuery

Template: DEVICENAME=D, UNIT=U/N, OPENFLAGS=OF, BRIEF/S, CHECKALL/S

Path: ADCD\_2.1:DevInfo/DeviceDevelopment/NSDPatch/NSDQuery

Document: ADCD\_2.1:DevInfo/DeviceDevelopment/NSDPatch/ReadMe.guide

Version: 1.4 (13/03/1997)

Purpose: To check devices for their NSD capabilities

See Also: NSDPatch

## 1.152 NTSC

NTSC

Format: NTSC

Path: ADCD\_2.1:CDTV/CDTVTools-11/NTSC-PAL/NTSC

Document: ADCD\_2.1:CDTV/CDTVTools-11/NTSC-PAL/NTSC-PAL.doc

Source: ADCD\_2.1:CDTV/CDTVTools-11/NTSC-PAL/NTSC.asm

Version: 1.0 (3 Mar 1990)

Purpose: To switch to NTSC immediately

See Also: BootPAL, BootNTSC, PAL

## 1.153 OptCD

OptCD

Format: OptCD [<options>] <statistics-file> [ON|OFF]

Path: ADCD\_2.1:CD32/ISO9660Tools\_V1.04/OptCD/OptCD

Document: ?

Version: 1.00 (1992)

Purpose: To monitor FSE data from CDFS

## 1.154 PadStream

PadStream

Template: SOURCE/A,DEST/A,VIDEOCD/S  
Path: ADCD\_2.1:CD32/BuildCD/BuildCD-1.33/PadStream  
Document: ADCD\_2.1:CD32/BuildCD/BuildCD-1.33/PadStream.doc  
Version: 1.33 (1/01/1994)  
Purpose: To pad and align the sectors of a raw MPEG stream  
See Also: BuildCD, CCopy

## 1.155 PAL

PAL

Format: PAL  
Path: ADCD\_2.1:CDTV/CDTVTools-11/NTSC-PAL/PAL  
Document: ADCD\_2.1:CDTV/CDTVTools-11/NTSC-PAL/NTSC-PAL.doc  
Source: ADCD\_2.1:CDTV/CDTVTools-11/NTSC-PAL/PAL.asm  
Version: 1.0 (3 Mar 1990)  
Purpose: To switch to PAL immediately  
See Also: BootPAL, BootNTSC, NTSC

## 1.156 PartInfo

PartInfo

Format: PartInfo <device-name>  
Path: ADCD\_2.1:Contributions/Ralph\_Babel/Development/ActionFSSM/  
PartInfo  
Document: ?  
Source: ADCD\_2.1:Contributions/Ralph\_Babel/Development/ActionFSSM/  
PartInfo.c  
Version: ? (24 Feb 1994)  
Purpose: To obtain partition device and geometry data

## 1.157 PatchWork

PatchWork

Template: LEVEL/K/N,MINOS/K/N,TINY/S,SMALL/S,STACKLINES/K/N,STACKCHECK/S,  
SHOWPC/S,AREGCHECK/S,DREGCHECK/S,ROMHITS/S,DEADLY/S,  
DISABLECHECK/S,NOPERMIT/S  
Path: ADCD\_2.1:Contributions/Richard\_Koerber/Tools/Debugging/  
PatchWork/PatchWork  
Document: ADCD\_2.1:Contributions/Richard\_Koerber/Tools/Debugging/  
PatchWork/PatchWork.guide  
Version: 0.19 (1999)  
Purpose: To check system function arguments

---



## 1.158 Prod\_Prep

Prod\_Prep

Format: [`<filename>|-`] [DEVICE `<name>`] [UNIT `<number>`] [LAYOUT] [BADFILE  
`<file>`] [FORMATONLY] [NOVERIFY] [VERIFYONLY] [SLOWDOWN]  
Path: ADCD\_2.1:CD32/CD32-Tools/Reselect-1/Reselect/Prod\_Prep  
Document: ?  
Version: 2.31  
Purpose: To control SCSI units

## 1.159 QuickStart

QuickStart

Format: MakeQuick [FROM] [TO/K] [BURST/S]  
Path: ADCD\_2.1:CDTV/CDTVTools-20/QuickStart/QuickStart  
Document: ADCD\_2.1:CDTV/CDTVTools-20/QuickStart/QuickStart.doc  
Version: 37.1 (19/11/1991)  
Purpose: To unpack an archive  
See Also: MakeQuick

## 1.160 Sashimi

Sashimi

Template: RECOVER/K, ON/S, BUFK/N, BUFFERSIZE/N, NOPROMPT/S, QUIET/S, ASKEXIT/S,  
ASKSAVE/S, TIMERON/S, CONSOLE/S, WINDOW/K, OFF/S, SAVE/S, SAVEAS/K,  
EMPTY/S  
Path: ADCD\_2.1:Contributions/Olaf\_Barthel/Tools/Debugging/Sashimi/  
Sashimi  
Document: ADCD\_2.1:Contributions/Olaf\_Barthel/Tools/Debugging/Sashimi/  
{"Sashimi.doc" link "ADCD\_2.1:Contributions/Olaf\_Barthel/Tools/Debugging ↔  
/Sashimi/Sashimi.doc/MAIN"}  
Source: ADCD\_2.1:Contributions/Olaf\_Barthel/Tools/Debugging/Sashimi/  
Source/Sashimi.c  
Version: 1.6 (20/06/1999)  
Purpose: To intercept raw serial debugging output on your own machine

## 1.161 SBox

SBox

Format: SBox [`-<options>`] `<input-file>` [TO `<output-file>`]  
Path: ADCD\_2.1:CDTV/CDTVTools-11/DeBox/SBox  
Document: ?  
Version: 1.4 (1991)  
Purpose: To compress files  
See Also: DeBox, DeShow

## 1.162 SetCDFS

SetCDFS

Format: SetCDFS { -[dblfresnot] +[dblfr]# | +[esnot] } <file>  
[<file> ...]  
Path: ADCD\_2.1:CDTV/CDTVTools-20/SetCDFS/SetCDFS  
Document: ADCD\_2.1:CDTV/CDTVTools-20/SetCDFS/SetCDFS.doc  
Version: 0.01  
Purpose: To set CD filesystem options

## 1.163 SimCD

SimCD

Format: SimCD [-b] [<config-file>]  
Path: ADCD\_2.1:CD32/ISO9660Tools\_V1.04/SimCD/SimCD  
Document: ?  
Version: 1.00 (1992)  
Purpose: ?  
See Also: BookFile, FakIR

## 1.164 SimCD32

SimCD32

Template: ISOIMAGE  
Path: ADCD\_2.1:CD32/CD32-Tools/SimCD32-401/SimCD32/SimCD32  
Document: ADCD\_2.1:CD32/CD32-Tools/SimCD32-401/SimCD32/SimCD32.doc,  
ADCD\_2.1:CD32/CD32-Tools/SimCD32-401/SimCD32/ReadMe  
Version: 40.1 (1993)  
Purpose: To simulate a cd.device/CD-ROM environment

## 1.165 TreeGuide

TreeGuide

Template: DIR/A, TO/A  
Path: ADCD\_2.1:EA/ST/ER/ E/GG/Tools/TreeGuide  
Document: ?  
Source: ADCD\_2.1:EA/ST/ER/ E/GG/Tools/TreeGuide.c  
Version: ?  
Purpose: ?

## 1.166 VideoDisc

VideoDisc

Template: DIR/A,TO/A  
Path: ADCD\_2.1:CDTV/CDTVTools-20/VideoDisc/VideoDisc  
Document: ADCD\_2.1:CDTV/CDTVTools-20/VideoDisc/VideoDisc.doc  
Version: .12 (91.11.14)  
Purpose: To control videodisc equipment via ARexx

## 1.167 WarnIfNotPAL

WarnIfNotPAL

Format: WarnIfNotPAL  
Path: ADCD\_2.1:CD32/CD32\_Support/Examples/WarnIfNotPAL  
Document: ADCD\_2.1:CD32/CD32\_Support/Tools/Tools.doc  
Source: ADCD\_2.1:CD32/CD32\_Support/Examples/WarnIfNotPAL.asm  
Version: 40.1 (6/07/1993)  
Purpose: To return WARN if not a PAL system

## 1.168 WarnIfPressed

WarnIfPressed

Format: WarnIfPressed <button> [<button> ...] [PORT0]  
Path: ADCD\_2.1:CD32/CD32\_Support/Examples/WarnIfPressed  
Document: ADCD\_2.1:CD32/CD32\_Support/Tools/Tools.doc  
Source: ADCD\_2.1:CD32/CD32\_Support/Examples/WarnIfPressed.c  
Version: 40.2  
Purpose: To return WARN if the specified game controller or joystick keys/direction keys are being pressed

## 1.169 WipeOut

WipeOut

Template: PRESIZE/K/N, POSTSIZE/K/N, FILLCHAR/K, PARALLEL/S, QUIET=NOBANNER/S,  
REMUNGE=REMUNG/S, CHECK/S, MARK/S, UNMARK/S, SHOWUNMARKED/S,  
NAME=TASK/K, NAMETAG/S, NONAMETAG/S, ACTIVE=ENABLE/S,  
INACTIVE=DISABLE/S, WAIT/S, NOWAIT/S, CONSISTENCECHECK/S,  
NOCONSISTENCECHECK/S, REUSE/S, NOREUSE/S, SHOWFAIL/S, NOSHOWFAIL/S,  
AREGCHECK/S, NOAREGCHECK/S, DREGCHECK/S, NODREGCHECK/S,  
STACKCHECK/S, NOSTACKCHECK/S, STACKLINES/K/N, CHECKDELAY/K/N  
Path: ADCD\_2.1:Contributions/Olaf\_Barthel/Tools/Debugging/WipeOut/  
WipeOut  
Document: ADCD\_2.1:Contributions/Olaf\_Barthel/Tools/Debugging/WipeOut/  
WipeOut.doc  
Source: ADCD\_2.1:Contributions/Olaf\_Barthel/Tools/Debugging/WipeOut/  
Source/main.c  
Version: 1.28 (7/10/1999)  
Purpose: To trace and munge memory and detect memory trashing

---

## 1.170 XLTools

XLAudio  
XLClean  
XLCopy  
XLIFF  
XLInfo  
XLJoin  
XLMake  
XLPlay  
XLTrim

Formats: various  
Path: ADCD\_2.1:CD32/XL\_Toolkit\_1.1/Tools/  
Document: ADCD\_2.1:CD32/XL\_Toolkit\_1.1/ReadMe.doc  
Version: various  
Purpose: To manipulate CDXL files

---