

Sinus

COLLABORATORS

	<i>TITLE :</i> Sinus		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		March 1, 2023	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1 Sinus	1
1.1 Screenblankers for Garshneblanker	1
1.2 installation	1
1.3 The new blankers	2
1.4 xlock	3
1.5 fire	3
1.6 The SINUS Screenblanker	3
1.7 The SINUS Screenblanker - background	3
1.8 The parameters controlling sinus	4
1.9 The IFS blanker	4
1.10 A probability distribution for area selection	5
1.11 Parameters to manipulate IFS	5
1.12 Basics of iterated function systems	6
1.13 cubes	6
1.14 The Water blanker	6
1.15 Parameters You can set, parameters You get	7
1.16 Technical Details on the Water blanker	7
1.17 Water's memory requirements	8
1.18 The Star Trek blanker	9
1.19 Parameters accepted by the Trek blanker	9
1.20 Public Domain	10
1.21 Who wrote these great blankers? :-)	10
1.22 credits	11
1.23 The history of these blankers	11

Chapter 1

Sinus

1.1 Screenblankers for Garshneblanker

This document describes my screen blankers for the excellent ↔
screen
blanking utility Garshneblanker 3.6 (38.8).

Installation

- How to install them

The Blankers

- Description of each blanker

Public Domain

- This is as PD as it can be

The Author

- Address, Email, ...

Credits

- People I want to thank

History

- The (short) history of these blankers

1.2 installation

The archive AgBlankers has created the following directory structure:

AgBlankers/Blankers contains the blanker executables and
 the files they need.
.../MC68000 contains everything for the 68000 CPU
.../MC68020 ... for the 68020
.../MC68030 ... for the 68030
.../MC68040 ... for the 68040
.../Source contains the blanker sources

.../Doc contains documentation

To install the blankers: Copy everything in Blankers/<Your CPU> to the drawer containing Your Garshneblanker blankers.

The "Sinus" and "IFS" blankers use floating point arithmetics. However, FPU binaries are not included with my blankers. If You've got SAS/C 6.x You should be able to compile the blankers without problems.

After You've installed the blankers You can use Garshneblanker's Prefs window to test them. Since the default preferences have to be usable with any Amiga You can get much nicer results by experimenting a bit. Especially the Display settings should be changed.

Recommended DISPLAY settings:

000,no AGA 0[234]0,no AGA 020, AGA 030, AGA 040, AGA

```

=====
Cubes  Hires, 16 Hires, 16 HiresNoFlck, 64 HiresNoFlck, 64 HiresNoFlck, 128
IFS    HiresIntl, 8 HiresIntl, 8 HiresNoFlck, 8 HiresNoFlck, 8 HiresNoFlck, 8
Sinus  HiresIntl, 8 HiresIntl, 16 HiresNoFlck, 32 HiresNoFlck, 64 HiresNoFlck, ←
      256
Trek   Hires, 16 Hires, 16 HiresNoFlck, 16 HiresNoFlck, 16 HiresNoFlck, 16
Water  Lores, 8 Lores, 16 HiresNoFlck, 8 HiresNoFlck, 16 ←
      HiresNoFlck, 16

```

1.3 The new blankers

This package gives You the following new screen blankers (the ← links surrounded by stars are links to iff screenshots. This feature is only available in Workbench 3.x. Look at the iff files "by hand" if You've got 2.x).

```

*
      Sinus
      - Draws nice *figures* based on a
      sinus formula
      *
      IFS
      - Draws
      iterated function systems
      like
      fire
      for
      xlock
      .
Click *here* for some screenshots..
*
      Cubes
      - Inspired by the Amigabasic mondrian demo included
      with WBl.x this draws @{" *cube art* " link "cubes.iff/main" } to ←
      the screen.
*

```

Water
 - Simulation of @{" *Waterfalls* " link "water.iff/main" } and ↔
 such.

*

Trek
 - Simulates importantly blinking @{" *lamps* " link "trek.iff/ ↔
 main" } like in Star Trek.

1.4 xlock

xlock is the most commonly used modular screen saving system for UNIX machines using X11R5.

1.5 fire

Fire is a screen blanker for
 xlock
 which draws iterated function systems.

IMHO the best of its kind.

1.6 The SINUS Screenblanker

The Sinus blanker draws nice figures depending on a simple
 formula

.

The appearance of these figures can be controlled by several different

parameters

.

This screenblanker was created and implemented by
 Karlheinz Agsteiner

.

1.7 The SINUS Screenblanker - background

The Sinus blanker draws its formulas based on the following sequence
 (where needed, I use TeX-like notation)

Let a, b, c, d be values in $\{ \min, \dots, \max \}$;

Then for some real z the functions

$$\begin{aligned} x(z) &= \sin(a * z) + \cos(b * z), \\ y(z) &= \sin(c * z) + \cos(d * z). \end{aligned}$$

define a set of points in $|\mathbb{R}^2$.

The actual plot is produced by an approximation of this set by drawing lines from $(x(z+\delta^n), y(z+\delta^n))$ to $(x(z+\delta^{n+1}), y(z+\delta^{n+1}))$ for very small δ values. By setting δ to $\pi+\delta$ we get more complicated looking line pictures.

The color of each line depends on its length.

1.8 The parameters controlling sinus

The figures produced by Sinus can be controlled by several parameters adjustable in the Prefs window:

- * SimplePics - Controls how many simple pictures (consisting of short lines instead of long ones giving a more "clean" look) should be drawn.
- * Range Param - The range for the four parameters in the computation formula. Roughly, a range of n allows the blanker to draw n^4 different figures. Larger ranges give more figures, but as a rule, the larger the range the more complicated/weird/ugly the figures will look.
- * Duration - How many time should Sinus spend with drawing one figure.
- * Delay - How long (in seconds) should Sinus wait after having completed a figure.
- * Display - Like in the other savers. The best results can be achieved by high resolution and many colors. Monochrome looks good, too (but monochrome, of course :-)

1.9 The IFS blanker

This screenblanker draws figures that contain random fractals called "iterated function systems". The basic functions drawn by IFS are roughly the same You probably know from the Scrawls blanker. However, IFS uses FFP numbers, and a

probability distribution
to minimize the probability of recalculating
the same point over and over again. Therefore it looks much faster as Scrawls.

The coloring scheme used in IFS is inspired by the

fire
blanker in
xlock
which is IMHO the best iterated
function systems blanker.

Several

parameters
control this blanker.

1.10 A probability distribution for area selection

When calculating an iterated function system each function roughly stands for a different area of the figure. If functions are selected with the same probability, the algorithm spends "too much" time on the smaller areas. This can make the figure look a bit more structured but usually it's just unnecessarily slow. "Special" computes the compression of each function and selects each function with a probability proportional to the area the function represents.

1.11 Parameters to manipulate IFS

The iterated function systems produced by IFS can be controlled by several parameters adjustable in the Prefs window:

- * Functions - Sets the maximum number of random transformation functions that are used to compute the figures. The larger this number is the more sophisticated figures can be drawn. However, even 3 random functions provide a broad range of different figures while large systems with 8 or more functions often tend to result in clouds. I'd suggest a value of about 4 to 6.
- * Iterations - Controls how long IFS computes one figure. Each iteration performs a computation sequence of about 100 points. Default is 300 iterations. Of course, large cloudlike structures are given a longer calculation time as small figures do.
- * Area - Can be either special or uniformal. Uniformally drawn figures look a bit more structured in some cases but wastes much time. Generally, special is far better.
- * Transpose - If set to "no", the center of each figure is set exactly in the middle of the picture. "Yes" will cause each IFS being displayed with some offset from this center.
- * ContProb - The probability to paint the next ifs without clearing the screen first (in percent).
- * Decrease - The number of percents subtracted from ContProb after each drawing.
Example: ContProb = 120%, Decrease = 20% will clear the screen after a drawing with the following probabilities:

0	120% = always
1	100% = always
2	80% = 8 out of 10
3	60% = 6 out of 10
4	40% = 4 out of 10
5	20% = 2 out of 10
6	0% = never

Thus the setting 120/20 means "draw at least two

figures and at most 6".

- * Display - Like the other blankers. IFS paints each figure in the same color so 8 colors should suffice for the most cases (except for very large ContProbs).

1.12 Basics of iterated function systems

Iterated function systems (IFS) are perhaps the most important kind of Fractals. The basic concept of IFS is self-similarity: A fractal is composed by parts which are similar to the whole fractal.

Technically, such a fractal is defined by a set of functions (where needed, I use TeX-like notation)

$$f_1, \dots, f_n$$

Each f_i is the composition of a rotation, a scalation and a translation. Thus, every f_i transforms a set of points in \mathbb{R}^2 into a similar set of points. Starting by a certain set S_0 we can compute the union

$$S_{i+1} = \bigcup_{i=1}^n f_i(S_i)$$

The fractal defined by these functions is defined by

$$\lim_{n \rightarrow \infty} S_n$$

Example:

```
f_1 = "scale by factor 2"
f_2 = "scale by factor 2, translate by (0.5,0)"
f_2 = "scale by factor 2, translate by (0,0.5)"
```

will give a the fractal shown @{" *here* " link "IFSexample.iff/main"}.

1.13 cubes

The cubes blanker roughly draws the same modern art as the AmigaBasic mondrian demo contained in the distribution of Amiga-OS1.x (only much nicer :-). This blanker doesn't need any parameters except the Display mode.

1.14 The Water blanker

The Water blanker simulates particles and gravitation. The outcome ↔
of
this simulation is that it displays all kinds of waterfalls. This
blanker looks especially good when viewed from >3 meters away.

- * parameters
- * technical details
- * memory requirement

1.15 Parameters You can set, parameters You get

The Water blanker knows of lots of parameters modifying the ↔
behavior
of each waterfall. Since the basic waterfall is quite a monotonous
thing most of these parameters are selected randomly. Only two can be
chosen by the user:

- * Drops specifies how many drops should build each waterfall.
The best value depends heavily on the machine used. On my
A4000/30, 500-1000 drops look "fluidly" enough and give a
good impression. Notice that every drop requires
memory
- * Time specifies how many moves each drop should make until
a new waterfall is created. I use about 500 here.
- * Display: as usual. This blanker looks best with 8 or 16
colors. Fewer colors spoil the effect that the water gets
brighter the longer it falls (looks a bit 3D to me), more
colors make the blanker slower.

The following internal parameters that can't be modified by the
user specify the look of the waterfall:

- * Width: How wide is the waterfall (how far are the single drops
spreading)
- * Ground: Some waterfalls have a ground from which the drops
reflect. This may not be physically too credible, but it
looks good. :-)
- * Sides: There are left->right, right->left and narrow->wide
waterfalls
- * initial direction: A waterfall can simply drop water from
some height or blow it into the air first.

1.16 Technical Details on the Water blanker

The basic physical model for the water blanker is very simple.

Waterdrops have a certain initial point and speed and accelerate downwards due to some gravitation. Every point moves independently, no interaction takes place between them.

But even this simple model is too complicated for a blanker that should look nice: Either we have to use hand coded fixed point arithmetics or have a FPU, or we get incredibly slow. Even with FPU, we're suboptimal. The way out of this mess is - of course - precomputation.

Before a waterfall is drawn, a number of paths (adjustable at compile time by the macro VARIATIONS (default: 32) of a certain length (macro STAGES=128) are precomputed. Thus, each drop can only move in 30 different ways. These paths are normalized so that they correspond to a rectangle of at most

$$(\text{<width of screen>} / 2) \times (\text{<height of screen>} - 10)$$

Then, every point is characterized by an initial coordinate in a 20*10 rectangle, the path it uses and the stage it is at.

The blanker itself can now calculate each drop by a few additions and array calculations. Using this method, we get quite a good speed (about 8700 movements per second in 16 colors on my A4000/30).

Of course, due to all this precalculation Water requires a lot of

memory

.

1.17 Water's memory requirements

The Water blanker precomputes and stores much data in order to gain speed when drawing the waterfall. Therefore Water is quite a memory intense blanker. It needs:

Bytes	Size	Description
25600	VARIATIONS * STAGES * 8	All the paths
128	VARIATIONS * 4	additional data

==> 25728 Bytes allocated in any case plus 16 bytes for every point.

This means that a maximum of $4000 \times 16 + 25728 = 89728$ bytes can be allocated. If any allocation fails the blanker will do nothing.

1.18 The Star Trek blanker

Have You ever wished Your computer could display important lamps like the ones featured in the "Star Trek" series? Or the ones that make transputer systems look so important? Now thanks to the Trek blanker Your Amiga can look important, too!

Trek organizes the display into rectangles (lamps) and displays blinking rectangles in them. Lamps can be organized in vertical or horizontal rows, too. Every lamp blinks in a certain rhythm. Several different blinking styles exist. To make everything look even more important, the blanker adds 3D-boxes around every lamp and separates some lamps (rows of lamps) by horizontal or vertical lines.

Of course, a blanker as important as this one can be controlled by loads of

parameters

.

1.19 Parameters accepted by the Trek blanker

The Trek blanker can look quite differently depending on the following parameters (modifiable via the Prefs window):

- * Rhythms: Controls how many different blanking rhythms should be used in each display. If two lamps use the same rhythm they will go on and off at the same time. Thus, a small number of rhythms will look less chaotic as a large one. Don't know which setting is optimally important. :)
 - * Duration: How many simulation cycles should the blanker spend with one set of lamps. Default: 500 cycles
 - * Delay: How long (in ticks) should the blanker pause after each simulation cycle (default: 3).
 - * Width, Height: Before actually drawing lamps the Trek blanker splits the screen into rectangles. When a rectangle gets thinner as Width or lower as Height, the blanker will use it as a lamp or a row of lamps. Small values give small lamps, big values big ones.
 - * Submode: Controls if a "basic rectangle" will contain one lamp or a row of lamps. Rows of lamps look more important, IMHO, so this is the default.
 - * Background: Controls the background color. Normally, one would use black here. Of course the blanker looks much better with a grey background because the 3D borders really don't look very good on a black background.
 - * Free: Controls how many percent of the screen should be left free (ie. not covered by lamps).
 - * Display: As usual. The Trek blanker doesn't look good with only two colors. If You use 4 colors You get the normal 3D-look but lamps are all colored in the same color (3 are used for the 3D-look). 16 Colors is best. High resolution is not necessary but recommended.
-

1.20 Public Domain

Everything in this distribution is PD. You can use the sources/binaries/documentation in any way You like - run it, modify it, include it in Your .signature, ...

The only exception to this rule is that if You release a modified version of my blankers which doesn't add major changes I feel free to make fun of You in the public (ie. UseNet).

Of course, PD means that I don't take any responsibility to any harm any file in this distribution will cause to You or other persons. This may sound like legal rubbish, but in the case of screen blankers it's really important - I had some guys screen saver crash while I was optimizing my hard disk. Hours of endless fun formatting and installing my hard disk were the result.

One last word about shareware: IMHO it's absolutely ridiculous what kinds of programs get released as shareware today. I've seen

- * memory games (the ones where You have to find two matching cards)
- * chess games which can't play chess at all (but have a vector graphics GUI)
- * othello games
- * WB icons
- * ...

being released as shareware. Most of the time the "reason" given for this policy was "I've invested so much time there". Come on. The criterion for releasing a program as shareware has to be the quality of this program. Why should anybody be willing to pay eg. for a memory game?

1.21 Who wrote these great blankers? :-)

I like to hear from You! If You've got another Amiga model than I do (I've got an A4000/30) please tell me if my blankers run on Your configuration. If it doesn't work, it would be nice if You provided additional information (Your setup, what's happening).

Send bug reports etc. to:

karlheinz.agsteiner@informatik.tu-chemnitz.de

My WWW page is located at

<http://www.tu-chemnitz.de/~kas/agsteiner.html>

or (snail mail):
Karlheinz Agsteiner
Lessingstr. 10
09130 Chemnitz
Germany

1.22 credits

Thanks go to

- * Michael D. Bayne for Garshneblanker, the best screen saving system I've seen so far - being able to write blankers without having to care for a Gadtools interface is great!
- * SAS for their compiler, especially Doug Walker and Jim Cooper for being present on comp.sys.amiga.programmer without getting tired of answering the same questions over and over again. Too bad Amiga SAS/C is no longer supported.
- * The Free Software Foundation for creating THE ONE EDITOR.
- * Nicola Salmoria and Philip A. Vedovatti for NewIcons - the best Icon Package around (the icons included in this distribution are drawn by them and will look a bit awkward if NewIcons is not installed.

1.23 The history of these blankers

Ancient history:

Somewhen in 1985: Implemented the sinus blanker on a Commodore 8032 :)

Somewhen in the early '90s: Implemented sinus, cubes, and early versions of water and trek using the shadowmaster saving system.

Modern history:

27.02.95 First release of my blankers as PD

13.03.95 Fixed two problems:

- * I included different prefs files for the 68000 and the 68020/30/40 versions meeting the different performance needs of different processors. Unfortunately these prefs files contained information about the screenmode to use. Therefore, everyone who had no DblNTSC installed on his 020/030/040 machine only got a black screen. This version includes no prefs files. Users of slower machines have to experiment a bit in order to get an appropriate set of parameters. Thanks to Colin Thompson and Arthur Hagen for notifying me of this problem.
- * Fixed a bug in "water" found by Roberto Patriarca: When the system wasn't idling, the blanker would crash. The cause was that I inserted code between the initialization routine and the test if this routine succeeded that used (not necessarily) initialized data giving a division by zero error if Garshneblanker aborted Water during its initialization routine. Thanks, Roberto, for the very precise bug report. It made it a question of minutes to find the bug.