

WindowDaemon 1.9

COLLABORATORS

	<i>TITLE :</i> WindowDaemon 1.9		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		March 1, 2023	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	WindowDaemon 1.9	1
1.1	WindowDaemon 1.9 (11.5.94)	1
1.2	Its not my fault...	2
1.3	Shareware distribution info...	2
1.4	Whats needed to run WindowDaemon	3
1.5	Matrix Library	4
1.6	introduction	4
1.7	scrwinreq	5
1.8	Commodities interface	5
1.9	installation	5
1.10	Workbench Enhancements	5
1.11	aboutwindow	6
1.12	How to configure WindowDaemon	6
1.13	hotkeylist	7
1.14	How to use WindowDaemon from Arexx	9
1.15	Audio effects for windows...	11
1.16	updates	11
1.17	What is a hot key...	12
1.18	CLASS	12
1.19	QUAL	13
1.20	SYN	13
1.21	UPSTROKE	13
1.22	HIGHMAP	13
1.23	ANSICODE	14
1.24	Language support...	14
1.25	List of contributors	14
1.26	history	15
1.27	Index...	16

Chapter 1

WindowDaemon 1.9

1.1 WindowDaemon 1.9 (11.5.94)

WindowDaemon 1.9

Copyright (C)1992,93,94 David Swasbrook.

=====

If you are upgrading from version 1.8 or earlier then you may wish to know that the configuration is now stored in the ENV: and ENVARC: directories and no longer as tool types.

Disclaimer

Legal information

Shareware

Shareware information

Requirements

Whats needed

Introduction

Introduction to WindowDaemon

How to Install

How to install WindowDaemon

Update Information

How to get the latest WindowDaemon version

Special Thanks

Thankyou for your ideas/support

History

A very brief history of WindowDaemon

Index
A brief index

1.2 Its not my fault...

Disclaimer

I hereby reject any liability or responsibility for these or any other consequences from the use of WindowDaemon whatsoever. This includes, but is not limited to, damage to your equipment, to your data, personal injuries, financial loss or any other kinds of side effects.

Although WindowDaemon has been tested thoroughly on several different machines, I cannot rule out the possibility that WindowDaemon

- o is somehow incompatible to your equipment
- o has bugs that show up on your equipment
- o does not do what it is supposed to do on your equipment

It is your responsibility to take any precautions necessary to protect yourself from these or any other effects. I explicitly reject any liability or responsibility from the consequences of you using WindowDaemon.

Swaz.

1.3 Shareware distribution info...

Shareware

WindowDaemon is shareware. The program may be freely distributed and copied, as long as the following conditions are fulfilled:

- o The sales price must not be higher than the cost of an (empty) disk plus a nominal copying fee plus costs for shipping. The total price must not be higher than 5 US\$.
 - o All parts of the program and the documentation must be complete. The distribution of single parts or incomplete subsets of the original distribution is NOT ALLOWED.
 - o WindowDaemon or parts of it may not be sold in combination with or as part of commercial software.
-

- o Program and documentation may not be changed in any way.
- o Permission has been given for distribution through Aminet and Fred Fish.

WindowDaemon is shareware, this means I request those users, who use WindowDaemon, to send me the shareware fee of 10 US\$ (20 \$NZ) (or any other contributions gratefully accepted) to the following address:

Postal: David Swasbrook,
43 Pickwick Parade,
Howick,
Auckland,
New Zealand.

Internet: swaz@iconz.co.nz (private)
or msd@iconz.co.nz

Please include the following information in your registration:

- o your name, address (electronic mail addresses preferred)
- o your Amiga model(s)
- o Kickstart and Workbench versions
- o the WindowDaemon version number

I assure you that the information you send me will be treated confidentially.

I will try and inform everybody, who has registered with me as described above, when a new version of WindowDaemon becomes available.

If you have sent a shareware donation, if possible, you will receive an update through mail (preferably email).

Thank you very much in advance !

1.4 Whats needed to run WindowDaemon

Requirements

The following are required for WindowDaemon to run:

- o Kickstart V37 or higher.
- o
matrix.library
version 23.1916 or higher

- o For additional features for WindowDaemon you should be using kickstart V39 or higher.

1.5 Matrix Library

MatrixLibrary

Copyright © David Swasbrook, All Rights Reserved.

- o Yet another library to put in your LIBS: drawer.
- o Matrix.library is a development tool which will be used in forthcoming releases of programs I have written.
- o The name "matrix" came from "The Matrix" - The computer system used by the TimeLords (Re: Dr Who).

1.6 introduction

Introduction

WindowDaemon gives you more control over intuition windows and screens.

Arexx

Control via arexx

Commodities

Standard commodities interface

Configuring

How to configure

List of Hotkeys

Assign keys to perform actions

Locale

Interface available in different languages

Screen/Window Requestor

Goto a screen or window easily

Sounds

Sound effects

Workbench Enhancements

Workbench improvements

1.7 scrwinreq

Screen/Window Requestor

This provides a way to find a screen or window by simply pressing the right mouse button in the top right hand corner of a screen. The requestor will list all named screens and windows (or just screens only). Double clicking on a screen or window will bring the screen and window to the front of the display... saving you the trouble of looking for it.

1.8 Commodities interface

Commodities Support

WindowDaemon is a commodity and supports standard commodities features.

The following arguments may be specified as either ToolTypes or entered in on the command line. If possible WindowDaemon will load the tooltypes from the icon (if available) and any cli arguments will override the tooltypes specified.

CX_POPKEY - The hot key to display the WindowDaemon interface.
 Default = "CONTROL ALT w"
 See HotKey
 CX_POPUP - Show the WindowDaemon interface. Default ↔
 = FALSE.

CX_PRIORITY - Set the priority of the WindowDaemon broker.

1.9 installation

Installation

Double click on the "install" icon.

1.10 Workbench Enhancements

Workbench Enhancements

- o Selecting the CLOSEWINDOW gadget and holding down the CONTROL key will open the drawers parent window.

- o Double clicking on a drawer while holding down the CONTROL key will close the current window (unless it is the main workbench window).
NOTE: This is only available under V39 or higher kickstarts.
- o Selecting the CLOSEWINDOW gadget and holding down the ALT key will close all workbench drawer windows.
- o The HELP key may be used to obtain information on the currently selected icons.
- o The DEL key may be used to delete the currently selected icons.

1.11 aboutwindow

The About Window

This window may be displayed by either running WindowDaemon while it is currently installed, through the POPKEY, or through the Commodities Exchange.

1.12 How to configure WindowDaemon

WindowDaemon Settings Editor

The editor for WindowDaemon settings may be activated through the WindowDaemon interface by selecting the "Settings" button from the

about window

.

- ALT patch - if checked then patches will be installed for the ALT-CloseWindow to perform the action of closing all workbench windows.
- WBWindow patch - if checked then a patch is installed such that when you double click on a drawer on workbench the currently active window will be closed if you are holding down the CONTROL key. And also when closing a drawer the parent drawer can be opened automatically.
- Reverse Close - if set then when a window is closed its parent window will be opened. Also when a drawer is opened its parent window will be closed. It is necessary to set the WBWindow patch for these features.

- Screen Select - if set then pressing the right mouse button in the top right hand corner of the screen will display a requestor to select a screen or window
- .
- Both Buttons - if checked this will enable the window to front or back action to be performed when both mouse buttons are down.
- MSDSounds - if checked this will send an Arexx command to the Arexx Port named "PLAY". See Sound Useage
- .
- Arexx Port - Sets the name of the arexx port.
- Listview - This is a list of all the hotkeys, double click on an entry in this list and you get a brief description on what that hotkey action does and you are able to define the hotkey
- .
- Help - If checked, then pressing the HELP key will display the information about the selected icons. (This is the same as selecting the "Information" menu item from the icons menu).
- Del - If checked, then pressing the DEL key will delete the selected icons. (This is the same as selecting the "Delete" menu item from the icons menu).
- Font - Sets the font to be used for the windows.
- WBWindow Qual - This is the qualifier for use with the WBWindow Patch.
-
- Save - Save the current settings to the icon.
- Use - Use the current settings
- Cancel - Do nothing, though nothing, get Kryten!

1.13 hotkeylist

List of HotKeys

The following are a list of possible actions that you may assign

a

hotkey
to:

Action -----	Breif Description -----
BACK	Push window to the back
CLOSE	Ask window to close
CLOSEPARENT	Ask parent window to close
CLOSEWBWINDOWS	Close all workbench drawer windows that are open.
DECREASEPRI	Decrease the priority of current task
FORCECLOSE	Close the window. This WILL close the window no matter what. This is a dangerous action to perform if the window is still in use. You should only use this if the task owning the window has crashed etc.
FRONT	Bring window to the front
FRONTBACK	Push window to front, or to the back if it is already at the front
INCREASEPRI	Increase the priority of current task
MAKEBIG	Size window to maximum size
MAKEPUBSCREEN	Make the active screen the default public screen. It must however be a public screen.
MAKESMALL	Size window to minimum size
NEXTSCREEN	Bring next screen to front
NEXTWINDOW	Activate the next window
PUBSCREEN	Bring default public screen to the front.
PREVWINDOW	Activate the previous window
REMTASKOWNER	Remove the task that owns the window from the system
SCREENCLOSE	Close the screen. This is a very dangerous action. See FORCECLOSE for more details.
SCREENTOP	Move screen to top of display
TOGLEREVERSECLOSE	Toggle reverse close state.

WSCREENFRONT	Bring windows screen to front
WBTOFRONT	Bring the Workbench screen to the front
ZIP	Zip/unzip window

1.14 How to use WindowDaemon from Arexx

Usage of WindowDaemon with Arexx

WindowDaemon has an arexx port named "WINDOWDAEMON" and it will accept the following commands:

General Commands

HIDE	- hide the interface window
QUIT	- ask the WindowDaemon to quit
SHOW	- display the interface window

Window Commands

BACK	- push active window to the back
CLOSE	- send a close message to the active window
CLOSEPARENT	- close the parent window of the active window
CLOSEWBWINDOWS	- closes all the drawer windows open on the workbench screen.
FORCECLOSE	- this will force the active window to be closed without informing any tasks using the window. This is only of use if an application crashes and leaves windows open. (NOTE: If you close windows that are still in use you may find that you will crash)
FRONT	- bring active window to the front
FRONTBACK	- push active window to the front or back
INCREASEPRI	- increase priority of task owning current window
DECREASEPRI	- decrease priority of task owning current window
MAKEBIG	- size active window to maximum dimensions
MAKESMALL	- size active window to minimum dimensions

NEXTWINDOW - activate the next window
PREVWINDOW - activate the previous window
ZIP - zip/unzip the active window.

Screen Commands

CLOSESCREEN - this will close the active screen without informing any tasks using the screen. If necessary any windows on the screen are also closed without informing the tasks that own them. This is only of use if an application crashes and leaves screens open.
(NOTE: If you close screens that are still in use you may find that you will crash)

MAKEPUBSCREEN - make the active screen the default public screen, it must however be a public screen.

NEXTSCREEN - pop the next screen to the front of the display and activate its last window.

PUBSCREENTOFRONT - bring the default public screen to the front

SCREENTOP - pop the active screen to the top of the display at (0,0)

WINDOWSCREENFRONT - bring the screen with the active window to the front.

WORKBENCHTOFRONT - bring the Workbench screen to the front.

Miscellaneous Commands

REMTASKOWNER - this will *REMOVE* the task that owns the active window.

TOGGLEVERSECLOSE - this toggles the current state of the reverse close feature for CONTROL CLOSEWINDOW.

The above commands may be executed from CLI via Arexx by typing

```
rx ' address <PORTNAME> <COMMAND>
```

Examples:

1) To quit the WindowDaemon

```
rx ' address WINDOWDAEMON QUIT
```

2) To close the active window

```
rx ' address WINDOWDAEMON CLOSE
```

3) To zip/unzip the active window

```
rx ' address WINDOWDAEMON ZIP
```

1.15 Audio effects for windows...

MSD/UPD Sounds

WindowDaemon will play sounds through a Sound Daemon such as MSD or UPD. These add an Arexx port to the system called "PLAY" and the following sound id's are sent to the port:

WindowDaemon/CloseScreen	- when a screen is closed
WindowDaemon/CloseWindow	- when a window is sent a CLOSEWINDOW
WindowDaemon/CloseWindowTrue	- when you FORCE a window to be closed
WindowDaemon/DecreaseTaskPriority	- task priority decreased
WindowDaemon/DefaultPubScreen	- when the default pub screen is brought
WindowDaemon/IncreaseTaskPriority	- task priority increased
WindowDaemon/NextWindow	- activation of next window
WindowDaemon/NextScreen	- activation of next screen and window
WindowDaemon/RemTaskOwner	- removal of task owning window
WindowDaemon/ScreenToTop	- screen has been moved to (0,0)
WindowDaemon/WindowBig	- window is made big
WindowDaemon/WindowScreenToFront	- the active windows screen has been brought to the front
WindowDaemon/WindowSmall	- window is made small
WindowDaemon/WindowToBack	- window pushed to back of display
WindowDaemon/WindowToFront	- window brought to front of display
WindowDaemon/WorkbenchToFront	- Workbench brought to the front
WindowDaemon/ZipWindow	- zip/unzip of active window

Acknowledgements

UPD is Copyright © 1991 Jonas Petersson & Absolut Software (aka Sirius Soft)

MSD is Copyright © 1992,93 David Swasbrook. (Not released yet)

1.16 updates

Update Information

I will try and further improve WindowDaemon if I have time for it. Registered users will at least get a notification when new versions of WindowDaemon get available that contain significant changes or enhancements.

New versions of WindowDaemon will also be available on the Internet per

"anonymous FTP" (look on Aminet).

In order to be able to improve and/or correct WindowDaemon, I would like to ask every user to do the following:

- o send me the registration fee of US\$ 10
- o send me bug reports, if you find any bugs
- o give me hints how to improve WindowDaemon

Thank you very much in advance !

1.17 What is a hot key...

What is a HotKey?

HotKey description strings have the following template:

```
[CLASS] (([-]QUAL)|SYN)o [[-]UPSTROKE] [HIGHMAP|ANSICODE]
```

CLASS

QUAL

SYN

UPSTROKE

HIGHMAP

ANSICODE

(o means zero or more occurrences of the of the expression in ←
brackets)

Examples:

"CONTROL \"

This hot key is activated when the "\" (backslash) key and the control key are pressed at the same time.

"LALT SHIFT F10"

This hot key is activated when the LEFT ALT key, either SHIFT key and F10 are pressed at the same time.

"LCOMMAND A"

- This is actually the equivalent of "LCOMMAND SHIFT a"

1.18 CLASS

CLASS

Is one of the following strings:

RAWKEY, RAWMOUSE, EVENT, POINTERPOS, TIMER, NEWPREFS,
DISKREMOVED, DISKINSERTED

If not specified, the class is taken to be RAWKEY.

1.19 QUAL**QUAL**

Is one (or more) of the following strings:

LSHIFT, RSHIFT, CAPSLOCK, CONTROL, LALT, RALT, LCOMMAND,
RCOMMAND, NUMERICPAD, REPEAT, MIDBUTTON, RBUTTON, LEFTBUTTON,
RELATIVEMOUSE

A preceding '-' means that the value of the corresponding
qualifier is to be considered irrelevant.

1.20 SYN**SYN**

*** Syn (synonym) is one (or more) of the following strings:

SHIFT, CAPS, ALT

SHIFT - left or right shift
CAPS - shift or capslock
ALT - either alt key

1.21 UPSTROKE**UPSTROKE**

If this token is absent, only DOWNSTROKES are considered
for RAWMOUSE (MOUSEBUTTONS) and RAWKEY events. If it is
present alone, only UPSTROKES count. If it preceded by
'-' it means that both up and down strokes are included.

1.22 HIGHMAP

HIGHMAP

One of the following strings:

COMMA, SPACE, BACKSPACE, TAB, ENTER, RETURN, ESC, DEL, UP,
DOWN, RIGHT, LEFT, HELP, F1, F2, F3, F4, F5, F6, F7, F8, F9,
F10, 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, (,), /, *, -, +

1.23 ANSICODE

ANSICODE

A single character token is interpreted as a character code,
which is looked up in the system default keymap.

1.24 Language support...

Locale Support

The WindowDaemon interface supports locale, the built in language is
english.

Included in the archive is the Catalog Translation file just in
case you would like to translate it into your locale.

Catalog filename matrix/WindowDaemon.catalog

Submitting a catalog:

If you wish to send me a locale for WindowDaemon please could you send
the actual text translation file rather than the completed catalog
itself?

1.25 List of contributors

Contributors

Thanks also to the following who reported bugs and suggestons:

Jeffrey Peden
Joachim Worringen
Seth Harman

Beta testing performed by:

Barry McConnel
Daryl Jay

- o I'm sorry if you have contributed and your name is not in the above lists. I try to reply to all email so if you have sent me some mail and not received a reply then it is more than likely that my mailer sent it to nil: accidentally.

1.26 history

History Information

- 'V1.9' o The configuration is no longer stored as tool types. Config file is saved in ENV:
 - o The Workbench window open/close enhancement key may be selected from Control, Shift or MiddleMouseButton.
 - o Bugfix in DEL/HELP code
 - o Added screen/window selector
 - o Aminet/IRC release
 - 'V1.8' o Added DEL and HELP key shortcuts to workbench.
 - o Removed short versions of hotkey tooltypes.
 - o Aminet release
 - 'V1.7' o Removed unnecessary code
 - o Fixed small problem with font settings
 - o ALT-CloseWindow is working again. V1.6 was crashing.
 - o Control-\ can now be disabled
 - 'V1.6' o Aminet release
 - 'V1.5' o Added task priority control of active window
 - o Beta release only.
 - 'V1.4' o Fixed data-alignment problem
 - o Added locale support.
 - o Control-\ patch added to CONTROLKEYPATCHES to close the active window. This was added so you can close any window not just cli's with this key combination.
 - o Hopefully have fixed the 'bug' that would occasionally lock the system when you double clicked on an icon while holding down control.
 - o Added option to reverse the CONTROL-CLOSEWINDOW and
-

CONTROL-DOUBLECLICK on drawer. To get normal window actions you need to hold down control if this flag is set. This is toggleable via a hotkey or arexx command. New arguments REVERSECLOSE, RC=HOTKEY_TOGGLEREVERSECLOSE.

o Beta release only.

'V1.3' o Internal release only.

'V1.2' o Internal release only.

'V1.1' o Now has a user interface to configure all the hotkeys

o Added new argument/tooltypes: CONTROLKEYPATCHES,
MP=HOTKEY_MAKEPUBSCREEN, CW=HOTKEY_CLOSEWBWINDOWS

o New arexx commands: MAKEPUBSCREEN, CLOSEWBWINDOWS

o Can now open parent when you close a workbench drawer window when holding down the CONTROL key

'V1.0' o Initial release on Aminet.

1.27 Index...

About Window
Program information

Arexx
Send commands via arexx

Commodities
Standard commodities interface

Conditions
Shareware information

Configuration
Configuring WindowDaemon

Disclaimer
Legal information

Introduction
Introduction to WindowDaemon

Installation
How to install WindowDaemon

History

A very brief history of WindowDaemon

HotKeys

How to define a hotkey

Locale

Interface available in different languages

List of Hotkeys

Assign keys to perform actions

Matrix Library

Yet another library

Requirements

Whats needed

Screen/Window Requestor

Goto a screen or window easily

Shareware

Shareware information

Special Thanks

Thanks

Updates

New versions

Workbench Enhancements

Workbench improvements

Other files:

WindowDaemon Catalog

Catalog Description file for WindowDaemon
