

IFFMaster

COLLABORATORS

	<i>TITLE :</i> IFFMaster		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		March 1, 2023	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	IFFMaster	1
1.1	IFFMaster.guide	1
1.2	IFFMaster.guide/Introduction	1
1.3	IFFMaster.guide/Installation	2
1.4	IFFMaster.guide/Usage	3
1.5	IFFMaster.guide/Main Window	3
1.6	IFFMaster.guide/File Specification	4
1.7	IFFMaster.guide/Chunk List	4
1.8	IFFMaster.guide/Action Buttons	5
1.9	IFFMaster.guide/Contents Window	6
1.10	IFFMaster.guide/Preferences Window	7
1.11	IFFMaster.guide/General	7
1.12	IFFMaster.guide/Safety	8
1.13	IFFMaster.guide/Layout	9
1.14	IFFMaster.guide/Hexdump	9
1.15	IFFMaster.guide/ARexx Interface	10
1.16	IFFMaster.guide/Problems?	12
1.17	IFFMaster.guide/Credits	13
1.18	IFFMaster.guide/MUI	14
1.19	IFFMaster.guide/History	14
1.20	IFFMaster.guide/Chunks	17
1.21	IFFMaster.guide/Author	20
1.22	IFFMaster.guide/Index	21

Chapter 1

IFFMaster

1.1 IFFMaster.guide

IFFMaster

Version 1.5 - Freeware

(C) 1994, 1995, 1996 by Kay Drangmeister

Introduction

Installation

Usage

ARexx Interface

Problems?

Credits

History

Chunks

Author

Index

1.2 IFFMaster.guide/Introduction

Introduction

IFFMASTER is a program that allows you to have a view inside the

structure of IFF files. It is not yet another picture viewer or sound sample player, but it displays the internal entities (chunks) of a file. For example, the headers of pictures (ILBM) or sound samples (8SVX) are displayed in clear, so you can directly read the size and depth of the image or the sampling rate.

From time to time you will find an unknown file on your hard disk, let's say a preference file. Since preference files are often stored in IFF format, there is a chance you can directly examine the contents. There are some programs which write incorrect IFF files (e.g. the ILBM.CAMG chunk is a likely candidate), or which write additional information (e.g. copyright or author chunks). With IFFMASTER you can easily verify such cases.

During the last time I implemented some ways to manipulate files, e.g. delete and move chunks. Chunk contents can be edited using a text or binary editor depending on the content type. In future versions (see

History

) there will be options to add new chunks like a DPI chunk for images.

Current features include:

- * MUI application
- * localized GUI (with AmigaOS 2.1 or later)
- * online help, bubble help (with MUI 3.0 or later)
- * Extensive chunk type library (currently 51 form types, 333 known chunks, 94 of these with comprehensive structure description)
- * Chunk contents are presented alternatively as structure, text or hex dump
- * Bit fields and enumeration types are displayed in clear
- * Fixed point values are printed in decimal (e.g. 8SVX.VHDR.Volume)
- * Callback hooks for special attributes, e.g. the Mode-ID inside the CAMG chunk is de-referenced (e.g. PAL: Hires).
- * ARexx interface. E.g. extract Term phonebook entries to the DFA data base.

IFFMASTER is distributed under the concept of freeware. Standard disclaimer applies to this program.

1.3 IFFMaster.guide/Installation

Installation

Nothing to it: just leave all files and the catalogs directory as they are in one directory, or alternatively copy the appropriate `iffmaster.catalog` to into the system's locale directory (i.e. `LOCALE:Catalogs/yourlanguage/`). By the way: if you mixed up catalog files for different languages, just use IFFMASTER to discover the catalog's language... :)

System requirements are:

- * AmigaOS 2.0 (V37)
- * AmigaOS 2.1 (V38) for localized GUI
- * AmigaOS 3.0 (V39) for some extended features, like displaying colors in ILBM/CMAP chunks.
- * MUI version 2.1 (`muimaster.library v8`), See
MUI
.

If you wish to start IFFMASTER inside the user-startup, you should do this with `runback IFFMaster ICONIFIED`. This will cause IFFMASTER to start as an AppIcon, so that Icons may be dragged onto this Icon.

1.4 IFFMaster.guide/Usage

Usage

Main Window

Contents Window

Preferences Window

1.5 IFFMaster.guide/Main Window

Main Window

=====

The main window consists of 3 groups. The topmost one is the file specification group, the middle part ist the chunk list and below there are the action buttons.

File Specification

Chunk List

Action Buttons

The current version has some capabilities to manipulate files, ↔ but adding chunks is still not implemented. So the Add button is always inactive. However, moving (Up, Down), deleting (Del), and editing (Edit) chunks is possible. Be warned that files may become unreadable to some applications if you delete mandatory chunks, i.e. if you delete the ILBM/BMHD chunk of a picture it will become undecodeable. To activate the manipulation buttons select Prefs/Editable file from menu. If that menu item is inactive (it can be locked if you are still unsure about the program's functions) you can activate it by opening the preferences window and setting the File editable switch to be off for new files or to be left unchanged, see

Safety

.

1.6 IFFMaster.guide/File Specification

File Specification

There are different ways to open a file. The most common one is by selecting Project/Open... from the menu, or by clicking on the popup gadget beside the string gadget for getting a file requester. Alternatively, you can simply drag an icon on IFFMASTER's main window (AppWindow). Furthermore, you can open the file which is currently in the clipboard by using the menu item Project/Open Clip.

1.7 IFFMaster.guide/Chunk List

Chunk List

The chunk list can show several types of information: the left column shows the chunk ID (e.g. BMHD), then there is the chunk type (e.g. ILBM), and at the right side there is the size of the chunk. Below the action buttons there is a cycle gadget labeled Show that specifies the format of the chunk list. If it states Description you will get a description of the chunk's purpose (e.g. Bitmap Header), and Contents will display a short summary of the chunk's contents. You can advance the cycle gadget by pressing the space key.

Because it is impossible to display the entire contents of a chunk in a single line you can get a comprehensive list by first selecting a chunk in the chunk list and then pressing Info (you can as well double-click on the chunk). A new window containing the chunk's

contents will appear. You can display the contents either as structure, plain text or as a hex dump. Change the presentation by using the register above the contents list, or by pressing cursor left and cursor right.

You need not close the contents window to display the contents of another chunk. Just click on that chunk in the chunk list or press cursor up or cursor down after having activated the chunk list via the TAB key. The new contents are displayed using the appropriate data type.

1.8 IFFMaster.guide/Action Buttons

Action Buttons

Each of the buttons in this group performs an action on the currently active chunk, i.e. the one that is marked by the cursor in the

Chunk List

.

The buttons that are used to modify a file are inactive if the menu item (switch) File Editable is turned off. This is for safety reasons, so that the file structure or contents cannot be damaged unintentionally. Depending on the experience of the user there are different locking modes for that switch, see

Safety

.

Info

The

Contents Window

will be opened, and additional information about the chunk is displayed in it.

Edit

Depending on the chunk's contents (text or binary data) a text or binary editor is called to let you edit the chunk's contents. See

General

.

Add

This action is not implemented yet due to extremely low user feedback. So this button is always disabled.

Delete

The active chunk is entirely deleted.

Up

The chunk is moved before its predecessor. Because chunks can not be moved out of their containers, this action will only succeed if the preceding chunk is not one of the type FORM, CAT or LIST. Furthermore, only chunks containing data can be moved, i.e.

container chunks (type FORM, CAT or LIST) are not moveable.

Down

The chunk is moved behind its successor. The same restrictions as in Up apply.

Top

The chunk is moved up as far as possible. The same restrictions as in Up apply.

Bottom

The chunk is moved up as down as possible. The same restrictions as in Up apply.

1.9 IFFMaster.guide/Contents Window

Contents Window

=====

The contents window displays the contents of the active chunk, see

Chunk List

. Depending on the type of the contents one of the following three display types is (automatically) used.

Structure

This is the most sophisticated method to display the chunk's contents. All parts of the content are decoded and displayed line by line together with a description.

Example: A sampled sound (FORM 8SVX) has a header chunk (VHDR) that is 20 bytes long. Displayed as a sequence of hex numbers it would read: 00021432 00000000 00000020 41560100 00010000. Displayed as a structure it reads like this:

```

OneShot HiSamples 136,242
Repeat HiSamples 0
Samples / HiCycle 32
    Samples / s 16,726
        # Octaves 1
Compression Technique None
    Volume [0,1] 1.00000

```

Text

Some chunks contain plain text, e.g. ANNO chunks. Texts are formatted block-justified, but no other processing is done.

Hex Dump

If a chunk contains neither structured data nor text the contents are displayed using a hex dump. There are some ways to customize the appearance of the dump, see

Hexdump

.

You can also switch between some display styles by hand, using the register gadgets. For example you can have the above mentioned VHDR chunk displayed as a hex dump instead of a structure. To switch between the display styles you can also use the cursor left and cursor right keys, even if the active window is the main window and not the contents window. This way you can control all display functions from the main window.

1.10 IFFMaster.guide/Preferences Window

Preferences Window

=====

The preferences are grouped on four pages:

General

Safety

Layout

Hexdump

After having edited the preferences you may choose to

Save

For storing the settings on disk. All future invocations of IFFMASTER will use that settings.

Use

For storing the settings in RAM only, so they will only last until you reboot your computer.

Cancel

For aborting the adjustments you made and use the previously stored settings.

Closing the window with the close gadget has the same effect as clicking on Cancel.

1.11 IFFMaster.guide/General

General

On this page you can specify the editors.

Text Editor

specifies the editor that is used for chunks containing plain text, e.g. ANNO-Chunks. You have to make sure that the editor does not spawn itself from the shell, but runs synchronously. If you are using e.g. the CYGNUSED you may enter `ed -sticky`. If you leave this gadget empty the editor specified in the environment variable EDITOR is used.

Binary Editor

specifies the editor that is used for chunks containing binary data. A common name for these editors is file zapper, and are likely to be available on the aminet. This editor has also to run synchronously. If you leave this gadget empty the editor specified in the environment variable BINEDITOR is used.

1.12 IFFMaster.guide/Safety

Safety

The following settings are used to prevent inintentional damage to files. Since numerous 'okay to do...?' requests by the program are evenly unacceptable you can adjust between the two extremes safety and ease of use. Beginners and casual users should always use the safe settings.

File Editable switch

In the menu Settings there is a switch File Editable which turns on or off the file manipulation gadgets, see

Action Buttons

. You

can set here the behaviour of that switch.

off and locked

is the safest setting. The switch is off and disabled, effectively preventing you from accidentally turning on the editing buttons.

off for new files

turns off the manipulation gadgets each time a new file is opened. If you want to edit files only infrequently this is a good setting.

left unchanged

leaves the switch always in the state you switched it to. If you want to edit many files in a row you have to turn on the manipulation gadgets only once.

Overwrite files

If you want to edit many files without keeping backups you can turn the prompting off. Otherwise it is recommended to leave this gadget always on the safe prompt position, because since IFFMASTER can be fully driven by keyboard it just needs two keypresses like

Del and s (for Save) to possibly destroy a file.

1.13 IFFMaster.guide/Layout

Layout

The layout page currently features the following settings:

Bubble help

If you are familiar with the program's functions you may wish to turn off the bubble help. (NB: Bubble help is only supportet in MUI 3.0 or later.)

Hex indicator

lets you choose your favourite pre- or postfix string to indicate hexadecimal numbers in the structure page of the contents window. For an example file which contains hex numbers open ENV:Sys/locale.prefs and select the LCLE chunk. The first 4 numbers (16 Bytes) are reserved and displayed as hex numbers.

NB: This setting does not affect the
Hexdump

.

1.14 IFFMaster.guide/Hexdump

Hexdump

This page contains gadgets that affect the appearance of the hex dump in the contents window.

Limit # bytes

Building hex dumps of very large chunks (e.g. ILBM.BODY) can take a long time. Therefore the number of bytes in a hex dump can be limited to a certain ammount. The default limit is 512 bytes. Since in most cases hex dumps are not very meaningful you may wish to leave this value reasonably low. To adjust the value you man use the slider or the string gadget to the right of it. With the check mark button you can turn the limit off, but this is not recommended.

Offset format

The leftmost column of the hex dump shows the offset of the first byte in each row. Use this gadget to specify if that offset should be displayed in deximal or hexadecimal.

Dump characters

If the (fixed-width) font used in the hex dump contains all 256 characters you can turn on to print even normally non-printable characters like LineFeed, 0x0A, which will then be displayed as an inverse 'J' or something like that. If only a rectangle appears then your font supports only printable characters and you will have to turn on printable only. Then all non-printable characters are displayed as a dot.

A good way to test this feature is to load a 24 bit ILBM picture. These pictures normally contain three CLUT chunks. Normally these chunks contain all byte values in increasing order.

1.15 IFFMaster.guide/ARexx Interface

ARexx Interface

Since version 1.5 of IFFMASTER many functions can be accessed via an ARexx port. This allows you to gain access to internal IFF data from inside scripts. For example you could list all image (ILBM) files (or sort them into a directory) whose depth is up to 8 planes. Or you could save some space if you remove all ANNO chunks from the files in your sample (8SVX) directory. A few example scripts are in the rexx directory of the distribution. The port name of IFFMASTER is IFFMASTER.1. You can get a quick list of IFFMASTER's REXX commands by running rexx/ShowREXXCommands.rexx.

load FILE/A

Loads a file into IFFMASTER.

loadclip

Loads the clipboard's contents.

saveas FILE/A

Saves the project under the given file name. You may wish to turn overwrite ON to prevent a requester popping up.

save

Saves the project under the same name as displayed in the string gadget, i.e. under the load file name.

saveclip

Copies the project to the clipboard.

savechunk FILE/A

Saves the chunk marked by the cursor under the given file name.

saveform FILE/A

Saves the sub-FORM marked by the cursor under the given file name. The cursor must be over a FORM, LIST or CAT chunk.

saveformclip

Copies the sub-FORM marked by the cursor to the clipboard.

entries

Gives the number of chunk list entries as the RESULT.

cursorpos ENTRY/N

Gives the cursor position in the chunk list as the RESULT.

chunkid

Gives the chunk ID of the chunk marked by the cursor as the RESULT.

chunktype

Gives the chunk type of the chunk marked by the cursor as the RESULT.

chunksize

Gives the chunk size of the chunk marked by the cursor as the RESULT.

chunkdepth

Gives the chunk' nesting depth of the chunk marked by the cursor as the RESULT.

chunkinfo

Gives short information about the chunk marked by the cursor as the RESULT. The information is the same as the 'contents' column in the chunk list.

chunkstruct SEPSTRING

Gives the information as in the 'structure' page of the chunk contents window on a line-by-line basis. Since the list has two columns (description and contents) you can specify a separator string (SEPSTRING) for the two entries. The default SEPSTRING is "| ". See rexx/ImportTERMpbook.rexx for an example usage.

chunktext

Gives the chunk's contents as a string in RESULT. This makes only sense if the chunk is really a text chunk, like ANNO or AUTH.

delete

Removes the chunk under the cursor from the chunk list. Note that you have to turn editable ON to successfully perform a chunk deletion. See rexx/RemoveANNO.rexx for an example usage.

infowindow ON/S,OFF/S

If you have a non-interactive REXX script which does not require user supervision you may close (OFF) open (ON) the chunk contents window.

mainwindow ON/S,OFF/S

Same as above, but closes the main window. Note to turn the window back on or quit IFFMASTER if your script terminates, otherwise IFFMASTER will stay open with no user interface to quit it. Of course the user can quit IFFMASTER by hand by using CommoditiesExchange or by sending a break signal to IFFMASTER's task or by using the quit REXX command.

editable ON/S,OFF/S

Turns the editing facilities on or off.

overwrite ON/S,OFF/S
Turns quiet overwriting of files on or off.

showformat FORMAT/A/N
Changes the state of the Show cycle gadget that affects the format of the chunk list. Following values are possible:

0. Id - Type - Size
1. Id - Type - Description
2. Id - Type - Description - Size
3. Id - Type - Contents
4. Id - Type - Contents - Size

limithex ON/S,OFF/S,BYTES/N
Specify the size limit of the hex dump buffer. OFF turns limitation off, ON limits size to value set in the preferences, BYTES/N changes the preferences to the specified value. Use limithex BYTES 16 if you don't need to display hex dumps and want to gain speed when processing chunk contents (i.e. moving the cursor).

editor EDITORNAME
Specifies the editor to use when editing text chunks.

bineditor BINEDITORNAME
Specifies the editor to use when editing binary chunks.

There are some standard MUI REXX commands that are also useful:

quit FORCE/S
Terminates IFFMASTER. If you specify FORCE then no requester pops up when there is an unsaved project.

hide
Iconifies IFFMASTER.

show
Uniconifies IFFMASTER.

info ITEM/A
Gives information about various items (e.g. title). Refer to MUI.guide/ARexx.

help FILE/A
Lists all REXX commands to FILE. See rexx/ShowREXXCommands.rexx for an example usage.

1.16 IFFMaster.guide/Problems?

Problems?

Building hex dumps of very large chunks (e.g. ILBM.BODY) can take a long time. Therefore the number of bytes in a hex dump can be limited to a certain amount. The default limit is 512 bytes, it can be adjusted or turned off in the Preferences, see

Hexdump

.

Some chunks (e.g. FORM) are container chunks with no contents, and therefore there is no presentation. Some other chunks (e.g. BODY) contain raw data, presentation of these chunks is limited to hex dump.

1.17 IFFMaster.guide/Credits

Credits

I like to thank:

Stefan Stuntz
for MUI, see
MUI

.

Eric Totel
for his great MUIBUILDER, and for keeping MUIBUILDER up with the needs of IFFMASTER :). This program would not exist without it.

Francesco Dipietromaria
for the italian translation

Marcin Orłowski
for the polish translation

Alessandro Zummo
for fixing the de-iconify problem with the AppIcon

Andreas Mixich
for all ARexx scripts

Kai Iske and Walter Dörwald
for support and betatesting

Thomas Reinhardt, Harald Drangmeister and Ralph Wermke
for their IFF descriptions

H. Phil Duby, Bryan Ewert, Martin Pfingstl and Klaus Seistrup
for bug reports, support and comments

1.18 IFFMaster.guide/MUI

MUI
===

This application uses
MUI - MagicUserInterface
(c) Copyright 1993/94 by Stefan Stuntz

MUI is a system to generate and maintain graphical user interfaces. With the aid of a preferences program, the user of an application has the ability to customize the outfit according to his personal taste.

MUI is distributed as shareware. To obtain a complete package containing lots of examples and more information about registration please look for a file called "muiXXusr.lha" (XX means the latest version number) on your local bulletin boards or on public domain disks.

If you want to register directly, feel free to send

DM 30.- or US\$ 20.-

to

Stefan Stuntz
Eduard-Spranger-Straße 7
80935 München
GERMANY

1.19 IFFMaster.guide/History

History

Version 1.0
First release

Version 1.1
FIX
version 1.0 was compiled with option 68030 - sorry!

NEW
many new chunk types

NEW
menu (moved about and prefs into the menu, gaining some space)

NEW
specifying file names at command line

NEW

loading files directly from clipboard

NEW

improved keyboard handling

Version 1.2

NEW

fully localized GUI

NEW

chunk contents can be saved

NEW

AppWindow and AppIcon, command line option iconified

NEW

improved formatting capabilities for structure entries

NEW

sophisticated IFF parser, even brain-dead formats like EMOD.EMIC are handled appropriately

NEW

chunks now have nominal length, a message is displayed if a chunk is too short or too long

BUG

Beta testers reported problems with de-iconify function when an icon was dropped onto the AppIcon. I removed the said call, so you have to double-click the AppIcon after dropping an icon.

Version 1.3

FIX

prefs window: close gadget now functioning, see

Preferences Window

.

FIX

cycle chain (TAB) now works in all windows

NEW

new chunk IDs: IAND, IANM, DR2D, RGB8, RGBN, SPLT

NEW

hex numbers get a user-chosen indicator, construction of hex dumps is now more than 3 times faster, see

Hexdump

.

NEW

IFFs can be saved, even nested FORMs, e.g. images inside animations

NEW

implemented some editing capabilities (delete chunks), see

Action Buttons

.

NEW

preferences can be saved, see
Preferences Window

.

Version 1.4

NEW

Completely changed to GNU-C. Differences are: new startup code, no more ANSI-C functions like `sprintf()` used, enabling some things like localized output of floating point numbers.

FIX

should finally run without `locale.library`

NEW

Online help

NEW

new chunk IDs: AMBA, AMDE, AMIN, AMHU, AMUN, EQE1, RESO, VARS, ...

NEW

complete structure descriptions of system preference files, some new hooks. Be sure to try out e.g. IFFMaster `ENV:sys/locale.prefs`.

NEW

color descriptions (RGB values) are now also displayed as a colorfield, if you have WB 3.0. Check out IFFMaster `ENV:sys/palette.prefs` or any ILBM/CMAP. NOTE: You need some free pens for this feature, so you may need to specify a deep screen for IFFMASTER inside MUIPREFS.

FIX

<Clipboard> is now accepted as a name for the clipboard. So Save now works as Save Clip when working on a clipboard file. As a side-effect you can now enter IFFMaster "<Clipboard>" at the command line to load directly from the clipboard.

FIX

button key definitions did overlap

NEW

'non-printable' characters can now be displayed in the hex dump, if the font comprises 256 characters, see
Hexdump

.

(Requested by Walter Dörwald)

NEW

some more editing capabilities (move chunks), see

Action Buttons

NEW

Chunks containing text or binary data can be edited via text or binary editors, see Action Buttons

NEW

new icon, which is also used as AppIcon now

Version 1.5

NEW

ARexx interface. E.g. extract Term phonebook entries to the DFA data base.

NEW

Bubble help available (MUI 3.0).

FIX

File editable switch now also enables/disables edit button.

NEW

New Chunks: MUI Prefs,

NEW

Support for IEEE 96 bit floats (ILBM.MAND)

FIX

Key o works again (activates string gadget)

FIX

AppIcon problem hopefully solved (thanks to Alessandro Zummo)

I would greatly appreciate new ideas and enhancement requests. If you discover any chunk unknown to IFFMASTER, please let me know (i.e. try to send me that (short) file or even a description of the chunk's structure, if known). If you dare to translate the catalog to your language, please have a look at translators.readme first.

1.20 IFFMaster.guide/Chunks

Chunks

Following chunks are currently known to IFFMASTER:

[anywhere]

CSET, FVER, ANNO, AUTH, CHRS, HLID, NAME, TEXT, (c)

3DDD

OBJE

8SVX
ATAK, BODY, CHAN, FADE, PAN , RLSE, SEQN, VHDR

ANIM
ANSQ

AVCF
AVFH, GDAT

AVCO
CDAT, FLAG, IMAG

AVEV
ACTS, CDAT, FLAG, IMAG, PARS, REFL

CDAF
BODY, FILE

CDVR
VARS

COPR
COPI, WAIT, MOVE

CPRO
3DIM, GFRA, SFRA

CTLG
LANG, STRS

CYBR
CMON, MD08, MD16, MD24, VER

DECK
RESO

DEEP
DBOD, DGBL, DLOC, DPEL

DR2D
ATTR, CMAP, CPLY, DASH, DRHD, FONS, OPLY, PPRF

DTYP
DTHD, DTCD

EMOD
8SMP, EMIC, PATT

ENVL
LFOI, COEN, VOEN, PIEN, NOEN, REEN, PHEN

EQED
EQE1

FAX3
FXHD, GPHD, PAGE

FAXX

FXHD, GPHD, PAGE

FTXT

CYGD, FONS

GXGA

GADA

GXMN

MEDA

GXUI

GGUI

GXWD

WDDA

IAND

BPCT, CMAP, BODY

IANM

BMHD, CAMG, BODY

ILBM

3DIM, ANHD, ASDG, BHCP, BHSI, BMHD, BODY, CAMG, CCRT, CLUT, CMAP,
COLC, CRNG, DEST, DLTA, DMMY, DPAN, DPI, DPPS, DPPV, DRNG, EQE1,
FCMP, FFEX, FITR, FXCO, FXD2, FXPL, GFRA, GRAB, IMRT, JUNK, MAND,
SFRA, SPRT

ISTG

MAXF, SOBJ

KCXM

VERS, PREF

LWOB

PNTS, POLS, SRFS, SURF

MCXB

PREF, VERS

MCXP

PREF, VERS

MTRX

ARRY, BODY, DTYP, STRU

NAIL

NBDY, NDSC, NHDR

PREF

ALRT, AMBA, AMDE, AMIN, AMHU, AMUN, CONF, CTRY, DFSS, EVNT, ETXT,
FLOP, FONT, GENA, GENC, GTCO, GUI, ICTL, INPT, JFIF, KEYS, LCLE,
MENU, MIDI, MUIC, MUIW, OPER, OSCN, PALT, PATH, PDAT, PGFX, PNTR,
PRHD, PSPD, PTRN, PTXT, PUNT, SCRML, SERL, SHMN, SOND, TMAC, TMDO,
TMEX, TMIC, TMIM, TMMO, TMSO, VERS, WBCF, WBPC, XDOS

PTCH
INPF, OUTF, PSEQ, VERS

REAL
RANI, RATT, RMTR, ROBJ, RSCR, RSET, RVRS, RWIN

RGB8
BMHD, BODY, CAMG, CMAP, IMRT

RGBN
BMHD, BODY, CAMG, CMAP, IMRT

SC3D
EDGE, FACE, HIER, LAMP, LNAM, OBSV, PATH, VERT, VNAM, WRLD

SMUS
SHDR, INS1, INST, SNX1, TRAK

SPLT
INFO, BODY

SWRT
ASCI, ATTR, BIBD, BIBH, BIBP, BOXP, DINF, DOC, DSP2, ENDP, FDTA,
FNTH, FNTH, GINF, GRMR, HFDA, HYPH, IDX, IDXH, IDXP, LINP, LMST,
OUTD, OUTH, OUTF, OVL, PAG3, PASD, PASH, PICP, PNDA, PRGH, PRN3,
RMST, RULE, SAVP, SEC1, SHD1, SHPP, SPEL, SWCL, TABS, TBDY, TBLK,
TOCD, TOCH, TOCP, TOID, TOIH, TOIP, TSSD, TSSH, TXOB

TACF
TPAR, TPBR, TPCA, TPCM, TPMA, TPP1, TPPA, TPPX, TPSC, TPSE, VERS

TAKE
TFRM, THDR

TDDD
INFO, OBJ

TERM
CLIP, COMD, CPTR, DATE, DIAL, EMLN, FAST, FILE, MISC, MODM, PATH,
PHON, RECV, SCRN, SEND, SERL, SOUN, SPEK, TRML, TRNS, VERS, WINF,
WIND, XFER

TVP2
TVRX

VILL
CRC, MODE, MONI, VER

I am still looking for descriptions for the chunks in smaller print.

1.21 IFFMaster.guide/Author

Author

Kay Drangmeister
 Tannenfelsstraße 17
 36115 Hilders
 Germany
 T. ++49-6681-7566

K.Drangmeister@insider.sub.de

PGP Fingerprint = 5A 88 30 0F BF D7 0F F3 F9 31 A0 88 AB E4 38 66

1.22 IFFMaster.guide/Index

Index

8SVX.VHDR.Volume

Introduction

TAB

Chunk List

Action Buttons

Action Buttons

action buttons

Main Window

Add

Main Window

Add

Action Buttons

altering files

Main Window

AppIcon

Installation

AppWindow

File Specification

ARexx Interface

ARexx Interface

ARexx/bineditor

ARexx Interface

ARexx/chunkdepth

ARexx Interface

ARexx/chunkid	ARexx Interface
ARexx/chunkinfo	ARexx Interface
ARexx/chunksize	ARexx Interface
ARexx/chunkstruct	ARexx Interface
ARexx/chunktext	ARexx Interface
ARexx/chunktype	ARexx Interface
ARexx/cursorpos	ARexx Interface
ARexx/delete	ARexx Interface
ARexx/editable	ARexx Interface
ARexx/editor	ARexx Interface
ARexx/entries	ARexx Interface
ARexx/help	ARexx Interface
ARexx/hide	ARexx Interface
ARexx/info	ARexx Interface
ARexx/infowindow	ARexx Interface
ARexx/limithex	ARexx Interface
ARexx/load	ARexx Interface
ARexx/loadclip	ARexx Interface
ARexx/mainwindow	ARexx Interface

ARexx/overwrite	ARexx Interface
ARexx/quit	ARexx Interface
ARexx/save	ARexx Interface
ARexx/saveas	ARexx Interface
ARexx/savechunk	ARexx Interface
ARexx/saveclip	ARexx Interface
ARexx/saveform	ARexx Interface
ARexx/saveformclip	ARexx Interface
ARexx/show	ARexx Interface
ARexx/showformat	ARexx Interface
Author	Author
bineditor (ARexx)	ARexx Interface
Bottom	Action Buttons
Bubble help	Layout
Chunk	Introduction
Chunk contents as hex dump	Contents Window
Chunk contents as structure	Contents Window
Chunk contents as text	Contents Window
chunk ID	Chunk List

Chunk List	Chunk List
chunk list format	Chunk List
chunk liste	Main Window
chunk type	Chunk List
chunkdepth (ARexx)	ARexx Interface
chunkid (ARexx)	ARexx Interface
chunkinfo (ARexx)	ARexx Interface
Chunks known	Chunks
Chunks without contents	Problems?
chunksize (ARexx)	ARexx Interface
chunkstruct (ARexx)	ARexx Interface
chunktext (ARexx)	ARexx Interface
chunktype (ARexx)	ARexx Interface
Container chunks	Problems?
contents of chunk	Chunk List
Contents Window	Contents Window
Credits	Credits
cursor left	Contents Window
cursor right	Contents Window

cursorpos (ARexx)	ARexx Interface
Del	Main Window
Delete	Action Buttons
delete (ARexx)	ARexx Interface
description	Chunk List
Down	Main Window
Down	Action Buttons
Edit	Main Window
Edit	Action Buttons
editable (ARexx)	ARexx Interface
editor (ARexx)	ARexx Interface
EMOD.EMIC	History
entries (ARexx)	ARexx Interface
ENV:Sys/locale.prefs	Layout
Environment variable: BINEDITOR	General
Environment variable: EDITOR	General
File editable switch	Main Window
file manipulation	Main Window
File Specification	File Specification

file specification	Main Window
file zipper	General
format of chunk list	Chunk List
General Preferences	General
help (ARexx)	ARexx Interface
hex dump	Problems?
Hexdump Preferences	Hexdump
hide (ARexx)	ARexx Interface
History	History
iconified	Installation
ILBM.BODY	Hexdump
ILBM.CAMG.ModeID	Introduction
ILBM.CLUT	Hexdump
Info	Chunk List
Info	Action Buttons
info (ARexx)	ARexx Interface
infowindow (ARexx)	ARexx Interface
Installation	Installation
Introduction	Introduction

Layout Preferences
 Layout

limithex (ARexx)
 ARexx Interface

list format
 Chunk List

load (ARexx)
 ARexx Interface

loadclip (ARexx)
 ARexx Interface

Main Window
 Main Window

mainwindow (ARexx)
 ARexx Interface

manipulation of files
 Main Window

MUI
 MUI

overwrite (ARexx)
 ARexx Interface

PREF.LCLE
 Layout

Preferences
 Problems?

Preferences Window
 Preferences Window

Preferences: General
 General

Preferences: Hexdump
 Hexdump

Preferences: Layout
 Layout

Preferences: Safety
 Safety

Prefs/Editable file
 Main Window

presentation of chunk contents
 Chunk List

Problems?	Problems?
quit (ARexx)	ARexx Interface
Safety Preferences	Safety
save (ARexx)	ARexx Interface
saveas (ARexx)	ARexx Interface
savechunk (ARexx)	ARexx Interface
saveclip (ARexx)	ARexx Interface
saveform (ARexx)	ARexx Interface
saveformclip (ARexx)	ARexx Interface
Show	Chunk List
show (ARexx)	ARexx Interface
showformat (ARexx)	ARexx Interface
Top	Action Buttons
Up	Main Window
Up	Action Buttons
Usage	Usage
