

**Set\_Icon**

**COLLABORATORS**

	<i>TITLE :</i> Set_Icon		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		March 1, 2023	

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>Set_Icon</b>	<b>1</b>
1.1	Set_Icon Information . . . . .	1
1.2	Set_Icon/Info . . . . .	1
1.3	Set_Icon/Additional Information . . . . .	2
1.4	Set_Icon/Author Information . . . . .	2

---

# Chapter 1

## Set\_Icon

### 1.1 Set\_Icon Information

Info

Addition Information

Author Info

### 1.2 Set\_Icon/Info

Set\_Icon

© 1995 Silicon Based Life

If your like me and hate manipulating your .info files via the CLI and so on then this is the util for you!

When run the program opens an AppIcon, drop your objects on this.

What the Buttons do:

[Default Icon]

This option creates a default icon for the object, if an icon already exists then tooltypes, stack, and so on is copied across to the new icon. Multiple icons can be processed at once by using the shift select method.

[Image]

This option copies the icon image from the first icon you selected to all the others, new icons will be created if they do not already exist.

[ToolTypes]

This option copies the icon tooltypes and tool from the first icon you selected to all the others, new icons will be created if they do not already exist.

[Remove]

This option removes the icon file associated with the selected objects. Multiple

---

icons can be processed at once by using the shift select method.

[File Type]

WB3.x only.

This option uses the datatype library to decide what type of file you have passed to it, it will then give the file the related icon. If the file is not recognised or the file is a system object nothing will be done.

To use this you will need to create the following icon files and put them with the other default icons in Prefs/Env-Archive/Sys/

This function looks firstly for the format def icon i.e. ( def\_GIF, def\_JPEG ) if this is not found it will look for the group def icon, which in this case would be def\_Picture, if this is not found then nothing will be changed.

These are the DataType Groups.

```
def_Text.info
def_Document.info
def_Sound.info
def_Instrument.info
def_Music.info
def_Picture.info
def_Animation.info
def_Movie.info
```

[Abort]

This option aborts (stupid question really).

To quit double click on the AppIcon and select quit.

### 1.3 Set\_Icon/Additional Information

Set\_Icon

© 1995 Silicon Based Life

This program is Free-Ware.

Feel free to send me a postcard.

This program will only work on WB 2.0 and above.

This program was written on an Amiga A1200 68882 6MB.

BUGS!!!!!!!

None known at present.

### 1.4 Set\_Icon/Author Information

Set\_Icon

---

© 1995 Silicon Based Life

Comments, complaints, desiderata are welcome.

Key Crate,  
73 Prince Of Wales Rd.,  
Dorchester,  
Dorset.  
DT1 1PS

EMAIL [cs93kc@dcs.exeter.ac.uk](mailto:cs93kc@dcs.exeter.ac.uk)

---