

## Contents

- [About this sample application](#)
- [The Sample Application](#)
- [Customers](#)
- [Contact List](#)
- [Orders](#)
- [Stock](#)
- [Stock List](#)
- [Vendors](#)
- [Reports](#)
- [Index](#)

## **About this sample application**

This sample application demonstrates the capabilities and features of the new Application Framework technology included with Corel Paradox 8.

For more information about the Application Framework, see the [Application Framework Help](#) file.

## **The Sample Application**

You can use the Application Framework to specify a specific topic for context-sensitive help. For example, the Help Topic property for the sample application desktop has been set to open this particular topic when a user requests help by pressing F1. For more information about the Application Framework, see the [Application Framework Help](#) file.

## Customers form

You can use the Application Framework to specify a specific topic for context-sensitive help. For example, the Help Topic property for the Customers form has been set to open this particular topic when a user requests help by pressing F1.

For more information about using the application framework to connect Help files and context-sensitive help in your application, see the [Application Framework Help](#) file.

## Contact List form

You can use the Application Framework to specify a specific topic for context-sensitive help. For example, the Help Topic property for the Contact List form has been set to open this particular topic when a user requests help by pressing F1.

For more information about using the application framework to connect Help files and context-sensitive help in your application, see the [Application Framework Help](#) file.

## Orders form

You can use the Application Framework to specify a specific topic for context-sensitive help. For example, the Help Topic property for the Orders form has been set to open this particular topic when a user requests help by pressing F1.

For more information about using the application framework to connect Help files and context-sensitive help in your application, see the [Application Framework Help](#) file.

## Stock form

You can use the Application Framework to specify a specific topic for context-sensitive help. For example, the Help Topic property for the Stock form has been set to open this particular topic when a user requests help by pressing F1.

For more information about using the application framework to connect Help files and context-sensitive help in your application, see the [Application Framework Help](#) file.

## **Stock List form**

You can use the Application Framework to specify a specific topic for context-sensitive help. For example, the Help Topic property for the Stock List form has been set to open this particular topic when a user requests help by pressing F1.

For more information about using the application framework to connect Help files and context-sensitive help in your application, see the [Application Framework Help](#) file.



## **Vendors form**

You can use the Application Framework to specify a specific topic for context-sensitive help. For example, the Help Topic property for the Vendors form has been set to open this particular topic when a user requests help by pressing F1.

For more information about using the application framework to connect Help files and context-sensitive help in your application, see the [Application Framework Help](#) file.

## Reports

You can use the Application Framework to specify a specific topic for context-sensitive help. For example, the Help Topic property for the application reports have been set to open this particular topic when a user requests help by pressing F1.

For more information about using the application framework to connect Help files and context-sensitive help in your application, see the [Application Framework Help](#) file.

# **Index**

## **A-B**

## **C**

[Contact List](#)

[Contents](#)

[Customers](#)

## **D-E-F-G-H**

## **I**

[Index](#)

## **J-K-L-M-N**

## **O**

[Orders](#)

## **P-Q**

## **R**

[Reports](#)

[Stock List](#)

## **S**

[Stock](#)

## **T**

[The Sample Application](#)

## **U - V**

[Vendors](#)

## **W-X-Y-Z**

