

Contents

- [About this sample application](#)
- [ObjectPAL coding in this sample application](#)
- [The Sample Application](#)
- [Customers](#)
- [Contact List](#)
- [Orders](#)
- [Stock](#)
- [Stock List](#)
- [Vendors](#)
- [Reports](#)
- [Index](#)

About this sample application

This sample application demonstrates the capabilities and features of the new Application Framework technology included with Corel Paradox 8.

This sample also includes examples of ObjectPAL coding that can be included to enhance your applications. [Click here](#) for more information about the ObjectPAL code used in this sample.

For more information about the Application Framework, see the [Application Framework Help](#) file.

ObjectPAL coding in this sample application

This sample application includes the following examples of ObjectPAL coding:

- Different colors for positive and negative numbers
You can view this code in the APP.LSL library in the **prefilterNewValueBefore** method.
- Enhanced right-click menu functionality in the Customer number and Stock number fields
You can view this code in the APP.LSL library in the **prefilterActionBefore** method.
- Left-click menus in blank areas of the forms
You can view this code in the APP.LSL library in the **prefilterMouseClickedBefore** method.

The Sample Application

You can use the Application Framework to specify a specific topic for context-sensitive help. For example, the Help Topic property for the sample application desktop has been set to open this particular topic when a user requests help by pressing F1. For more information about the Application Framework, see the [Application Framework Help](#) file.

Customers form

You can use the Application Framework to specify a specific topic for context-sensitive help. For example, the Help Topic property for the Customers form has been set to open this particular topic when a user requests help by pressing F1.

For more information about using the application framework to connect Help files and context-sensitive help in your application, see the [Application Framework Help](#) file.

Contact List form

You can use the Application Framework to specify a specific topic for context-sensitive help. For example, the Help Topic property for the Contact List form has been set to open this particular topic when a user requests help by pressing F1.

For more information about using the application framework to connect Help files and context-sensitive help in your application, see the [Application Framework Help](#) file.

Orders form

You can use the Application Framework to specify a specific topic for context-sensitive help. For example, the Help Topic property for the Orders form has been set to open this particular topic when a user requests help by pressing F1.

For more information about using the application framework to connect Help files and context-sensitive help in your application, see the [Application Framework Help](#) file.

Stock form

You can use the Application Framework to specify a specific topic for context-sensitive help. For example, the Help Topic property for the Stock form has been set to open this particular topic when a user requests help by pressing F1.

For more information about using the application framework to connect Help files and context-sensitive help in your application, see the [Application Framework Help](#) file.

Stock List form

You can use the Application Framework to specify a specific topic for context-sensitive help. For example, the Help Topic property for the Stock List form has been set to open this particular topic when a user requests help by pressing F1.

For more information about using the application framework to connect Help files and context-sensitive help in your application, see the [Application Framework Help](#) file.

Vendors form

You can use the Application Framework to specify a specific topic for context-sensitive help. For example, the Help Topic property for the Vendors form has been set to open this particular topic when a user requests help by pressing F1.

For more information about using the application framework to connect Help files and context-sensitive help in your application, see the [Application Framework Help](#) file.

Reports

You can use the Application Framework to specify a specific topic for context-sensitive help. For example, the Help Topic property for the application reports have been set to open this particular topic when a user requests help by pressing F1.

For more information about using the application framework to connect Help files and context-sensitive help in your application, see the [Application Framework Help](#) file.

Index

A-B

C

[Contact List](#)

[Contents](#)

[Customers](#)

D-E-F-G-H

I

[Index](#)

J-K-L-M-N

O

[Orders](#)

P-Q

R

[Reports](#)

[Stock List](#)

S

[Stock](#)

T

[The Sample Application](#)

U - V

[Vendors](#)

W-X-Y-Z

