

```
//////////  
// Maximizer DDE NextEntry Macro for WP6.1  
// Copyright 1997, Maximizer Technologies Inc.  
// Written: 2/26/97 by Milton Wong  
// Description: Select the next entry in the client list  
//  
APPLICATION (A1; "WordPerfect"; Default; "US")  
  
currChannel := 0  
sysChannel := 0  
  
// Check that Maximizer is ready for a merge operation  
CALL (CheckMaxRunning)  
  
ONDDEADVISE CALL(listCount; currChannel; "GetListCount";NoClientSel)  
IF (listCount != 0)  
    CALL (NoClientSel)  
    GO (ExitMacro)  
ENDIF  
  
iTTotal := DDEREQUEST(currChannel; "GetListCount")  
IF (iTTotal = 0)  
    CALL (NoClientSel)  
    GO (ExitMacro)  
ENDIF  
  
busyCount = 0  
CALL (IsMaxBusy)  
iIndex := DDEREQUEST(currChannel; "GetListEntryIndex")  
IF (iTTotal = iIndex)  
LABEL (BottomList)  
    MESSAGEBOX(iValue; "Maximizer"; "Reached bottom of list."; Ok! |  
IconExclamation!)  
    GO (ExitMacro)  
ENDIF  
  
iCheck := 0  
WHILE (iCheck = 0)  
    DDEEXECUTE(currChannel; "[ScrollList(LineEdit) ]")  
    iClientID := DDEREQUEST(currChannel; "IDentification")  
    IF (iClientID != "")  
        iCheck := 1  
    ENDIF  
    iIndex := DDEREQUEST(currChannel; "GetListEntryIndex")  
    IF (iTTotal = iIndex)  
        GO (BottomList)  
    ENDIF  
ENDWHILE
```

```

LABEL (ExitMacro)
IF (sysChannel != 0)
    DDETERMINATE(sysChannel)
ENDIF
IF (currChannel != 0)
    DDETERMINATE(currChannel)
ENDIF
QUIT                                //Done.

///////////////////////////////
// 
// Subroutine:  CheckMaxRunning
//
// Description:  Check if Maximizer is running, a database is opened,
//                and an entry is selected.
//
///////////////////////////////
LABEL(CheckMaxRunning)
// Start DDE Conversation with Maximzier
DDEINITIATE(sysChannel; "MAXWIN"; "System")

IF(sysChannel = 0)                  // If Maximizer is not running, exit macro
    MESSAGEBOX(contOption; "Maximizer Template"; "Please start
Maximizer."; Ok! | IconExclamation!)
    QUIT
ENDIF

// Check to see if a database is active in Maximizer. If not then exit
maxPath = DDEREQUEST(sysChannel;"CurrentDatabasePath")
IF(maxPath = "n/a")
    MESSAGEBOX(contOption; "Maximizer Template"; "Please open a
Maximizer Address Book Folder."; Ok! | IconExclamation!)
    DDETERMINATE(sysChannel)
    QUIT
ENDIF

ASSIGN(hWnd; AppLocate("WordPerfect*"))
IF(hWnd)  // if hWnd not equal to 0
    AppActivate(hWnd)
ENDIF

DDEINITIATE(currChannel; "MAXWIN"; "CurrentRecord")
IF(currChannel = 0)
    MESSAGEBOX(contOption; "Maximizer Template"; "Please start
Maximizer."; Ok! | IconExclamation!)
    DDETERMINATE(sysChannel)
    QUIT
ENDIF

RETURN

/////////////////////////////

```

```

//  

// Subroutine:  IsMaxBusy  

//  

// Description: Check if Maximizer is busy with some other task  

//               If yes, wait until that task is finished.  

//               Checking busy is only needed before DDEEXECUTE  

//  

///////////////////////////////  

LABEL (IsMaxBusy)  

// Wait until Maximizer is finished  

busyStatus = "BUSY"  

WHILE(busyStatus != "READY")  

    busyStatus = DDEREQUEST(sysChannel; "BusyIndicator")  

    busyCount = busyCount + 1  

    IF (busyCount = 10)  

        MESSAGEBOX(iResult; "Maximizer Template"; "Maximizer is  

currently busy with another task. Please complete all tasks within  

Maximizer and click Retry to continue."; RetryCancel! |  

IconExclamation!)  

        IF (iResult = 2)  

            // User hits Cancel  

            GO (ExitMacro)  

        ENDIF  

        busyCount = 0  

    ENDIF  

ENDWHILE  

RETURN  

/////////////////////////////  

//  

// Subroutine:  NoClientSel  

//  

// Description: Prompt a message box to the user when there is no  

//               selected entry  

//  

/////////////////////////////  

LABEL (NoClientSel)  

// Display error if no clients available  

MESSAGEBOX(contOption; "Maximizer Template"; "You do not have a  

current Address Book entry. Please select a company/individual in  

Maximizer."; Ok! | IconExclamation!)  

RETURN

```