

```
//////////  
//  
// Maximizer DDE SendDocument Macro for WP6.1  
// Copyright 1997, Maximizer Technologies Inc.  
// Written: 2/26/97 by Milton Wong  
// Description: Insert a linked field with Maximizer in the doc.  
//  
//////////  
  
Application (A1; "WordPerfect"; Default; "US")  
  
sysChannel := 0  
currChannel := 0  
  
If (?DocBlank = True)  
    MessageBox(i; "Maximizer Template"; "The document is blank.")  
    Go (ExitMacro)  
Endif  
// Check that Maximizer is ready for a merge operation  
CheckMaxRunning()  
  
// Create dialog in memory  
BuildDialog()  
  
// Display Dialog on screen  
DialogShow("MergeDocDlg"; "WordPerfect"; Msg)  
  
// Init variables and loop until dialog stuff done  
termDialog = 0  
curSelection = 0  
okPressed = 0  
useDocName = 0  
While( termDialog = 0)  
EndWhile  
  
DialogDismiss("MergeDocDlg"; 2)  
If(okPressed = 1)  
    If(curSelection = 0)  
        SendSingle()  
    EndIf  
    If (curSelection = 1)  
        SendMarked()  
    EndIf  
    If (curSelection = 2)  
        SendAll()  
    EndIf  
EndIf  
  
LABEL (ExitMacro)  
IF (sysChannel != 0)  
    DDETERMINATE(sysChannel)  
    sysChannel = 0
```

```

ENDIF
IF (currChannel != 0)
    DDETERMINATE(currChannel)
    currChannel = 0
ENDIF
QUIT // Exit macro

///////////////////////////////
// 
// Subroutine:  Msg
//
// Description: Process activity in dialog box
//
///////////////////////////////
Label(Msg)
If(Msg[5] = 273)
    If(Msg[3] = "CurSelButton")      // Set variable according to
option selected
        curSelection = 0
    EndIf
    If(Msg[3] = "MarkSelButton")
        curSelection = 1
    EndIf
    If(Msg[3] = "AllSelButton")
        curSelection = 2
    EndIf
    If(Msg[3] = "OkButton") // If user hits Ok button, do the merge
        RegionGetWindowText(noteText; "MergeDocDlg.NoteTextBox")
        CheckMaxRunning()
        okPressed = 1
        termDialog = 1
    EndIf
    If(Msg[3] = "DocName") // If user hits Cancel then exit
        If(useDocName = 0)
            useDocName = 1
            Return
        EndIf
        If(useDocName = 1)
            useDocName = 0
        EndIf
    EndIf
    If(Msg[3] = "PrinterButton") // If user hits Cancel then exit
        PrinterSelectDlg()
    EndIf
    If(Msg[3] = "CancelButton") // If user hits Cancel then exit
        termDialog = 1
    EndIf
EndIf
If(Msg[5] = 274) // If user selects Close from the system menu, then
exit
    termDialog = 1
EndIf

```

```

Return

///////////////////////////////
// 
// Subroutine:  CheckMaxRunning
//
// Description:  Check if Maximizer is started, a database is opened,
//               and it is not busy.
//
/////////////////////////////
Label(CheckMaxRunning)
// Start DDE Conversation with Maximzier
DDEInitiate(sysChannel; "MAXWIN"; "System")

If(sysChannel = 0) // If Maximizer is not running, exit macro
    MessageBox(contOption; "Maximizer Template"; "Please start
Maximizer."; Ok! | IconExclamation!)
    Quit
EndIf

// Check to see if a database is active in Maximizer. If not then exit
maxPath = DDERequest(sysChannel;"CurrentDatabasePath")
If(maxPath = "n/a")
    MessageBox(contOption; "Maximizer Template"; "
Please open a Maximizer Address Book Folder."; Ok! | IconExclamation!)
    DDETerninate(sysChannel)
    Quit
EndIf

// Switch to Client window and try to talk to Current Record, if this
fails then exit
busyCount = 0
IsMaxBusy()

Assign(hWnd; AppLocate("WordPerfect*"))
If(hWnd) // if hWnd not equal to 0
    AppActivate(hWnd)
EndIf

DDEInitiate(currChannel; "MAXWIN"; "CurrentRecord")
If(currChannel = 0)
    MessageBox(contOption; "Maximizer Template"; "Please start
Maximizer."; Ok! | IconExclamation!)
    DDETerninate(sysChannel)
    Quit
EndIf

// Make sure that there is a client in the list
OnDDEAdvise Call(listCount; currChannel; "GetListCount"; NoClientSel)
If(listCount != 0)
    NoClientSel()
EndIf

```

```

// Terminate the connection to CurrentRecord
busyCount = 0
IsMaxBusy()
DDETerminate(currChannel)
currChannel := 0
DDETerminate(sysChannel)
sysChannel := 0

Return

///////////////////////////////
//
// Subroutine:  IsMaxBusy
//
// Description:  Check if Maximizer is busy with some other task
//               If yes, wait until that task is finished.
//               Checking busy is only needed before DDEEXECUTE
//
/////////////////////////////
LABEL (IsMaxBusy)
// Wait until Maximizer is finished
busyStatus = "BUSY"
WHILE(busyStatus != "READY")
    busyStatus = DDEREQUEST(sysChannel; "BusyIndicator")
    busyCount = busyCount + 1
    IF (busyCount = 10)
        MESSAGEBOX(iResult; "Maximizer Template"; "Maximizer is
currently busy with another task. Please complete all tasks within
Maximizer and click Retry to continue."; RetryCancel! | 
IconExclamation!)
        IF (iResult = 2)
            // User hits Cancel
            GO (ExitMacro)
        ENDIF
        busyCount = 0
    ENDIF
ENDWHILE
RETURN

Label(NoClientSel)
// Display error if no clients available
MessageBox(contOption; "Maximizer Template"; "You do not have a
current Address Book entry. Please select a company/individual in
Maximizer."; Ok! | IconExclamation!)
Quit
Return

Label(BuildDialog)
DialogDefine("MergeDocDlg"; 45; 45; 190; 140; Percent!; "Send Document
to Printer")
DialogAddGroupBox("MergeDocDlg"; "MergeWithPrompt"; 7; 10; 107; 64;

```

```

"Merge Document With")
DialogAddRadioButton("MergeDocDlg"; "CurSelButton"; 11; 22; 80; 13;
"C&urrent Entry"; clieSelection)
DialogAddRadioButton("MergeDocDlg"; "MarkSelButton"; 11; 38; 80; 13;
"&Selected List"; markSelection)
DialogAddRadioButton("MergeDocDlg"; "AllSelButton"; 11; 56; 80; 13;
"&Entire List"; allSelection)
DialogAddCheckBox("MergeDocDlg"; "DocName"; 7; 80; 115; 13; "A&dd
Document Name to Notes"; docName)
DialogAddText("MergeDocDlg"; "NotePrompt"; 7; 94; 103; 13; Left!;
"&Message to Log to Notes:")
DialogAddEditBox("MergeDocDlg"; "NoteTextBox"; 7; 106; 103; 13; Left!;
noteText; 120)
DialogAddPushButton("MergeDocDlg"; "OkButton"; 121; 13; 57; 15;
NonDefaultBttn!; "&OK")
DialogAddPushButton("MergeDocDlg"; "PrinterButton"; 121; 33; 57; 15;
NonDefaultBttn!; "&Printer Setup...")
DialogAddPushButton("MergeDocDlg"; "CancelButton"; 121; 53; 57; 15;
NonDefaultBttn!; "&Cancel")
Return

Label(SendSingle)
printCount = 1
StartPrintStatus()
PrintFullDoc()
If(noteText != "" or useDocName = 1)
    DDEInitiate(currChannel; "MAXWIN"; "CurrentRecord")
    DDEInitiate(sysChannel; "MAXWIN"; "System")
    busyCount = 0
    IsMaxBusy()
    thisDocName = ?Name
    If (thisDocName = "")
        thisDocName = "Document" + numstr(?DocNumber)
    EndIf

    If(useDocName = 1)
        DDEPoke(currChannel; "InsertMailMergeNote"; "WP Merge: " +
thisDocName + " : " + NoteText)
    Else
        DDEPoke(currChannel; "InsertMailMergeNote"; "WP Merge: " +
NoteText)
    EndIf
    DDETerninate(currChannel)
    currChannel := 0
    DDETerninate(sysChannel)
    sysChannel := 0
EndIf
SetPrintStatus()
EndPrintStatus()
Return

Label(SendMarked)

```

```

printCount = 0
StartPrintStatus()
SetPrintStatus()
DDEInitiate(currChannel; "MAXWIN"; "CurrentRecord")
DDEInitiate(sysChannel; "MAXWIN"; "System")
busyCount = 0
IsMaxBusy()
DDEExecute(currChannel; "[ScrollList(Top)]")
busyCount = 0
IsMaxBusy()
isMarked = DDERequest(currChannel; "IsMarked")
If(isMarked = "FALSE")
    busyCount = 0
    IsMaxBusy()
    DDEExecute(currChannel; "[ScrollList(MarkDown)]")
    busyCount = 0
    IsMaxBusy()
    isMarked = DDERequest(currChannel; "IsMarked")
EndIf
If(isMarked = "FALSE")
    DDETerninate(currChannel)
    currChannel := 0
    DDETerninate(sysChannel)
    sysChannel := 0
    Return
EndIf
lastID = ""
busyCount = 0
IsMaxBusy()
thisID = DDERequest(currChannel; "IDentification")
While(isMarked = "TRUE" and lastID != thisID)
    PrintFullDoc()
    printCount = printCount + 1
    SetPrintStatus()
    If(noteText != "" or useDocName = 1)
        DDEInitiate(currChannel; "MAXWIN"; "CurrentRecord")
        DDEInitiate(sysChannel; "MAXWIN"; "System")
        busyCount = 0
        IsMaxBusy()
        thisDocName = ?Name
        If(useDocName = 1)
            DDEPoke(currChannel; "InsertMailMergeNote"; "WP Merge:
" + thisDocName + " : " + NoteText)
        Else
            DDEPoke(currChannel; "InsertMailMergeNote"; "WP Merge:
" + NoteText)
        EndIf
    EndIf
    lastID = thisID
    busyCount = 0
    IsMaxBusy()
    DDEExecute(currChannel; "[ScrollList(MarkDown)]")

```

```

busyCount = 0
IsMaxBusy()
isMarked = DDERequest(currChannel; "IsMarked")
busyCount = 0
IsMaxBusy()
thisID = DDERequest(currChannel; "IDentification")
EndWhile
DDETerninate(currChannel)
currChannel := 0
DDETerninate(sysChannel)
sysChannel := 0
EndPrintStatus()
Return

Label(SendAll)
printCount = 0
StartPrintStatus()
SetPrintStatus()
DDEInitiate(currChannel; "MAXWIN"; "CurrentRecord")
DDEInitiate(sysChannel; "MAXWIN"; "System")
busyCount = 0
IsMaxBusy()
DDEExecute(currChannel; "[ScrollList(Top)]")
lastID = ""
busyCount = 0
IsMaxBusy()
thisID = DDERequest(currChannel; "IDentification")
While(lastID != thisID)
    PrintFullDoc()
    printCount = printCount + 1
    SetPrintStatus()
    If(noteText != "" or useDocName = 1)
        DDEInitiate(currChannel; "MAXWIN"; "CurrentRecord")
        DDEInitiate(sysChannel; "MAXWIN"; "System")
        busyCount = 0
        IsMaxBusy()
        thisDocName = ?Name
        If(useDocName = 1)
            DDEPoke(currChannel; "InsertMailMergeNote"; "WP Merge:
" + thisDocName + " : " + NoteText)
        Else
            DDEPoke(currChannel; "InsertMailMergeNote"; "WP Merge:
" + NoteText)
        EndIf
    EndIf
    lastID = thisID
    busyCount = 0
    IsMaxBusy()
    DDEExecute(currChannel; "[ScrollList(LineEdit) ]")
    busyCount = 0
    IsMaxBusy()
    thisID = DDERequest(currChannel; "IDentification")

```

```
EndWhile
EndPrintStatus()
DDETerminate(currChannel)
currChannel := 0
DDETerminate(sysChannel)
sysChannel := 0
Return

Label(StartPrintStatus)
DialogShow("RecordPrint"; "WordPerfect"; DummyFunc)
Return

Label(EndPrintStatus)
DialogDismiss("RecordPrint"; 2)
Return

Label(SetPrintStatus)
RegionSetWindowText("RecordPrint.recPrinted"; "Records Printed = " +
NumStr(printCount))
Return

Label(DummyFunc)
Return
```