

# **HTTPResume**

Andrija Antonijevic

COLLABORATORS
---------------

	TITLE : HTTPResume		
ACTION	NAME	DATE	SIGNATURE
WRITTEN BY	Andrija Antonijevic	May 28, 2025	

REVISION HISTORY
------------------

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>HTTPResume</b>	<b>1</b>
1.1	Welcome to HTTPResume . . . . .	1
1.2	Usage . . . . .	1
1.3	Author . . . . .	2
1.4	History . . . . .	2
1.5	Credits . . . . .	3
1.6	Giftware . . . . .	3
1.7	Requirements . . . . .	4
1.8	Features . . . . .	4
1.9	Introduction . . . . .	4
1.10	Disclaimer . . . . .	4
1.11	Installation . . . . .	5
1.12	CLI . . . . .	5
1.13	WB . . . . .	6
1.14	Bugs . . . . .	6

# Chapter 1

## HTTPResume

### 1.1 Welcome to HTTPResume

HTTPResume 1.1

Copyright © 1998 Andrija Antonijevic

**Legal stuff** Lawyers enjoy reading this...

**Introduction** What is this thing anyway?

**Features** What can it do?

**Requirements** What do I need to use this?

**Giftware** No comment...

**Installation** How to install...

**Usage** Please read this

**Bugs** Just call the exterminators ;>

**Credits** Credit where credit's due

**History** And on the first day...

**Author** No comment...

### 1.2 Usage

HTTPResume can be **started from CLI** or **from Workbench**.

Its GUI is pretty simple. String gadgets URL, File, Proxy, Range and GMT[Offset] should contain necessary data. "<" button gadget next to URL string gadget copies text from clipboard to URL. There's a getfile gadget which calls ASL file requester in which you can set output file name. You can also set Overwrite and No cache options using appropriate checkbox gadgets. When you enter filename and URL field is empty, HTTPResume will check if file has comment which starts with http:// or ftp:// and if it does it will copy that comment to the URL field. If URL field is not empty and you still want this to happen, you will have to manually empty it. Also, if you have only directory name in the outfile field (set, for example using STARTDIR tooltype/argument) HTTPResume will try to figure out the name of the file from URL (if there is one). This "smart" behaviour is used if you start HTTPResume from CLI and if you start it from WB. If you start it from WB, HTTPResume will only behave this way if you press Return or [SHIFT-]TAB to confirm your input. If you start it from CLI and only supply URL, there also has to be STARTDIR argument.

When you've set everything, you can click on Start. When you click on Start, HTTPResume will check validity of the arguments supplied and (if everything is OK) see if it needs to find out the size of file. If the file exists and OVERWRITE is not set

---

HTTPResume will try to find the file date and if it does it will ask server to send rest of the file only if it hasn't been modified since you downloaded the first part. You can change this behaviour by setting the icon tooltype NODATECHECK (if started from WB) or by specifying NODATECHECK in command line (if started from CLI). When this is done, HTTPResume will try to connect to the host/proxy and get the requested URL. If an error occurs, HTTPResume will (depending on the value of AUTORESUME) either fail or try again (waiting specified number of seconds between retries) until maximum number of retries is reached. During the download you should be able to see transfer progress. When the download is finished, the Range field will be cleared even if an error occurred because otherwise it can cause file to be downloaded improperly.

A tip for usage with AWeb. You can add something like following line into links pop up menu.

```
SYSTEM Path:HTTPResume %u `C:\RequestFile DRAWER=Work:T PUBSCREEN=AWEB` PROXY=http://proxy.rcub.bg.ac.yu:8080  
PUBSCREEN=AWEB GUI
```

Of course, change DRAWER to the one you keep you downloads in and PROXY to your proxy. RequestFile is standard command that comes with WB3.0+ This line will download URL to file you select. Here's an alternative entry:

```
SYSTEM Path:HTTPResume %u SD=Work:T PROXY=http://proxy.rcub.bg.ac.yu:8080 PUBSCREEN=AWEB GUI
```

This one uses "smart" feature of HTTPResume. It will download the file to Work:T and find out name of the file from URL. Experiment with this before you start using it for "real" downloads.

Final words: Please keep in mind that this program is primarily ment to be used for resuming downloads, and not for complete downloads. It can be used as HTTPGet, but only when OVERWRITE is used.

Many of you might want MUI interface. Please, do not ask me for that since I am one of those who are not very fond of it. I have spent some time on making GUI resizable and since this is very small program, I don't think GUI needs to be better.

## 1.3 Author

My address:

E-mail:

Andrija Antonijevic <TheAntony@bigfoot.com>

Home page:

<http://www.bitsmart.com/antony> or

<http://www.bigfoot.com/~TheAntony> or

<http://www.rcub.bg.ac.yu/~antony>

It's the same page, if one of these doesn't work, try another one.

Snail-mail:

Andrija Antonijevic

Bulevar Vuka Karadzica 5/5

32000 Cacak

Serbia, Yugoslavia

## 1.4 History

1.1 (21.4.98)

Improved GUI interactivity. It will now respond instantly even if the download is taking place.

As very nice side-effect, it is now possible to instantly abort downloads

---

Fixed a bug which would sometimes cause bad range to be downloaded (Renne Nissinen)  
GUI option added  
Added autoresume option (Mark Knibbs)  
Switched to ASL file requesters as planed for version 1.0 (Mark Knibbs)  
Added debug to file option (Mark Knibbs)  
Added possibility to disable date checking (Mark Knibbs)  
Added User-Agent: field  
BUGFIX: When Return or TAB wasn't pressed after the input in string gadgets was made, HTTPResume wouldn't accept changed values (Renne Nissinen)  
Improved progress indicator. It will now also show the percentage and file size on disk, not just of the file part which is being downloaded (Daniel Schmitt)  
HTTPResume will now write URL to file comment if there hasn't been one already (Daniel Schmitt)  
HTTPResume will try to be smart and figure out missing arguments (Daniel Schmitt)  
Added WINX and WINY arguments/tooltypes  
Added STARTDIR argument to CLI, too (Ljubomir Jankovic)  
1.0 (2.4.98)  
Initial version (you don't say :))  
Works ;)

## 1.5 Credits

This program is partially based on HTTPGet by Steven Dick <ssd@mae.engr.ucf.edu>.  
It also partially uses GadToolsBox by Jan van den Baard (I have added GUI resizability)  
I would like to thank following people for suggestions/bug reports:  
Mark Knibbs, Renne Nissinen, Daniel Schmitt and Ljubomir Jankovic.

## 1.6 Giftware

HTTPResume is giftware. If you like it and use it you should send **me** a gift. I'll leave this to your imagination...  
If you can not afford to send me a gift, at least pay a visit to **my homepage** and sign my guestbook and say what you really think about this program.

---

## 1.7 Requirements

Required:

AmigaOS 2.0+

asl.library (when started from WB)

A TCP/IP stack such as AmiTCP or compatible

## 1.8 Features

Gives you the ability to continue interrupted downloads

Can automatically resume download when an error occurs

Can be used from CLI or from WB

It has font adaptable non-MUI GUI? O:}

## 1.9 Introduction

I just saw this thing on the 'net and I would like to download it!

It's 6+ MB? No problem!

[After a while]

Almost done... Few kilobytes to go... <Put your favorite reason for download to be interrupted> Aaaaaaaahhhhhh! It can do that to me!!!

I'm sure you've been in this situation at least once. It's nice when you discover that you have to download the whole thing again just because few kBs are missing... Of course, you might be lucky to find the same thing on FTP site and continue downloading from the point it was interrupted, but it's not always like that. This program will let you continue interrupted downloads, but only from servers which support this i.e. servers that use HTTP 1.1 protocol. There are more and more servers of this type every day, so it should be easy to find them... I hope O:) (wuarchive.wustl.edu is one of those servers) Anyway, this program is intended to be just a temporary solution before all Amiga browsers become capable of supporting this feature. Note that program is called HTTPResume. You can not use it to continue interrupted FTP downloads nor any other kind except HTTP. HTTPResume will act as HTTPGet in cases when you give it XYZ protocol and even will let you this only when using proxy.

## 1.10 Disclaimer

HTTPResume

Copyright © 1998 Andrija Antonijevic, All Rights Reserved.

THIS SOFTWARE PACKAGE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED. THE ENTIRE RISK AS TO THE USE OF THIS SOFTWARE PACKAGE IS ASSUMED BY THE USER. IN NO EVENT WILL THE AUTHOR BE LIABLE FOR ANY DAMAGES, DIRECT, INDIRECT, INCIDENTAL, SPECIAL OR CONSEQUENTIAL, RESULTING FROM USE, MISUSE OR INABILITY TO USE THIS SOFTWARE PACKAGE EVEN IF IT HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

The author reserves the right not to develop any future versions of this software package.

The author will give his best to solve any problem, if any are discovered, but is in no way required, or bound to do this.

This archive can be freely distributed provided its structure is preserved.

Aminet is explicitly allowed to distribute this archive on its CDs.

Magazines have my permission to distribute this program on their cover disks and CDs, but I would appreciate if a copy of the magazine would be sent to me in that case.

---

## 1.11 Installation

It's so simple that I didn't include an installation script O;) Copy HTTPResume (and HTTPResume.info) to any directory which is in your path, optionally HTTPResume.guide somewhere and you're ready to go.

## 1.12 CLI

When started from CLI the template is:

URL,OUTFILE=OF,PROXY,RANGE,OVERWRITE/S/K,NOCACHE/S/K, GMTOFFSET=GMT/N,NODATECHECK=NODATE/S/K, ATTEMPTS/N,DELAY/N,STARTDIR=SD,PUBSCREEN=PS,GUI/S/K,WINX/N, WINY/N,QUIET/S/K,DEBUG

Very important! HTTPResume opens OUTFILE in "append" mode unless OVERWRITE is specified. Keep this in mind!

URL is (logically) the URL you want to download/continue downloading. If you don't set proxy, it has to start with http://!

OUTFILE (or OF) is the file you want to download/continue downloading to.

PROXY is proxy in format http://address.of.proxy:port. For example, http://proxy.matf.bg.ac.yu:8080.

RANGE is range you want to get. Some examples:

0-99 gets first 100 bytes

-799 gets first 800 bytes

100- gets everything but first 100 bytes (0-99).

If you don't set RANGE (nor OVERWRITE) HTTPResume will try to be smart and figure out what range it should get. For example, if you've set OUTFILE to RAM:Testfile and RAM:Testfile already exists and it's size is 1234 bytes, HTTPResume will ask for range 1234- (because "0-1233"=1234 bytes are already there!).

OVERWRITE tells HTTPResume not to look at the size of (possibly) existing OUTFILE and to overwrite OUTFILE in case it exists (i.e. open the file in "write" mode).

NOCACHE speaks for itself. I don't think it makes much sense when resuming download.

GMTOFFSET: When resuming download with range not explicitly set by you, HTTPResume will only resume if file you are downloading is unmodified since <datestamp on OUTFILE>. Because of that, HTTPResume needs to know this value. It's number of minutes that need to be added to your local time to get GMT. This is a bit unusual, but that's the way this value is stored in struct Locale on Amiga. Anyway, you don't need to set this value if you have locale set up correctly on your system since HTTPResume will find this value for you. For example, Yugoslavia is GMT +1, so GMTOFFSET is -60 (note the change of sign).

NODATECHECK (or NODATE) will tell HTTPResume not to send If-Unmodified-Since field when it sends HTTP request. This can be useful if you know that the file is same, but the date stamp isn't.

AUTORESUME (or AUTO): If the download is interrupted for some reason (unless you abort it) HTTPResume will try to continue it again automatically.

ATTEMPTS Number of attempts to resume download. Makes sense only if used with AUTORESUME. Default is 5 attempts.

DELAY Seconds to wait between two retries. Makes sense only if used with AUTORESUME. Default is 10 seconds.

STARTDIR is name of directory in which reqtools file requester will open (WB) or name of the directory to which the OUTFILE will be appended to make final OUTFILE (CLI). If (in the latter case) OUTFILE is full path, its contents will not be appended to STARTDIR, it will remain unchanged.

PUBSCREEN is name of public screen for HTTPResume to open it's window on. If invalid name is entered, the window will be opened on default public screen. (When started from CLI, only makes sense when used with GUI option)

GUI Will tell HTTPResume to act as if it was started from WB. Tooltypes will not be examined!

WINX and WINY X and Y coordinates of HTTPResume window. (When started from CLI, only makes sense when used with GUI option)



QUIET will make HTTPResume show only error messages.

DEBUG File to output HTTPResume debugging information among which are headers that server returns. If you have a bug report, please include this file in it! You can set this to anything you like. For example, if you want to see what's happening, you might want to set `DEBUG=CON://///CLOSE/WAIT` (you might want to add some more options, like X and Y coords, width and height and name of the public screen for CON: to open on).

## 1.13 WB

When started from Workbench, HTTPResume will examine tooltypes of its icon.

Possible tooltypes are

STARTDIR, PROXY, OVERWRITE, NOCACHE, GMTOFFSET, NODATECHECK, AUTORESUME, ATTEMPTS, DELAY, PUBSCREEN, WINX, WINY, QUIET and DEBUG.

All tooltypes have the same meaning as **CLI arguments** with same name.

## 1.14 Bugs

If you have a bug report, please check:

Have you read the documentation? ;>

Have you set up proxy correctly? (Especially the port part!)

If the stars say that today is not your day ;)

If you did all this, then please send **me** bug report. Please send me output of the DEBUG file as it will be very helpful!