

**TDSEnglish**

<b>COLLABORATORS</b>
----------------------

	<i>TITLE :</i> TDSEnglish		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		October 27, 2024	

<b>REVISION HISTORY</b>
-------------------------

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>TDSEnglish</b>	<b>1</b>
1.1	TDSEnglish.guide . . . . .	1
1.2	TDSEnglish.guide/Introduction . . . . .	1
1.3	TDSEnglish.guide/Requirements . . . . .	2
1.4	TDSEnglish.guide/Installation . . . . .	2
1.5	TDSEnglish.guide/Version . . . . .	3
1.6	TDSEnglish.guide/Ted . . . . .	3
1.7	TDSEnglish.guide/Ted Workbench . . . . .	3
1.8	TDSEnglish.guide/Ted Shell . . . . .	4
1.9	TDSEnglish.guide/Menu File . . . . .	5
1.10	TDSEnglish.guide/File-New . . . . .	5
1.11	TDSEnglish.guide/File-Open . . . . .	5
1.12	TDSEnglish.guide/File-Load . . . . .	5
1.13	TDSEnglish.guide/File-Insert . . . . .	6
1.14	TDSEnglish.guide/File-Save . . . . .	6
1.15	TDSEnglish.guide/File-Save As . . . . .	6
1.16	TDSEnglish.guide/File-Save Changed . . . . .	6
1.17	TDSEnglish.guide/File-Delete . . . . .	6
1.18	TDSEnglish.guide/File-Current Dir . . . . .	7
1.19	TDSEnglish.guide/File-Hide . . . . .	7
1.20	TDSEnglish.guide/File-Reveal . . . . .	7
1.21	TDSEnglish.guide/File-Protect . . . . .	7
1.22	TDSEnglish.guide/File-About . . . . .	7
1.23	TDSEnglish.guide/File-Iconify . . . . .	8
1.24	TDSEnglish.guide/File-Quit . . . . .	8
1.25	TDSEnglish.guide/Menu Edit . . . . .	8
1.26	TDSEnglish.guide/Edit-Mark . . . . .	9
1.27	TDSEnglish.guide/Edit-Mark Vertical . . . . .	9
1.28	TDSEnglish.guide/Edit-Mark All . . . . .	9
1.29	TDSEnglish.guide/Edit-Cut . . . . .	9

---

1.30	TDSEnglish.guide/Edit-Copy . . . . .	9
1.31	TDSEnglish.guide/Edit-Paste . . . . .	10
1.32	TDSEnglish.guide/Edit-Paste Vertical . . . . .	10
1.33	TDSEnglish.guide/Edit-Erase . . . . .	10
1.34	TDSEnglish.guide/Edit-Save . . . . .	10
1.35	TDSEnglish.guide/Edit-Indent . . . . .	10
1.36	TDSEnglish.guide/Edit-Change To . . . . .	11
1.37	TDSEnglish.guide/Edit-Format . . . . .	11
1.38	TDSEnglish.guide/Edit-Undo . . . . .	11
1.39	TDSEnglish.guide/Edit-Redo . . . . .	11
1.40	TDSEnglish.guide/Menu Search . . . . .	12
1.41	TDSEnglish.guide/Search-Find . . . . .	12
1.42	TDSEnglish.guide/Search-Replace . . . . .	12
1.43	TDSEnglish.guide/Search-Next . . . . .	13
1.44	TDSEnglish.guide/Search-Previous . . . . .	13
1.45	TDSEnglish.guide/Search-Set Bookmark . . . . .	13
1.46	TDSEnglish.guide/Search-Goto Bookmark . . . . .	13
1.47	TDSEnglish.guide/Search-Goto Line . . . . .	13
1.48	TDSEnglish.guide/Search-Match Bracket . . . . .	14
1.49	TDSEnglish.guide/Search-Find Reference . . . . .	14
1.50	TDSEnglish.guide/Menu Compile . . . . .	14
1.51	TDSEnglish.guide/Compile-Compile . . . . .	15
1.52	TDSEnglish.guide/Compile-Build . . . . .	15
1.53	TDSEnglish.guide/Compile-Build All . . . . .	15
1.54	TDSEnglish.guide/Compile-Stop . . . . .	15
1.55	TDSEnglish.guide/Compile-Run . . . . .	15
1.56	TDSEnglish.guide/Compile-Debug . . . . .	16
1.57	TDSEnglish.guide/Compile-Next Error . . . . .	16
1.58	TDSEnglish.guide/Compile-Previous Error . . . . .	16
1.59	TDSEnglish.guide/Compile-Load Errors . . . . .	16
1.60	TDSEnglish.guide/Menu Project . . . . .	16
1.61	TDSEnglish.guide/Project-New . . . . .	17
1.62	TDSEnglish.guide/Project-Open . . . . .	17
1.63	TDSEnglish.guide/Project-Save . . . . .	17
1.64	TDSEnglish.guide/Project-Save As . . . . .	17
1.65	TDSEnglish.guide/Project-Close . . . . .	18
1.66	TDSEnglish.guide/Project-Translators . . . . .	18
1.67	TDSEnglish.guide/Project-Linker . . . . .	20
1.68	TDSEnglish.guide/Project-Debugger . . . . .	21

---

1.69	TDSEnglish.guide/Project-Command	22
1.70	TDSEnglish.guide/Project-Modules	22
1.71	TDSEnglish.guide/Project-Options	22
1.72	TDSEnglish.guide/Menu Settings	24
1.73	TDSEnglish.guide/Settings-AutoIndent	24
1.74	TDSEnglish.guide/Settings-WordWrap	24
1.75	TDSEnglish.guide/Settings-OverStrike	24
1.76	TDSEnglish.guide/Settings-Create Icons?	25
1.77	TDSEnglish.guide/Settings-Editor	25
1.78	TDSEnglish.guide/Settings-Display	26
1.79	TDSEnglish.guide/Settings-KeyBoard	27
1.80	TDSEnglish.guide/Settings-References	28
1.81	TDSEnglish.guide/Settings-Load Settings	28
1.82	TDSEnglish.guide/Settings-Save Settings	28
1.83	TDSEnglish.guide/Settings-Save Settings As	29
1.84	TDSEnglish.guide/ARexx Commands	29
1.85	TDSEnglish.guide/ABOUT	30
1.86	TDSEnglish.guide/BACKSPACE	30
1.87	TDSEnglish.guide/BUILD	30
1.88	TDSEnglish.guide/CLOSE	31
1.89	TDSEnglish.guide/CMDSHELL	31
1.90	TDSEnglish.guide/COMPILE	31
1.91	TDSEnglish.guide/COPY	31
1.92	TDSEnglish.guide/CURSOR	32
1.93	TDSEnglish.guide/CUT	32
1.94	TDSEnglish.guide/DEBUG	32
1.95	TDSEnglish.guide/DELETE	32
1.96	TDSEnglish.guide/DIR	33
1.97	TDSEnglish.guide/ERASE	33
1.98	TDSEnglish.guide/FIND	33
1.99	TDSEnglish.guide/FIRSTCAPITAL	33
1.100	TDSEnglish.guide/FORMAT	34
1.101	TDSEnglish.guide/GOTOBOOKMARK	34
1.102	TDSEnglish.guide/GOTOCOLUMN	34
1.103	TDSEnglish.guide/GOTOFILE	34
1.104	TDSEnglish.guide/GOTOLINE	34
1.105	TDSEnglish.guide/HIDE	35
1.106	TDSEnglish.guide/ICONIFY	35
1.107	TDSEnglish.guide/INDENT	35

---

1.108TDSEnglish.guide/INSERT . . . . .	35
1.109TDSEnglish.guide/KEYBOARD . . . . .	36
1.110TDSEnglish.guide/LOAD . . . . .	36
1.111TDSEnglish.guide/LOWERCASE . . . . .	36
1.112TDSEnglish.guide/MARK . . . . .	37
1.113TDSEnglish.guide/NEW . . . . .	37
1.114TDSEnglish.guide/NEXT . . . . .	37
1.115TDSEnglish.guide/OPEN . . . . .	37
1.116TDSEnglish.guide/PASTE . . . . .	38
1.117TDSEnglish.guide/POSITION . . . . .	38
1.118TDSEnglish.guide/PREVIOUS . . . . .	38
1.119TDSEnglish.guide/PROJECT . . . . .	39
1.120TDSEnglish.guide/PROTECT . . . . .	39
1.121TDSEnglish.guide/QUERY . . . . .	39

# Chapter 1

## TDSEnglish

### 1.1 TDSEnglish.guide

Twilight Development System (TDS) 2.04

\*\*\*\*\*

This document describes the 'Twilight Development System (TDS)', an integrated programming environment for the Amiga.

Introduction	What is 'TDS' ?
Requirements	What hardware and software do you need ?
Installation	How to install the software ?
Version	
Twilight Editor	
Twilight Make	
Twilight Reference Generator	
Registration	How to get the full version ?
Enhancements	
Special Thanks	
Copyright	

### 1.2 TDSEnglish.guide/Introduction

Introduction

\*\*\*\*\*

Twilight Development System 'TDS' provides an integrated environment for writing and compiling source files like Turbo Pascal or Borland C/C++. The main program of the package is a powerful text editor called Twilight Editor (Ted) which includes an integrated project manager. This project manager simplifies and speeds up the development of programs composed of different source files (modules). With 'TDS' it's possible to compile and link these modules into an executable file with a single command and if the compiler finds some errors, they will be reported directly by the editor. 'TDS' doesn't provide its own compiler, but can use any compiler or assembler callable from Shell. It

---

can interface directly with many common compilers and assemblers like DICE C, SAS C, Lattice C, Aztec C, DevPac, A68k, PCQ, HCC, GNU-C, Amiga-E, Oberon and even programs like TeX, CatComp and MakeInfo. If the compiler is not supported, it's possible to write a little interface program to convert the error messages in a format readable by the editor. The compile process will be executed concurrently using another program called Twilight Make (TMake), so the user can continue to edit the source files while the compiler is working.

Twilight Editor (Ted) has many functions to support the creating and editing of source files. The number of files which can be open at the same time is limited only by the amount of free memory and so is the length of a single text file and line. For every file Ted remembers every change done and allows with the commands Undo and Redo to go back through the changes. It also supports many commands to handle horizontal and vertical blocks (like Cut, Copy, Paste, Indent) and to search for strings in the file. It's also possible to change the keyboard bindings, if you don't like the default mapping.

## 1.3 TDSEnglish.guide/Requirements

### Requirements

\*\*\*\*\*

Twilight Development System 'TDS' runs on any Amiga with Kickstart 2.04 (V37) and greater. If present, it will use the 'locale.library' to support localization. It can also use the 'reqtools.library' V38 by Nico François (Thanks Nico for your wonderful work), but the library is not required to run the software.

## 1.4 TDSEnglish.guide/Installation

### Installation

\*\*\*\*\*

To install 'TDS' you can use the 'Installer' program from Commodore. To start the installation process simply double-click the icon called 'Install TDS' and follow the instructions. The installation script will modify your 'user-startup' to include an assignment to the directory containing the programs which will be called 'TDS:'. You have also the choice to install some example project files which will help you in building your own project files.

If you don't have the 'Installer' program, then you can manually install the software creating a directory and copying there all files. Finally add an 'assign TDS: <your directory>' to the 'user-startup'.

---



## 1.5 TDSEnglish.guide/Version

Version

\*\*\*\*\*

This version of the software has been greatly enhanced. From version 1.90 on it will run only with Kickstart 2.04 and greater. The format of the project files has been changed. Ted can still load projects in the old format, but it saves them only in the new format, so you can't use the new project files with older versions of 'TDS'. The ARexx command set has also been greatly modified and enhanced (to adhere to the standard as described in the 'Amiga User Interface Style Guide'), so any ARexx macro written for Ted has to be corrected.

As I use a plain Amiga 1200 to develop the program, I can't use the Enforcer utility (which requires a MMU). So I will greatly appreciate any bug reports and list of Enforcer hits. Criticism and suggestions are always welcome, too.

This software is available now in 3 languages: English (built-in), German and Italian (soon in Spanish, too). If someone wishes to translate the software into another language, he/she can find the necessary catalog description files in the directory 'catalogs/source'.

## 1.6 TDSEnglish.guide/Ted

Twilight Editor (Ted)

\*\*\*\*\*

This is the main program of the package. It can be run from either the Workbench or the Shell. When running on the Workbench screen 'Ted' will open its windows as AppWindows which means that if you want to open a file, just drop its icon into one of the windows and the file will be loaded.

- Workbench Usage
- Shell Usage
- Menu File
- Menu Edit
- Menu Search
- Menu Compile
- Menu Project
- Menu Settings
- ARexx Commands

## 1.7 TDSEnglish.guide/Ted Workbench

Workbench Usage

=====

---

To start 'Ted' just double-click on its icon. 'Ted' supports multiple icon selection on startup to automatically open the selected files.

'Ted' supports the following tooltypes:

'STARTUP'

ARexx script to execute on startup

'PUBSCREEN'

name of the public screen to use

'FONTNAME'

name of the font to use

'FONTSIZE'

height of the font to use

'CX\_POPKEY'

hotkey to access the commodity

'CX\_PRIORITY'

priority of the editor

'ICONIFY'

starts the editor in iconified mode

## 1.8 TDSEnglish.guide/Ted Shell

Shell Usage

=====

Usage: Ted FILE/M,PROJECT/K,STARTUP/K

'FILE/M'

list of text files to load

'PROJECT/K'

project file to load

'STARTUP/K'

ARexx script to execute on startup

There is also a little program called 'Ed' which acts as a frontend to 'Ted'. 'Ed' will try to find a running version of the editor and open the file on it, otherwise it will start a new copy of the editor.

Usage: Ed FILE/M,PROJECT/K

---

## 1.9 TDSEnglish.guide/Menu File

Menu File  
=====

This menu contains the commands to open, insert, save and close the source files and to hide and reveal the windows. The number of windows which can be open at the same time depends only from the amount of free memory.

New  
Open  
Load  
Insert  
Save  
Save As  
Save Changed  
Delete  
Current Dir  
Hide  
Reveal  
Protect  
About  
Iconify  
Quit

## 1.10 TDSEnglish.guide/File-New

File/New  
-----

Opens a new window and creates an empty file.

## 1.11 TDSEnglish.guide/File-Open

File/Open  
-----

Opens a new window and loads a file. Using the SHIFT key the user can select more the one file to open.

## 1.12 TDSEnglish.guide/File-Load

File/Load  
-----

---

Loads a file in the current window.

### 1.13 TDSEnglish.guide/File-Insert

File/Insert  
-----

Inserts a file in the current window at the cursor position.

### 1.14 TDSEnglish.guide/File-Save

File/Save  
-----

Saves the file with the current name.

### 1.15 TDSEnglish.guide/File-Save As

File/Save As  
-----

Saves the file with a new name.

### 1.16 TDSEnglish.guide/File-Save Changed

File/Save Changed  
-----

Saves all files which have been modified.

### 1.17 TDSEnglish.guide/File-Delete

File/Delete  
-----

Deletes a file (asking for confirmation).

---

## 1.18 TDSEnglish.guide/File-Current Dir

File/Current Dir  
-----

Changes the current directory.

## 1.19 TDSEnglish.guide/File-Hide

File/Hide  
-----

Hides the current window, but the contents of the file remains in memory. If it was the last window, iconifies the program (See Iconify).

## 1.20 TDSEnglish.guide/File-Reveal

File/Reveal  
-----

Opens a requester listing all the files currently in memory including those hidden. With this requester you can select the file that you want to edit or to reveal a file which has been hidden.

## 1.21 TDSEnglish.guide/File-Protect

File/Protect  
-----

Opens a requester with the comment and protection bits of the current file. Use the gadgets to set the protection bits and the comment.

## 1.22 TDSEnglish.guide/File-About

File/About  
-----

Displays some information about the program and the amount of free memory. If you have the keyfile, it should display your name, otherwise it states that you are using the "Unregistered demo release".

---

## 1.23 TDSEnglish.guide/File-Iconify

File/Iconify

-----

Use this command to iconify Ted. It closes all windows and the screen, but all files remain still in memory. On the workbench screen appears an application icon. Clicking on this icon will bring back the editor. Ted also installs itself as a commodity and can be awaked with the 'Exchange' tool or the hotkey. The hotkey can be set either with the tooltype entry CX\_POPKEY or using the Editor requester.

## 1.24 TDSEnglish.guide/File-Quit

File/Quit

-----

Quits the program.

## 1.25 TDSEnglish.guide/Menu Edit

Menu Edit

=====

This menu contains all the commands necessary to handle selected portions of the file (blocks). The blocks can be of 2 types: horizontal and vertical. To select a horizontal block simply position the mouse pointer at the start of the block and click the left mouse button, then drag the mouse with the left button pressed to the end of the block and finally release the button. Double clicking the left button selects the word at the mouse pointer, while holding down also the Shift key will select all the line. To select a vertical block hold down the Alt key while selecting it. It's also possible to select a block with the Mark or Mark Vertical and using the cursor keys.

Mark  
Mark Vertical  
Mark All  
Cut  
Copy  
Paste  
Paste Vertical  
Erase  
Save  
Indent  
Change To  
Format  
Undo  
Redo

---

## 1.26 TDSEnglish.guide/Edit-Mark

Edit/Mark

-----

Selects a block using the cursor keys.

## 1.27 TDSEnglish.guide/Edit-Mark Vertical

Edit/Mark Vertical

-----

Selects a vertical block using the cursor keys.

## 1.28 TDSEnglish.guide/Edit-Mark All

Edit/Mark All

-----

Selects the entire file.

## 1.29 TDSEnglish.guide/Edit-Cut

Edit/Cut

-----

Cuts the block and copies it into the clipboard.

## 1.30 TDSEnglish.guide/Edit-Copy

Edit/Copy

-----

Copies the block into the clipboard without modifying the file.

---

### 1.31 TDSEnglish.guide/Edit-Paste

Edit/Paste

-----

If there is a block selected then it will be replaced with the contents of the clipboard, otherwise the contents of the clipboard will be inserted at the position of the cursor.

### 1.32 TDSEnglish.guide/Edit-Paste Vertical

Edit/Paste Vertical

-----

Inserts a block as a column.

### 1.33 TDSEnglish.guide/Edit-Erase

Edit/Erase

-----

Erases the block without copying it into the clipboard.

### 1.34 TDSEnglish.guide/Edit-Save

Edit/Save

-----

Saves the block as a file to the disk.

### 1.35 TDSEnglish.guide/Edit-Indent

Edit/Indent

-----

has a submenu with 2 options:

‘Forward’

Moves the block one position to the right.

‘Backward’

Moves the block one position to the left.



## 1.36 TDSEnglish.guide/Edit-Change To

Edit/Change To  
-----

has a submenu with 3 options. If there is no block selected, then these commands will change the word at the cursor.

'Upper Case'

Changes the block or the current word to upper case.

'Lower Case'

Changes the block or the current word to lower case.

'First Capital'

Changes every word in the block or the current word to have the first letter in upper case and the rest in lower case.

## 1.37 TDSEnglish.guide/Edit-Format

Edit/Format  
-----

Reformats a portion of text called a paragraph. The paragraph starts at the cursor and ends with the first blank line. The margins of the paragraph can be set with the 'Left Margin' and 'Right Margin' gadgets of the Editor requester.

## 1.38 TDSEnglish.guide/Edit-Undo

Edit/Undo  
-----

Use this command to step backward through the changes done to the file. Ted remembers for each file a maximum number of changes which can be modified with the Editor requester.

## 1.39 TDSEnglish.guide/Edit-Redo

Edit/Redo  
-----

Use this command to step forward through the changes done to the file. Ted remembers for each file a maximum number of changes which can be modified with the Editor requester.

---

## 1.40 TDSEnglish.guide/Menu Search

### Menu Search

=====

This menu contains the commands for finding and replacing strings in the file, for jumping to a specified line, for finding the bracket which matches the one at the cursor and to get information about a particular keyword. It also has commands to set and recall bookmarks.

- Find
- Replace
- Next
- Previous
- Set Bookmark
- Goto Bookmark
- Goto Line
- Match Bracket
- Find Reference

## 1.41 TDSEnglish.guide/Search-Find

### Search/Find

-----

Open a requester to enter the string to search for and with the following search options:

#### 'Case Sensitive'

Distinguishes between upper and lower case.

#### 'Words Only'

Finds only strings surrounded by spaces.

#### 'Wildcards'

Uses '?' as a wildcard which matches any character.  
e.g. 't?t' matches 'test', 'that', etc.

## 1.42 TDSEnglish.guide/Search-Replace

### Search/Replace

-----

Open a requester to enter the string to search for, the string to replace and the search options (See Find).

### 1.43 TDSEnglish.guide/Search-Next

Search/Next

-----

Repeat the last command (Find or Replace) finding the next occurrence.

### 1.44 TDSEnglish.guide/Search-Previous

Search/Previous

-----

Repeat the last command (Find or Replace) finding the previous occurrence.

### 1.45 TDSEnglish.guide/Search-Set Bookmark

Search/Set Bookmark

-----

Set a bookmark at position of the cursor.

### 1.46 TDSEnglish.guide/Search-Goto Bookmark

Search/Goto Bookmark

-----

Open a requester with all bookmarks set. To recall the selected bookmark use the 'Goto' button, to delete it use the 'Delete' button.

### 1.47 TDSEnglish.guide/Search-Goto Line

Search/Goto Line

-----

Open a requester with the line number to jump.

---

## 1.48 TDSEnglish.guide/Search-Match Bracket

Search/Match Bracket

-----

Find the matching bracket to the bracket at the cursor.  
e.g. '(' matches ')'

## 1.49 TDSEnglish.guide/Search-Find Reference

Search/Find Reference

-----

Search the word at the cursor in the reference files and if it exists, load the file it references and moves the cursor to the line in which it has been defined. The reference files can be set with the References requester. The format of a reference file is described in TRefs.

## 1.50 TDSEnglish.guide/Menu Compile

Menu Compile

=====

This menu contains the commands to compile source files, to build an entire executable program and to run and debug it. All the commands use the project file defined with the commands of the Project menu.

The commands Compile, Build and Build All are not built into the editor, but their execution is demanded to TMake. When one of these commands has been selected, Ted starts TMake which executes the command and if it finds some errors, returns an error list to Ted. Using the multitasking facilities of the operating system TMake runs in background, so you can continue to edit your source files. Also these commands open a console window where it's possible to follow the compiling process and to interrupt it with Ctrl-C. This feature can be disabled with the 'No TMake Window' option of the Options requester.

Compile  
Build  
Build All  
Stop  
Run  
Debug  
Next Error  
Previous Error  
Load Errors

## 1.51 TDSEnglish.guide/Compile-Compile

Compile/Compile  
-----

Compiles the source file in the current window.

## 1.52 TDSEnglish.guide/Compile-Build

Compile/Build  
-----

Builds the executable file compiling only the source files which has been modified.

## 1.53 TDSEnglish.guide/Compile-Build All

Compile/Build All  
-----

Builds the executable file compiling all the source files even if they have not been modified.

## 1.54 TDSEnglish.guide/Compile-Stop

Compile/Stop  
-----

Stops TMake. Useful when the 'No TMake Window' option is active and you can't use CTRL-C to stop TMake.

## 1.55 TDSEnglish.guide/Compile-Run

Compile/Run  
-----

Runs the executable file.

---

## 1.56 TDSEnglish.guide/Compile-Debug

Compile/Debug

-----

Runs the debugger.

## 1.57 TDSEnglish.guide/Compile-Next Error

Compile/Next Error

-----

If TMake has reported some errors, use this command to find the next error in the error list.

## 1.58 TDSEnglish.guide/Compile-Previous Error

Compile/Previous Error

-----

If TMake has reported some errors, use this command to find the previous error in the error list.

## 1.59 TDSEnglish.guide/Compile-Load Errors

Compile/Load Errors

-----

Loads the error file as it has been created by the compiler or the linker.

## 1.60 TDSEnglish.guide/Menu Project

Menu Project

=====

This menu contains all the commands necessary to create, open and save project files. The project file contains the names of the source files (modules) of the program, the options for the translators (compiler, assembler, etc.), linker and debugger and the work directories. Once you have created a project, you can use the commands Compile, Build and Build All to compile a single source file or to rebuild the entire executable file.

---

New  
Open  
Save  
Save As  
Close  
Translators  
Linker  
Debugger  
Command  
Modules  
Options

## 1.61 TDSEnglish.guide/Project-New

Project/New

-----

Creates a new project.

## 1.62 TDSEnglish.guide/Project-Open

Project/Open

-----

Opens an existing project.

## 1.63 TDSEnglish.guide/Project-Save

Project/Save

-----

Saves the project with the current name.

## 1.64 TDSEnglish.guide/Project-Save As

Project/Save As

-----

Saves the project with a new name (the project file extension must be  
'\prj').

## 1.65 TDSEnglish.guide/Project-Close

Project/Close

-----

Closes the current project.

## 1.66 TDSEnglish.guide/Project-Translators

Project/Translators

-----

Opens a requester which defines the translators used by the project. A translator is a compiler, assembler or any other program which 'translates' a source file into an object file. When TMake tries to compile a source file, it searches through the list of translators to find a source extension matching the extension of the source file. Once a source file has been compiled into an object file, the extension of the object file will be compared with object extension used by the linker. If the match fails, the object file becomes a source file and the iteration restarts at the search for a translator. This way you can use a compiler, which compiles a source file into an assembler file, then this assembler file will be translated by the assembler and finally linked by the linker.

Using the buttons 'Add', 'Delete', 'Edit', '+', '-', you can add, delete, modify and reorder the translators. To modify a translator use the 'Edit' button or double-click on the name of the translator. This will open the 'Translator' requester.

'Name'

Name of the translator.

'Command'

Command of the translator.  
e.g. "sc" (for SAS C)

'Debug Opt.'

'Final Opt.'

'Debug Opt.' are the options used if the 'Use Debug Options' is set in the Options requester, otherwise 'Final Opt.' will be used.

The following strings have a special meaning:

'%src'

Name of the source file.

'%mod'

Name of the source file without extension.

'%base'

Name of the source file without extension and path.

---



`'%obj'`  
Name of the object file.

`'%opt'`  
Local options of the source file.

`'%err'`  
Name of the error file (if not present, then the standard output will be used).

e.g.  
`'"-d -o%obj %src" and the source file "text.c"' becomes`  
`'-d -otext.o text.c'.`

`'Source Ext.'`  
File extension of the source files.

`'Object Ext.'`  
File extension of the object files.

`'Object Dir.'`  
Directory of the object files.

`'Ignore Warnings'`  
If set, ignores all warning messages.

`'Check Headers'`  
Option used only for C source files: if set TMake checks for every source file if an include file has been modified. If so, it compiles the source file. The checking will be done only for include files in this format:

`'#include "....."'`

and not for:

`'#include <.....>'`

`'Single Pass'`  
If set, TMake will use only one translator on the source file, and will not check if the object file has the extension required by the linker.

`'Select Converter'`  
`'Converter'`

Use these gadgets to select the converter program for the compiler/assembler. The purpose of the converter is to translate the error messages coming from the compiler/assembler into a format readable by the editor. The list gadget displays all converters which are available in the directory `'TDS:converters'`. If you want to use a compiler which doesn't have a converter, you can easily write your own one. All the converter has to do is to read from standard input the output of the compiler and to write to standard output the error messages with the following format:

`MyConverter <compiler_error_file >ted_error_file source_file`

---

```
'<test.c> 10 2 E <Error Message>' for an error
'<test.c> 21 5 W <Error Message>' for a warning
```

```
where
<test.c>      : source file
10            : row
2            : optional column
E or W       : error or warning
<Error Message> : error message
```

The converter program also receives the name of the source file as the first argument on the command line which sometimes is very helpful if the compiler didn't write the name of the source file in the error messages.

## 1.67 TDSEnglish.guide/Project-Linker

Project/Linker

-----

Opens the requester with the options for the linker:

'Command'

Command of the linker.  
e.g. "slink" (for SAS C)

'Debug Opt.'

'Final Opt.'

'Debug Opt.' are the options used if the 'Use Debug Options' is set in the Options requester, otherwise 'Final Opt.' will be used.

The following strings have a special meaning:

'%obj'

Names of the object files.

'%lnk'

Name of the file containing the names of the object files.

'%lib'

Names of the link libraries specified with the 'Libraries' gadget.

'%exe'

Name of the executable file.

'%err'

Name of the error file (if not present, then standard output will be used).

e.g.

'FROM lib:c.o %obj TO %exe LIB %lib'

where

'test.o' and 'sub.o' are the object files

```
'lib:lc.lib' and 'lib:amiga.lib' are the libraries
'test' is the executable file
becomes
'FROM lib:c.o test.o sub.o TO test LIB lib:lc.lib lib:amiga.lib'
```

'Object Ext.'

File extension of the object files.

'Libraries'

List of link libraries. Use the 'Add', 'Delete', '+', '-' buttons to add, delete and reorder the libraries files.

## 1.68 TDSEnglish.guide/Project-Debugger

Project/Debugger

-----

Opens the requester with the options for the debugger:

'Command'

Command name of the debugger.  
e.g. "cpr" (for SAS C)

'Options'

Command options for the debugger.

The following strings have a special meaning:

'%exe'

Name of the executable file.

'%arg'

Arguments line set with the Options requester.

'%src'

Name of the current source file.

'%mod'

Name of the current source file without extension.

'%base'

Name of the current source file without extension and path.

'%screen'

Name of the public screen used by the editor.

These options are very useful if you use the Amiga-E or TeX compilers. Therefore you can have more than one source file per project and run or display only the current one (see the example project files).

## 1.69 TDSEnglish.guide/Project-Command

Project/Command

-----

Opens the requester with the options for the execution of the commands:

'Command Path'

List of directories where to search the commands. If the list is empty, then the current path will be used.

'Stacksize'

Stack size used by the commands.

'Window'

Name of the console window used by the commands.

## 1.70 TDSEnglish.guide/Project-Modules

Project/Modules

-----

Opens a requester with the list of the source files and precompiled object files. Use the 'Add', 'Delete', '+', '-' buttons to add, delete and reorder the source files. Use the 'Edit' button to set the local options for the module, while the 'Load' button will load the module into the editor.

## 1.71 TDSEnglish.guide/Project-Options

Project/Options

-----

Opens a requester with the options for project:

'Program Name'

Name of the executable file.

The following strings have a special meaning:

'%src'

Name of the current source file.

'%mod'

Name of the current source file without extension.

'%base'

Name of the current source file without extension and path.

These options are very useful if you use the Amiga-E or TeX compilers. Therefore you can have more than one source file per project and run or display only the current one (see the example project files).

#### 'Program Arguments'

Arguments line for the program (used by Run and Debug).

The following strings have a special meaning:

##### '%src'

Name of the current source file.

##### '%mod'

Name of the current source file without extension.

##### '%base'

Name of the current source file without extension and path.

##### '%screen'

Name of the the public screen used by the editor.

These options are very useful if you use the Amiga-E or TeX compilers. Therefore you can have more than one source file per project and run or display only the current one (see the example project files).

#### 'Window'

Name of the console window used by the program, will be opened only if the 'Open Window' option is set.

#### 'Source Directories'

List of directories where to search source and include files if an error has been found. Use the 'Add' and 'Delete' buttons to add and delete items from the list.

#### 'Use Debug Options'

If set, the commands will use the debug options, otherwise the final options.

#### 'No Linker'

If set, TMake will not call the linker (e.g. Amiga-E doesn't use a linker).

#### 'No Requester'

If set, TMake will not display a requester after a file has been compiled or a project has been completed. Errors will always be reported.

#### 'No TMake Window'

If set, TMake will not open a console window while working. Use the Stop command to interrupt it.

#### 'Open Window'

If set, Ted will open a console window for the Run and Debug commands.

---

'Auto Open'

If set, Ted will open all modules loaded the last time the project has been saved or closed.

## 1.72 TDSEnglish.guide/Menu Settings

Menu Settings

=====

This menu contains the commands to modify the settings of the program and to load and save them.

AutoIndent  
WordWrap  
OverStrike  
Create Icons?  
Editor  
Display  
Keyboard  
References  
Load Settings  
Save Settings  
Save Settings As

## 1.73 TDSEnglish.guide/Settings-AutoIndent

Settings/AutoIndent

-----

Activates the automatic indentation.

## 1.74 TDSEnglish.guide/Settings-WordWrap

Settings/WordWrap

-----

Activates the automatic wordwrap at the end of a line.

## 1.75 TDSEnglish.guide/Settings-OverStrike

Settings/OverStrike

-----

Activates the overstrike mode.

## 1.76 TDSEnglish.guide/Settings-Create Icons?

Settings/Create Icons?

-----

If set, Ted will create an icon for every file saved. Moreover it uses the ``.info'` files to store the position and size of the window and the last position of the cursor. The ``.info'` file used depends on the extension of the file to be saved. Ted will try to use a file called `ENV:TDS/def_XXX.info'` or `ENV:SYS/def_XXX.info'` where XXX is the extension of the file. So if you save a file called `mydoc.txt'` which doesn't have an icon, Ted will try to add an ``.info'` file called `ENV:TDS/def_TXT.info'` or `ENV:SYS/def_TXT.info'`. There are already some icon files in the `ENV:TDS'` directory, but you can add your own files or change the existing one if you don't like them.

## 1.77 TDSEnglish.guide/Settings-Editor

Settings/Editor

-----

Opens a requester with the options for the editor:

`'Requester'`

Defines the type of requester to use: `'ASL'` or `'ReqTools'`. If the `'reqtools.library'` is not installed, then it will always use the `'asl.library'`.

`'Tabwidth'`

Sets the width of the tab.

`'Left Margin'`

`'Right Margin'`

Sets the left and right margin (used by WordWrap and Format).

`'Max. Changes'`

Sets the maximum number of changes recorded for every file.

`'Autosave Delay'`

Sets the time for the autosave mode in minutes.

`'Priority'`

Sets the priority of the editor.

---

- 'AutoIndent'**  
Activates the automatic indentation.
- 'WordWrap'**  
Activates the automatic wordwrap at the end of a line.
- 'OverStrike'**  
Activates the overstrike mode.
- 'WrapCursor'**  
Defines the behaviour of the cursor at the end of the line. If set, then the cursor will go to the start of the next line, otherwise it will continue to move to the right on the same line.
- 'Stripblanks'**  
Removes any blanks and tabs from the end of the line which has been modified.
- 'Autosave'**  
Activates the autosave mode.
- 'Backup'**  
Creates a backup file called '#?.bak' in the directory specified with 'Backup Dir' for every file saved.
- 'Backup Dir'**  
Sets the directory to use for backups. If no directory is specified then the backup file will be created in the same directory of the original file. Using a directory on the same volume of the original file is faster than using one on a different volume. In the first case the program has only to rename the file, whereas in the second case it has to copy the file.
- 'Guide'**  
Defines the guide to use for the on-line help.
- 'Hotkey'**  
Defines the hotkey used to deiconify Ted.

## 1.78 TDSEnglish.guide/Settings-Display

### Settings/Display

-----

Opens a requester with the options for the screen:

- 'Screen'**  
Selects the screen mode for the custom screen.
- 'Font'**  
Selects the font used to display the text files.
- 'Public Screen'**  
Defines the public screen used by Ted.
-



'Window Left'

'Window Top'

'Window Width'

'Window Height'

Sets the position and size of the first window and for any following window if 'Autosize' is not set. With 'Window Width' = 0 the window will open at the maximum width allowed, with 'Window Height' = 0 at the maximum height.

'Type'

Defines the type of screen used by Ted.

'Edit Palette'

Brings up a requester to modify the colours of the screen. This feature is available only if Ted is running on its own screen and the 'reqtools.library' is installed.

'Autosize'

If set, every new window will inherit the position and size of the current window.

'Hide Pointer'

If set, hides the mouse pointer while typing.

## 1.79 TDSEnglish.guide/Settings-Keyboard

Settings/Keyboard

-----

Opens a requester with the list of all key bindings. Use the 'Add', 'Delete' and 'Edit' buttons to add, delete and edit them.

This requester describes the binding of a key to a command. The command can be of 3 types: 'Internal', 'ARexx Macro', 'AmigaDos'. If you want to define an internal command, you can choose it from the gadget 'Internal Commands'.

Here comes a list of the predefined bindings:

Binding	Command
-----	
Back	BACKSPACE
Delete	DELETE CHAR
Enter	SPLITLINE
Return	SPLITLINE
Ctrl-y	DELETE LINE
Ctrl-u	UNDO LINE
Ctrl-q	DELETE EOL
Ctrl-m	FIND BRACKET
Ctrl-h	HIDE
Ctrl-r	REVEAL
Ctrl-f	FORMAT
Ctrl-l	LOWERCASE

Ctrl-k	UPPERCASE
Ctrl-x	GOTOBOKMARK
Ctrl-b	SETBOOKMARK
Left	CURSOR LEFT
Right	CURSOR RIGHT
Up	CURSOR UP
Down	CURSOR DOWN
Shift-Left	PREVIOUS WORD
Shift-Right	NEXT WORD
Shift-Up	PREVIOUS PAGE
Shift-Down	NEXT PAGE
Ctrl-Left	POSITION SOL
Ctrl-Right	POSITION EOL
Ctrl-Up	POSITION SOF
Ctrl-Down	POSITION EOF
F1	PREVIOUS FILE
F2	NEXT FILE
F10	ICONIFY
Shift-Help	FIND REFS

## 1.80 TDSEnglish.guide/Settings-References

Settings/References

-----

Opens a requester with the list of the reference files. Use the 'Add', 'Delete' 'Edit', '+' and '-' buttons to add, delete, edit and rearrange the files.

## 1.81 TDSEnglish.guide/Settings-Load Settings

Settings/Load Settings

-----

Loads the settings.

## 1.82 TDSEnglish.guide/Settings-Save Settings

Settings/Save Settings

-----

Saves the settings with the current name.

---

## 1.83 TDSEnglish.guide/Settings-Save Settings As

Settings/Save Settings As

-----

Saves the settings with a new name.

## 1.84 TDSEnglish.guide/ARexx Commands

ARexx Commands

=====

This is the list of the ARexx commands available:

ABOUT  
BACKSPACE  
BUILD  
CLOSE  
CMD SHELL  
COMPILE  
COPY  
CURSOR  
CUT  
DEBUG  
DELETE  
DIR  
ERASE  
FIND  
FIRSTCAPITAL  
FORMAT  
GOTOBOOKMARK  
GOTOCOLUMN  
GOTOFILE  
GOTOLINE  
HIDE  
ICONIFY  
INDENT  
INSERT  
KEYBOARD  
LOAD  
LOWERCASE  
MARK  
NEW  
NEXT  
OPEN  
PASTE  
POSITION  
PREVIOUS  
PROJECT  
PROTECT  
QUERY  
QUIT

REDO  
REPLACE  
REQUESTFILE  
REQUESTNOTIFY  
REQUESTNUMBER  
REQUESTRESPONSE  
REQUESTSTRING  
REVEAL  
RUN  
RX  
SAVE  
SAVEAS  
SET  
SETBOOKMARK  
SETTINGS  
SPLITLINE  
STOP  
TEXT  
UNDO  
UPPERCASE

## 1.85 TDSEnglish.guide/ABOUT

ABOUT

-----

Command	Options	Description
-----		
ABOUT	<no option>	open the 'About' requester

## 1.86 TDSEnglish.guide/BACKSPACE

BACKSPACE

-----

Command	Options	Description
-----		
BACKSPACE	<no option>	delete the character to the left of the cursor

## 1.87 TDSEnglish.guide/BUILD

BUILD

-----

Command	Options	Description
-----		

---

BUILD	<no option>	rebuild the project
	ALL/S	recompile all modules even if they have not been modified

## 1.88 TDSEnglish.guide/CLOSE

CLOSE

-----

Command	Options	Description
-----		
CLOSE	FILE/S	close the current file
	PROJECT/S	close the project

## 1.89 TDSEnglish.guide/CMDSHELL

CMDSHELL

-----

Command	Options	Description
-----		
CMDSHELL	<no option>	open the ARexx command shell

## 1.90 TDSEnglish.guide/COMPILE

COMPILE

-----

Command	Options	Description
-----		
COMPILE	<no option>	compile the current file
	NAME/K	compile the specified file (STRING)

## 1.91 TDSEnglish.guide/COPY

COPY

-----

Command	Options	Description
-----		
COPY	<no option>	copy the selected block to the clipboard

---

## 1.92 TDSEnglish.guide/CURSOR

CURSOR

-----

Command	Options	Description
-----		
CURSOR	UP/S	move the cursor up one position
	DOWN/S	move the cursor down one position
	LEFT/S	move the cursor left one position
	RIGHT/S	move the cursor right one position

## 1.93 TDSEnglish.guide/CUT

CUT

---

Command	Options	Description
-----		
CUT	<no option>	remove the selected block and copy it to the clipboard

## 1.94 TDSEnglish.guide/DEBUG

DEBUG

-----

Command	Options	Description
-----		
DEBUG	<no option>	start the debugger

## 1.95 TDSEnglish.guide/DELETE

DELETE

-----

Command	Options	Description
-----		
DELETE	CHAR/S	delete the character to the right of the cursor
	LINE/S	delete the current line
	EOL/S	delete all characters to the end of the current line
	FILE/S	delete a file
	NAME/K	name of the file to delete (STRING)

---

## 1.96 TDSEnglish.guide/DIR

DIR

----

Command	Options	Description
-----		
DIR	PATH ASK/S	change the current directory path open the 'Current Dir' requester

## 1.97 TDSEnglish.guide/ERASE

ERASE

-----

Command	Options	Description
-----		
ERASE	<no option>	remove the selected block without copying it to the clipboard

## 1.98 TDSEnglish.guide/FIND

FIND

----

Command	Options	Description
-----		
FIND	STRING/K	string to search for (STRING)
	NEXT/S	find next occurrence
	PREVIOUS/S	find previous occurrence
	BRACKET/S	find matching bracket
	REFS/S	find reference of the current word

## 1.99 TDSEnglish.guide/FIRSTCAPITAL

FIRSTCAPITAL

-----

Command	Options	Description
-----		
FIRSTCAPITAL	<no option>	convert the current word or block to first capital

---

## 1.100 TDSEnglish.guide/FORMAT

FORMAT

-----

Command	Options	Description
FORMAT	<no option>	format a paragraph starting at the current line

## 1.101 TDSEnglish.guide/GOTOBOOKMARK

GOTOBOOKMARK

-----

Command	Options	Description
GOTOBOOKMARK	<no option>	open the 'Goto Bookmark' requester

## 1.102 TDSEnglish.guide/GOTOCOLUMN

GOTOCOLUMN

-----

Command	Options	Description
GOTOCOLUMN	COL/N/A	go to the specified column

## 1.103 TDSEnglish.guide/GOTOFILE

GOTOFILE

-----

Command	Options	Description
GOTOFILE	NAME/A	go to the specified file (if the file is not in memory, it will be opened)

## 1.104 TDSEnglish.guide/GOTOLINE



## GOTOLINE

-----

Command	Options	Description
-----		
GOTOLINE	<no option> LINE/N	open the 'Goto Line' requester go to the specified line

**1.105 TDSEnglish.guide/HIDE**

## HIDE

----

Command	Options	Description
-----		
HIDE	<no option>	hide the current file

**1.106 TDSEnglish.guide/ICONIFY**

## ICONIFY

-----

Command	Options	Description
-----		
ICONIFY	<no option>	iconify the program

**1.107 TDSEnglish.guide/INDENT**

## INDENT

-----

Command	Options	Description
-----		
INDENT	FORWARD/S	indent the selected block one position to the right
	BACKWARD/S	indent the selected block one position to the left

**1.108 TDSEnglish.guide/INSERT**

## INSERT

-----

Command	Options	Description
INSERT	NAME/K	insert the specified file into the current file

**1.109 TDSEnglish.guide/KEYBOARD**

## KEYBOARD

-----

Command	Options	Description
KEYBOARD	KEY/A CMD/F	key to map the ARexx command to ARexx command

The format for the key is:

[Ctrl-] [Alt-] [Shift-]<letter>

where letter is either a single character or one of:

LEFT, RIGHT, DOWN, UP, BACK, DELETE, ENTER, ESC, F1-F10, HELP, TAB

**1.110 TDSEnglish.guide/LOAD**

## LOAD

-----

Command	Options	Description
LOAD	FILE/S SETTINGS/S ERRORS/S NAME/K	load the file load the settings load the error file name of file or settings to load

**1.111 TDSEnglish.guide/LOWERCASE**

## LOWERCASE

-----

Command	Options	Description
LOWERCASE		convert the current word or block to

lowercase

## 1.112 TDSEnglish.guide/MARK

MARK

----

Command	Options	Description
MARK	WORD/S	select the current word
	LINE/S	select the current line
	VERTICAL/S	start and stop the selection of a vertical block using the cursor
	BLOCK/S	start and stop the selection of a horizontal block using the cursor
	ALL/S	select the entire file

## 1.113 TDSEnglish.guide/NEW

NEW

---

Command	Options	Description
NEW	FILE/S	creates an empty file
	PROJECT/S	creates an empty project

## 1.114 TDSEnglish.guide/NEXT

NEXT

----

Command	Options	Description
NEXT	WORD/S	go to the next word
	PAGE/S	go to the next page
	FILE/S	go to the next file
	ERROR/S	go to the next error

## 1.115 TDSEnglish.guide/OPEN

OPEN

-----

Command	Options	Description
-----		
OPEN	FILE/S	open a file
	PROJECT/S	open a project
	NAME/K	name of the file or project to open

## 1.116 TDSEnglish.guide/PASTE

PASTE

-----

Command	Options	Description
-----		
PASTE	<no option>	insert the contents of the clipboard into the current file
	VERTICAL/S	insert the contents of the clipboard into the current file as a vertical block

## 1.117 TDSEnglish.guide/POSITION

POSITION

-----

Command	Options	Description
-----		
POSITION	SOF/S	go to the start of the current file
	EOF/S	go to the end of the current file
	SOL/S	go to the start of the current line
	EOL/S	go to the end of the current line

## 1.118 TDSEnglish.guide/PREVIOUS

PREVIOUS

-----

Command	Options	Description
-----		
PREVIOUS	WORD/S	go to the previous word
	PAGE/S	go to the previous page
	FILE/S	go to the previous file
	ERROR/S	go to the previous error

---

## 1.119 TDSEnglish.guide/PROJECT

PROJECT

-----

Command	Options	Description
-----		
PROJECT	COMMAND/S	open the 'Command' requester
	DEBUGGER/S	open the 'Debugger' requester
	LINKER/S	open the 'Linker' requester
	MODULES/S	open the 'Modules' requester
	OPTIONS/S	open the 'Options' requester
	TRANSLATORS/S	open the 'Translators' requester

## 1.120 TDSEnglish.guide/PROTECT

PROTECT

-----

Command	Options	Description
-----		
PROTECT	<no option>	open the 'Protect' requester

## 1.121 TDSEnglish.guide/QUERY

QUERY

-----

Command	Options	Description
-----		
QUERY	NAME/A	query the value of some internal

---