

**FDB\_english**

**COLLABORATORS**

	<i>TITLE :</i> FDB_english		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		October 27, 2024	

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>FDB_english</b>	<b>1</b>
1.1	FDB_english.guide	1
1.2	FDB_english.guide/Copyright	1
1.3	FDB_english.guide/Description	2
1.4	FDB_english.guide/Arguments	3
1.5	FDB_english.guide/Requirements	4
1.6	FDB_english.guide/Installation	4
1.7	FDB_english.guide/Limitations	5
1.8	FDB_english.guide/History	5
1.9	FDB_english.guide/ToDo	6
1.10	FDB_english.guide/Versions	7
1.11	FDB_english.guide/Examples	7
1.12	FDB_english.guide/Credits	7
1.13	FDB_english.guide/Index	8

---

# Chapter 1

## FDB\_english

### 1.1 FDB\_english.guide

FDB - Documentation

\*\*\*\*\*

Read first:

Copyright	Copyright and disclaimer
Description	What is FDB ?
Arguments	Options to set
Requirements	What you need !
Installation	How to install
Limitations	This is limited !

Appendices:

History	History of FDB
ToDo	What is to do in future ?
Versions	Version of files
Examples	Example database
Credits	Thanks are going to ...
Index	Index of this document

### 1.2 FDB\_english.guide/Copyright

Copyright

\*\*\*\*\*

FDB (C) 1993-94 kMel, Klaus Melchior

These programs are freely distributable, but copyrighted by me. This means you may freely copy them as long as you do not charge more than a nominal fee for copying. These programs may be put on PD disks, especially on Fred Fish's AmigaLibDisks and Fred's CDROMs. If you want

---

to distribute these programs you MUST keep this document with it. The programs and documents must be distributed in their original unmodified form.

These programs cannot be used for commercial purposes without written permission by the author. The author can not be made responsible for any damage which is caused by using these programs.

These programs are GiftWare. If you like them and use them regularly, you should consider to send a small donation to the author in order to honor the work he has put into these programs.

Send comments, suggestions or bug reports, and the gifts to:

Klaus Melchior, Schulstrasse 17  
D-52156 Monschau, Germany  
Phone: +49 (0)2472 4710

ADSP: kmel@eifel.adsp.sub.org  
DE: kmel@eifel.fido.de  
FIDO: 2:242/7.2@fidonet  
FIDO: 2:2452/107.2@fidonet

### 1.3 FDB\_english.guide/Description

What is FDB ?

\*\*\*\*\*

FDB & UDB are based on find/updatedb-utilities from Larry Phillips and Martin Stepler. If you already have installed them it is easy to use my tools, because they are compatible. I use the same kind of database.

- UDB generates a database in a directory "FindDB:", which you must first assign to some place on your harddisk. It scans all directories and files specified in the file "FindDB:<db>.config". This file must contain only one line; pathnames are separated by spaces, e.g.:

Filename	Contents
-----	-----
FindDB:find.config	-> Work: Sys:
FindDB:test.config	-> RAM:
FindDB:<db>.config	-> <path> <path> ...

To avoid paths you can define a 'AP=AvoidPaths' pattern in this line. You only have to set a '~' (tilde) at the begin of the pattern. There should be only one in the line.

If you would scan the "S:" and the "man:" directory, without all "guide" drawers, generate following line:

Filename	Contents
-----	-----

---

```
FindDB:test2.config -> S: ~(#?guide/) man:
```

<db> is the name of the database. So you can have several databases in your "FindDB:", e.g. one of the last Fish-CD, one of all your Sources, ... . Default of <db> is "find", like Larry's find.

Furhermore, udb provides scanning of several paths without having to create a <db>.config file. You can simply specify the paths in the command line, e.g.:

```
udb db test RAM: SYS:
```

This leads to the consecutive scanning of "RAM:" and "SYS:". The names of all files and dirs are stored in the database "test".

- FDB finds quickly files/dirs by using these databases.

If your are looking for a file on an already scanned CDROM, you only have to specify the name of the database and the filename, e.g. you want to locate 'ToolManager' on the last 'FreshFish'-CDROM:

```
fdb db fresh03 ToolManager
```

If you don't know where to find 'ToolManager' in your databases, select all databases while typing:

```
fdb db #? ToolManager
```

- LDB lists the files/dirs in the specified database.

## 1.4 FDB\_english.guide/Arguments

CLI arguments

\*\*\*\*\*

UDB

===

Paths/M

paths to scan; if no paths are specified, <db>.config is used

DB=DataBase/K

specify a database, default is "find"

AP=AvoidPaths/K

specify a pattern, which expanded paths should not be scanned, e.g.: use "#?guide/" to avoid the "3.x:s/guide/" path

FDB

===

P=Pattern/A

---

amiga-pattern, is used between two "#?", so a pattern like "foo" is really "#?foo#?", seen at Larry's find.

DB=DataBase/K

specify a database, default is "find"; if here a pattern is used, FDB look into "FindDB:" and if the pattern match, these databases are scanned.

E=Exact/S

the pattern at 'P=Pattern/A' is used exactly the way you specified it and is not expanded to "#?<pattern>#?".

CS=CaseSensitive/S

the pattern is handled casesensitive

D=Dirs/S

only show directories

F=Files/S

only show files

NH=NoHead/S

no headers are displayed, entries are not sorted

NP=NoPath/S

no absolute pathnames are displayed

PG=PAGES/S

the output is handled in pages, 'return' to continue, other key & 'return' to break

LDB

===

DB=DataBase/A

specify a database, default is "find"

## 1.5 FDB\_english.guide/Requirements

What you need !

\*\*\*\*\*

- Kickstart >= 2.0
- Workbench >= 2.0

## 1.6 FDB\_english.guide/Installation

How to install

\*\*\*\*\*

---

You could create a drawer like "finddb" and set an assign "FindDB:" on it. All tools of FDB are requiring this assign, so you have to create it. Every of the <db>.config and <db>.codes files are stored there.

You should create a line in your "user-startup" like this:

```
"assign FindDB: Work:finddb/"
```

Copy the "bin/" files to a place where you already have a path on, normally this is "C:" or "bin:".

```
copy bin/#? C:
```

## 1.7 FDB\_english.guide/Limitations

This is limited !  
\*\*\*\*\*

UDB  
===

- commandline in "<db>.config" is limited to 1023 bytes, only one line

FDB  
===

- found path & filename are limited to 1023 characters

LDB  
===

- path & filename are limited to 1023 characters

## 1.8 FDB\_english.guide/History

History of FDB  
\*\*\*\*\*

- 1.0 12.12.93 \* first public release
- 31.12.93 + fdb: added 'P=PAGES' mode
- 1.1 \* private release
- 07.02.94 + fdb: rewrote find routine in assembler
- 08.02.94 + fdb: mode 'E=EXACT': locating with "MatchPattern"
- fdb: corrected bug, break wasn't recognized at

- startup (Andreas Harrenberg)
  - fdb: corrected template & doc, 'NH=NoHead' (Gottfried Janik)
  - fdb: corrected bug, break at mode 'P=PAGES' was recognized too late
- 09.02.94 - doc corrected (Martin Steppler)
  - udb: corrected bug, break wasn't recognized at startup (Andreas Harrenberg)
- 1.2 10.02.94 \* release
- 03.03.94 - fdb: corrected bug with ReadArgs()
  - udb: corrected bug with ReadArgs()
- 08.03.94 + udb: rearranged source for better error handling
  - + udb: added option 'AV=AvoidPaths', a pattern of paths not to scan (Thomas Kobler)
  - > ldb: created
- 19.03.94 + doc rewritten in texinfo
  - + release contains now doc & guide file
- 21.03.94 > german documentation
  - + fdb: now 'DB=DataBase/K' can contain a pattern to select several databases (a spezi from bavaria)
- 25.03.94 - german doc corrected (Andreas Harrenberg)
  - ldb: 'DB=DataBase/K' changed into 'DB=DataBase/A' (Andreas Harrenberg)
  - + udb: 'AP=AvoidPaths' could also be set in the <db>.config (Andreas Harrenberg)
- 27.03.94 - doc corrections (Martin Steppler)
- 1.3 30.03.94 \* release

## 1.9 FDB\_english.guide/ToDo

What is to do in future ?

\*\*\*\*\*

- ENV-variable "FINDDDB" = default hompath of config/codes-files
  - UDB: softlinks
  - FDB: sorted lists
  - FDB: MUI-Application
  - LDB: 'P=PATH/M' - define paths, which should only be listed
  - check if 'DB=DataBase' option contains a path for databases
-

- define a extended database format to store name, size, date
- create program to convert AmiBack index files to databases
- FDB: only load parts of <db>.codes file in case of low memory situations
- installer script

## 1.10 FDB\_english.guide/Versions

Version of files

\*\*\*\*\*

FDB 1.188	13112 Bytes
LDB 1.0	9044 Bytes
UDB 1.32	11444 Bytes

## 1.11 FDB\_english.guide/Examples

Example database

\*\*\*\*\*

The database of the CDROM 'AMINET\_0693' of June 1993 is included in this distribution.

FindDB/Aminet.config	12 bytes
FindDB/Aminet.codes	154876 bytes

For example, if you are looking for ToolManager on this CDROM, you only have to type in following line:

```
fdb toolmanager db aminet
```

And this is the answer FDB gives you:

Directories

-----

- No matches found -

Files

-----

AMINET\_0693:AMINET/OS20/WB/TOOLMANAGER2\_0.LHA  
AMINET\_0693:AMINET/OS20/WB/TOOLMANAGER2\_0.README

## 1.12 FDB\_english.guide/Credits

---

Thanks are going to ...

\*\*\*\*\*

- Martin Steppler, Andreas Harrenberg for testing & doc-corrections
- Stefan Stuntz, Stefan Becker for his TM.texi
- Gottfried Janik for testing
- Joerg Gutzke, Thomas Kobler, Dirk Ludwig
- OIC / M.Dillon for Dice
- Ibi for special support
- and all I forgot to mention ...

## 1.13 FDB\_english.guide/Index

Index

\*\*\*\*\*

Arguments	Arguments
assign	Installation
Authors address	Copyright
Bug reports	Copyright
CLI arguments	Arguments
Comments	Copyright
Copyright	Copyright
Credits	Credits
Description	Description
Distribution	Copyright
E-Mail	Copyright
Example database	Examples
Examples	Examples
FDB	Description
FDB arguments	Arguments
FindBD:	Installation
GiftWare	Copyright
History	History
Installation	Installation
LDB	Description
LDB arguments	Arguments
Limitations	Limitations
Requirements	Requirements
Thanks	Credits
ToDo	ToDo
UDB	Description
UDB arguments	Arguments
Versions	Versions