

sneaker

COLLABORATORS

	<i>TITLE :</i> sneaker		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		October 27, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	sneaker	1
1.1	Sneaker	1
1.2	Sneaker - Hide	1
1.3	Sneaker - Settings	1
1.4	Sneaker - About	1
1.5	Sneaker - Quit	1
1.6	Sneaker - Freshen	1
1.7	Sneaker - Show	1
1.8	Sneaker - Sneaker Network	2

Chapter 1

sneaker

1.1 Sneaker

This is a quickie little program to help make [Sneaker networks](#) a little more efficient.

1.2 Sneaker - Hide

Closes the windows and opens an AppIcon on the Workench screen.

1.3 Sneaker - Settings

Used to set the project specific information.

1.4 Sneaker - About

See [Main](#)

1.5 Sneaker - Quit

Let me out, NOW!!!

1.6 Sneaker - Freshen

Freshen is used to set the archive bit for all the files that match the specified pattern that are in SrcDir.

1.7 Sneaker - Show

Show is used to show a list of all the files that have changed since the last time that the Freshen button was pressed.

1.8 Sneaker - Sneaker Network

The cheapest kind, requiring no special computer hardware---just a good pair of sneakers.

You copy the files onto a floppy and walk it over to the destination computer.
