

EShow guide

COLLABORATORS

	<i>TITLE :</i> EShow guide		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		December 7, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	EShow guide	1
1.1	EShow guide	1
1.2	Chapter 1: Introduction	1
1.3	Chapter 2: EShow distribution	1
1.4	Chapter 3: Using EShow	2
1.5	Chapter 4: EShow REXX commands	3
1.6	Chapter 5: Author	3
1.7	Chapter 6: Credits	3

Chapter 1

EShow guide

1.1 EShow guide

```
+-----+
|               |
|      EShow IFF Viewer V0.4      |
|      Guichard Damien 1995      |
|               |
|      M A N U A L               |
|               |
+-----+
```

This guide contents :

```
Chapter 1 : Introduction About EShow
Chapter 2 : Distribution About Copyright
Chapter 3 : Using EShow About EShow use
Chapter 4 : REXX port About REXX commands
Chapter 5 : Author About the author
Chapter 6 : Credits
```

1.2 Chapter 1: Introduction

Introduction

EShow is a simple IFF Viewer.
It is small and AGA compatible.
It is localised.
It is system friendly and incorporates a nice REXX port.
It was programmed in E in one day (03 Feb 1995).
It is POSTCARDWARE, i.e. if you like it and use it please send a postcard
to the author.

1.3 Chapter 2: EShow distribution

Distribution

Permission is granted to anyone to use this software for any purpose on any computer system, and to redistribute it freely, with the following restrictions:

- 1) No charge may be made other than reproduction and distribution costs even if either part or totality of the software, and/or his documentation is translated in any natural or computer language.
- 2) The author(s) is (are) not responsible for any harmful consequences of using this software, even if they result from defects in it.

1.4 Chapter 3: Using EShow

Starting from Shell (Requires OS2.0+)

Command line syntax: EShow
Same as Workbench.

Starting from Workbench (Requires OS2.0+)

Double-click the icon or move it into WBStartup drawer.
EShow is installed as a commodity.
Available tooltypes are:

DONOTWAIT

To detach.

TOOLPRI

Set task priority.

STARTPRI

Set start priority in WBStartup drawer.

CX_PRIORITY

Set commodity priority.

CX_POPKEY

Set HotKey, default is control alt s.

CX_POPUP

Open a Window if set to YES , default is NO.
The Window is font sensitive and is an AppWindow.

PUBSCREEN

An already opened public screen, default is the default pubscreen.

IFF pictures (not ANIMs) are diplayed by dropping them into the AppWindow, or via "Load" gadget or menu.
Press Left Mouse Button to end the display.
Select "Quit" menu or "Quit" gadget, or send a CTRL-C break to exit.
Pictures larger than screen can be scrolled with mouse.

1.5 Chapter 4: EShow REXX commands

Rexx commands

EShow REXX port name is ESHOW.1

REXX commands can be sent via RX, or double-clicking ".rexx" icons, or via any other rexx host like CygnusEd, GoldEd, AdPro ...

SHOW

Show EShow commodity.

HIDE

Hide EShow commodity.

DISPLAY picture

Display an IFF picture.

DISAPPEAR

End the display.

QUIT

Remove EShow commodity.

1.6 Chapter 5: Author

Author

Send postcards, bugs, comments, suggestions, sources... at home address:

Guichard Damien
8 Jean GIONO street
42100 Saint Etienne
FRANCE

Phone number: 77.57.58.71 (FRANCE)

1.7 Chapter 6: Credits

Credits

Special thanks to:

_ Commodore	For OS3.0
_ Fred Fish	For the AmigaLibDisks
_ Wouter van Oortmerssen	For is Public Domain E compiler (V2.1b available on Fred Fish #848) (limited V3.0a available on CAM #937)