

## **SwazInfo**

**COLLABORATORS**

	<i>TITLE :</i> SwazInfo		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		December 7, 2024	

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1 SwazInfo</b>	<b>1</b>
1.1 SwazInfo 1.8 (30.10.94)	1
1.2 disclaimer	1
1.3 Shareware distribution info...	2
1.4 Whats needed to run SwazInfo	3
1.5 Matrix Library	3
1.6 What is Amiga Envoy?	4
1.7 WhatIs.library Support	4
1.8 MultiUserFileSystem	4
1.9 introduction	5
1.10 installation	5
1.11 How to use SwazInfo	6
1.12 Configuring through ToolTypes or CLI Arguments...	6
1.13 Application icon features...	8
1.14 Application window features...	9
1.15 Commodities interface	9
1.16 Image manipulation...	9
1.17 How to use SwazInfo via Arexx...	10
1.18 Language support...	10
1.19 List of contributors	11
1.20 programmers	11
1.21 history	12
1.22 Index...	14

---

# Chapter 1

## SwazInfo

### 1.1 SwazInfo 1.8 (30.10.94)

SwazInfo 1.8 Copyright (C)1992,93,94 David Swasbrook.

=====

Disclaimer	Legal information
Conditions	Shareware information
Requirements	Whats needed
Introduction	Introduction to SwazInfo
How to Install	How to install SwazInfo
Usage	How to use SwazInfo
Special Thanks	Thankyou for your ideas/support
History	A very brief history of SwazInfo
Programmers	Programming information

### 1.2 disclaimer

Disclaimer  
\*\*\*\*\*

I hereby reject any liability or responsibility for these or any other consequences from the use of SwazInfo whatsoever. This includes, but is not limited to, damage to your equipment, to your data, personal injuries, financial loss or any other kinds of side effects.

Although SwazInfo has been tested thoroughly on several different machines, I cannot rule out the possibility that SwazInfo

- o is somehow incompatible to your equipment
- o has bugs that show up on your equipment
- o does not do what it is supposed to do on your equipment

It is your responsibility to take any precautions necessary to protect yourself from these or any other effects. I explicitly reject any liability or responsibility from the consequences of you using SwazInfo

Swaz.

### 1.3 Shareware distribution info...

Shareware

\*\*\*\*\*

SwazInfo is shareware. The program may be freely distributed and copied, as long as the following conditions are fulfilled:

- o The sales price must not be higher than the cost of an (empty) disk plus a nominal copying fee plus costs for shipping. The total price must not be higher than 5 US\$.
- o All parts of the program and the documentation must be complete. The distribution of single parts or incomplete subsets of the original distribution is NOT ALLOWED.
- o SwazInfo or parts of it may not be sold in combination with or as part of commercial software.
- o Program and documentation may not be changed in any way.
- o Permission has been given for distribution through Aminet and Fred Fish.
- o Exclusive commercial distribution rights have been granted to Intangible Assets Manufacturing for use in its Amiga Envoy peer-to-peer networking product.

SwazInfo is shareware, this means I request those users, who use SwazInfo, to send me the shareware fee of 10 US\$ (or any other contributions gratefully accepted) to the following address:

Postal: David Swasbrook,  
PO Box 54134,  
Bucklands Beach,  
Auckland,  
New Zealand.

Internet: swaz@iconz.co.nz (private)  
or msd@iconz.co.nz

---

Please include the following information in your registration:

- o your name, address (electronic mail addresses preferred)
- o your Amiga model(s)
- o Kickstart and Workbench versions
- o the SwazInfo version number
- o the MultiuserFileSystem version number (if installed)

I assure you that the information you send me will be treated confidentially.

I will try and inform everybody, who has registered with me as described above, when a new version of SwazInfo becomes available.

If you have sent a shareware donation, if possible, you will receive an update through mail (preferably email).

Thank you very much in advance !

## 1.4 Whats needed to run SwazInfo

Requirements

\*\*\*\*\*

The following are required for SwazInfo to run:

- o matrix.library version 23.1882 or higher
- o For additional features for SwazInfo you can use the MultiuserFileSystem version 1.5 or higher.  
whatis.library version 3.5 or higher

## 1.5 Matrix Library

MatrixLibrary

\*\*\*\*\*

Copyright © David Swasbrook, All Rights Reserved.

- o Yet another library to put in your LIBS: drawer.
  - o Matrix.library is a development tool which will be used in forthcoming releases of programs I have written.
  - o The name "matrix" came from "The Matrix" - The computer system used by the TimeLords (Re: Dr Who).
-

## 1.6 What is Amiga Envoy?

Amiga Envoy

\*\*\*\*\*

Intangible Assets Manufacturing uses SwazInfo in its Amiga Envoy peer-to-peer networking product.

Intangible Assets Manufacturing  
828 Ormond Avenue  
Drexel Hill, PA 19026-2604  
USA

Email: iam@iam.com

Amiga Envoy is the standard Amiga peer-to-peer networking software developed by Commodore's Amiga Networking Group. Its performance, user-interface and API are consistent with the philosophy of the Amiga Operating System. Amiga Envoy provides a simple messaging interface for the easy development of reliable network applications. Included applications enable connected Amiga computers to share hard disks, CD-ROMs and printers transparently. Third-party applications can provide functionality such as electronic mail, remote computer access, multi-user databases and multi-player games.

Envoy is Copyright © Commodore Amiga Inc.

## 1.7 WhatIs.library Support

WhatIs.library

\*\*\*\*\*

Copyright © Sylvain Rouger and Pierre Carrette

This is a shared library that is capable of identifying the type of a file. This information is used by SwazInfo to determine the default icon to load for the file information.

## 1.8 MultiUserFileSystem

MultiUserFileSystem

\*\*\*\*\*

Copyright © Geert Uytterhoeven, All Rights Reserved.

You've got an Amiga with Kickstart 2.04 or higher and several people are regularly fooling around with it ... Last week your sister deleted your 20MB JPEG collection by mistake and you don't want this to happen again ...

Well, here's the answer: MultiUser!

---

MultiUser allows you to create a \*IX-like environment where several users live together in harmony, unable to delete each others files, unable to read those private love-letters of other users ... And this even if several users are working on the machine at the same time (on a terminal hooked up to the serial port) ...

You are the sole user of your computer? Well, make sure it stays that way by installing MultiUser! People without a valid login ID and password won't be able to access files you have made private with MultiUser. If you make all files private (not readable for others), the only useful thing they could do, is boot from a floppy ...

And ... you do not have to reformat your hard drive!

## 1.9 introduction

Introduction

\*\*\*\*\*

SwazInfo replaces workbench's icon information window while still retaining all the previous information and options but with many improvements and new features:

App Icons	Additional icons on workbench
App Window	Drop icons into the information window
Arexx	Send commands via arexx
Commodities	Standard commodities interface
Image Manipulation	Various image manipulation features
Locale	Interface available in different languages
MultiuserFileSystem	RWED, SetUID, Owner and Group support.
WhatIs Library	Default icon support.

Other features:

- o Menu options to cycle through other information windows.
- o Shift-CloseWindow will close all information windows on the same screen.
- o Disk information also displays the disk type (eg. DOS0 or DOS1)
- o Default icon support.
- o Window font is configurable

## 1.10 installation

Installation

\*\*\*\*\*

Double click on the "install" icon.

---

## 1.11 How to use SwazInfo

How To Use SwazInfo

\*\*\*\*\*

SwazInfo may be configured by either setting the icon ToolTypes or by CLI arguments. See Configuration .

When SwazInfo is enabled when you select "Information" from the "Icon" menu on Workbench an alternative Information window is used (provided the icon type is known).

Currently only the following workbench object types are supported:

WBDISK, WBDRAWER, WBGARBAGE, WBPROJECT, WBTOOL

Unsupported workbench object types:

WBDEVICE, WBKICK, WBAPPICON

o These may be provided in a later release of SwazInfo.

The interface to each of the supported object types has been designed to resemble the original workbench information function.

## 1.12 Configuring through ToolTypes or CLI Arguments...

Configuration

\*\*\*\*\*

To configure SwazInfo either change the tooltypes or command line arguments. Supported arguments/tooltypes are:

Standard Commodity arguments:

CX\_POPKEY

CX\_POPUP

CX\_PRIORITY

Specific to SwazInfo:

FONT - the name and size of the font to use for gadgets.  
If not specified then the default system front is used.  
Eg. FONT="topaz 8"

CENTERED - If set then when information windows are opened they will start in the center of the display. If not set then they are opened in the top left of the display. The default for this is FALSE.

TITLEDELAY - Number of seconds to display messages in the window title before reverting to the normal window title. The default

is 3 seconds.

- TOOLS - This is a list of default tools that are available when the user clicks on the 'Common Default Tools' button. (This is alongside the string gadget for the default tool, and will be disabled if no default tools are available). Eg. To add the tool 'MyTool' and 'AnotherTool' as default tools:
- ```
TOOLS="MyTool,AnotherTool"
```
- Several default tools are already defined in SwazInfo, they are used if you do not specify a tools list. You can request that you use the internal tools list as well as your list by setting the first character of your list to "+". Eg. TOOLS="+MyTool,AnotherTool"
- The internal default tools are:
- ```
installer,multiview
```
- NOCHECKOWNER - if this switch is set then there will be no check made to see if the file is modifiable. Default is FALSE.
- DROPACTION - This sets the action to perform when an icon is dropped in the information window of another icon, but not in the image box or tooltypes listview. Possible values are:
- ```
ASK, CANCEL, LOADIMAGES, LOADTOOLTYPES, OPENINFORMATION
```
- Default is DROPACTION=ASK
- CLIPBOARDUNIT - specified the clipboard unit number to use. Defaults to 0.
- SAVEDIR - default directory to save images to. Defaults to 'Ram:'
- LOADDIR - default directory to load images from. Defaults to 'Ram:'
- CREATEICONS - should icons be created when images are saved? Default = NO. If yes, SwazInfo will use the "env:sys/dev\_ilbm.info" icon for saved image, if not available then the default type will be used.
- SIZEFORMAT - using this you can force SwazInfo to display sizes of disks and directories in bytes, kilobytes or megabytes. Default mode is ANY, and will use bytes for sizes less than 1K, kilobytes for sizes less than 10 megabytes and megabytes for sizes any greater. Valid options are ANY B K or M.
- MULTIVIEW - full path name to multiview. The default setting for this is "SYS:Utilities/Multiview". This is currently used for the 'Show Clip...' menu option and is passed arguments of "CLIPBOARD CLIPUNIT=#" (where # is the clipboard unit being used by SwazInfo, see CLIPBOARDUNIT).
- VALIDTYPECHANGE - if set to TRUE then you may only change an icon type to a 'valid' alternative type. ie. A tool may be changed to a project, or a drawer into a garbage icon. Default setting for this is FALSE.
-

- PROTECTIONBITS - if set to FALSE then provided MultiuserFileSystem is not installed the cycle gadget to select Group and Other RWED protection bits will not be present. The default setting is TRUE. Ignored if MultiuserFileSystem found.
- APPICON\_SWAZINFO - filename of the icon to be used as an app-icon to invoke the information requestor. If this tooltype is not provided then there will be no app-icon available. If this tooltype is provided and either the filename is null or the file could not be loaded then the SwazInfo icon will be used if SwazInfo was run from workbench, otherwise the default appicon icon will be used. Default = No app-icon. See App Icons .
- APPICON\_ALIGN\_X - filename of the icon to be used as an app-icon to align the selected icons along a common X coordinate. See ↔ APPICON\_SWAZINFO. Default = No app-icon. See App Icons .
- APPICON\_ALIGN\_Y - filename of the icon to be used as an app-icon to align the selected icons along a common Y coordinate. See ↔ APPICON\_SWAZINFO. Default = No app-icon. See App Icons .
- APPICON\_HOTKEY - the hotkey to show/hide the app-icons. Default = None. See App Icons .
- SHOWAPPICONS - Should the app-icons be visible when swazinfo is started? Default = NO. See App Icons .

## 1.13 Application icon features...

### App Icons

\*\*\*\*\*

SwazInfo may add up to three app-icons to the workbench window called:

- o SwazInfo - display information on dropped icon
- o Align X - align dropped icons on a common X coordinate
- o Align Y - align dropped icons on a common Y coordinate

Double clicking on any of the app-icons will display the about window. You may show/hide the app-icons with a hotkey.

See Configuration for ToolTypes.

See Arexx

### Notes:

When aligning icons the position when the icon was {b}last saved{ub} is used to determine positioning. So dropping icons that have not be snapshot will appear to work incorrectly.

---

## 1.14 Application window features...

App Window

\*\*\*\*\*

Icons may be dropped into the information window in several places:

- o If an icon is dropped onto the tool types list then the tool types from that icon will be added to the list (any duplicates are discarded).
- o Dropping an icon onto the icon image will load the dropped icons image to be used for the icon being edited.
- o May drop an icon into the Default Tool string gadget.
- o May drop an icon into the ToolType string gadget.
- o Anywhere else in the window will do a specifiable action see DROPACTION .

## 1.15 Commodities interface

Commodities Support

\*\*\*\*\*

SwazInfo is a commodity and supports standard commodities features.

See Configuration for ToolTypes.

## 1.16 Image manipulation...

Image Manipulation

\*\*\*\*\*

- o Image may be copied from another icon by dropping an icon into the imae display box.
  - o Image may be loaded from a picture file (requires DataTypes).
  - o Cut/Paste support through commodities
  - o Image highlight mode selectable.
  - o Horizontal and vertical flipping of the image
  - o The image colors may be remapped. A Choice of 1.3/2.0 color remapping or user definable color swapping or replacement.
-

- o If the image does not fit inside the image display box then you may scroll around it by using the numeric keypad.

## 1.17 How to use SwazInfo via Arexx...

Arexx

\*\*\*\*\*

SwazInfo adds an arexx port to the system named "SWAZINFO" you may use the following commands to control certain features:

QUIT - will try to remove SwazInfo from the system.

SHOW - displays the SwazInfo about window.

HIDE - hides the about window.

FILE - You specify the filename of the icon to be viewed, you can also give a public screen name to open on. You must give the full path to the icon.

Eg. To view the icon named "Workbench:System/Format" send the arexx command string:

```
FILE Workbench:System/Format
```

or using arexx from cli: (don't forget the ")

```
rx ' address SWAZINFO FILE "Workbench:System/Format"
```

To open the window on the public screen named "PubScreen":

```
rx ' address SWAZINFO FILE "-PubScreen Workbench:System/Format"
```

\* The "-" is used to indicate the pubscreen name.

SHOWAPP - show the app-icons. See App Icons .

HIDEAPP - hide the app-icons. See App Icons .

## 1.18 Language support...

Locale Support

\*\*\*\*\*

The SwazInfo interface supports locale, the built in language is english.

Currently the alternative languages are Deutsch and Français.

Included in the archive is the Catalog Translation file just in case you would like to translate it into your locale.

Catalog filename matrix/swazinfo.catalog

Submitting a catalog:

If you wish to send me a locale for SwazInfo please could you send the actual text translation file rather than the completed catalog itself?

## 1.19 List of contributors

Contributors

\*\*\*\*\*

Thank you to the following translators:

dansk - Christian Hoj  
deutsch - Andreas Baum  
français - Jean-Michel Bezeau

Thank you to the following who have sent in suggestions, requests, bug reports etc.:

Alex Kiesl  
Amnon Itamar Govrin  
Andreas Baum  
Andreas Hein  
Andreas Johansson  
Bernhard Seefeld  
Gunter Piringner  
James Cooper  
James D. Robbins  
Jeff Harrang  
Klaus Alexander Seistrup  
Osma Ahvenlampi  
Pablo Morales  
Thomas Hensel  
Walter Jung

Beta testing performed by:

Daryl Jay  
Luke Chastain

Also thanks to Osma Ahvenlampi for designing the MagicWB icons.

o I'm sorry if you have contributed and your name is not in the above lists. I try to reply to all email so if you have sent me some mail and not received a reply then it is more than likely that my mailer sent it to nil: accidentally.

## 1.20 programmers

---

## Programming Information

\*\*\*\*\*

- o How to find the SwazInfoBase semaphore. See includes.

SwazInfo creates a public semaphore named "SwazInfo" with which you may interface to the swazinfo/WBInfo() function and/or read various fields in the swazinfoBase structure.

Once you have called ObtainSemaphore() you should increment sis\_OpenCount and call ReleaseSemaphore(). This way you can safely call SwazInfo/WBInfo() without fear of it going away. When you have finished with it, please decrement sis\_OpenCount inside an ObtainSemaphore()/ReleaseSemaphore() of course.

- o Calling the SwazInfo/WBInfo() function

This has identical calling parameters as the workbench.library WBInfo() function.

```
worked = WBInfo(lock, name, screen)
          d0          a0    a1    a2
```

## 1.21 history

## History Information

\*\*\*\*\*

- '1.8'
    - o SetFunction removal nicer.
    - o Fixed bug when drop icon into window that has no associated drawer. ie. You drop a drawer icon that has no drawer (a drawer.info file all by itself). workbench.library is not giving me the correct information (well its giving me none at the moment).
    - o Ok so i have been a bit late releasing this version. Version 2 is under-way and looking very nice ;)
  - '1.7'
    - o Added App-Icon for bringing up information on an icon.
    - o Windows now center in the visible portion of the screen.
    - o Delete icon menu option added
    - o Drawer size results update during processing.
    - o Bugfix with DefTool not being saved sometimes fixed.
    - o WhatIs.library support for default icons
    - o Dropping icons to change the image now also will change the hilight method being used if required.
  - '1.6'
    - o Small bug fixed in CX\_POPKEY, would use an invalid pointer as the name of the public screen to open on.
    - o Can now rename file.
    - o Fixed problem where icon image bitplanes deeper than the current screen display would be lost.
    - o Closewindow in the listview requestors has been fixed to
-

- return a correct value.
  - o The Remap Requestor can now either remap the current image or both images of an icon.
  - o The bug with saving files without icons has now been fixed.
  - o Added icon alignment drop boxes.
- `1.5' o Added show clip option
- o Fixed bug in remap requestor when requestor is cancelled.
- `1.4' o Release version for distribution with Amiga Envoy.
- o Finally tracked down bug with the highlight menu items.
  - o Remap button added to remap requestor.
- `1.3' o Can load iff brushes for the icon image
- o Can copy/paste images from the clipboard
  - o Sorting takes into account disabled tooltypes
  - o Semaphore has been made public
  - o Exclusive commercial distribution rights have been granted to Intangible Assets Manufacturing.
  - o Interface layout for garbage tidied up
- `1.2' o When Icons are dropped outside of either the tooltype listview or the image box you are given the choice of loading image/tooltypes or to bring up the information on this icon.
- o Sub-windows of the main information window are now opened initially in the center of the information window.
  - o Can turn off file owner checking so will assume that you can always modify the file.
  - o Now works under Kickstart V37
  - o Icon image can be remapped to 1.3/2.0 colors or you may define the remapping colors.
  - o Also the image can be flipped vertically or horizontally.
  - o The image may be of any size. It is no longer clipped to fit inside the display box. If too large then only part of the image is displayed but it may be scrolled using the numeric keypad.
  - o Can change icon highlight method
  - o Added tooltype enable/disable features
- `1.1' o The common default tool gadget has now been implemented. Have added new tooltype argument so you can specify your own default tool types.
- o The icon type may now be changed by selecting a menu item.
  - o All listviews can be used with up/down arrow keys and return
  - o The size of a drawer may be computed by selecting the size gadget in the top left corner; This may take a while for large directories and currently there is no abort method - although i do plan to build one in.
  - o About window will open on the same screen as the information window it was invoked from - unless it is already displayed.
  - o Icon paste menu key is now 'V' ; icon copy/paste has still not been implemented however :)
- `1.0' o Initial release on Aminet.
-

## 1.22 Index...

|                     |                                            |
|---------------------|--------------------------------------------|
| Amiga Envoy         | Amiga Networking                           |
| App Icons           | Additional icons on workbench              |
| App Window          | Drop icons into the information window     |
| Arexx               | Send commands via arexx                    |
| CLI Arguments       | Configuring SwazInfo                       |
| Commodities         | Standard commodities interface             |
| Conditions          | Shareware information                      |
| Configuration       | Configuring SwazInfo                       |
| Disclaimer          | Legal information                          |
| Drop Actions        | Configuring SwazInfo                       |
| Image Manipulation  | Various image manipulation features        |
| Introduction        | Introduction to SwazInfo                   |
| Installation        | How to install SwazInfo                    |
| History             | A very brief history of SwazInfo           |
| Locale              | Interface available in different languages |
| Matrix Library      | Yet another library                        |
| MultiUserFileSystem | MUFS Support                               |
| Programming         | Programming Info                           |
| Requirements        | Whats needed                               |
| Shareware           | Shareware information                      |
| Special Thanks      | Thanks                                     |
| ToolTypes           | Configuring SwazInfo                       |
| Usage               | How to use SwazInfo                        |
| WhatIs Library      | WhatIs.library                             |

### Other files:

|                   |                                       |
|-------------------|---------------------------------------|
| SwazInfo Includes | Include file for SwazInfo             |
| SwazInfo Catalog  | Catalog Description file for SwazInfo |

---