

BED

Marco Negri

COLLABORATORS

	<i>TITLE :</i> BED		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Marco Negri	November 24, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	BED	1
1.1	BlacksEditor Guide	1
1.2	Quick Starting	2
1.3	Introduction	3
1.4	The Author	4
1.5	Blacks Editor Support Web Page	4
1.6	Credits	5
1.7	Bug Reports	5
1.8	History	6
1.9	Future	7
1.10	Before you begin	7
1.11	Distribution	7
1.12	Disclaimer	8
1.13	Hardware requirements	8
1.14	Installation	9
1.15	Starting Blacks Editor	9
1.16	Starting from the Shell	9
1.17	Starting from the Workbench	9
1.18	FILENAME	10
1.19	DEFS/K	10
1.20	PREFS/K	10
1.21	MACRO/K	10
1.22	QUIT/S	10
1.23	The Standard Configuration	10
1.24	Standard Menus	11
1.25	Menu name: File	11
1.26	Menu name: Window	12
1.27	Menu name: Edit	13
1.28	Menu name: Find	14
1.29	Menu name: Format	14

1.30 Menu name: Extras	15
1.31 Menu name: Macro	16
1.32 Menu name: Tools	17
1.33 Menu name: ARexx	17
1.34 Menu name: Settings	18
1.35 Menu name: ?	18
1.36 The Standard Keyboard Sequences	19
1.37 The Standard Mouse Clicks	19
1.38 Customize Blacks Editor	19
1.39 Definitions Files	19
1.40 Preferences Files	19
1.41 Supplied Material	20
1.42 Supplied Emulations	20
1.43 Supplied Macros	20
1.44 Quick Reference for Blacks Editor	20
1.45 Commands Reference	23
1.46 Alphabetical List of Commands	24
1.47 Functional Grouping of Commands	27
1.48 List of Global Commands	30
1.49 About	31
1.50 ActivateLastDoc	32
1.51 ActivateNextDoc	32
1.52 ActivatePrevDoc	33
1.53 ActivateWindow	33
1.54 BackSpace	34
1.55 BeepScreen	34
1.56 Center	35
1.57 CenterView	35
1.58 ClearBookMark	36
1.59 ClearFile	36
1.60 CloseDoc	37
1.61 ControlWindow	37
1.62 Conv2Lower	38
1.63 Conv2Spaces	38
1.64 Conv2Tabs	39
1.65 Conv2Upper	39
1.66 CopyBlk	40
1.67 CutBlk	40
1.68 Delete	41

1.69 DeleteBlk	41
1.70 DeleteEOL	42
1.71 DeleteEOF	42
1.72 DeleteEOW	43
1.73 DeleteLine	43
1.74 DeleteSOL	44
1.75 DeleteSOF	44
1.76 DeleteSOW	45
1.77 DeleteWord	45
1.78 EncryptBlk	46
1.79 EndMacro	46
1.80 ExecARexxMacro	47
1.81 ExecARexxString	47
1.82 ExecDosScript	48
1.83 ExecTool	48
1.84 Exist	49
1.85 ExistsFile	49
1.86 Find	50
1.87 FindChange	50
1.88 FormatParagraph	51
1.89 GetBlk	51
1.90 GetBlkDims	52
1.91 GetBlkInfo	52
1.92 GetChar	53
1.93 GetCurrentDir	53
1.94 GetCursorPos	54
1.95 GetDocuments	54
1.96 GetErrorInfo	55
1.97 GetFileInfo	55
1.98 GetFilePath	56
1.99 GetLastDoc	56
1.100GetLine	57
1.101GetLockInfo	57
1.102GetMacroInfo	58
1.103GetPort	58
1.104GetPrefs	59
1.105GetPriority	59
1.106GetScreenInfo	60
1.107GetTemplate	60

1.108	GetVersion	61
1.109	GetViewInfo	61
1.110	GetWindowInfo	62
1.111	GetWindowSpec	62
1.112	GetWord	63
1.113	Help	63
1.114	IconifyWindow	64
1.115	Illegal	64
1.116	Insert	65
1.117	InsertTab	65
1.118	InsertFile	66
1.119	InsertLine	66
1.120	Justify	67
1.121	LeftJustify	67
1.122	MarkBlk	68
1.123	Move	68
1.124	MoveBookMark	69
1.125	MoveDown	69
1.126	MoveDownScr	70
1.127	MoveEOF	70
1.128	MoveEOL	71
1.129	MoveEOW	71
1.130	MoveLeft	72
1.131	MoveMatchBkt	72
1.132	MoveNextTabStop	73
1.133	MoveNextWord	73
1.134	MovePrevTabStop	74
1.135	MovePrevWord	74
1.136	MoveRight	75
1.137	MoveSizeWindow	75
1.138	MoveSOF	76
1.139	MoveSOL	76
1.140	MoveSOW	77
1.141	MoveUp	77
1.142	MoveUpScr	78
1.143	MoveWindow	78
1.144	NewShell	79
1.145	Nop	79
1.146	OpenClip	80

1.147OpenDefinitions	80
1.148OpenDoc	81
1.149OpenFile	81
1.150OpenMacro	82
1.151OpenPrefs	82
1.152OpenRequester	83
1.153PasteClip	83
1.154PlayMacro	84
1.155PrintClip	84
1.156PrintFile	85
1.157Quit	85
1.158RecordMacro	86
1.159RemakeScreen	86
1.160RequestBool	87
1.161RequestChoice	87
1.162RequestFile	88
1.163RequestFont	88
1.164RequestNum	89
1.165RequestStr	89
1.166RightJustify	90
1.167RunTool	90
1.168SaveClip	91
1.169SaveDefPrefs	91
1.170SaveFile	92
1.171SaveFileAs	92
1.172SaveMacro	93
1.173SavePrefs	93
1.174Screen2Back	94
1.175Screen2Front	94
1.176ScrollVert	95
1.177ScrollView	95
1.178SelectLine	96
1.179SetBookMark	96
1.180SetChar	97
1.181SetCurrentDir	97
1.182SetDisplayLock	98
1.183SetFilePath	98
1.184SetInputLock	99
1.185SetPrefs	99

1.186SetPriority	100
1.187SetQuoteMode	100
1.188SetStatusBar	101
1.189SetWindowSpec	101
1.190ShiftLeft	102
1.191ShiftRight	102
1.192SizeWindow	103
1.193StripEOLBlanks	103
1.194SwapChars	104
1.195Text	104
1.196ToggleCharCase	105
1.197UndeleteLine	105
1.198UndoLine	106
1.199Window2Back	106
1.200Window2Front	107
1.201Preferences Reference	107
1.202Alphabetical List of Preferences	107
1.203Functional Grouping of Preferences	109
1.204DOCSTARTUP	111
1.205DOCSTARTUPNAME	112
1.206FILESTARTUP	112
1.207FILESTARTUPNAME	112
1.208AUTOSAVE	113
1.209AUTOSAVECONFIRM	113
1.210AUTOSAVEDELAY	113
1.211MAKEBACKUPS	114
1.212CANTBACKUPCONFIRM	114
1.213BACKUPTEMPLATE	115
1.214MAXBACKUPVERSION	115
1.215TEXTCOLOR	115
1.216BACKGROUNDCOLOR	116
1.217SELTEXTCOLOR	116
1.218SELBACKGROUNDCOLOR	116
1.219PALETTE	117
1.220SCREEN	117
1.221HORIZSCROLLER	118
1.222VERTSCROLLER	118
1.223FILEREQTYPE	118
1.224FONTREQTYPE	119

1.225SCREENMODEREQTYPE	119
1.226AUTOINDENT	119
1.227FREEFORM	120
1.228OVERSTRIKE	120
1.229WORDWRAP	121
1.230JUMPSCROLL	121
1.231IBMKEYPAD	121
1.232JUMPSCROLLLINES	122
1.233STRIPEOLBLANKS	122
1.234TRANSLATECRS	122
1.235SAVEEOLAS	123
1.236TEXTFONT	123
1.237MENUFONT	124
1.238GADGETFONT	124
1.239RIGHTMARGINWBORDER	124
1.240LEAVEINDENT	125
1.241INDENT	125
1.242LEFTMARGIN	125
1.243RIGHTMARGIN	126
1.244SAVEICONS	126
1.245ICONDRAWER	127
1.246MOUSEBLANKER	127
1.247OVERWRITECONFIRM	127
1.248DOUBLELOADCONFIRM	128
1.249SELECTWHENDRAGGING	128
1.250AUTODETECTBINFILES	128
1.251POPUPNEWDOC	129
1.252READONLY	129
1.253PRINTDEVICE	130
1.254CONSOLE	130
1.255DEFAULTWINDOW	130
1.256TABWIDTH	131
1.257TABSGIVESPACES	131
1.258CONVERSIONONLOAD	131
1.259CONVERSIONONSAVE	132
1.260CONVERSIONONPRINT	132
1.261FINDSTRING	133
1.262CHANGESTRING	133
1.263FINDBACKWARD	133

1.264FINDIGNORECASE	134
1.265FINDWHOLEWORD	134
1.266FILEREQUESTER	134
1.267FONTREQUESTER	135
1.268SCREENMODEREQUESTER	135
1.269FILEPATTERN	136
1.270REXXDRAWER	136
1.271REXXPATTERN	136
1.272DOSDRAWER	137
1.273DOSPATTERN	137
1.274TOOLSDRAWER	137
1.275TOOLSPATTERN	138
1.276PREFSDRAWER	138
1.277PREFSPATTERN	139
1.278DEFSDRAWER	139
1.279DEFSPATTERN	139
1.280READONLY	140
1.281Errors Reference	140
1.282BED Errors	140
1.283Definitions Files Errors	142
1.284Preferences Files Errors	142
1.285Error #1	142
1.286Error #2	142
1.287Error #3	143
1.288Error #4	143
1.289Error #5	143
1.290Error #6	143
1.291Hit document boundary	144
1.292Not on {, [, (, <, «, », >,),], }	144
1.293Not allowed in read-only mode	144
1.294User requested abort	144
1.295Bookmark not set	145
1.296No block marked	145
1.297Error #13	145
1.298Error #14	145
1.299Error #15	146
1.300Not currently recording	146
1.301Not found	146
1.302Clipboard is empty	146

1.303Clipboard does not contain text	147
1.304Clipboard device not found	147
1.305ARexx process or library not found	147
1.306Command only allowed in ARexx macros	147
1.307Bookmark not found	148
1.308No macro to play	148
1.309Error #25	148
1.310Error #26	148
1.311Error #27	149
1.312Illegal while recording	149
1.313Illegal command	149
1.314Insufficient memory	149
1.315Load error	150
1.316Save error	150
1.317Backup error - not saved	150
1.318Print error	150
1.319Clipboard I/O error	151
1.320ARexx Error	151
1.321Couldn't execute tool	151
1.322AmigaGuide error	151
1.323Couldn't open console	152
1.324Error #40	152
1.325AmigaGuide library not found	152
1.326--- Illegal ---	152
1.327Definitions file not loaded successfully	153
1.328Preferences file not loaded successfully	153
1.329Preferences file not saved successfully	153
1.330Macro not loaded successfully	153
1.331Macro not saved successfully	154
1.332Unknown preference	154
1.333Invalid template	154
1.334Command not global	154
1.335AmigaDOS error	155
1.336Bad parameter	155
1.337Parameter out of range	155
1.338Cannot swap tabs	155
1.339Cursor not on a word	156
1.340No string to find	156
1.341Window is iconified	156

1.342Input is locked	156
1.343Line too long	157
1.344No line to undelete	157
1.345Cannot undo	157
1.346AmigaDOS error	157
1.347Insufficient memory	158
1.348Error creating menus	158
1.349Unknown keyword	158
1.350Unknown command	158
1.351Unknown key	159
1.352Key not mapped on this keyboard	159
1.353Quoted argument expected	159
1.354AmigaDOS error	159
1.355Insufficient memory	160
1.356Unknown preference	160
1.357Wrong template for preference	160

Chapter 1

BED

1.1 BlacksEditor Guide

- Blacks Editor 1.0 -
By Marco Negri

Blacks Editor is SolidarityWare. [Click here for more info.](#)

Quick Starting (If you don't like reading long documentations)

Introduction

The Author

WWW Page

Credits

Bug Reports

History

Future

Before You Begin

Distribution

Disclaimer

Hardware requirements

Installation

Starting Blacks Editor

From the Shell

From Workbench

Beginners:

The Standard Configuration

The Standard Menus

The Standard Keyboard

The Standard Mouse Buttons

Advanced:

Customizing Blacks Editor

The definitions file

The preferences file

- Using supplied material
- Supplied emulations
- Supplied ARexx Macros

Reference:

Quick Reference

- The Command Reference
 - Alphabetical order
 - Functional groupings
 - Global commands

- The Preferences Reference
 - Alphabetical order
 - Functional groupings

- Error codes and messages
 - Blacks Editor errors
 - Definitions file errors
 - Preferences file errors

1.2 Quick Starting

Quick Starting

This section is for you who hate reading documentations and want to know only the most important things.

So here they are:

- <*> You can start BED from the Shell or from the Workbench
 - <*> The layout of the menus, of the keyboard and the actions to take at each mouse click are called definitions, and are specified in a file with the ".dfn" extension in the "BED:Support" directory.
 - <*> A lot of preferences are specified in files with ".prf" extension in the "BED:Support" directory
 - <*> In the "Rexx" directory there are a lot of useful ARexx Macros. They can be executed using the ARexx menu.
 - <*> If not differently specified, BED loads at startup the definitions from "BED:Support/Startup.dfn", the preferences from "BED:Support/Startup.prf", and executes the ARexx Macro "BED:Rexx/Startup.bed", if it exists.
 - <*> If not differently specified, BED executes at the opening of a new window the ARexx Macro "BED:Rexx/Doc_Startup.bed", if it exists. In the original configuration this macro does the same as "BED:Rexx/SetConfig.bed", i.e. it loads the preferences and the definitions according to the current filename extension. You
-

can, of course, modify or delete this macro.

1.3 Introduction

Introduction

Blacks Editor is a powerful, user-friendly, very configurable text editor.

The main features are:

- * Multi-window. You can have how many opened windows as your memory lets.
 - * Configurability. You can define the layout of the menus, the function of every keystroke, the function of every kind of mouse click. Moreover, each window can have different definitions.
 - * A lot of preferences. They are too many to list here... give BED a try and see them.
 - * SAS C Support. You can easily arrange it for any other compiler or language.
 - * Backup. When you save a file, a number of backups can be maintained.
 - * Autosave. Your files can be automatically saved at the interval you select.
 - * Advanced Icon Saving. An icon can be saved, according to the filename extension of your file.
 - * End of Line Handling. You can easily load or save files with EOL different from LF, for example files saved on PCs.
 - * Possibility to use the keyboard in an IBM-style.
 - * Full Localization (only for 3.0)
 - * On-line AmigaGuide help (only for 3.0)
 - * Optional "reqtools.library" or "asl.library" requesters.
 - * Optional ARexx Macros launched at each BED start, document opening, or file opening.
 - * ARexx support. There are 151 commands, usable in ARexx Macros or in the definition of menus, keystrokes and mouse clicks. The main abilities are the following:
 - Edit and Move commands
 - Standard Clipboard Function
 - Recorded Macros
 - Paragraph Formatting
-

- Bookmarks
- Find & Replace
- Matching Brackets
- Undo & Undelete line
- Run external Tools, DOS Scripts, ARexx Macros
- Encrypting
- Open documents without a window (useful for ARexx Macros)

* And, above all, it's made by ME.

Give it a try... a look can explain better than thousands of words.

1.4 The Author

Author

Marco Negri
Via delle Alpi 19
20026 Novate Milanese (MILANO)
I T A L I A

E-Mail Address:
s592345@vm.uni-bocconi.it

WWW URL:
<http://www.ing.unico.it/~mfontana/www/marco/marco.html>

Blacks Editor Support Web Page:
<http://www.ing.unico.it/~mfontana/www/marco/BED.html>

This is me...

1.5 Blacks Editor Support Web Page

Blacks Editor Support Web Page

In this WWW page you will find:

- Updated informations about the status of the developing of Blacks~Editor (new versions, minor updates, etc.)
 - The possibility to download the latest official Blacks~Editor version.
 - Informations about how to get in touch with the author, how to become Beta-Testers, and send contributions such as localizations, ARexx macros, and whatever you have done.
 - Continuous support for Beta-Testers, localizers, etc.
 - The possibility to download the latest beta-version (only for
-

Official Blacks Editor Beta-Testers).

URL: <http://www.ing.unico.it/~mfontana/www/marco/BED.html>

1.6 Credits

Credits

I want to thanks all the people who has contributed to the realisation of Blacks Editor. This is an extended list of them:

Beta-Testers:

- Mauro Fontana
- Peter Bornhall
- Dave Dustin
- Jeff Lowrance
- Harold H. Ipolyi
- John Gardi
- Paul Schifferer
- Rienhard Katzmann
- Arian Kulp
- Jorge Acereda Macia
- Stephen Hughes

Localizers:

- David Le Corfec (French)
- Radoslaw Chyra (Polish)

Icon and WWW page imagery designer:

- Colin Thompson

Others:

- All the users who sent me a post card or a E-Mail message
- Nico François and Magnus Holmgren, for their wonderful ReqTools
- Mauro Fontana, for the space he gives me for the WWW page
- Andrew Martin, Pavel Troller, for their help
- Commodore, for having invented the Amiga
- Lara, my girlfriend, for having listened to me for months talking about window refreshing, IDCMP, ARexx, etc. ; -)
- Pat Metheny & Mark Knopfler, for their wonderful guitars who conformed me in sleepless nights spent on my keyboard.

Well... maybe I'm a bit exaggerating with the credits...

Let's go to see this Blacks Editor, finally...

1.7 Bug Reports

Bug Reports

Even if I don't guarantee anything (read the disclaimer) I think that BED, at the moment, doesn't contain major bugs (i.e. you don't have to worry to lose your data).

But if you found some bugs, even minor, or if you have some suggestions for this or another release of BED, please tell me.

[Click here](#) for my address.

1.8 History

History

--- 1.0B - 14-Jan-96 -----

First public release. Beta release. OS v39 required.

--- 1.0B - 28-Jan-96 -----

First v37 compatible release.

--- 1.00 - 03-Mar-96 -----

Version working under v37+, but using v39 resources when available.

- * IBM-Style keyboard supported.
- * Horizontal scroller and optional vertical scroller added.
- * Optional ARexx macro executed at each file or document opening
- * Possibility to open a document without a window
- * "reqtools.library" requesters supported.
- * Standard Clipboard supported.
- * Customizable font for gadgets.
- * Full font-sensitive requesters, with new look.
- * Gadget shortcuts in requesters.
- * AmigaDOS Protection Bits handling.
- * Optional screen pop-up at document opening.
- * Customizable number of lines to jump with JUMPSCROLL
- * Indent (also automatic) supported in paragraph formatting.
- * RIGHT_AMIGA qualifier added.
- * GetLastDoc command added.
- * Print functions fixed.
- * Tab conversion functions fixed.

--- 1.01 - 01-Apr-96 -----

Minor update. Some bugs fixed.

- * Last v39 function calls trapped. They caused BED to guru when a block was selected or a requester with cycle or palette gadgets was closed.
-

- * ASL tags specified in a v37-compatible manner.
- * Under v37 & 38 the window borders are no more erased.
- * The conversion from tabs to spaces when printing has been fixed.
- * Many other minor bugs fixed.
- * The documentation now cover the standard menu items description.

1.9 Future

Future

First of all I have to finish this documentation...

The ideas for next version are:

<*> Full Undo.

<*> ToolManager-like Docks, or simple groups of gadgets (of course user-definable) for each window

<*> Word colouring

<*> More and more ARexx Macros, for syntax checking, auto-indenting, etc.

<*> Custom Progress Indicator support

<*> Implementation of the #LINKS keyword in the definitions file, which includes another file, something like the #include directive in C

<*> ... and whatever you will suggest me

1.10 Before you begin

Before you begin it's better if you read something about...

Distribution

Disclaimer

Hardware requirements

Installation

1.11 Distribution

Distribution

Blacks Editor v1.01 - By Marco Negri - 01-Apr-1996

This entire package is designated "SolidarityWare" that is you can try it for a period of 30 days, after which if you like it and use it you have to make a "Solidarity Offer" of 15\$ (or whatever you can and want), for example, to your local Association for the Research For The Cure Of Cancer, and to send me a post card of your country or a message by E-Mail because I'd like to know where my program is used.

Of course I will not make any control on this and the program will work anyway, but I hope that many of you will follow my indication.

You may freely copy and distribute this package as often as you like, with the following limitations:

- * ReqTools is Copyright (c) by Nico François and Magnus Holmgren
- * The package must remain complete and unchanged
- * The package can be included on CD-ROMs, BBS, magazines, but I ask you to inform the Author.
- * It is expressly forbidden to use this program, or any programs or data developed using this program to directly or indirectly benefit the military.

1.12 Disclaimer

Disclaimer

THIS PROGRAM IS PROVIDED ON AN "AS IS" BASIS, NO WARRANTIES ARE MADE, EITHER EXPRESSED OR IMPLIED. IN NO EVENT WILL I, MARCO NEGRI, BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING FROM ANY USE OR MISUSE OF THIS PROGRAM. THE ENTIRE RISK AS TO THE RESULTS AND PERFORMANCE OF THIS PROGRAM IS ASSUMED BY YOU.

1.13 Hardware requirements

Hardware Requirements

- * An Amiga ; -)
- * OS 2.04+ (v37)
- * "reqtools.library" v38+ (needed for OS 2.04 (v37), optional for OS 2.1+ (v38+) ←)
- * Commodore Installer (needed only for the installation)

(Recommended for better use)

- * A Hard Disk
 - * ARexx running
-

1.14 Installation

Installation

To install Blacks Editor simply open the Install drawer and double-click on the icon of your language.

A Standard Installer Script will guide you through the short installation process.

1.15 Starting Blacks Editor

Starting Blacks Editor

Blacks Editor can be started either from WB or from the Shell.

Starting from the Shell

Starting from Workbench

1.16 Starting from the Shell

From the Shell

If you want to run Blacks Editor from the Shell you just have to type:

BED

followed by these optional arguments

FILENAME, DEFS/K, PREFS/K, MACRO/K, QUIT/S

1.17 Starting from the Workbench

From the Workbench

If you want to run Blacks Editor from the Workbench you have to double click on the BED icon or on any Project Icon with BED as Default Tool.

The following Tooltypes are supported:

FILENAME	- File to edit
DEFS	- Definitions file
PREFS	- Preferences file
MACRO	- Macro to execute at startup
QUIT	- Quit BED

1.18 FILENAME

FILENAME

FILENAME: If a filename is specified then this file is loaded in the first document window. If there is a copy of BED running, then it will open a new document window and load the specified file.

1.19 DEFS/K

DEFS

DEFS/K: If a defs file is specified then the definitions are loaded from it. It defaults to BED:Support/Startup.dfn.

1.20 PREFS/K

PREFS

PREFS/K: If a prefs file is specified then the preferences are loaded from it. It defaults to BED:Support/Startup.prf

1.21 MACRO/K

MACRO

MACRO/K: If this argument is specified then the ARexx Macro is executed. It defaults to BED:Support/Startup.bed

1.22 QUIT/S

QUIT

QUIT/S: When there is a copy of BED running, this switch force him to quit.

1.23 The Standard Configuration

Standard configuration

This is the standard configuration of Blacks Editor, and can be found in the definition file BED:Support/Standard.dfn.

This file define the menus, the keyboard sequences and the actions to take at each type of mouse click.

The Standard Menus

The Standard Keyboard

The Standard Mouse Buttons

1.24 Standard Menus

Standard menus:

This section contains a description of the standard menu items.

The File Menu

The Window Menu

The Edit Menu

The Find Menu

The Format Menu

The Extras Menu

The Macro Menu

The Tools Menu

The ARexx Menu

The Settings Menu

The ? Menu

1.25 Menu name: File

The File Menu:

New Doc

Opens a new document window.

Clear File

Clears the buffer of the current document.

Open File...

Opens a file requester, and the specified file is loaded into the current document window. If the current file has been modified a confirmation requester appears.

Open New Doc...

Opens a new document window and a file requester, allowing you to load a file into the new document.

Insert File...

Opens a file requester, and the specified file is loaded and inserted into the current document at the cursor position.

Save File

Saves the file with the current filename.

Save File As...

Opens a file requester, and the file is saved with the specified filename. If a file with the same filename already exists a confirmation requester appears.

Save & Close

Saves the file with the current filename, then the document window is closed.

Print File...

Prints the current file. A confirmation requester appears.

Close Doc...

Closes the current document window.

Quit

All the opened document windows are closed, and the program quits.

1.26 Menu name: Window

The Window Menu:

Select...

Displays a list of all the opened documents, and the specified one is activated and brought to front.

Minimize

The current document window is resized to the minimum dimensions

Maximize

The current document window is resized to the maximum dimensions

Normalize

The current document window is resized to the normal dimensions (as specified by the DEFAULTWINDOW preference).

Snapshot

Sets the dimensions of the current document window as the default normal dimensions.

Iconify

Iconifies the current document window.

Iconify All

Iconifies all the document windows.

Tile

Reorganizes the windows on the screen as tiles.

Stack

Reorganizes the windows on the screen as stack.

Cascade

Reorganizes the windows on the screen as cascade.

Open Desktop...

Opens a file saved with "Save Desktop As...", and restore the desktop as described in the file.

Save Desktop As...

The dimension, position, and filename of all the documents are stored into the file specified with the file requester.

1.27 Menu name: Edit

The Edit Menu:

Mark Block

Mark the start of a selection block. If a block is already selected, the block is de-selected.

Select Word

The word under the cursor is selected.

Select Line

The current line is selected.

Select All

The whole document is selected.

Cut

The selected block is erased and copied into the clipboard.

Copy

The selected block is copied into the clipboard.

Paste

The contents of the clipboard is inserted at the cursor position.

Erase

The selected block is erased.

Cut Append

The selected block is erased and appended at the end of the clipboard.

Copy Append

The selected block is appended at the end of the clipboard.

Open Clip...

The specified file is loaded and inserted into the clipboard.

Save Clip As...

The contents of the clipboard is saved with the specified filename.

Print Clip...

The contents of the clipboard is printed. A confirmation requester appears.

1.28 Menu name: Find

The Find Menu:

Find...

Opens the Find requester.

Find Next

Find the next match of the current find string.

Find & Replace...

Opens the Find & Replace requester.

Replace Next

Find the next match of the current find string and replaces it with the current replace string.

Goto Line...

Opens a requester asking the line number to move the cursor to.

Match Bracket

When the cursor is on a bracket, it moves to the matching one. At the moment the following bracket types are supported: { [(< « » >)] }

Set Bookmark

Set the specified bookmark at the current cursor position.

Goto bookmark

Moves The cursor to the specified bookmark

1.29 Menu name: Format

The Format Menu:

Format Paragraph

The paragraph under the cursor is formatted, according to the LeftMargin, RightMargin, Indent, LeaveIndent, RightMarginWBorder preferences. This means that extra spaces or tabs between words are removed, and every line is filled with as many words as possible.

Goto paragraph - Previous/Next

Moves the cursor at the start of previous/next paragraph.

Documentize

Every paragraph of the document is put on a single line, removing the line feeds. This command is useful before loading the file into a word processor.

Left Justify

The selected block (or the current line) are justified along the left margin, according to the LeftMargin preference.

Right Justify

The selected block (or the current line) are justified along the right margin, according to the RightMargin preference.

L/R Justify

The selected block (or the current line) are justified along both margins, according to LeftMargin and RightMargin preference. This means that spaces are inserted/removed to line up the line/s along left and right margins.

Tabs -> Spaces

The tabulations are expanded into spaces. This command affects the selected block, or the whole document.

Spaces -> Tabs

The spaces are converted into tabulations. This command affects the selected block, or the whole document.

Remove EOL Blanks

The spaces and tabulations at the end of the lines are removed. This command affects the selected block, or the whole document.

Indent Block

A tabulation is added at the start of the line/s. This command affects the selected block, or the whole document.

Unindent Block

A tabulation is removed (if present) at the start of the line/s. This command affects the selected block, or the whole document.

Indent Line

A tabulation is added at the start of the current line.

Unindent Line

A tabulation is removed (if present) at the start of the current line.

1.30 Menu name: Extras

The Extras Menu:

Undo Line

The line is restored as is was when the cursor was moved onto it.

Undelete Line

The last deleted line is inserted at the current cursor position.

Insert Current Date

The current date is inserted at the current cursor position.

Insert Current Time

The current time is inserted at the current cursor position.

Insert ASCII Char...

Opens a requester asking the ASCII code of the character to insert at the current cursor position.

Insert Version String

Insert a version string at the current cursor position. The filename and date are automatically inserted, you only have to insert the version number.

Comment Block

The selected block marked as comment. The current comment type is C-style, but you can change it modifying the "CommentBlk.bed" macro.

Number Lines

Insert the line number at the start of every line of the selected block (or of the whole document).

Word -> Lower Case

Converts the word under the cursor to lower case.

Word -> Upper Case

Converts the word under the cursor to upper case.

Toggle Char Case

Toggle the case of the character under the cursor.

Encrypt Block

Encrypt the selected block (or the whole document) with the caesarian algorithm. This means that it exchanges the letters A-M with the letters N-Z. Applying the encryption twice gives the original file.

1.31 Menu name: Macro

The Macro Menu:

Start Recording

Starts recording a macro. Every action will now be recorded.

Stop recording

Stops recording a macro. The macro can now be re-executed many times.

Play Macro

Executes the recorded macro once.

Play Many...

Opens a requester asking how many times to execute the recorded macro. If you enter 0, the macro will be continually executed until an error is encountered.

Open Macro...

A previously saved macro can be loaded. (Remember that you can use a saved recorded macro as an ARexx macro but, usually, not viceversa.

Save Macro As...

The recorded macro is saved as an ASCII file, which can be executed

also as ARexx macro.

1.32 Menu name: Tools

Tools:

New Shell...

Opens a new standard Amiga Shell, whose path is set as the current file path. The specification of the window is specified by the Console preference.

New Console...

Opens a new BED console. From here you can enter directly any BED command, who is sent to the current document. The specification of the window is specified by the Console preference.

Exec Tool...

The specified tool is executed synchronously.

Run Tool...

The specified tool is executed asynchronously.

Exec DOS Script

The specified DOS script is executed.

Calculator

The standard Amiga calculator is launched.

Multiview

The Multiview application is launched.

...

Here you can insert your mostly used tools

1.33 Menu name: ARexx

The ARexx Menu:

Exec ARexx Macro...

Executes the specified ARexx macro.

Exec ARexx String...

Executes the specified ARexx string.

AddChars

CountWords

ExecBlk

PrintBlk

RemoveBlankLines

SaveBlk

SaveChangedDocs

SetConfig

```
ShowAG
SortBlk
UnSetLocks
```

...

Here you can insert your mostly used ARexx Macros.

1.34 Menu name: Settings

The Settings Menu:

Change Prefs

Opens the requester to edit the following preferences:

```
Auto-Save
Backup
Colors
Display
Edit
End Of Line
Fonts
Icons
Miscellanea
Tabs
```

Open Prefs...

Loads the preferences from the specified filename.

Save Prefs...

Saves the preferences with the specified filename.

Save Prefs As Default

Saves the preferences as "BED:Support/Startup.prf", so they will be loaded as default preferences next time BED is run.

Open Definitions...

Loads the definitions from the specified file.

1.35 Menu name: ?

?:

About BED

Gives you informations about the Author and your system.

Quick Reference

Displays the AmigaGuide file with a quick reference to BED. about BED.

BED Menus

Displays the AmigaGuide help about the standard menus.

BED Commands

Displays the AmigaGuide help about the BED command under the cursor.

BED Main Help

Displays the main BED AmigaGuide Help file.

1.36 The Standard Keyboard Sequences

Still writing

Sorry :-(

I still have to write this page...

1.37 The Standard Mouse Clicks

Still writing

Sorry :-(

I still have to write this page...

1.38 Customize Blacks Editor

Still writing

Sorry :-(

I still have to write this page...

1.39 Definitions Files

Still writing

Sorry :-(

I still have to write this page...

1.40 Preferences Files

Still writing

Sorry :-(

I still have to write this page...

1.41 Supplied Material

```
Still writing

Sorry :-(

I still have to write this page...
```

1.42 Supplied Emulations

```
Still writing

Sorry :-(

I still have to write this page...
```

1.43 Supplied Macros

```
Still writing

Sorry :-(

I still have to write this page...
```

1.44 Quick Reference for Blacks Editor

Quick reference for Blacks Editor

IMPORTANT !!! These three keyboard sequences are always valid:

```
-----

[Ctrl]-[Shift]-[Alt]-F1   Restore the built-in default definitions (menus, keys, ↵
etc...)
[Ctrl]-[Shift]-[Alt]-F2   Restore the built-in default preferences
[Ctrl]-[Shift]-[Alt]-F3   Remake the screen
```

Standard keyboard sequences:

```
-----

[Return]                  Insert a line
[Enter]                   Insert a line with indent
[Backspace]               Delete the previous character
[Del]                     Delete the current character
[Tab]                     Insert a tab
[Esc]                     This help
[Help]                    This help

[CursorUp]                Move the cursor up by one line
```

[CursorDown]	Move the cursor down by one line
[CursorRight]	Move the cursor right by one character
[CursorLeft]	Move the cursor left by one character
[F1]	Open a new document
[F2]	Open a new file in the current document
[F3]	Find matching bracket
[F4]	Open the Command Shell
[F5]	Open a DOS Shell
[F6]	Move the cursor to the start of previous paragraph
[F7]	Move the cursor to the start of next paragraph
[F8]	Indent the selected block
[F9]	Save the current file if modified
[F10]	Activate the next document and bring it to front
[Shift]-[Return]	Insert a line without breaking the current line
[Shift]-[Enter]	Insert a line with indent without breaking the current line ↵
[Shift]-[BackSpace]	Delete to the start of the current word
[Shift]-[Del]	Delete to the end of the current word
[Shift]-[Tab]	Move to the previous tab stop on the current line
[Shift]-[Esc]	
[Shift]-[Help]	Display the General Blacks Editor Help
[Shift]-[CursorUp]	Move the cursor up by one screenful
[Shift]-[CursorDown]	Move the cursor down by one screenful
[Shift]-[CursorRight]	Move to the start of the next word
[Shift]-[CursorLeft]	Move to the start of the previous word
[Shift]-[F1]	Display the General Blacks Editor Help
[Shift]-[F2]	Open a new file in a new document
[Shift]-[F3]	Undo the current line
[Shift]-[F4]	Restore the window default position
[Shift]-[F5]	Iconify / Deiconify the current document window
[Shift]-[F6]	Format the current paragraph
[Shift]-[F7]	Justify current paragraph
[Shift]-[F8]	Unindent the selected block
[Shift]-[F9]	Save the current file with a different name
[Shift]-[F10]	Activate the previous document and bring it to front
[Alt]-[Return]	Insert a line with indent without breaking the current line ↵
[Alt]-[Enter]	Insert a line without breaking the current line
[Alt]-[BackSpace]	Delete to the start of the current line
[Alt]-[Del]	Delete to the end of the current line
[Alt]-[Tab]	Move to the previous tab stop on the current line
[Alt]-[Esc]	Close the current document
[Alt]-[Help]	
[Alt]-[CursorUp]	Move the cursor to the start of the document
[Alt]-[CursorDown]	Move the cursor to the end of the document
[Alt]-[CursorRight]	Move the cursor to the end of the line
[Alt]-[CursorLeft]	Move the cursor to the start of the line
[Alt]-[F1]	Move to the position indicated by bookmark 1

[Alt]-[F2]	Move to the position indicated by bookmark 2
[Alt]-[F3]	Move to the position indicated by bookmark 3
[Alt]-[F4]	Move to the position indicated by bookmark 4
[Alt]-[F5]	Move to the position indicated by bookmark 5
[Alt]-[F6]	Move to the position indicated by bookmark 6
[Alt]-[F7]	Move to the position indicated by bookmark 7
[Alt]-[F8]	Move to the position indicated by bookmark 8
[Alt]-[F9]	Move to the position indicated by bookmark 9
[Alt]-[F10]	Move to the position indicated by bookmark 10
[Ctrl]-[Return]	Insert a line with indent
[Ctrl]-[Enter]	Insert a line
[Ctrl]-[Backspace]	Delete the current line
[Ctrl]-[Del]	Delete the current line
[Ctrl]-[Tab]	Move to the next tab stop on the current line
[Ctrl]-[Esc]	Quit BED
[Ctrl]-[Help]	
[Ctrl]-[CursorUp]	Scroll the current document up
[Ctrl]-[CursorDown]	Scroll the current document down
[Ctrl]-[CursorRight]	Shift the current line or block right
[Ctrl]-[CursorLeft]	Shift the current line or block left
[Ctrl]-[F1]	Set bookmark 1 to the current cursor position
[Ctrl]-[F2]	Set bookmark 2 to the current cursor position
[Ctrl]-[F3]	Set bookmark 3 to the current cursor position
[Ctrl]-[F4]	Set bookmark 4 to the current cursor position
[Ctrl]-[F5]	Set bookmark 5 to the current cursor position
[Ctrl]-[F6]	Set bookmark 6 to the current cursor position
[Ctrl]-[F7]	Set bookmark 7 to the current cursor position
[Ctrl]-[F8]	Set bookmark 8 to the current cursor position
[Ctrl]-[F9]	Set bookmark 9 to the current cursor position
[Ctrl]-[F10]	Set bookmark 10 to the current cursor position
[Ctrl]-R	Toggle read-only mode
[Ctrl]-T	Toggle expand tabs mode
[Ctrl]-I	Toggle auto-indent mode
[Ctrl]-F	Toggle free form mode
[Ctrl]-O	Toggle overstrike mode
[Ctrl]-W	Toggle word wrap mode
[Ctrl]-J	Toggle jump scroll mode
[Ctrl]-B	Toggle backup mode
[Ctrl]-K	Toggle IBM keypad mode
[Ctrl]-Q	Quote character, next character entered is taken as is
[Ctrl]-1	Change the text color
[Ctrl]-2	Change the background color
[Ctrl]-3	Change the text color of selected text
[Ctrl]-4	Change the background color of selected text
[Alt]-[Ctrl]-[CursorLeft]	Move the cursor to the start of the word
[Alt]-[Ctrl]-[CursorRight]	Move the cursor to the end of the word
[Alt]-[Ctrl]-[Del]	Delete to the start of the word
[Alt]-[Ctrl]-[Backspace]	Delete to the end of the word

[Home]	Move the cursor to the start of the document
[End]	Move the cursor to the end of the document
[PgUp]	Scroll the document up by one page
[PgDn]	Scroll the document down by one page
[Ins]	Toggle overstrike mode
[Del]	Delete the current charcater
[Cursorup]	Scroll the document up by one line
[CursorDown]	Scroll the document down by one line
[CursorLeft]	Move the cursor left by one character
[CursorRight]	Move the cursor right by one character
[ScrL]	Toggle read-only mode
[PrtSc]	Print the current file

Standard mouse sequences:

Holding down the left button and pushing the mouse off the bottom or top edges of the window scrolls the display.

Double-clicking the left button marks the start of a selection block.

Holding down the middle button and cliking the right button marks the start of a selection block

Status Area Information

The letters in the status area have the following meaning:

M/m Document modified since last save? (M=Yes, m=No)
R/r Read Only (R=On, r=Off)
T/t Expand Tabs (T=On, t=Off)
I/i Auto-Indent (I=On, i=Off)
F/f Free Form (F=On, f=Off)
O/o Overstrike (O=On, o=Off)
W/w Word Wrap (W=On, w=Off)
J/j Jump Scroll (J=On, j=Off)
B/b Create Backups (B=On, b=Off)
K/k IBM Keyboard (K=On, k=Off)

1.45 Commands Reference

Commands Reference

Blacks Editor 1.0 supports 150 ARexx commands.

You can use these commands to write your own definition file, to modify an existing one, or to write ARexx Macros.

The global commands are the only who can be sent to the general ARexx port called BED. The others can only be sent to the specific ARexx port of some document.

The commands are listed according different criteria:

Alphabetical order

Functional groupings

Global commands

1.46 Alphabetical List of Commands

Alphabetical List of Commands

About	- Bring up the About requester
ActivateLastDoc	- Activates and bring to front the last document
ActivateNextDoc	- Activates and bring to front the next document
ActivatePrevDoc	- Activates and grong to front the previous document
ActivateWindow	- Activates the window of the current document
BackSpace	- Delete the character before the cursor
BeepScreen	- Flashes the screen
Center	- Center the current paragraph
CenterView	- Center vertically the current line
ClearBookMark	- Clear the specified bookmark
ClearFile	- Clears the current file
CloseDoc	- Closes the current document
ControlWindow	- Toggle between open and close document window
Conv2Lower	- Convert the character to lower case
Conv2Spaces	- Convert the tabs to spaces
Conv2Tabs	- Convert the spaces to tabs
Conv2Upper	- Convert the character to upper case
CopyBlk	- Copy the selected block to the clipboard
CutBlk	- Copy the selected block to the clipboard and erase it
Delete	- Delete the character under the cursor character
DeleteBlk	- Erase the selected block
DeleteEOL	- Delete from the cursor to the end of the line
DeleteEOF	- Delete from the cursor to the end of the file
DeleteEOW	- Delete from the cursor to the end of the word
DeleteLine	- Delete the current line
DeleteSOL	- Delete from the cursor to the start of the line
DeleteSOF	- Delete from the cursor to the start of the file
DeleteSOW	- Delete from the cursor to the start of the word
DeleteWord	- Delete the word under the cursor
EncryptBlk	- Encrypt the selected block
EndMacro	- Stops the recording of a macro
ExecARexxMacro	- Execute am ARexx script
ExecARexxString	- Execute an ARexx string
ExecDosScript	- Execute a DOS script
ExecTool	- Execute synchronously a Tool
Exist	- Check if a the specified command is supported by BED
ExistsFile	- Check if a file exists
Find	- Search in the current document for the specified string
FindChange	- Search in the current document for the specified string and ↵ replace it with another
FormatParagraph	- Format the current paragraph
GetBlk	- Return the text in the selected block

GetBlkDims	- Return info about the selected block
GetBlkInfo	- Return info about the selected block
GetChar	- Return the current character
GetCurrentDir	- Return the name of the current dir
GetCursorPos	- Return info about the current position of the cursor
GetDocuments	- Return the names of the documents and their ARexx port name
GetErrorInfo	- Return the string of the specified error code
GetFileInfo	- Return info about the current document
GetFilePath	- Return the path and/or filename of the current document
GetLastDoc	- Return the ARexx port name of the last edited document
GetLine	- Return the text of the current line
GetLockInfo	- Return info about the locks
GetMacroInfo	- Return info about the current macro recorded
GetPort	- Return the ARexx port name of a document
GetPrefs	- Return the value of the specified preference
GetPriority	- Return the task priority of BED
GetScreenInfo	- Return info about the screen
GetTemplate	- Return the template of the specified command
GetVersion	- Return the version string of BED
GetViewInfo	- Return info about the current view
GetWindowInfo	- Return info about the current document window
GetWindowSpec	- Return the specification of the current document window
GetWord	- Return the word under the cursor
Help	- Display an AmigaGuide document with an help about the ←
specified topic	
IconifyWindow	- Iconify/uniconify the current document window
Illegal	- Produces an error
Insert	- Insert the specified string in the document
InsertTab	- Insert a tab in the text
InsertFile	- Insert a file in the document
InsertLine	- Insert a new line in the document
Justify	- Justify the current paragraph
LeftJustify	- Left justify the current paragraph
MarkBlk	- Mark the start of the selection block
Move	- Move the cursor to the specified line and/or column
MoveBookMark	- Move the cursor to the specified bookmark
MoveDown	- Move the cursor down one or more lines line
MoveDownScr	- Move the cursor down one page
MoveEOF	- Move the cursor to the end of the document
MoveEOL	- Move the cursor to the end of the current line
MoveEOW	- Move the cursor to the end of the word
MoveLeft	- Move the cursor left one or more characters
MoveMatchBkt	- Move the cursor on the matching bracket
MoveNextTabStop	- Move the cursor to the next tab stop position
MoveNextWord	- Move the cursor to the start of the next word
MovePrevTabStop	- Move the cursor to the previous tab stop
MovePrevWord	- Move the cursor to the start of the previous word
MoveRight	- Move the cursor right one or more characters
MoveSizeWindow	- Change the dimensions and position of the current document ←
window	
MoveSOF	- Move the cursor to the start of the file
MoveSOL	- Move the cursor to the start of the current line
MoveSOW	- Move the cursor to the start of the current word
MoveUp	- Move the cursor up one or more lines
MoveUpScr	- Move the cursor up one page
MoveWindow	- Change the position of the current document window
NewShell	- Opens a new shell

Nop	- Absolutely nothing
OpenClip	- Load the specified file in the clipboard
OpenDefinitions	- Load the specified definitions file for the current document
OpenDoc	- Open a new document
OpenFile	- Load the specified file in the current document
OpenMacro	- Load the specified macro
OpenPrefs	- Load the specified preference file for the current document
OpenRequester	- Open the specified requester
PasteClip	- Paste the clipboard in the current document
PlayMacro	- Play the recorded macro
PrintClip	- Print the contents of the clipboard
PrintFile	- Print the current document
Quit	- Close all the documents and exit
RecordMacro	- Start recording a macro
RemakeScreen	- Remake the screen
RequestBool	- Open a bool requester
RequestChoice	- Open a requester with multiple choices
RequestFile	- Open a file requester
RequestFont	- Open a font requester
RequestNum	- Open a number requester
RequestStr	- Open a string requester
RightJustify	- Right justify the current paragraph
RunTool	- Run asynchronously the selected Tool
SaveClip	- Save the contents of the clipboard in a file
SaveDefPrefs	- Save the preferences on disk, as defaults
SaveFile	- Save the current document
SaveFileAs	- Save the current document with a different filename
SaveMacro	- Save the currently recorded macro
SavePrefs	- Save the preferences on disk
Screen2Back	- Move the screen to back
Screen2Front	- Move the screen to front
ScrollVert	- Scroll vertically keeping the cursor in the same position
ScrollView	- Scroll vertically the current view
SelectLine	- Select the current line
SetBookMark	- Set the specified bookmark
SetChar	- Set the char under the cursor
SetCurrentDir	- Set the current directory
SetDisplayLock	- Set the lock on the display of the current file
SetFilePath	- Set the path of the current document
SetInputLock	- Set the lock on the input in the current document
SetPrefs	- Set the specified preference
SetPriority	- Set the task priority of BED
SetQuoteMode	- Set the quote mode
SetStatusBar	- Display the specified string in the status bar
SetWindowSpec	- Dimension the current document window according to the specification ↔
ShiftLeft	- Shift left the current line one or more characters or tabs
ShiftRight	- Shift right the current line one or more characters or tabs
SizeWindow	- Change the dimensions of the current document window
StripEOLBlanks	- Strip all the blanks at the end of the lines
SwapChars	- Swap the character under the cursor with the next
Text	- Insert the specified string in the current document
ToggleCharCase	- Toggle the upper/lower case of the character under the cursor ↔
UndeleteLine	- Undelete the current line
UndoLine	- Undo all the changes on the current line
Window2Back	- Move the current document window to back

Window2Front - Move the current document window to front

1.47 Functional Grouping of Commands

Functional Grouping of Commands

Commands dealing with load & save

ExistsFile	- Check if a file exists
GetFileInfo	- Return info about the current document
GetFilePath	- Return the path and/or filename of the current document
InsertFile	- Insert a file in the document
OpenFile	- Load the specified file in the current document
PrintFile	- Print the current document
SaveFile	- Save the current document
SaveFileAs	- Save the current document with a different filename
SetFilePath	- Set the path of the current document

Commands dealing with the editing

BackSpace	- Delete the character before the cursor
Delete	- Delete the character under the cursor character
DeleteEOL	- Delete from the cursor to the end of the line
DeleteEOF	- Delete from the cursor to the end of the file
DeleteEOW	- Delete from the cursor to the end of the word
DeleteLine	- Delete the current line
DeleteSOL	- Delete from the cursor to the start of the line
DeleteSOF	- Delete from the cursor to the start of the file
DeleteSOW	- Delete from the cursor to the start of the word
DeleteWord	- Delete the word under the cursor
Insert	- Insert the specified string in the document
InsertTab	- Insert a tab in the text
InsertLine	- Insert a new line in the document
ShiftLeft	- Shift left the current line one or more characters or tabs
ShiftRight	- Shift right the current line one or more characters or ←
Text	- Insert the specified string in the current document
UndeleteLine	- Undelete the current line
UndoLine	- Undo all the changes on the current line

Commands dealing with cursor movements

GetCursorPos	- Return info about the current position of the cursor
Move	- Move the cursor to the specified line and/or column
MoveDown	- Move the cursor down one or more lines line
MoveDownScr	- Move the cursor down one page
MoveEOF	- Move the cursor to the end of the document
MoveEOL	- Move the cursor to the end of the current line
MoveEOW	- Move the cursor to the end of the word
MoveLeft	- Move the cursor left one or more characters
MoveMatchBkt	- Move the cursor on the matching bracket
MoveNextTabStop	- Move the cursor to the next tab stop position
MoveNextWord	- Move the cursor to the start of the next word
MovePrevTabStop	- Move the cursor to the previous tab stop
MovePrevWord	- Move the cursor to the start of the previous word

MoveRight	- Move the cursor right one or more characters
MoveSOF	- Move the cursor to the start of the file
MoveSOL	- Move the cursor to the start of the current line
MoveSOW	- Move the cursor to the start of the current word
MoveUp	- Move the cursor up one or more lines
MoveUpScr	- Move the cursor up one page
ScrollVert	- Scroll vertically keeping the cursor in the same position
ScrollView	- Scroll vertically the current view

Commands dealing with bookmarks

ClearBookMark	- Clear the specified bookmark
MoveBookMark	- Move the cursor to the specified bookmark
SetBookMark	- Set the specified bookmark

Commands dealing with special edit functions

ClearFile	- Clears the current file
Conv2Lower	- Convert the character to lower case
Conv2Spaces	- Convert the tabs to spaces
Conv2Tabs	- Convert the spaces to tabs
Conv2Upper	- Convert the character to upper case
EncryptBlk	- Encrypt the selected block
SetChar	- Set the char under the cursor
StripEOLBlanks	- Strip all the blanks at the end of the lines
SwapChars	- Swap the character under the cursor with the next
ToggleCharCase	- Toggle the upper/lower case of the character under the cursor ↔

Commands dealing with selection block and the clipboard

CopyBlk	- Copy the selected block to the clipboard
CutBlk	- Copy the selected block to the clipboard and erase it
DeleteBlk	- Erase the selected block
GetBlk	- Return the text in the selected block
GetBlkDims	- Return info about the selected block
GetBlkInfo	- Return info about the selected block
MarkBlk	- Mark the start of the selection block
OpenClip	- Load the specified file in the clipboard
PasteClip	- Paste the clipboard in the current document
PrintClip	- Print the contents of the clipboard
SaveClip	- Save the contents of the clipboard in a file
SelectLine	- Select the current line

Commands dealing with search & replace

Find	- Search in the current document for the specified string
FindChange	- Search in the current document for the specified string ↔ and replace it with another

Commands dealing with formatting of paragraph

Center	- Center the current paragraph
FormatParagraph	- Format the current paragraph
Justify	- Justify the current paragraph
LeftJustify	- Left justify the current paragraph
RightJustify	- Right justify the current paragraph

Commands dealing with recorded macros

EndMacro	- Stops the recording of a macro
GetMacroInfo	- Return info about the current macro recorded
OpenMacro	- Load the specified macro
PlayMacro	- Play the recorded macro
RecordMacro	- Start recording a macro
SaveMacro	- Save the currently recorded macro

Commands dealing with external Tools or ARexx macros

ExecARexxMacro	- Execute an ARexx script
ExecARexxString	- Execute an ARexx string
ExecDosScript	- Execute a DOS script
ExecTool	- Execute synchronously a Tool
NewShell	- Opens a new shell
RunTool	- Run asynchronously the selected Tool

Commands dealing with the configuration of the program

GetPrefs	- Return the value of the specified preference
OpenDefinitions document	- Load the specified definitions file for the current ↔
OpenPrefs document	- Load the specified preference file for the current ↔
SaveDefPrefs	- Save the preferences on disk, as defaults
SavePrefs	- Save the preferences on disk
SetPrefs	- Set the specified preference

Commands dealing with windows and screen

ActivateLastDoc	- Activates and bring to front the last document
ActivateNextDoc	- Activates and bring to front the next document
ActivatePrevDoc	- Activates and bring to front the previous document
ActivateWindow	- Activates the window of the current document
BeepScreen	- Flashes the screen
ControlWindow	- Toggle between open and close document window
GetScreenInfo	- Return info about the screen
GetWindowInfo	- Return info about the current document window
GetWindowSpec	- Return the specification of the current document window
IconifyWindow	- Iconify/uniconify the current document window
MoveSizeWindow window	- Change the dimensions and position of the current document ↔
MoveWindow	- Change the position of the current document window
RemakeScreen	- Remake the screen
Screen2Back	- Move the screen to back
Screen2Front	- Move the screen to front
SetStatusBar	- Display the specified string in the status bar
SetWindowSpec specification	- Dimension the current document window according to the ↔
SizeWindow	- Change the dimensions of the current document window
Window2Back	- Move the current document window to back
Window2Front	- Move the current document window to front

Commands dealing with views

CenterView	- Center vertically the current line
GetViewInfo	- Return info about the current view

Commands dealing with documents

CloseDoc	- Closes the current document
GetDocuments	- Return the names of the documents and their ARexx port ↔
name	
GetLastDoc	- Return the ARexx port name of the last edited document
GetPort	- Return the ARexx port name of a document
OpenDoc	- Open a new document
Quit	- Close all the documents and exit

Command allowing input in ARexx Macros

RequestBool	- Open a bool requester
RequestChoice	- Open a requester with multiple choices
RequestFile	- Open a file requester
RequestFont	- Open a font requester
RequestNum	- Open a number requester
RequestStr	- Open a string requester

Commands dealing with text in ARexx macros

GetChar	- Return the current character
GetLine	- Return the text of the current line
GetWord	- Return the word under the cursor

Commands useful when developing ARexx Macros

Exist	- Check if a the specified command is supported by BED
GetErrorInfo	- Return the string of the specified error code
GetTemplate	- Return the template of the specified command
GetVersion	- Return the version string of BED
Help	- Display an AmigaGuide document with an help about the ↔
specified topic	
Illegal	- Produces an error
Nop	- Absolutely nothing

Miscellanea commands

About	- Bring up the About requester
GetCurrentDir	- Return the name of the current dir
GetPriority	- Return the task priority of BED
OpenRequester	- Open the specified requester
SetCurrentDir	- Set the current directory
SetPriority	- Set the task priority of BED
SetQuoteMode	- Set the quote mode

1.48 List of Global Commands

List of Global Commands

ActivateLastDoc	- Activates and bring to front the last document
ActivateNextDoc	- Activates and bring to front the next document

ActivatePrevDoc	- Activates and grong to front the previous document
ActivateWindow	- Activates the window of the current document
BeepScreen	- Flashes the screen
ExecARexxMacro	- Execute am ARexx script
ExecARexxString	- Execute an ARexx string
ExecDosScript	- Execute a DOS script
ExecTool	- Execute synchronously a Tool
Exist	- Check if a the specified command is supported by BED
ExistsFile	- Check if a file exists
GetCurrentDir	- Return the name of the current dir
GetDocuments	- Return the names of the documents and their ARexx port name
GetErrorInfo	- Return the string of the specified error code
GetLastDoc	- Return the ARexx port name of the last edited document
GetPort	- Return the ARexx port name of a document
GetPriority	- Return the task priority of BED
GetScreenInfo	- Return info about the screen
GetTemplate	- Return the template of the specified command
GetVersion	- Return the version string of BED
Help	- Display an AmigaGuide document with an help about the ← specified topic
Illegal	- Produces an error
Nop	- Absolutely nothing
OpenDoc	- Open a new document
Quit	- Close all the documents and exit
RemakeScreen	- Remake the screen
RunTool	- Run asynchronously the selected Tool
Screen2Back	- Move the screen to back
Screen2Front	- Move the screen to front
SetCurrentDir	- Set the current directory
SetPriority	- Set the task priority of BED

1.49 About

Command name: About

Format: About

Release: Version 1.00

Purpose: Bring up the About requester

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.50 ActivateLastDoc

Command name: ActivateLastDoc

Format: ActivateLastDoc FRONT/S

Release: Version 1.00

Purpose: Activates and bring to front the last document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.51 ActivateNextDoc

Command name: ActivateNextDoc

Format: ActivateNextDoc FRONT/S

Release: Version 1.00

Purpose: Activates and bring to front the next document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.52 ActivatePrevDoc

Command name: ActivatePrevDoc

Format: ActivatePrevDoc FRONT/S

Release: Version 1.00

Purpose: Activates and grong to front the previous document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.53 ActivateWindow

Command name: ActivateWindow

Format: ActivateWindow FRONT/S

Release: Version 1.00

Purpose: Activates the window of the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.54 BackSpace

Command name: BackSpace
Format: BackSpace CHARS/N
Release: Version 1.00
Purpose: Delete the character before the cursor
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.55 BeepScreen

Command name: BeepScreen
Format: BeepScreen
Release: Version 1.00
Purpose: Flashes the screen
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.56 Center

Command name: Center
Format: Center
Release: Version 1.00
Purpose: Center the current paragraph
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.57 CenterView

Command name: CenterView
Format: CenterView
Release: Version 1.00
Purpose: Center vertically the current line
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.58 ClearBookMark

Command name: ClearBookMark
Format: ClearBookMark BOOKMARK/N/A
Release: Version 1.00
Purpose: Clear the specified bookmark
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.59 ClearFile

Command name: ClearFile
Format: ClearFile QUIET/S
Release: Version 1.00
Purpose: Clears the current file
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.60 CloseDoc

Command name: CloseDoc
Format: CloseDoc QUIET/S
Release: Version 1.00
Purpose: Closes the current document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.61 ControlWindow

Command name: ControlWindow
Format: ControlWindow ON/S,OFF/S,TOGGLE/S
Release: Version 1.00
Purpose: Toggle between open and close document window
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.62 Conv2Lower

Command name: Conv2Lower
Format: Conv2Lower
Release: Version 1.00
Purpose: Convert the character to lower case
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.63 Conv2Spaces

Command name: Conv2Spaces
Format: Conv2Spaces SOL/S
Release: Version 1.00
Purpose: Convert the tabs to spaces
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.64 Conv2Tabs

Command name: Conv2Tabs
Format: Conv2Tabs SOL/S
Release: Version 1.00
Purpose: Convert the spaces to tabs
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.65 Conv2Upper

Command name: Conv2Upper
Format: Conv2Upper
Release: Version 1.00
Purpose: Convert the character to upper case
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.66 CopyBlk

Command name: CopyBlk
Format: CopyBlk APPEND/S
Release: Version 1.00
Purpose: Copy the selected block to the clipboard
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.67 CutBlk

Command name: CutBlk
Format: CutBlk APPEND/S
Release: Version 1.00
Purpose: Copy the selected block to the clipboard and erase it
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.68 Delete

Command name: Delete

Format: Delete CHARS/N

Release: Version 1.00

Purpose: Delete the character under the cursor character

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.69 DeleteBlk

Command name: DeleteBlk

Format: DeleteBlk QUIET/S

Release: Version 1.00

Purpose: Erase the selected block

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.70 DeleteEOL

Command name: DeleteEOL

Format: DeleteEOL

Release: Version 1.00

Purpose: Delete from the cursor to the end of the line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.71 DeleteEOF

Command name: DeleteEOF

Format: DeleteEOF

Release: Version 1.00

Purpose: Delete from the cursor to the end of the file

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.72 DeleteEOW

Command name: DeleteEOW
Format: DeleteEOW
Release: Version 1.00
Purpose: Delete from the cursor to the end of the word
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.73 DeleteLine

Command name: DeleteLine
Format: DeleteLine
Release: Version 1.00
Purpose: Delete the current line
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.74 DeleteSOL

Command name: DeleteSOL
Format: DeleteSOL
Release: Version 1.00
Purpose: Delete from the cursor to the start of the line
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.75 DeleteSOF

Command name: DeleteSOF
Format: DeleteSOF
Release: Version 1.00
Purpose: Delete from the cursor to the start of the file
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.76 DeleteSOW

Command name: DeleteSOW
Format: DeleteSOW
Release: Version 1.00
Purpose: Delete from the cursor to the start of the word
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.77 DeleteWord

Command name: DeleteWord
Format: DeleteWord
Release: Version 1.00
Purpose: Delete the word under the cursor
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.78 EncryptBlk

Command name: EncryptBlk
Format: EncryptBlk
Release: Version 1.00
Purpose: Encrypt the selected block
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.79 EndMacro

Command name: EndMacro
Format: EndMacro
Release: Version 1.00
Purpose: Stops the recording of a macro
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.80 ExecARexxMacro

Command name: ExecARexxMacro

Format: ExecARexxMacro CONSOLE/S,WINDOW/K,NAME/F

Release: Version 1.00

Purpose: Execute an ARexx script

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.81 ExecARexxString

Command name: ExecARexxString

Format: ExecARexxString CONSOLE/S,WINDOW/K,MACRO/F

Release: Version 1.00

Purpose: Execute an ARexx string

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.82 ExecDosScript

Command name: ExecDosScript

Format: ExecDosScript CONSOLE/S,WINDOW/K,WB2FRONT/S,SCREEN/S,NAME/F

Release: Version 1.00

Purpose: Execute a DOS script

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.83 ExecTool

Command name: ExecTool

Format: ExecTool CONSOLE/S,WINDOW/K,WB2FRONT/S,SCREEN/S,NAME/F

Release: Version 1.00

Purpose: Execute synchronously a Tool

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.84 Exist

Command name: Exist

Format: Exist COMMAND/A

Release: Version 1.00

Purpose: Check if a the specified command is supported by BED

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.85 ExistsFile

Command name: ExistsFile

Format: ExistsFile NAME/F

Release: Version 1.00

Purpose: Check if a file exists

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.86 Find

Command name: Find

Format: Find FIND/F

Release: Version 1.00

Purpose: Search in the current document for the specified string

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.87 FindChange

Command name: FindChange

Format: FindChange FIND/K,CHANGE,ALL/S

Release: Version 1.00

Purpose: Search in the current document for the specified string and ↔
replace it with another

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.88 FormatParagraph

Command name: FormatParagraph
Format: FormatParagraph
Release: Version 1.00
Purpose: Format the current paragraph
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.89 GetBlk

Command name: GetBlk
Format: GetBlk STEM/A
Release: Version 1.00
Purpose: Return the text in the selected block
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.90 GetBlkDims

Command name: GetBlkDims
Format: GetBlkDims
Release: Version 1.00
Purpose: Return info about the selected block
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.91 GetBlkInfo

Command name: GetBlkInfo
Format: GetBlkInfo
Release: Version 1.00
Purpose: Return info about the selected block
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.92 GetChar

Command name: GetChar
Format: GetChar
Release: Version 1.00
Purpose: Return the current character
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.93 GetCurrentDir

Command name: GetCurrentDir
Format: GetCurrentDir
Release: Version 1.00
Purpose: Return the name of the current dir
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.94 GetCursorPos

Command name: GetCursorPos

Format: GetCursorPos

Release: Version 1.00

Purpose: Return info about the current position of the cursor

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.95 GetDocuments

Command name: GetDocuments

Format: GetDocuments

Release: Version 1.00

Purpose: Return the names of the documents and their ARexx port name

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.96 GetErrorInfo

Command name: GetErrorInfo

Format: GetErrorInfo ERROR/N/A,SPECIAL/N

Release: Version 1.00

Purpose: Return the string of the specified error code

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.97 GetFileInfo

Command name: GetFileInfo

Format: GetFileInfo

Release: Version 1.00

Purpose: Return info about the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.98 GetFilePath

Command name: GetFilePath

Format: GetFilePath PATH/S,FILE/S

Release: Version 1.00

Purpose: Return the path and/or filename of the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.99 GetLastDoc

Command name: GetLastDoc

Format: GetLastDoc

Release: Version 1.00

Purpose: Return the ARexx port name of the last edited document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.100 GetLine

Command name: GetLine

Format: GetLine STARTCOL/N,ENDCOL/N

Release: Version 1.00

Purpose: Return the text of the current line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.101 GetLockInfo

Command name: GetLockInfo

Format: GetLockInfo

Release: Version 1.00

Purpose: Return info about the locks

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.102 GetMacroInfo

Command name: GetMacroInfo
Format: GetMacroInfo
Release: Version 1.00
Purpose: Return info about the current macro recorded
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.103 GetPort

Command name: GetPort
Format: GetPort NAME/F
Release: Version 1.00
Purpose: Return the ARexx port name of a document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.104 GetPrefs

Command name: GetPrefs
Format: GetPrefs Prefs/A
Release: Version 1.00
Purpose: Return the value of the specified preference
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.105 GetPriority

Command name: GetPriority
Format: GetPriority
Release: Version 1.00
Purpose: Return the task priority of BED
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.106 GetScreenInfo

Command name: GetScreenInfo
Format: GetScreenInfo
Release: Version 1.00
Purpose: Return info about the screen
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.107 GetTemplate

Command name: GetTemplate
Format: GetTemplate COMMAND/A
Release: Version 1.00
Purpose: Return the template of the specified command
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.108 GetVersion

Command name: GetVersion

Format: GetVersion

Release: Version 1.00

Purpose: Return the version string of BED

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.109 GetViewInfo

Command name: GetViewInfo

Format: GetViewInfo

Release: Version 1.00

Purpose: Return info about the current view

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.110 GetWindowInfo

Command name: GetWindowInfo
Format: GetWindowInfo
Release: Version 1.00
Purpose: Return info about the current document window
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.111 GetWindowSpec

Command name: GetWindowSpec
Format: GetWindowSpec
Release: Version 1.00
Purpose: Return the specification of the current document window
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.112 GetWord

Command name: GetWord

Format: GetWord

Release: Version 1.00

Purpose: Return the word under the cursor

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.113 Help

Command name: Help

Format: Help FILE/K,TOPIC

Release: Version 1.00

Purpose: Display an AmigaGuide document with an help about the specified ↵
topic

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.114 IconifyWindow

Command name: IconifyWindow

Format: IconifyWindow ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose: Iconify/uniconify the current document window

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.115 Illegal

Command name: Illegal

Format: Illegal

Release: Version 1.00

Purpose: Produces an error

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.116 Insert

Command name: Insert

Format: Insert TEXT/F

Release: Version 1.00

Purpose: Insert the specified string in the document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.117 InsertTab

Command name: InsertTab

Format: InsertTab NUM/N,EXPAND/S

Release: Version 1.00

Purpose: Insert a tab in the text

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.118 InsertFile

Command name: InsertFile

Format: InsertFile NAME/F

Release: Version 1.00

Purpose: Insert a file in the document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.119 InsertLine

Command name: InsertLine

Format: InsertLine NOBREAK/S, INDENT/S

Release: Version 1.00

Purpose: Insert a new line in the document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.120 Justify

Command name: Justify

Format: Justify

Release: Version 1.00

Purpose: Justify the current paragraph

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.121 LeftJustify

Command name: LeftJustify

Format: LeftJustify

Release: Version 1.00

Purpose: Left justify the current paragraph

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.122 MarkBlk

Command name: MarkBlk

Format: MarkBlk WORD/S

Release: Version 1.00

Purpose: Mark the start of the selection block

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.123 Move

Command name: Move

Format: Move LINE/N,COLUMN/N,CENTER/S

Release: Version 1.00

Purpose: Move the cursor to the specified line and/or column

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.124 MoveBookMark

Command name: MoveBookMark

Format: MoveBookMark BOOKMARK/N/A

Release: Version 1.00

Purpose: Move the cursor to the specified bookmark

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.125 MoveDown

Command name: MoveDown

Format: MoveDown LINES/N

Release: Version 1.00

Purpose: Move the cursor down one or more lines line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.126 MoveDownScr

Command name: MoveDownScr

Format: MoveDownScr

Release: Version 1.00

Purpose: Move the cursor down one page

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.127 MoveEOF

Command name: MoveEOF

Format: MoveEOF

Release: Version 1.00

Purpose: Move the cursor to the end of the document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.128 MoveEOL

Command name: MoveEOL

Format: MoveEOL NONBLANK/S

Release: Version 1.00

Purpose: Move the cursor to the end of the current line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.129 MoveEOW

Command name: MoveEOW

Format: MoveEOW

Release: Version 1.00

Purpose: Move the cursor to the end of the word

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.130 MoveLeft

Command name: MoveLeft

Format: MoveLeft CHARS/N

Release: Version 1.00

Purpose: Move the cursor left one or more characters

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.131 MoveMatchBkt

Command name: MoveMatchBkt

Format: MoveMatchBkt

Release: Version 1.00

Purpose: Move the cursor on the matching bracket

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.132 MoveNextTabStop

Command name: MoveNextTabStop

Format: MoveNextTabStop NUM/N

Release: Version 1.00

Purpose: Move the cursor to the next tab stop position

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.133 MoveNextWord

Command name: MoveNextWord

Format: MoveNextWord

Release: Version 1.00

Purpose: Move the cursor to the start of the next word

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.134 MovePrevTabStop

Command name: MovePrevTabStop

Format: MovePrevTabStop NUM/N

Release: Version 1.00

Purpose: Move the cursor to the previous tab stop

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.135 MovePrevWord

Command name: MovePrevWord

Format: MovePrevWord

Release: Version 1.00

Purpose: Move the cursor to the start of the previous word

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.136 MoveRight

Command name: MoveRight

Format: MoveRight CHARS/N

Release: Version 1.00

Purpose: Move the cursor right one or more characters

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.137 MoveSizeWindow

Command name: MoveSizeWindow

Format: MoveSizeWindow LEFT/N, TOP/N, WIDTH/N, HEIGHT/N

Release: Version 1.00

Purpose: Change the dimensions and position of the current document window ↔

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.138 MoveSOF

Command name: MoveSOF

Format: MoveSOF

Release: Version 1.00

Purpose: Move the cursor to the start of the file

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.139 MoveSOL

Command name: MoveSOL

Format: MoveSOL NONBLANK/S

Release: Version 1.00

Purpose: Move the cursor to the start of the current line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.140 MoveSOW

Command name: MoveSOW

Format: MoveSOW

Release: Version 1.00

Purpose: Move the cursor to the start of the current word

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.141 MoveUp

Command name: MoveUp

Format: MoveUp LINES/N

Release: Version 1.00

Purpose: Move the cursor up one or more lines

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.142 MoveUpScr

Command name: MoveUpScr

Format: MoveUpScr

Release: Version 1.00

Purpose: Move the cursor up one page

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.143 MoveWindow

Command name: MoveWindow

Format: MoveWindow LEFT/N/A, TOP/N/A

Release: Version 1.00

Purpose: Change the position of the current document window

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.144 NewShell

Command name: NewShell

Format: NewShell WINDOW/K, FROM/K

Release: Version 1.00

Purpose: Opens a new shell

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.145 Nop

Command name: Nop

Format: Nop

Release: Version 1.00

Purpose: Absolutely nothing

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.146 OpenClip

Command name: OpenClip

Format: OpenClip APPEND/S,NAME/F

Release: Version 1.00

Purpose: Load the specified file in the clipboard

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.147 OpenDefinitions

Command name: OpenDefinitions

Format: OpenDefinitions USEDEFAULT/S,MAKEDEFAULT/S,NAME/F

Release: Version 1.00

Purpose: Load the specified definitions file for the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.148 OpenDoc

Command name: OpenDoc

Format: OpenDoc FILEREQ/S,MACRO/K,WINDOW/K,DEFINITIONS/K,SETTINGS/K,NAME ↵
/F

Release: Version 1.00

Purpose: Open a new document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.149 OpenFile

Command name: OpenFile

Format: OpenFile QUIET/S,NAME/F

Release: Version 1.00

Purpose: Load the specified file in the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.150 OpenMacro

Command name: OpenMacro

Format: OpenMacro NAME/F

Release: Version 1.00

Purpose: Load the specified macro

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.151 OpenPrefs

Command name: OpenPrefs

Format: OpenPrefs USEDEFAULT/S,MAKEDEFAULT/S,NAME/F

Release: Version 1.00

Purpose: Load the specified preference file for the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.152 OpenRequester

Command name: OpenRequester

Format: OpenRequester REQUESTER/A

Release: Version 1.00

Purpose: Open the specified requester

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.153 PasteClip

Command name: PasteClip

Format: PasteClip

Release: Version 1.00

Purpose: Paste the clipboard in the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.154 PlayMacro

Command name: PlayMacro

Format: PlayMacro COUNT/N

Release: Version 1.00

Purpose: Play the recorded macro

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.155 PrintClip

Command name: PrintClip

Format: PrintClip QUIET/S

Release: Version 1.00

Purpose: Print the contents of the clipboard

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.156 PrintFile

Command name: PrintFile

Format: PrintFile QUIET/S

Release: Version 1.00

Purpose: Print the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.157 Quit

Command name: Quit

Format: Quit QUIET/S

Release: Version 1.00

Purpose: Close all the documents and exit

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.158 RecordMacro

Command name: RecordMacro

Format: RecordMacro QUIET/S

Release: Version 1.00

Purpose: Start recording a macro

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.159 RemakeScreen

Command name: RemakeScreen

Format: RemakeScreen

Release: Version 1.00

Purpose: Remake the screen

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.160 RequestBool

Command name: RequestBool

Format: RequestBool TITLE/K,PROMPT/A/F

Release: Version 1.00

Purpose: Open a bool requester

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.161 RequestChoice

Command name: RequestChoice

Format: RequestChoice TITLE/K,PROMPT/A,CHOICE/A

Release: Version 1.00

Purpose: Open a requester with multiple choices

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.162 RequestFile

Command name: RequestFile

Format: RequestFile TITLE/K,PATTERN/K,OKGADGET/K,SAVEMODE/S,DRAWERSONLY/ ↵
S,PATH/F

Release: Version 1.00

Purpose: Open a file requester

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.163 RequestFont

Command name: RequestFont

Format: RequestFont TITLE/K, FONTNAME, FONTSIZE/N, FIXEDWIDTH/S

Release: Version 1.00

Purpose: Open a font requester

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.164 RequestNum

Command name: RequestNum

Format: RequestNum POSITIVE/S,TITLE/K,DEFAULT/N/K,PROMPT/F

Release: Version 1.00

Purpose: Open a number requester

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.165 RequestStr

Command name: RequestStr

Format: RequestStr TITLE/K,PROMPT/K,DEFAULT/F

Release: Version 1.00

Purpose: Open a string requester

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.166 RightJustify

Command name: RightJustify

Format: RightJustify

Release: Version 1.00

Purpose: Right justify teh current paragraph

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.167 RunTool

Command name: RunTool

Format: RunTool CONSOLE/S,WINDOW/K,WB2FRONT/S,SCREEN/S,NAME/F

Release: Version 1.00

Purpose: Run asynchronously the selected Tool

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.168 SaveClip

Command name: SaveClip

Format: SaveClip QUIET/S,NOBACKUP/S,NOICON/S,APPEND/S,NAME/F

Release: Version 1.00

Purpose: Save the contents of the clipboard in a file

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.169 SaveDefPrefs

Command name: SaveDefPrefs

Format: SaveDefPrefs

Release: Version 1.00

Purpose: Save the preferences on disk, as defaults

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.170 SaveFile

Command name: SaveFile

Format: SaveFile QUIET/S,NOBACKUP/S,NOICON/S,MODIFIED/S

Release: Version 1.00

Purpose: Save the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.171 SaveFileAs

Command name: SaveFileAs

Format: SaveFileAs QUIET/S,NOBACKUP/S,NOICON/S,APPEND/S,NAME/F

Release: Version 1.00

Purpose: Save the current document with a different filename

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.172 SaveMacro

Command name: SaveMacro

Format: SaveMacro QUIET/S,NAME/F

Release: Version 1.00

Purpose: Save the currently recorded macro

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.173 SavePrefs

Command name: SavePrefs

Format: SavePrefs QUIET/S,NAME/F

Release: Version 1.00

Purpose: Save the preferences on disk

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.174 Screen2Back

Command name: Screen2Back

Format: Screen2Back

Release: Version 1.00

Purpose: Move the screen to back

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.175 Screen2Front

Command name: Screen2Front

Format: Screen2Front

Release: Version 1.00

Purpose: Move the screen to front

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.176 ScrollVert

Command name: ScrollVert

Format: ScrollVert LINE/N/A,RELATIVE/S

Release: Version 1.00

Purpose: ...

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.177 ScrollView

Command name: ScrollView

Format: ScrollView LINE/N/A,RELATIVE/S

Release: Version 1.00

Purpose: Scroll vertically the current view

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.178 SelectLine

Command name: SelectLine

Format: SelectLine

Release: Version 1.00

Purpose: Select the current line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.179 SetBookMark

Command name: SetBookMark

Format: SetBookMark BOOKMARK/N/A

Release: Version 1.00

Purpose: Set the specified bookmark

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.180 SetChar

Command name: SetChar

Format: SetChar CHAR

Release: Version 1.00

Purpose: Set the char under the cursor

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.181 SetCurrentDir

Command name: SetCurrentDir

Format: SetCurrentDir NAME/F/A

Release: Version 1.00

Purpose: Set the current directory

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.182 SetDisplayLock

Command name: SetDisplayLock

Format: SetDisplayLock ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose: Set the lock on the display of the current file

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.183 SetFilePath

Command name: SetFilePath

Format: SetFilePath NAME/F/A

Release: Version 1.00

Purpose: Set the path of the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.184 SetInputLock

Command name: SetInputLock

Format: SetInputLock ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose: Set the lock on the input in the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.185 SetPrefs

Command name: SetPrefs

Format: SetPrefs PREFS/A,SETTING/F

Release: Version 1.00

Purpose: Set the specified preference

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.186 SetPriority

Command name: SetPriority

Format: SetPriority PRIORITY/N/A

Release: Version 1.00

Purpose: Set the task priority of BED

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.187 SetQuoteMode

Command name: SetQuoteMode

Format: SetQuoteMode ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose: Set the quote mode

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.188 SetStatusBar

Command name: SetStatusBar

Format: SetStatusBar TEXT/F

Release: Version 1.00

Purpose: Display the specified string in the status bar

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.189 SetWindowSpec

Command name: SetWindowSpec

Format: SetWindowSpec WINDOWSPEC

Release: Version 1.00

Purpose: Dimension the current document window according to the ↔
specification

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.190 ShiftLeft

Command name: ShiftLeft

Format: ShiftLeft COUNT/N,TABS/S

Release: Version 1.00

Purpose: Shift left the current line one or more characters or tabs

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.191 ShiftRight

Command name: ShiftRight

Format: ShiftRight COUNT/N,TABS/S

Release: Version 1.00

Purpose: Shift right the current line one or more characters or tabs

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.192 SizeWindow

Command name: SizeWindow

Format: SizeWindow WIDTH/N/A,HEIGHT/N/A

Release: Version 1.00

Purpose: Change the dimensions of the current document window

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.193 StripEOLBlanks

Command name: StripEOLBlanks

Format: StripEOLBlanks

Release: Version 1.00

Purpose: Strip all the blanks at the end of the lines

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.194 SwapChars

Command name: SwapChars

Format: SwapChars

Release: Version 1.00

Purpose: Swap the character under the cursor with the next

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.195 Text

Command name: Text

Format: Text TEXT/F

Release: Version 1.00

Purpose: Insert the specified string in the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.196 ToggleCharCase

Command name: ToggleCharCase

Format: ToggleCharCase FORCEUPPER/S,FORCELOWER/S

Release: Version 1.00

Purpose: Toggle the upper/lower case of the character under the cursor

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.197 UndeleteLine

Command name: UndeleteLine

Format: UndeleteLine

Release: Version 1.00

Purpose: Undelete the current line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.198 UndoLine

Command name: UndoLine

Format: UndoLine

Release: Version 1.00

Purpose: Undo all the changes on the current line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.199 Window2Back

Command name: Window2Back

Format: Window2Back

Release: Version 1.00

Purpose: Move the current document window to back

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.200 Window2Front

Command name: Window2Front

Format: Window2Front

Release: Version 1.00

Purpose: Move the current document window to front

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.201 Preferences Reference

Preferences Reference

This is the list of the preferences supported by Blacks Editor 1.0 which can be used in any preference file, and can be modified with the command SetPrefs <pref_name> <value>.

Alphabetical order

Functional groupings

1.202 Alphabetical List of Preferences

Alphabetical List of Preferences

AUTODETECTBINFILES
AUTOINDENT
AUTOSAVE
AUTOSAVECONFIRM
AUTOSAVEDELAY
BACKGROUNDCOLOR
BACKUPTEMPLATE
CANTBACKUPCONFIRM
CHANGESTRING
CLIPBOARDUNIT
CONSOLE
CONVERSIONONLOAD
CONVERSIONONPRINT
CONVERSIONONSAVE
DEFAULTWINDOW
DEFSDRAWER
DEFSPATTERN
DOCSTARTUP
DOCSTARTUPNAME
DOSDRAWER
DOSPATTERN
DOUBLELOADCONFIRM
FILEPATTERN
FILEREQTYPE
FILEREQUESTER
FILESTARTUP
FILESTARTUPNAME
FINDBACKWARD
FINDIGNORECASE
FINDSTRING
FINDWHOLEWORD
FONTREQTYPE
FONTREQUESTER
FREEFORM
GADGETFONT
HORIZSCROLLER
IBMKEYPAD
ICONDRAWER
INDENT
JUMPSCROLL
JUMPSCROLLLINES
LEAVEINDENT
LEFTMARGIN
MAKEBACKUPS
MAXBACKUPVERSION
MENUFONT
MOUSEBLANKER
OVERSTRIKE
OVERWRITECONFIRM
PALETTE
POPUPNEWDOC
PREFSDRAWER
PREFSPATTERN
PRINTDEVICE

READONLY
REXXDRAWER
REXXPATTERN
RIGHTMARGIN
RIGHTMARGINWBORDER
SAVEEOLAS
SAVEICONS
SCREEN
SCREENMODEREQTYPE
SCREENMODEREQUESTER
SELBACKGROUNDCOLOR
SELECTWHENDRAGGING
SELTEXTCOLOR
STRIPEOLBLANKS
TABSGIVESPACES
TABWIDTH
TEXTCOLOR
TEXTFONT
TOOLSDRAWER
TOOLSPATTERN
TRANSLATECRS
VERTSCROLLER
WORDWRAP

1.203 Functional Grouping of Preferences

Functional Grouping of Preferences

ARexx Preferences:

DOCSTARTUP
DOCSTARTUPNAME
FILESTARTUP
FILESTARTUPNAME

Autosave Preferences:

AUTOSAVE
AUTOSAVECONFIRM
AUTOSAVEDELAY

Backup Preferences:

MAKEBACKUPS
CANTBACKUPCONFIRM
BACKUPTEMPLATE
MAXBACKUPVERSION

Colors Preferences:

TEXTCOLOR
BACKGROUNDCOLOR
SELTEXTCOLOR
SELBACKGROUNDCOLOR
PALETTE

Display Preferences:

SCREEN
HORIZSCROLLER
VERTSCROLLER
FILEREQTYPE
FONTREQTYPE
SCREENMODEREQTYPE

Edit Preferences:

AUTOINDENT
FREEFORM
OVERSTRIKE
WORDWRAP
JUMPSCROLL
IBMKEYPAD
JUMPSCROLLLINES

EOL Preferences:

STRIPEOLBLANKS
TRANSLATECRS
SAVEEOLAS

Font Preferences:

TEXTFONT
MENUFONT
GADGETFONT

Format Preferences:

RIGHTMARGINWBORDER
LEAVEINDENT
INDENT
LEFTMARGIN
RIGHTMARGIN

Icon Preferences:

SAVEICONS
ICONDRAWER

Miscellanea Preferences:

MOUSEBLANKER
OVERWRITECONFIRM
DOUBLELOADCONFIRM
SELECTWHENDRAGGING
AUTODETECTBINFILES
POPUPNEWDOC
CLIPBOARDUNIT
PRINTDEVICE
CONSOLE
DEFAULTWINDOW

Tabs Preferences:

TABWIDTH
TABSGIVESPACES
CONVERSIONONLOAD
CONVERSIONONSAVE
CONVERSIONONPRINT

Find Preferences:

FINDSTRING
CHANGESTRING
FINDBACKWARD
FINDIGNORECASE
FINDWHOLEWORD

Others Preferences:

FILEREQUESTER
FONTREQUESTER
SCREENMODEREQUESTER
FILEPATTERN
REXXDRAWER
REXXPATTERN
DOSDRAWER
DOSPATTERN
TOOLSDRAWER
TOOLSPATTERN
PREFSDRAWER
PREFSPATTERN
DEFSDRAWER
DEFSPATTERN
READONLY

1.204 DOCSTARTUP

Preference name: DOCSTARTUP

Format: DOCSTARTUP ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.205 DOCSTARTUPNAME

Preference name: DOCSTARTUPNAME

Format: DOCSTARTUPNAME FILENAME

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.206 FILESTARTUP

Preference name: FILESTARTUP

Format: FILESTARTUP ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.207 FILESTARTUPNAME

Preference name: FILESTARTUPNAME

Format: FILESTARTUPNAME FILENAME

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.208 AUTOSAVE

Preference name: AUTOSAVE

Format: AUTOSAVE ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.209 AUTOSAVECONFIRM

Preference name: AUTOSAVECONFIRM

Format: AUTOSAVECONFIRM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.210 AUTOSAVEDELAY

Preference name: AUTOSAVEDELAY

Format: AUTOSAVEDELAY DELAY/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.211 MAKEBACKUPS

Preference name: MAKEBACKUPS

Format: MAKEBACKUPS ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.212 CANTBACKUPCONFIRM

Preference name: CANTBACKUPCONFIRM

Format: CANTBACKUPCONFIRM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.213 BACKUPTEMPLATE

Preference name: BACKUPTEMPLATE

Format: BACKUPTEMPLATE TEMPLATE

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.214 MAXBACKUPVERSION

Preference name: MAXBACKUPVERSION

Format: MAXBACKUPVERSION MAX/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.215 TEXTCOLOR

Preference name: TEXTCOLOR

Format: TEXTCOLOR PEN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.216 BACKGROUNDCOLOR

Preference name: BACKGROUNDCOLOR

Format: BACKGROUNDCOLOR PEN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.217 SELTEXTCOLOR

Preference name: SELTEXTCOLOR

Format: SELTEXTCOLOR PEN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.218 SELBACKGROUNDCOLOR

Preference name: SELBACKGROUNDCOLOR

Format: SELBACKGROUNDCOLOR PEN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.219 PALETTE

Preference name: PALETTE

Format: PALETTE RGB/M

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.220 SCREEN

Preference name: SCREEN

Format: SCREEN MODE, DATA/F

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.221 HORIZSCROLLER

Preference name: HORIZSCROLLER

Format: HORIZSCROLLER ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.222 VERTSCROLLER

Preference name: VERTSCROLLER

Format: VERTSCROLLER ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.223 FILEREQTYPE

Preference name: FILEREQTYPE

Format: FILEREQTYPE TYPE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.224 FONTREQTYPE

Preference name: FONTREQTYPE

Format: FONTREQTYPE TYPE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.225 SCREENMODEREQTYPE

Preference name: SCREENMODEREQTYPE

Format: SCREENMODEREQTYPE TYPE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.226 AUTOINDENT

Preference name: AUTOINDENT

Format: AUTOINDENT ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.227 FREEFORM

Preference name: FREEFORM

Format: FREEFORM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.228 OVERSTRIKE

Preference name: OVERSTRIKE

Format: OVERSTRIKE ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.229 WORDWRAP

Preference name: WORDWRAP

Format: WORDWRAP ON/S, OFF/S, TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.230 JUMPSCROLL

Preference name: JUMPSCROLL

Format: JUMPSCROLL ON/S, OFF/S, TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.231 IBMKEYPAD

Preference name: IBMKEYPAD

Format: IBMKEYPAD ON/S, OFF/S, TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.232 JUMPSCROLLLINES

Preference name: JUMPSCROLLLINES

Format: JUMPSCROLLLINES LINES/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.233 STRIPEOLBLANKS

Preference name: STRIPEOLBLANKS

Format: STRIPEOLBLANKS ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.234 TRANSLATECRS

Preference name: TRANSLATECRS

Format: TRANSLATECRS ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.235 SAVEEOLAS

Preference name: SAVEEOLAS

Format: SAVEEOLAS MODE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.236 TEXTFONT

Preference name: TEXTFONT

Format: TEXTFONT FONTNAME,SIZE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.237 MENUFONT

Preference name: MENUFONT

Format: MENUFONT FONTNAME,SIZE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.238 GADGETFONT

Preference name: GADGETFONT

Format: GADGETFONT FONTNAME,SIZE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.239 RIGHTMARGINWBORDER

Preference name: RIGHTMARGINWBORDER

Format: RIGHTMARGINWBORDER ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.240 LEAVEINDENT

Preference name: LEAVEINDENT

Format: LEAVEINDENT ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.241 INDENT

Preference name: INDENT

Format: INDENT COLUMN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.242 LEFTMARGIN

Preference name: LEFTMARGIN

Format: LEFTMARGIN COLUMN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.243 RIGHTMARGIN

Preference name: RIGHTMARGIN

Format: RIGHTMARGIN COLUMN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.244 SAVEICONS

Preference name: SAVEICONS

Format: SAVEICONS ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.245 ICONDRAWER

Preference name: ICONDRAWER

Format: ICONDRAWER DRAWER

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.246 MOUSEBLANKER

Preference name: MOUSEBLANKER

Format: MOUSEBLANKER ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.247 OVERWRITECONFIRM

Preference name: OVERWRITECONFIRM

Format: OVERWRITECONFIRM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.248 DOUBLELOADCONFIRM

Preference name: DOUBLELOADCONFIRM

Format: DOUBLELOADCONFIRM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.249 SELECTWHENDRAGGING

Preference name: SELECTWHENDRAGGING

Format: SELECTWHENDRAGGING ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.250 AUTODETECTBINFILES

Preference name: AUTODETECTBINFILES

Format: AUTODETECTBINFILES ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.251 POPUPNEWDOC

Preference name: POPUPNEWDOC

Format: POPUPNEWDOC ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.252 READONLY

Preference name: READONLY

Format: READONLY ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.253 PRINTDEVICE

Preference name: PRINTDEVICE

Format: PRINTDEVICE DEVICE

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.254 CONSOLE

Preference name: CONSOLE

Format: CONSOLE CONSOLE/F

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.255 DEFAULTWINDOW

Preference name: DEFAULTWINDOW

Format: DEFAULTWINDOW WINDOW

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.256 TABWIDTH

Preference name: TABWIDTH

Format: TABWIDTH WIDTH/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.257 TABSGIVESPACES

Preference name: TABSGIVESPACES

Format: TABSGIVESPACES ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.258 CONVERSIONONLOAD

Preference name: CONVERSIONONLOAD

Format: CONVERSIONONLOAD MODE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.259 CONVERSIONONSAVE

Preference name: CONVERSIONONSAVE

Format: CONVERSIONONSAVE MODE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.260 CONVERSIONONPRINT

Preference name: CONVERSIONONPRINT

Format: CONVERSIONONPRINT MODE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.261 FINDSTRING

Preference name: FINDSTRING

Format: FINDSTRING STRING

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.262 CHANGESTRING

Preference name: CHANGESTRING

Format: CHANGESTRING STRING

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.263 FINDBACKWARD

Preference name: FINDBACKWARD

Format: FINDBACKWARD ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.264 FINDIGNORECASE

Preference name: FINDIGNORECASE

Format: FINDIGNORECASE ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.265 FINDWHOLEWORD

Preference name: FINDWHOLEWORD

Format: FINDWHOLEWORD ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.266 FILEREQUESTER

Preference name: FILEREQUESTER

Format: FILEREQUESTER LEFT/N, TOP/N, WIDTH/N, HEIGHT/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.267 FONTREQUESTER

Preference name: FONTREQUESTER

Format: FONTREQUESTER LEFT/N, TOP/N, WIDTH/N, HEIGHT/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.268 SCREENMODEREQUESTER

Preference name: SCREENMODEREQUESTER

Format: SCREENMODEREQUESTER LEFT/N, TOP/N, WIDTH/N, HEIGHT/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.269 FILEPATTERN

Preference name: FILEPATTERN

Format: FILEPATTERN PATTERN

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.270 REXXDRAWER

Preference name: REXXDRAWER

Format: REXXDRAWER DRAWER

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.271 REXXPATTERN

Preference name: REXXPATTERN

Format: REXXPATTERN PATTERN

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.272 DOSDRAWER

Preference name: DOSDRAWER

Format: DOSDRAWER DRAWER

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.273 DOSPATTERN

Preference name: DOSPATTERN

Format: DOSPATTERN PATTERN

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.274 TOOLSDRAWER

Preference name: TOOLSDRAWER

Format: TOOLSDRAWER DRAWER

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.275 TOOLSPATTERN

Preference name: TOOLSPATTERN

Format: TOOLSPATTERN PATTERN

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.276 PREFSDRAWER

Preference name: PREFSDRAWER

Format: PREFSDRAWER DRAWER

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.277 PREFSPATTERN

Preference name: PREFSPATTERN

Format: PREFSPATTERN PATTERN

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.278 DEFSDRAWER

Preference name: DEFSDRAWER

Format: DEFSDRAWER DRAWER

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.279 DEFSPATTERN

Preference name: DEFSPATTERN

Format: DEFSPATTERN PATTERN

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.280 READONLY

Preference name: READONLY

Format: READONLY ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.281 Errors Reference

Errors Reference

This is the reference for error codes and messages.

The first list contains the errors caused during the normal use of the program, the second and the third contain errors occurred while parsing, respectively, definitions and preferences files.

Blacks Editor errors

Definitions file errors

Preferences file errors

1.282 BED Errors

BED Errors

- 1 Error #1
 - 2 Error #2
 - 3 Error #3
 - 4 Error #4
 - 5 Error #5
 - 6 Error #6
-

7 Hit document boundary
8 Not on {, [, (, <, «, », >,),], }
9 Not allowed in read-only mode
10 User requested abort
11 Bookmark not set
12 No block marked
13 Error #13
14 Error #14
15 Error #15
16 Not currently recording
17 Not found
18 Clipboard is empty
19 Clipboard does not contain text
20 Clipboard device not found
21 ARexx process or library not found
22 Command only allowed in ARexx macros
23 Bookmark not found
24 No macro to play
25 Error #25
26 Error #26
27 Error #27
28 Illegal while recording
29 Illegal command
30 Insufficient memory
31 Load error
32 Save error
33 Backup error - not saved
34 Print error
35 Clipboard I/O error
36 ARexx Error
37 Couldn't execute tool
38 AmigaGuide error
39 Couldn't open console
40 Error #40
41 AmigaGuide library not found
42 --- Illegal ---
43 Definitions file not loaded successfully
44 Preferences file not loaded successfully
45 Preferences file not saved successfully
46 Macro not loaded successfully
47 Macro not saved successfully
48 Unknown preference
49 Invalid template
50 Command not global
51 AmigaDOS error
52 Bad parameter
53 Parameter out of range
54 Cannot swap tabs
55 Cursor not on a word
56 No string to find
57 Window is iconified
58 Input is locked
59 Line too long
60 No line to undelete
61 Cannot undo

1.283 Definitions Files Errors

Definitions Files Errors

- 1 AmigaDOS error
- 2 Insufficient memory
- 3 Error creating menus
- 4 Unknown keyword
- 5 Unknown command
- 6 Unknown key
- 7 Key not mapped on this keyboard
- 8 Quoted argument expected

1.284 Preferences Files Errors

Preferences Files Errors

- 1 AmigaDOS error
- 2 Insufficient memory
- 3 Unknown preference
- 4 Wrong template for preference

1.285 Error #1

Message: Error #1

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.286 Error #2

Message: Error #2

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.287 Error #3

Message: Error #3
Fault Level: 1
Probable cause:
Recovery:
Page still not complete...

1.288 Error #4

Message: Error #4
Fault Level: 1
Probable cause:
Recovery:
Page still not complete...

1.289 Error #5

Message: Error #5
Fault Level: 1
Probable cause:
Recovery:
Page still not complete...

1.290 Error #6

Message: Error #6
Fault Level: 1
Probable cause:
Recovery:
Page still not complete...

1.291 Hit document boundary

Message: Hit document boundary

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.292 Not on {, [, (, <, «, », >,),], }

Message: Not on {, [, (, <, «, », >,),], }

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.293 Not allowed in read-only mode

Message: Not allowed in read-only mode

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.294 User requested abort

Message: User requested abort

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.295 Bookmark not set

Message: Bookmark not set

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.296 No block marked

Message: No block marked

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.297 Error #13

Message: Error #13

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.298 Error #14

Message: Error #14

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.299 Error #15

Message: Error #15

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.300 Not currently recording

Message: Not currently recording

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.301 Not found

Message: Not found

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.302 Clipboard is empty

Message: Clipboard is empty

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.303 Clipboard does not contain text

Message: Clipboard does not contain text

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.304 Clipboard device not found

Message: Clipboard device not found

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.305 ARexx process or library not found

Message: ARexx process or library not found

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.306 Command only allowed in ARexx macros

Message: Command only allowed in ARexx macros

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.307 Bookmark not found

Message: Bookmark not found

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.308 No macro to play

Message: No macro to play

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.309 Error #25

Message: Error #25

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.310 Error #26

Message: Error #26

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.311 Error #27

Message: Error #27

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.312 Illegal while recording

Message: Illegal while recording

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.313 Illegal command

Message: Illegal command

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.314 Insufficient memory

Message: Insufficient memory

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.315 Load error

Message: Load error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.316 Save error

Message: Save error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.317 Backup error - not saved

Message: Backup error - not saved

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.318 Print error

Message: Print error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.319 Clipboard I/O error

Message: Clipboard I/O error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.320 ARexx Error

Message: ARexx Error

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.321 Couldn't execute tool

Message: Couldn't execute tool

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.322 AmigaGuide error

Message: AmigaGuide error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.323 Couldn't open console

Message: Couldn't open console

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.324 Error #40

Message: Error #40

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.325 AmigaGuide library not found

Message: AmigaGuide library not found

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.326 --- Illegal ---

Message: --- Illegal ---

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.327 Definitions file not loaded successfully

Message: Definitions file not loaded successfully

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.328 Preferences file not loaded successfully

Message: Preferences file not loaded successfully

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.329 Preferences file not saved successfully

Message: Preferences file not saved successfully

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.330 Macro not loaded successfully

Message: Macro not loaded successfully

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.331 Macro not saved successfully

Message: Macro not saved successfully

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.332 Unknown preference

Message: Unknown preference

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.333 Invalid template

Message: Invalid template

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.334 Command not global

Message: Command not global

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.335 AmigaDOS error

Message: AmigaDOS error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.336 Bad parameter

Message: Bad parameter

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.337 Parameter out of range

Message: Parameter out of range

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.338 Cannot swap tabs

Message: Cannot swap tabs

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.339 Cursor not on a word

Message: Cursor not on a word

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.340 No string to find

Message: No string to find

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.341 Window is iconified

Message: Window is iconified

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.342 Input is locked

Message: Input is locked

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.343 Line too long

Message: Line too long

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.344 No line to undelete

Message: No line to undelete

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.345 Cannot undo

Message: Cannot undo

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.346 AmigaDOS error

Message: AmigaDOS error

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.347 Insufficient memory

Message: Insufficient memory

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.348 Error creating menus

Message: Error creating menus

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.349 Unknown keyword

Message: Unknown keyword

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.350 Unknown command

Message: Unknown command

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.351 Unknown key

Message: Unknown key

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.352 Key not mapped on this keyboard

Message: Key not mapped on this keyboard

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.353 Quoted argument expected

Message: Quoted argument expected

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.354 AmigaDOS error

Message: AmigaDOS error

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.355 Insufficient memory

Message: Insufficient memory

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.356 Unknown preference

Message: Unknown preference

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.357 Wrong template for preference

Message: Wrong template for preference

Fault Level:

Probable cause:

Recovery:

Page still not complete...
