



(POPOUT)

Random Dot Stereogram generator

[Important! Read this FIRST!](#)

[Installation](#)

[Introduction to POPOUT-LITE](#)

[How to Create a Stereogram](#)

[Hints for Viewing a Stereogram](#)

[Hints for Printing a Stereogram](#)

[Problems? Suggestions?](#)

[Advantages of Registering POPOUT-LITE](#)

[How to Register](#)

Advantages of Registering

This product is shareware. This means that this is a fully functional Random Dot Stereogram generator, capable of generating RDS images in Black & White, Random Colors, or in Customized color schemes specified by the user. The software will generate images up to 320x200 pixels, with two levels of "depth" (the base level and one other level). Note that this Help file, as well as the POPOUT-LITE main menu, have been designed for the non-shareware version of the software.

After receiving your registration, we will send you the non-shareware version of POPOUT-LITE. Alternately, you may choose to order a registered copy of POPOUT-PRO, which has many more stereogram generating capabilities. The lists below describe the additional features included in the registered version of POPOUT-LITE, as well as the features of POPOUT-PRO.

POPOUT-LITE Features:

- n There are no limitations placed on the Source and Destination File sizes. The registered version of POPOUT-LITE will create Random Dot Stereograms of any size.
- n The registered version is capable of generating up to 16 levels of depth in the Destination file stereogram.
- n The Pixel Density parameter is included, allowing the user to specify the percentage of foreground pixels generated for Black & White and Custom Color RDS images.

POPOUT-PRO Features:

POPOUT-PRO has all of the capabilities of POPOUT-LITE, plus the following:

- n The non-shareware version of the software is capable of generating Dual-Image stereogram images, where a Background Image supplied by the user is tiled and distorted to create the hidden image.
- n The non-shareware version will read and write both BMP and Targa formatted images. Since Targa is the "format of choice" of popular ray-tracing programs, this means that the user can easily create stereograms from ray-traced images.
- n The non-shareware version will generate up to 256 levels of depth.
- n There are no limitations placed on Source and Destination image sizes in the non-shareware version. Background Images may be as large as 64K pixels.
- n Both Divergent (relaxed eyes) and Convergent (crossed eyes) stereograms can be created with the non-shareware version.
- n A low pass filter can be enabled to help remove unwanted "sprinkles" from ray traces Targa Source images.
- n A Depth Factor parameter allows the amount of depth in the stereogram to be controlled by the user.
- n A Pixel Density parameter allows the user to specify the sparsity of dots in Black & White and Custom Color RDS images.
- n A Pixels/Inch parameter allows the user to target a specific resolution for the final image, allowing the software to minimize distortion in the depth dimension.
- n An option which works in conjunction with the Pixels/Inch parameter and Depth Factor parameter to generate the desired quality of image is included, allowing the user to maximize either the amount of depth impressed into the image, or maximize the depth linearity (quality) of the image.
- n The registered version will optionally generate "Guide Dots" on the stereogram, which helps some people to "lock in on" the hidden image.

Installation

Installation of POPOUT-LITE is easy. Since this shareware is being distributed through a number of different channels, installation may be different for different users.

Look for a file called INSTALL.EXE or SETUP.EXE on the POPOUT-LITE diskette. If it exists (and it should), then simply click on the "File" pulldown in the Program Manager window, then click on "Run". For "Command", type in "A:\INSTALL.EXE"

Substitute another drive letter for your floppy if yours is not drive "A:".

The POPOUT-LITE Install utility will copy all of the necessary files to your hard drive, then create a program group and program items for POPOUT-LITE.

Introduction

POPOUT-LITE generates Random Dot Stereogram images from drawings that you create. At first glance, the images that POPOUT-LITE generates appear to be a series of seemingly random dots. When viewed properly, however, a "hidden" three dimensional image will "POP OUT" of the stereogram!

POPOUT-LITE was designed to be used in with Paintbrush or some similar drawing tool. POPOUT-LITE is capable of generating stereograms with up to 16 levels of depth.

POPOUT-LITE can create three different types of output stereogram. The output image can be either a Black & White RDS, an RDS with 16 randomly chosen colors, an RDS with a color scheme defined by the user.

Creating a Stereogram

The following are the main steps you will follow in creating a stereogram image:

[Create a Drawing](#)

[Options](#)

[Generate the Stereogram](#)

[View and Print the Stereogram](#)

[Configuration/Preferences](#)

Create a Drawing

The first step in generating a stereogram image is to design the image that you want to be hidden within the stereogram. This is the most time-consuming part of the process.

POPOUT-LITE has been designed to accept depth-containing files (called Source Files) that have been manually created using Paintbrush or something similar. POPOUT-LITE will accept only 16-color BMP files.

We've designed POPOUT-LITE to be used easily in conjunction with Microsoft Paintbrush, which most users are familiar with. If you've never used Paintbrush, you may want to spend some time getting familiar with it. If you prefer another drawing tool, you may certainly use it. POPOUT-LITE's only requirement is that your drawing be in 16-color BMP format.. For purposes of this document, we will assume that you are using Paintbrush to create your Source File images.

We recommend that you create your manually-generating drawing by following the steps shown below:

[Redefine the Paintbrush Palette](#)

[Initialize the Paintbrush Canvas](#)

[Create your Drawing](#)

[Save your Drawing](#)

Warning!

Some new users of POPOUT-LITE invariably try to convert a scanned photograph to a stereogram. You should be aware that THIS WILL NOT WORK! This is not a fault of POPOUT. A scanned photograph contains NO depth information encoded within it. Colors or greyscale produced by a scan are NOT the same thing as depth information. POPOUT-LITE (or any other stereogram generator) has no way of determining relative depth in the image. POPOUT-LITE Source File images must be created manually (using Paintbrush). For users that require more than 16 levels of depth, POPOUT-PRO has been designed to accommodate them.

Redefine the Paintbrush Palette

Your distribution diskette contains a Paintbrush Palette definition file called POPOUT.PAL. We suggest that you redefine the palette using this file.

When you start Paintbrush, you may have noticed that the default Paintbrush palette consists of 28 colors. Since Paintbrush can only save 16 of these uniquely (we don't know why), we've limited POPOUT-LITE to accepting drawings which are in a 16-color format. This means that in creating your drawing, you will use at a maximum only 16 colors from the Paintbrush palette.

Click on the Paintbrush "Options" pulldown, then click on "Get Colors...". Select the file POPOUT.PAL from your POPOUT-LITE directory. This file will redefine the Paintbrush palette such that all but 16 colors will be "blacked out". Furthermore, the remaining 16 colors will be rearranged in such a way as to make it easier for you to remember which color will map to which level in the stereogram.

Initialize the Paintbrush Canvas

Only the left-most 16 colors of the Paintbrush palette (8 on top and 8 on the bottom) will be used in creating your drawing. If you've redefined the palette with POPOUT.PAL, these colors are the only ones remaining.

Before starting your drawing, you should clear the canvas to Black. If you've used POPOUT.PAL, this will be done for you.

Before clearing the canvas, you might want to decide on an image size. Click on "Options", then "Image Attributes". Click on the "pels" (meaning pixels) "radio" button. Enter the "Width" and "Height" of your image. We suggest starting with something small, like 320 Width by 200 Height.

Once you've chosen the size of your drawing, you're ready to clear the canvas. Click on the top-left color of the palette with the RIGHT mouse button. Click on the "File" pulldown, then click on "New".

Hint:

Later, you may want to experiment with clearing the canvas to a different color. You can get some interesting "Push In" effects (rather than POP OUT) in your stereograms. Note that this same effect can be produced by rearranging the Ordering string in the Preferences menu.

Warning:

Don't use any of Paintbrush's "dithered" colors. When you zoom in on your drawing, you should not see any patterns of "one dot of color1, the next dot of color2, the next dot of color1, etc). Using these dithered colors will (guaranteed) generate pretty lousy stereograms.

Create your Drawing

This topic refers to the creation of a Source File drawing using Paintbrush to manually draw your Source File.

Creating your drawing is the most time consuming part of generating a stereogram image. This is where you will actually draw the image that you want POPOUT-LITE to hide within your stereogram.

Using all of the normal Paintbrush tools, go ahead and create your drawing. The important thing to remember is that the colors you choose will be interpreted by POPOUT-LITE as "levels". Of the 16 left-most colors, the color on the top left (Black if you've used POPOUT.PAL) will be interpreted as the level furthest from the viewer. The next color (Dark Red if you've used POPOUT.PAL) is closer to the viewer. This continues on until the bottom-right color (White if you've used POPOUT.PAL) is the closest level to the viewer.

Important!

Do not confuse these colors with the colors of your stereogram. The color of your stereogram has nothing to do with the colors you use to create your drawing. The colors that you use here is simply a way for you to put depth information into your drawing.

Hint:

If this is your first time, you may want to use a drawing that we've included on your diskette, rather than creating one of your own. Click on "File", then click on "Open". Select the file EXAMP11.BMP from your POPOUT directory. This is a good example of a 16-color drawing that uses all 16 colors. It will give you a chance to see if your "Overlay" string in your Preferences menu needs to be changed to make sure that colors are being mapped to the proper levels.

Another Hint:

When you're creating your drawing, try not to have less than 3 or 4 pixels of the same color (level) in one horizontal row. For example, don't draw a vertical line that is only 1 pixel wide. Because of the way the illusion works, something like this will be very hard to see in the stereogram.

Save your Drawing

Once you're finished creating your drawing using Paintbrush, you will need to save it to disk in order for POPOUT-LITE to read it. Your drawing (which POPOUT-LITE calls a Source File) must be in a 16-color BMP format.

To save the drawing, click on the "File" pulldown, then click on "Save As...". In the "Save File as Type" window, select "16 Color bitmap". Here, you will need to choose a filename, for example, EXAMPI.BMP.

Hint:

We prefer to save Source images and Destination images in different directories. This helps from getting things mixed up. In the Preferences menu, you can specify separate default paths for these images.

Options

The following two options are available and may be adjusted before Generating your stereogram.

[Pattern Width](#)

[Pixel Density](#)

Pattern Width

One of the first things you notice when looking at a Random Dot Stereogram is the seemingly repeating patterns of random dots across the width of the image. We refer to this distance between repeating patterns as the Pattern Width.

When POPOUT-LITE generates a stereogram, it reads this parameter (which we've arbitrarily defaulted to 60) to determine how many pixels to generate before repeating the pattern. The Pattern Width value is specified in Pixels.

Since we don't know the resolution or size of your monitor, and we don't know the resolution of your printer and whether you'll be scaling your image before printing it, we don't know the physical distance between patterns in your finished stereogram. This physical distance between patterns is what increases or decreases the relative "depth" of the image contained within the stereogram. The wider the pattern, the more depth in the image. Also, the wider the pattern, the more difficult it will be for some people to see the hidden image.

Depending on your own environment, you will probably want to experiment with different values for the Pattern Width. We recommend a pattern width of somewhere between three quarters of an inch to an inch and a half.

Pixel Density

When generating a Black & White or Custom Color stereogram, we have the concept of "foreground" and "background" pixels. In Black & White stereograms, we consider the White pixels to be in the foreground, and the Black ones to be in the background. When creating Custom Color stereograms, we consider the colored pixels to be the foreground pixels, and the "Black" pixels (which may be redefined to another color) to be the background pixels.

The Pixel Density is a percentage value. It specifies to POPOUT-LITE the percentage of foreground pixels that should be generated. The default value is 50, which tells POPOUT-LITE that when creating a Black & White or Custom Color stereogram, make roughly half of the pixels the foreground color, and half of the background color.

The reason for including the Pixel Density parameter is for generating a stereogram which you intend to print. Users who copy their stereograms to directly to high density printers (such as the 300 and 600 dots per inch with no scaling) will find that stereograms created with a 50% Pixel Density tend to be a bit dark. By adjusting this value, a lighter print can be obtained. Allowable values are from 1 to 99 (both 0 and 100 make no sense, as this would produce an image of all foreground or all background pixels!)

Hint:

You can get some interesting RDS images by using very high or very low values for the Pixel Density. It really is amazing how sparse your random dots can be, and the human brain is still able to discern the hidden image. Try setting the Output Style to Black & White RDS, and set the Pixel Density to 90%. Only 10% of the pixels in the resultant stereogram will be black pixels, but you'll probably still be able to see the hidden image!

Note:

The Pixel Density is not used when the Output Style is Random, since there is no concept of foreground or background pixels. In the Random Output Style, all pixel colors are chosen randomly by POPOUT-LITE.

Generate the Stereogram

Once you've created your Source File drawing using Paintbrush, you're ready to start POPOUT-LITE.

In the POPOUT-LITE Main Menu, you will specify the Source File drawing and specify a filename for POPOUT-LITE to save the stereogram, called the Destination File. After filling in a number of optional parameters, you will be ready to generate your stereogram. The following topics provide a description of all of the controls in the POPOUT-LITE Main Menu.

[Source File](#)

[Destination File](#)

[Output Style](#)

[Color File](#)

[Create Color](#)

[Pattern Width](#)

[Pixel Density](#)

[Generate and Exit](#)

Source File

The Source File is the filename of the image that contains the depth information for the stereogram POPOUT-LITE will create. If you've manually created this file using Paintbrush, you must save it as a 16-color BMP image (note that Paintbrush defaults to 256-color; you will need to select 16-color).

In the POPOUT-LITE Main Menu, click on the Source File button, and select the filename of the drawing that you created.

Destination File

The Destination File is the file which is your stereogram. POPOUT-LITE will create this file. The purpose of the Destination File button in the POPOUT-LITE Main Menu is for you to specify the filename.

Hint:

When specifying the Destination File name, use a name similar to the name you gave to your Source File drawing when you saved it in Paintbrush. Down the road, it will help you remember which drawing was used to create the stereogram. If your Source File drawing is called EXAMPI.BMP, you may want to name the Destination file something like EXAMPO.BMP. Or, you may want to specify a Default Directory for the Destination Images (via the Preferences menu) that is different than your default Source File directory. It will help you keep your images organized.

Output Style

The Output Style section of the POPOUT-LITE Main Menu consists of three "radio" style pushbuttons. The Output Style specifies the type of stereogram that you want POPOUT-LITE to create. The following topics will discuss each of these Output Styles.

[Black and White RDS Output Style](#)

[Random RDS Output Style](#)

[Custom Color RDS Output Style](#)

Hint:

If you're experimenting just to see if you can get a viewable stereogram, and you're using Paintbrush to create your Source File, you may want to leave the Output Style set to Black & White, as these take up a lot less disk space than the other Output Styles.

Black and White Output Style

This is the default Output Style. This Output Style selection will tell POPOUT-LITE to generate your Destination File RDS stereogram using only black and white colors. This output style will generate a 2-color BMP Destination File. These images will typically occupy less disk space, and will generate a bit faster.

Random Output Style

This Output Style button tells POPOUT-LITE to generate the Destination file stereogram using a random selection of colors. POPOUT-LITE will choose from 16 bright colors for the image.

These stereograms are stored as a 256-color BMP file.

Hint:

POPOUT-LITE chooses from a random selection of relatively bright colors. Since the choice of colors is random, there's no telling how the stereogram will look. We've added a mechanism to "steer" POPOUT-LITE into choosing colors of a specified color. You may note on the Main Menu that the Create Color Button is enabled when the Random Output Style is selected. If you click on the Create Color Button, then in the Create Color menu select one of the Background Colors, then press the Cancel button without saving anything, POPOUT-LITE will try to bias the random color generation toward that color you selected in the Background Color list. It's still random, but the selected color will tend to appear more often than the other randomly selected colors. For example, if you were making a stereogram with a St. Patrick's Day theme, you might want to use the Random Output Style. By pressing Create Color, then selecting LtGreen from the Background list, then pressing Cancel, the resulting stereogram will tend to have more bright Green than the remaining colors.

Selecting Black as the Background color tells POPOUT-LITE not to bias the color selection, so that all colors have the same probability of being used. Note that Black is the default Background color.

Another Hint:

The random number generator within POPOUT-LITE that is used for generating colors for this output style is "seeded" when POPOUT-LITE is first started, and is never reinitialized as long as POPOUT-LITE is running. What this means is that if you don't like the color scheme of your stereogram, simply press Generate again and try a new set of random colors. By using the Create Color Background color, you can usually get an acceptable color scheme within a few iterations of pressing Generate.

Custom Color Output Style

This is the Output Style that allows users precise control over the coloring of their Random Dot Stereograms. Stereograms are stored by POPOUT-LITE in 256-color BMP format. When this Output Style is selected, POPOUT-LITE needs some mechanism to tell it precisely how to color the stereogram. It uses something we call a Color File to do this.

Important!

Don't confuse the color of the stereogram with the colors in your Source File. Those colors that you used in Paintbrush were converted by POPOUT-LITE to "levels" of depth, and have nothing to do with the color of the stereogram.

The Color File is the mechanism used by POPOUT-LITE to control the color of the stereogram. The Color File contains, in precise detail, how the color of the stereogram should vary from top to bottom of the image.

When using this Output Style, you must either create a new Color File by clicking on the Create Color button, or use a previously created Color File by clicking on the Color File button.

[Selecting a Color File](#)

[Creating a Color File](#)

Hint:

Color Files are independant of the stereograms. You may eventually have an entire directory containg many Color Files that you've created. Any Color File may be used to color any stereogram. We suggest naming color files (which have a default extension of *.POC) such that they indicate the color scheme. For example, a Color File containing the color scheme "LtRed, White, LtBlue" may be called something like USFLAG.POC, or RWB.POC.

Selecting a Color File

The rectangular Color File button is used to select a previously created Color File when generating custom color stereograms. Click on the button, then select the Color File you want POPOUT-LITE to use when coloring the stereogram (Color Files have a default extension of *.POC).

If you will be creating a new color scheme for the stereogram, you will need to create a new Color File. In this case, click on the Create Color button.

Color Files are by default stored in the directory specified in the Preferences menu.

Create Color

The Create Color button is used to access the Create Color Window. This window is used to create a new color scheme, and hence, a new Color File. Color Files are used in the creation of Custom Color stereograms. The Background Color may also be used to statistically bias POPOUT-LITE in the selection of colors for the Random Output Style.

The Color File is a simple text file which describes to POPOUT-LITE how to color your stereogram. In a Custom Color stereogram, we consider some of the pixels to be foreground pixels, and others to be background pixels. The foreground pixels of the Custom Color stereogram may vary in color from top to bottom of the image. The background pixels all have the same color value.

When you press the Create Color button, a window which we call the "Create Color File" window pops up. In this window, you may select any number of colors from 1 to 50 to make up the color scheme of the foreground pixels in your stereogram. You may also select the color of the background pixels.

For a detailed description of the "Create Color File" window, refer to the topic "Create Color File Window". For a detailed description of the structure of a Color File, refer to the topic "Structure of the Color File".

[Create Color File Window](#)

[Structure of a Color File](#)

Create Color File Window

"Create Color File" is the name of a POPOUT-LITE window that is opened when you press the "Create Color" button. The main purpose of the window is to allow the user to create a color scheme for Custom Color stereograms, and hence a Color File. The window may also be used to bias POPOUT-LITE's selection of colors for Random Color RDS images.

The "Create Color File" window has the following controls:

[Foreground Color Buttons](#)

[Background Color Select](#)

[Clear Button](#)

[Save and Cancel Buttons](#)

Foreground Color Buttons

The "Create Color File" window contains sixteen buttons along the left side of the window. These buttons are used to create a color scheme for the foreground pixels in Custom Color Stereograms.

You may press any combination of the sixteen color buttons from 1 to 50 times. By the sequence and number of button presses, you will define how you want the color of foreground pixels to vary from the top to bottom of the stereogram.

For example, if you press the buttons LtRed-White-LtBlue, the foreground pixels of the stereogram will vary gradually from LtRed at the top of the image to White in the middle, then finally from White to LtBlue at the bottom.

As you press a color button, a list is maintained and displayed to remind you of the color scheme you're designing.

Hint:

Color buttons may be pressed more than once. For example, the key presses LtRed-White-LtBlue will produce a color scheme different than pressing LtRed-LtRed-White-White-LtBlue-LtBlue. Experiment.

Another Hint:

If you've made a mistake, you can delete colors from the displayed list. Click on the entry in the list to highlight it, then click on the Clear Button.

Background Color Select

To the right of the "Create Color File" window is a "combo box" which allows you to select the color of the background pixels in a Custom Color stereogram.

The default color of these background pixels is Black.

Hint:

If you will be printing this stereogram, try using White as the background color. The resulting stereogram will tend to be less "busy" looking.

Another Hint:

When the Output Style is selected as Random RDS, POPOUT-LITE will randomly choose from the 16 colors shown in the Create Color Window to make up the colors of your stereogram. Murphy states that POPOUT-LITE will tend to choose colors you don't like! It really is a random selection, and every time you press the Generate button, you'll get a new random color scheme. We've added a mechanism to try and "steer" POPOUT-LITE into emphasizing a particular color when making its random selection. For example, if you're creating an RDS with a St. Patrick's Day theme, you may want to generate a Random color RDS that is "heavy on the green". In the Create Color Window, if you select the Background color as anything other than Black, POPOUT-LITE will try and give that selected color more priority over all others when making a random color selection. The resulting stereogram will tend to have more pixels of that selected Background color contained in it. You don't have to save this to a color file, just choose the color from the list, and POPOUT-LITE will remember it. If the Background color is Black, POPOUT-LITE will pick all colors with the same probability.

Clear Button

The Clear button in the "Create Color File" window has two purposes. When selecting a foreground pixel color scheme, a list of the colors you've chosen appears in the center of the window. If you click on one of the colors in the list to highlight it, then press the Clear button, the entry will be deleted from the list. If you press the Clear button when no entries in the list are highlighted, all of the entries are deleted.

Save and Cancel Buttons

Once you've chosen a list of foreground colors, and selected a background color, click on the Save button to create a Color File. You will be prompted for a filename for the Color File. POPOUT-LITE Color Files have a default extension of *.POC.

Once you've saved your color scheme into a Color File, the "Create Color File" window will close, and the name of your newly created Color File will be entered into the "Color File" space in the POPOUT-LITE Main Menu.

If you've decided that you don't want to be generating a Custom Color stereogram afterall, click on the Cancel button to close the "Create Color File" window.

If you've pressed the Create Color Button because you want to bias the random selection of colors for the Random RDS Output Style, you don't need to save anything. Pressing Cancel will tell POPOUT-LITE to remember the Background color you selected, and this color will be the "preferred" color when POPOUT-LITE creates your Random Color RDS.

Structure of a Color File

Most users will probably never have any need or desire to manually modify a Color File. Since a Color File is a simple text file which can be edited using an editor such as Notepad, you may very well want to "tinker" with Color Files.

In the interest of simplicity, we designed the "Create Color File" window to create Color Files containing full and half intensity primary and secondary colors, as well as White and Black. By "tweaking" a Color File, you can create color schemes including many other colors. Therefore, we've included this topic to discuss the structure of a Color File.

As previously mentioned, a Color File is a simple text file. The Color File can contain any number of lines. Each line contains a command to POPOUT-LITE. There is a very strict syntax that must be adhered to in a Color File (remember, since Color Files are generated by POPOUT-LITE's "Create Color File" window, there's normally never a problem - problems only occur when you modify a Color File).

Each line in a Color File must begin with one of four words: RED, GREEN, BLUE, or BLACK (case does not matter). Any number of lines may begin with the words RED, GREEN, or BLUE, but only one line may begin with the word BLACK. Furthermore, the line beginning with the word BLACK must be the last line in the Color File.

For lines beginning with the words RED, GREEN, or BLUE, the syntax is as follows:

```
COLOR STARTC ENDC STARTY ENDY
```

where:

COLOR is either RED, GREEN, or BLUE

STARTC is the beginning intensity (in percent) of the color

ENDC is the ending intensity (in percent) of the color

STARTY is the beginning line (in percent) of the stereogram

ENDY is the ending line (in percent) of the stereogram

STARTC, ENDC, STARTY and ENDY are all integer numbers between 0 and 100 (inclusive), preceded by one space. ENDY must always be a larger number than STARTY.

For the line beginning with the word "BLACK", the syntax is:

```
BLACK REDC GREENC BLUEC
```

where:

REDC is the amount (in percent) of Red in the background pixels

GREENC is the amount (in percent) of Green in the background pixels

BLUEC is the amount (in percent) of Blue in the background pixels.

REDC, GREENC, and BLUEC must all be integer numbers between 0 and 100 (inclusive).

For example, the line:

```
RED 0 100 0 100
```

would be interpreted by POPOUT-LITE to mean, "Gradually vary Red from 0% intensity to 100% intensity, from 0% down the image (the top) to 100% of the way down the image (the bottom). In other words, this command will ramp any red in the image from full-off at the top of the stereogram, to full intensity at the bottom.

The following example is a Color File generated by pressing the sequence LtRed-White-LtBlue in the "Create Color File" window, and selecting LtYellow as the background color. Note that this sequence will cause the foreground pixels in the stereogram to be Red at the top of the image, gradually fading into White in the middle, then onto Blue at the bottom. The background pixels will be Yellow.

```
RED 100 100 0 50  
RED 100 0 50 100  
GREEN 0 100 0 50  
GREEN 100 0 50 100
```

```
BLUE 0 0 0 50
BLUE 0 100 50 100
BLACK 100 100 0
```

The above example Color File would be interpreted by POPOUT-LITE as follows:

The first line would be read by POPOUT-LITE as, "Vary Red from full-on at the top of the image, to full on in the middle of the image". In other words, Red stays at full-on for the top half of the image.

The second line would be interpreted as, "Vary Red from full-on in the middle of the image to full-off at the bottom".

The third line tells POPOUT-LITE to vary Green from full-off at the top to full-on in the middle, and the fourth line says to ramp green from full-on in the middle to full-off at the bottom.

The fifth and sixth lines ramps Blue from full-off at the top to full-on in the middle, then to stay at full-on for the bottom half.

When POPOUT-LITE combines all of this information when creating foreground pixels, we see that there is no Green or Blue at the top of the image, but lots of Red. So, the very top of the image will be Red. For the top half of the image, Green and Blue gradually increase in intensity so that in the middle, we have full intensity of all three colors, resulting in White in the middle (Red + Green + Blue = White). Moving from the middle to the bottom of the image, both Red and Green fall to full-off, while Blue stays at full-on. So, in the bottom half of the image, we fade from White to Blue.

The last line of the Color File redefines the Black, or background pixels, to be full-intensity Red and full-intensity Green, but no Blue. Red + Green = Yellow, so the background pixels will be Yellow.

Hint:

If you're in there fiddling with Color Files, make sure and "overlap" both color and position values. For example, in the two lines above that describe Red, the middle of the image (50%) is defined in both lines. Don't do something like:

```
RED 100 100 0 50
RED 100 0 51 100
```

In the above example, we haven't "covered" the area between 50% and 51% of the way down the image.

Color File

The Color File button is used when you want POPOUT-LITE to create a stereogram with a color scheme that you have previously defined and stored on your disk as a Color File. The Color File button is used to select the Color File. This button is enabled only when you've selected the Output Style to be Custom Color.

Color Files are independant of stereograms. You may in time have a directory full of miscellaneous Color Files. Any Color File may be used to define the color for any Custom Color stereogram.

To create a Color File, refer to the topic "Create Color".

[Create Color](#)

Hint:

Color Files have a default extension of *.POC. Name a Color Files to be descriptive of the color scheme it defines, not the stereogram you're using it to create. For example, a Color File that describes the color scheme "LtRed, White, LtRed" might be named something like USFLAG.POC.

Generate and Exit

The Generate button in the POPOUT-LITE Main Menu is the "DO IT" button. Once you've set up all of the controls, click on the Generate button.

POPOUT-LITE will read your Source File drawing, and any appropriate controls that you've set (Output Style, Pattern Width, etc). POPOUT-LITE will then create a file on your disk with the name you gave as the Destination File. This file is your stereogram. POPOUT-LITE displays a status bar at the bottom of the menu to provide feedback as to where it is in generating your stereogram. Depending on the speed of your computer, you may never even notice it.

Once POPOUT-LITE has finished generating your stereogram Destination File, you may exit POPOUT if you wish. The "Exit" button is used to exit POPOUT.

Hint:

Since the RDS is based on randomly generated pixels, sometimes you may get a stereogram that just doesn't "look right". A glob of blue pixels here, a glob of black pixels there, etc. Each time you press the Generate button, POPOUT-LITE uses a different set of random numbers, so keep hitting Generate, view the stereogram via the "View" pulldown, and hit Generate again, etc., until you get a stereogram that you like.

View and Print the Stereogram

Once you've clicked on the Generate button in the POPOUT-LITE Main Menu and POPOUT-LITE generated your stereogram, you will want to view it. You can use the "View" pulldown in the main window, which by default will also start Paintbrush. You can then print your stereogram from within Paintbrush.

Printing a stereogram is not the same as printing a normal image. Because of the nature of the optical illusion, it is important to follow some certain "rules" for best results. Refer to the topic "Hints for Printing".

[Hints for Printing](#)

Hints for Printing

Paintbrush contains a nice mechanism for printing your stereograms. There are a few tips, however, that we've included so that you produce the nicest looking hardcopy.

- n Always use the Printer Resolution. When you print using Paintbrush, there is a box in the Paintbrush Print window labelled "Use Printer Resolution". Always 'X' this box. If you don't, you may see vertical ridges or lines in your stereogram.
- n Try to scale by integer multiples of 100. In the Paintbrush Print window, scale by numbers like 100%, 200%, 300%, etc. Otherwise, you may see the same vertical lines or ridges mentioned above.
- n Depending on the resolution of your printer, and the scaling factor mentioned above, you may need to go back and recreate your stereogram with a different value for the Pattern Width in the POPOUT-LITE Main Menu. On paper, the distance between repeating patterns should be around an inch to an inch and a half.
- n If you've generated a Black & White stereogram, and your printing to a black and white printer, you may notice that the stereogram is a bit dark, especially if you have a high resolution printer and your print scale factor is small. Go back and re-generate your stereogram with a higher value for the Pixel Density in the POPOUT-LITE Main Menu.
- n We've had some good experience with taking stereograms to the local quick-copy store. For a small fee, these places (assuming they have the equipment) can read an image, and send it directly to a color copier. The results are impressive, and by far the best quality for the buck.

For a High Resolution Printer (> 300 dpi)

If you intend to print your stereogram at a very high resolution, keep in mind that what you can print is far more resolute than what can be displayed on your CRT; perhaps by as much as a factor of 10 or more. This means that you may be able to produce an image which while unviewable on the CRT (because of a huge pattern width), is perfectly fine when printed. Keep in mind that a most important factor in the quality of your stereogram is the linear pattern width; try to keep it between an inch and two inches. On a 300 dot per inch printer, for example, you want a pattern width around 300 or 400 pixels. This image would be difficult to view (if not being totally non-viewable) on an 80 pixel per inch CRT (making the linear width over 3 inches), but would look just fine on a printer, where the linear patter width would be about an inch.

Hint:

If, when viewing your stereogram, you see more levels than you expect, try increasing the Pattern Width. If your stereogram is difficult to "lock in on", try decreasing the Pattern Width.

Preferences

The Preferences menu is accessed by clicking on the "Configuration" pulldown in the POPOUT-LITE main menu. This menu allows you to specify your default image viewer, and the default pathnames of your images and color definition files.

Note:

When you click the "Save" button in the Preferences menu, your default selections will be saved to disk, and will be used each time you start POPOUT-LITE.

[Default Viewer](#)

[Default Directories](#)

Default Viewer

The "Viewer" button in the Preferences window allows you to specify a default image viewer. This is the viewer that is used when you select the "View" pulldown in the POPOUT-LITE main menu. By default, we've selected the Viewer program to be "PBRUSH.EXE", which is Paintbrush. You should never need to change this setting unless you prefer using another viewer program.

Note:

The Default viewer must be located somewhere in your system PATH specified in your AUTOEXEC.BAT file.

Default Directories

The Default Directories specified in the POPOUT-LITE Preferences menu specify the default locations of your various POPOUT-related files. This is handy if you choose to keep Source Files in one directory, Destination Files in another directory, etc.

Note:

This Default Directory information is saved, and will be used each time you start POPOUT-LITE.

Hints for Viewing

Some folks will have no problems in viewing your stereogram images. Others may need a bit of help. Below is a list of "hints" that we've compiled from different people.

- n Start with your head about a foot or so from the image. Stare at it and let your eyes relax. If things start to move out of focus, let them. Keep staring.
- n With your head about a foot from the image, suddenly move toward the image, and try not to refocus.
- n Stare at something at a far wall. Then, suddenly, glance at the image. Don't try to refocus on the image.
- n Get your nose right up to the image. Gradually (or for some people, quickly) move your head back.
- n Practice by drawing two dots on a piece of paper about an inch or so apart. Stare at them and let your eyes relax. Both dots should go out of focus, and you will see a total of four fuzzy dots. Keep staring. As the two middle fuzzy dots start to move toward each other, let them. There will be a point where the two middle fuzzy dots meet, and you will see a total of three dots, where the one in the center is clear, and the two edge dots are fuzzy. This is what you need to be doing to your eyes to see the stereogram image.
- n On a printed RDS, draw two dots like in the above hint just above the stereogram, at a distance identical to the pattern width. Once you stare and see three dots, gradually move your eyes down into the stereogram without trying to refocus. Some RDS generators do this automatically. Personally, we think it's dumb. You can always do this yourself with a pencil, or inside Paintbrush. Of course, with a Dual-Image stereogram, you don't need this.
- n Put your stereogram behind a piece of glass, then stare at your reflection in the glass.

Problems, Suggestions, etc.

If you've encountered some sort of problem in trying to generate a stereogram image using POPOUT-LITE, our first recommendation is to rummage through this Help file. We've tried to include a number of tips and suggestions to give you the best possible results. Chances are, the answer to your question is buried in this Help file somewhere.

If not, or if you have any other problems, either contact the agent or merchant that sold you your software. If he or she can't answer your question, you can contact the authors by way of the addresses shown below:

POPOUT

C/O Bob Hankinson

P.O. Box 50632

Dallas, Texas 75250

Or via the Internet, America OnLine, or CompuServe:

Internet or AOL: BHankinson@aol.com

CompuServe: 73144,1046

How to Register

To register this shareware copy of POPOUT-LITE, and receive a free copy of the non-shareware version, simply click on "Help" in the POPOUT-LITE main menu, then click on "Register POPOUT-LITE". A printable order form will be displayed.

Also, if you restart POPOUT-LITE, you can click on the "Order Form" button that will appear in the opening window.

The Order Form may be printed by clicking on the "File" pulldown in the Order Form window, then clicking on "Print Topic".

If you require more capability than is provided by the registered version of POPOUT-LITE, you may be interested in registering a copy of POPOUT-PRO.

Allowable Image Formats

Source File Formats

POPOUT-LITE will accept only a 16-color BMP image as a Source File.

Note:

We have purposely NOT chosen some more common image formats as acceptable Source File formats. Inevitably, we will receive mail that suggests, "Why don't you modify POPOUT-LITE to accept GIF format images, as I have plenty of GIF's that I'd like to create stereograms from."

As mentioned elsewhere, scanned images contain no depth information, and are therefore unacceptable as Source File images! POPOUT-LITE (or any other stereogram generator) has no way of determining relative depth in the image. Color and brightness are NOT the same as depth.

Destination File Formats

POPOUT will create stereograms in either 2-color or 256-color BMP format. Black & White images are stored as 2-color BMP, while Random and Custom color images are stored in 256-color BMP format.

BMP Level Mapping

When your Source Image is a 16-color BMP file, POPOUT-LITE expects a certain set of colors. If you've used POPOUT.PAL to define your colors from within Paintbrush, then you shouldn't have a problem. There is, however, a slight chance that with your particular configuration, Paintbrush will not save all 16 colors uniquely. If so, try restarting Windows in another color mode. We've had luck with Windows in 16 or 256 color modes, but have found that some graphics drivers will not allow Paintbrush to save all 16 colors uniquely in 64K or true-color mode. If there is a problem, it will most likely be in that you will lose one of your gray shade colors.

The following is a list of colors that are defined in POPOUT.PAL, in the order that POPOUT-LITE maps them to levels. The first color in the list, Black, is mapped to the level of depth furthest from the viewer. The last color, White, will become the level closeset to the viewer.

- Black
- Dark Red
- Dark Green
- Dark Yellow
- Dark Blue
- Dark Magenta
- Dark Cyan
- Dark Grey
- Light Grey
- Light Red
- Light Green
- Light Yellow
- Light Blue
- Light Magenta
- Light Cyan
- White

BMP Source File Colors

When using a 16-color BMP format drawing as a POPOUT-LITE Source File, POPOUT maps colors in the Source File to levels of depth in the stereogram. We suggest that you use the colors defined in POPOUT.PAL. Refer to the topic "BMP Level Mapping" for a list of how colors are mapped to levels.

[BMP Level Mapping](#)

Definition of Terms

The following are descriptions of some of the terms that appear in this Help file.

Source File

The Source File is the primary input to POPOUT-LITE. This is the file that contains the depth information that will be used by POPOUT-LITE to create the stereogram. This file must be a 16-color BMP file (which is easily created using Paintbrush).

Destination File

The Destination File is the file that POPOUT-LITE creates. This is the stereogram image. POPOUT-LITE will create either a 2-color or 256-color BMP file.

Output Style

The Output Style refers to the type of stereogram that POPOUT-LITE will create. POPOUT-LITE is capable of creating three distinct types of stereogram images. Three are all types of Random Dot Stereograms. We refer to these three output styles as Black & White, Random Color, and Custom Color. Black & White RDS images are easy to generate and typically occupy less disk space. They make nice images for hardcopy. Random Color RDS images consist of 16 colors chosen randomly by POPOUT-LITE. Custom Color RDS images use a color scheme created by the user and stored in something called a Color File. Color Files are only used when creating Custom Color RDS images.

UK Order Form



Oakley Data Services
3 Oakley Close, Sandbach,
Cheshire CW11 9RQ, England



Call +44 (0)270 759739
Fax +44 (0)270 765272
CIS: 100024,1763

Note: You can print this Order Form by selecting the "File" pulldown above, then clicking on "Print Topic".

To:
Oakley Data Services, 3 Oakley Close, Sandbach,
Cheshire CW11 9RQ, England

Please send me _____ registered copy(s) of (select one):

_____ POPOUT-LITE _____ POPOUT-PRO

Also, please send Shareware Versions of some of your other fine software.

PRICES:

POPOUT-LITE:

UK and EEC:

17.00 Pounds Sterling including P&P, plus VAT (17.5%) = 19.97 Pounds Sterling per copy.

Outside the EEC:

17.00 Pounds Sterling plus 2.00 Pounds Sterling P&P = 19.00 Pounds Sterling per copy.

POPOUT-PRO:

UK and EEC:

29.95 Pounds Sterling including P&P, plus VAT (17.5%) = 35.19 Pounds Sterling per copy.

Outside the EEC:

29.95 Pounds Sterling plus 2.00 Pounds Sterling P&P = 31.95 Pounds Sterling per copy

Unless otherwise requested, we ship 3.5" HD disks.

Total Price: _____

Inclose a cheque / wish to pay by MasterCard / Visa (delete as applicable)

Credit Card Details:

Name as on card: _____

Card Number: _____
Expiry Date: _____

Please send the software to:

Name: _____
Address: _____

Post Code: _____ Daytime Telephone: _____

You can also contact us by:

Phone: +44 (0)270 759739
Fax: +44 (0)270 765272
Compuserve: 100024,1763

It would help in our distribution efforts if you tell us where you found your shareware copy of POPOUT-LITE. Also, please include any ideas for future enhancements:

USA Order Form

Note: This Order Form can be printed by clicking on the "File" pulldown above, then clicking on "Print Topic".

Please send me _____ copy(s) of (select one):

_____ POPOUT-LITE _____ POPOUT-PRO

Send the software to:

Name: _____
Street/Apt: _____
City/State/Zip: _____

Unless otherwise noted, we ship 3.5" diskettes.

PRICES:

POPOUT-LITE:

Registration Fee:		\$20.00
Sales Tax (TX Residents must add \$1.50):	_____	
Total:		_____

POPOUT-PRO:

Registration Fee:		\$30.00
Sales Tax (TX Residents must add \$2.25):	_____	
Total:		_____

Make checks payable to "POPOUT", and send your registration to:

POPOUT
P.O. Box 50632
Dallas, Texas 75250

Please note:

Orders to the above address from countries outside the United States must be paid for in US Dollars and checks must be drawn on a US Bank. Otherwise, you must include an \$8.00 collection fee.

If you have any questions, comments, or suggestions, the authors can be contacted via Compuserve, America OnLine, or the Internet. Email is typically answered within a day. Please use one of the following addresses:

Compuserve: 73144,1046
America OnLine: BHankinson
Internet: BHankinson@aol.com

Also, it would help in our distribution efforts if you could tell us where you received your shareware copy of POPOUT-PRO! And thanks!
Bob Hankinson & Gary Peterson

Background color

The Background Color in the Create Color menu is used to specify the color of background pixels in the Custom Color Output Style, and is also used to bias the random selection of colors in the Random Color Output Style.

Background File

This is the file that contains the image that will be tiled and distorted to produce the Dual-Image type of stereogram.

background pixels

Pixels in a Custom Color stereogram that all have the same color

Black & White

A stereogram Output Style consisting only of black and white pixels

BMP

A standard image format. Stands for "bitmap"

Cancel

Use this button to exit POPOUT.

Color File

Contains the color information for generating Custom Color stereograms

Create Color File

A window that pops up when the "Create Color" button is clicked

Create Color

Use this button to create a new color scheme.

Custom Color

A stereogram where the user designs the color scheme

Destination File

This is the file that POPOUT creates that contains your stereogram.

Dual-Image

This is a type of stereogram generated by tiling a background image, and distorting the tiled image in such a way as to hide another image within it.

EXAMPI.BMP

A sample Source File drawing included with this diskette.

foreground pixels

The white pixels in Black & White stereograms, and the colors that are varied in Custom Color stereograms.

Generate

Use this button to create the stereogram.

GIF

You've probably got some images stored in GIF format. POPOUT doesn't support this format just so you won't try creating stereograms of your scanned image. It won't work. Trust us.

Output Style

Specifies the type of stereogram that POPOUT will generate

Paintbrush

Paintbrush is a drawing tool included with Microsoft Windows. POPOUT was designed specifically to be used with Paintbrush.

palette

At the bottom of the Paintbrush window is the palette of colors you use in drawing. With POPOUT, only use the left-most 16 colors.

Pattern Width

The distance in pixels between repeating patterns in the stereogram

Pixel Density

For Black & White and Custom Color stereograms, the percentage of pixels that are foreground pixels.

POC

Default Color File extension

POP16ORG.POT

A Translate File included with this diskette

POPOUT

POPOUT is a Windows based Random Dot Stereogram generator.

POPOUT.PAL

This is a Paintbrush palette definition file that blackens all but the left-most 16 colors in the Paintbrush palette.

POPOUT.POT

A Translate File included with this diskette

POPOUT16.POT

A Translate File included with this diskette

Random

A stereogram Output Style consisting of randomly chosen colors

RDS

Random Dot Stereogram

scan

Scanned photographs are not suitable for stereograms as they contain no depth information.

seed

The random number generator used for the Random Color Output Style is seeded, or initialized, when POPOUT is first started, then is not touched as long as POPOUT is running.

Source File

This is the drawing your create which will be "hidden" within the stereogram.

Stereogram

Targa

The Targa format is the "format of choice" of popular ray tracing software. POPOUT supports Type 1, 2 and 3 Targa formats.

TGA

Targa format

Translate File

A text file that provides the "final word" on how POPOUT will convert colors to levels.

