

MidiPlay

COLLABORATORS

	TITLE : MidiPlay		
ACTION	NAME	DATE	SIGNATURE
WRITTEN BY		July 29, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	MidiPlay	1
1.1	MidiPlay	1
1.2	INTRODUCTION	1
1.3	VERSION	1
1.4	DISCLAIMER	1
1.5	COPYRIGHT	2
1.6	WHAT IS MIDIPLAY ?	2
1.7	REQUIREMENTS	3
1.8	INSTALLATION	3
1.9	STARTING MIDIPLAY	3
1.10	HELP	5
1.11	MIDI FILE INFORMATION	5
1.12	META EVENT PRINTING	5
1.13	DO NOT SEND MIDI EVENTS	6
1.14	SET TEMPO	6
1.15	MIDI EVENT PRINTING	6
1.16	MUTE CHANNELS	6
1.17	SOLO CHANNEL	6
1.18	TRANSPOSE	7
1.19	SETS DRUM CHANNEL	7
1.20	PROGRAM CHANGE FILTER	7
1.21	PITCH BENDER FILTER	7
1.22	LOOP	8
1.23	SETS PLAYER PRIORITY	8
1.24	SEQUENTIAL PLAYING	8
1.25	MIDI MERGE	8
1.26	EXTERNAL SYNC	8
1.27	CIA TIMER	9
1.28	SHOWS MAIN WINDOW	9
1.29	SKIPS EMPTY MEASURES	9

1.30 NO PROGRAM CHANGE ON DRUM CHANNEL	9
1.31 NO MAPPING ON CHANNELS	10
1.32 BUFFER AS DEFAULT SELECTION	10
1.33 IMMEDIATE START AFTER LOADING	10
1.34 EXIT AFTER PLAYING	10
1.35 WAITS EXTERNAL START	11
1.36 MAPPING	11
1.37 PROGRAM CHANGE MAPFILE	11
1.38 NORMAL RESET	11
1.39 QUANTIZE	11
1.40 PLAYLIST FILE	12
1.41 READS TOOLTYPES	12
1.42 MELODY CHANNEL	12
1.43 DRUM MAPFILE	12
1.44 SOFT MUTING	13
1.45 COUNT MEASURES	13
1.46 MEASURE FILE STATUS	13
1.47 FADE	13
1.48 LYRIC TYPE	14
1.49 SETS PLAYLIST PLAYING	14
1.50 CHANNEL PATCHING	14
1.51 VOLUMECHANGE	14
1.52 DEFINES SCRIPT FOR MESSAGES	15
1.53 DEFINES SCRIPT FOR FILENAMES	15
1.54 DEFINES SCRIPT FOR NON-MIDI FILES	15
1.55 FORCES RESET	15
1.56 REMEMBERS LAST DIRECTORY	16
1.57 WINDOWS	16
1.58 MAIN WINDOW	16
1.59 MENUS	16
1.60 PROJECT	16
1.61 OPTIONS	17
1.62 MUTE ON	18
1.63 SOLO ON	18
1.64 RESET	18
1.65 FILTER	19
1.66 MAPFILE	19
1.67 SHOW	19
1.68 FILE CONTROL	20

1.69 WINDOWS	21
1.70 GADGETS	21
1.71 KEYBOARD	22
1.72 PREFERENCES WINDOW	23
1.73 MELODY CHANNEL	23
1.74 TEXT EVENT WINDOW	24
1.75 PLAYLIST WINDOW	24
1.76 LYRIC WINDOW	25
1.77 AREXX COMMANDS	25
1.78 OTHER INFORMATION	27
1.79 TODO	27
1.80 PROBLEMS AND LIMITATIONS	27
1.81 HISTORY	28
1.82 AUTHOR	31
1.83 CREDITS	31
1.84 SUPPORT BBS	32
1.85 TIPS FOR USERS	32
1.86 EXAMPLE 1	33
1.87 EXAMPLE 2	33
1.88 EXAMPLE 3	34

Chapter 1

MidiPlay

1.1 MidiPlay

INTRODUCTION
INSTALLATION
STARTING OPTIONS
WINDOWS
AREXX COMMANDS
TIPS FOR USERS
OTHER INFORMATION
TODO
PROBLEMS AND LIMITATIONS
HISTORY
AUTHOR
CREDITS

1.2 INTRODUCTION

VERSION
DISCLAIMER
COPYRIGHT
WHAT IS MIDIPLAY ?
REQUIREMENTS

1.3 VERSION

MidiPlay v2.20 2-Aug-94

1.4 DISCLAIMER

The author of this program can not be held responsible for any damage directly or indirectly caused by the use of this program. Use it at your own risk.

1.5 COPYRIGHT

This program is copyright (C) 1993-1994 Janne Syväniemi. All Rights Reserved. The program is GIFTWARE. It is freely distributable as long as all files are included in their original form and no extra fee is charged. MidiPlay may not be included in any commercial package without a permission of the author. People who use MidiPlay much, should consider rewarding the author with some music related gift (like good music in CD format).

Bill Barton's midi.library is Copyright (C) 1987, 1988, Pregnant Badger Music. More info about midi.library can be found on Fred Fish disk 227.

regtools.library is Copyright (C) Nico François.

See also Author

1.6 WHAT IS MIDIPLAY ?

MidiPlay is a program that can play format 0 and 1 MIDI files (format 2 has not been tested). It can also print their contents.

NEW FEATURES IN 2.20:

- o ARexx support: MidiPlay recognizes over 60 different ARexx commands
- o Playlist window for editing the playlist and selecting from it
- o Listview for text events
- o lyric window with scrolling lyric
- o PATCHCHANNEL feature lets you map events on one channel to another
- o VOLUMECHANGE feature lets you increase/decrease volume on any channel
- o keyboard shortcuts for volumechange
- o with MESSAGEREXX, FILENAMEREXX and FILETYPEREXX parameters you can e.g. hear messages and filenames via say command, view text files associated with MIDI files or decompress archives and play MIDI files in them
- o graphical gadgets for play, stop, cont, prev, next and fast forward

Other features include:

- o graphical user interface lets you load and play MIDI files easily
 - o files can be played from a playlist
 - o GM support: program change mapping, drum mapping
 - o tempo can be changed using the tempo slider
-

- o MIDI channels can be muted or soloed
- o MIDI events can be transposed
- o program change and pitch bender message filter
- o external or internal sync
- o the reset message resets MIDI equipments to the factory setup
- o MIDI merge
- o with SKIP option MidiPlay can skip too long delays between events

If you need the latest version of MidiPlay, call this BBS
or look at my WWW Amiga page: <http://www.uta.fi/~csjasy/amiga.html>

1.7 REQUIREMENTS

MidiPlay requires at least OS 2.04 to run. Also reqtools.library and midi.library are required.

1.8 INSTALLATION

Copy libraries midi.library v2.0 and reqtools.library to your LIBS: directory. A template configuration file (midiplay.config) is included with this archive, edit it to suit your needs and copy it to your S: directory. Copy MidiPlay wherever you like. midiplay.config is not necessary, you can use the tooltypes in the MidiPlay icon or in the project icons. If you use map files you should define in the configuration file where they are located. Couple of example ARexx scripts are included, copy them to your REXX: directory, if you want to use them. See starting options FILENAMEREXX, FILETYPEREXX and MESSAGEREXX for more information how to use them.

1.9 STARTING MIDIPLAY

Before the starting options or tooltypes are read, MidiPlay tries to load S:midiplay.config. Those settings can be changed through CLI arguments or tooltypes. If the configuration file is not found, MidiPlay's default settings are used.

FROM CLI:

TYPE: midiplay [+|- options] [filename]

NOTE (v2.0) : '-' sign means not the same as in previous versions!
 '+' sign means now that this options is set ON and '-' sign means
 that this option is set OFF. There is a '*' sign in the following list
 if + or - has no effect (you can use both of them).

NOTE (v2.20): Symbol '|' is still available but using symbol ',' is
 now recommended.

More than one file is now allowed. If no filename has been given,
 MidiPlay expects input from the current input stream, so redirection
 can be used.

Simple options can be given together like: +dcbl. Options with numbers
 must be given separate from the following options.
 For example: +ul0 +lbp35 +m1 +m2 +dm4.

FROM WORKBENCH:

DOUBLE CLICK MidiPlay icon or MIDI file icon (= project icon with
 default tool MidiPlay) or SELECT MIDI file icon and SHIFT DOUBLE CLICK
 MidiPlay icon. All selected MIDI files are added to the playlist.
 The tooltypes used in the program (default tool) icon are read.
 Options in the configuration file should be in the tooltype format.

Options and tooltypes (=configuration options):

```
*?      HELP MESSAGE
+f      FILEINFO=ON
+x      TEXTINFO=ON
+n      DONOTPLAY=ON
*tVALUE TEMPO=VALUE
+d      DATAINFO=ON
+mC1,C2... MUTE=C1,C2...
+sC      SOLO=C
*rVALUE TRANSPOSE=VALUE
*uC      DRUMCHANNEL=C
+c      NOPC=ON
+b      NOPB=ON
+l      LOOP=ON
*pVALUE PRIORITY=VALUE
+q      SEQ=ON
+g      MERGE=ON
+e      EXT=ON
+i      CIA=ON
+w      WINDOW=ON
+kVALUE SKIP=VALUE
+o      NODRUMPC=ON
+hC1,C2... NOMAPCHANNELS=C1,C2...
+a      BUFDEF=ON
+S      START=ON
+X      EXIT=ON
+D      MIDISTART=ON
+Gfile  MAP=ON and MAPFILE=file
+R      NRESET=ON
+Q      QUANT=ON
*Pfile  PLAYLIST=file
```

```
+I      ICON=ON
+Mc      MELODY=c
+Ufile   MAP=ON and DRUMMAPFILE=file
+O      SOFT=ON
+C      COUNT=ON
*Astatus MFSTATUS=status
*Fsteps  FADE=steps
+J      LYRICTYPE=ON
+Y      PLAY=ON
*Nc1=c2,... PATCHCHANNEL=c1=c2,...
*Vc:X,... VOLUMECHANGE=c:X,...
*Lfile   MESSAGEREXX=file
*Efile   FILENAMEREXX=file
*Hfile   FILETYPEREXX=file
+T      FORCERESET=ON
+B      DIRBUFFER=ON
```

1.10 HELP

ToolType: -

Help message.

Default: -

1.11 MIDI FILE INFORMATION

ToolType: FILEINFO=<ON|OFF>

Prints details of the MIDI file to the console window: format, the number of the tracks and Steps/Quarter Note. Will be shown only right after loading of a new file. Same information is also available in About requester.

Default: OFF

1.12 META EVENT PRINTING

ToolType: TEXTINFO=<ON|OFF>

Prints all meta events in the file to the console window. A meta event can express tempo, time signature, key signature or a text event (copyright notice, sequence/track name, instrument name, lyric etc.).

Default: OFF

1.13 DO NOT SEND MIDI EVENTS

ToolType: DONOTPLAY=<ON|OFF>

Prevents MidiPlay from sending events to MIDI port. Using this option you can print all the events without a long delay between events (delay is about 10ms).

Default: OFF

1.14 SET TEMPO

ToolType: TEMPO=<beats per measure>

Values : 40-240

Sets playing tempo to VALUE (BPM). Tempo change messages in the midi file are ignored.

Default: 120 (tempo messages not ignored)

1.15 MIDI EVENT PRINTING

ToolType: DATAINFO=<ON|OFF>

Prints all real midi events in the file to the console window.

Default: OFF

1.16 MUTE CHANNELS

ToolType: MUTE=<channel>,<channel>...

Values : 1-16

Mutes all events on requested channels. If '-' is used (CLI) MUTE ON is set OFF so you can mute all selected channels by setting MUTE ON to ON.

Example: MUTE=1,5,9 mutes channels 1, 5 and 9.

Default: no muting

1.17 SOLO CHANNEL

ToolType: SOLO=<channel>
Values: 0-16

Sends events only on requested channel. If '-' is used (CLI) SOLO ON is set OFF, so you can play only the selected channel by setting SOLO ON to ON. By setting channel to 0 and SOLO ON on, you can mute all channels at once.

Default: no soloing

1.18 TRANSPOSE

ToolType: TRANSPOSE=<value>
Values : -12-+12

Transposes all note on/off messages by value (see also DRUMCHANNEL option).

Default: 0

1.19 SETS DRUM CHANNEL

ToolType: DRUMCHANNEL=<channel>
Values: 0-16

Sets drum channel. If this option is given, no transpose will occur on this channel.

Default: 10

1.20 PROGRAM CHANGE FILTER

ToolType: NOPC=<ON|OFF>

Program change messages are not passed.

Default: OFF

1.21 PITCH BENDER FILTER

ToolType: NOPB=<ON|OFF>

Pitch bender messages are not passed.

Default: OFF

1.22 LOOP

ToolType: LOOP=<ON|OFF>

Loop. When the end of the song is reached, the song is played again.

Default: OFF

1.23 SETS PLAYER PRIORITY

ToolType: PRIORITY=<priority>

Values : -128-+127

Sets the player priority.

Default : 30

1.24 SEQUENTIAL PLAYING

ToolType: SEQ=<ON|OFF>

Plays tracks (in format 1 files) in sequence.

Default: OFF

1.25 MIDI MERGE

ToolType: MERGE=<ON|OFF>

Merges MIDI input to MIDI output (actually, it routes the MidiIn port to the MidiOut port).

Default: OFF

1.26 EXTERNAL SYNC

ToolType: EXT=<ON|OFF>

Receives clock signals from an external source and synchronizes to it. Tempo can be controlled in real time from the source. The program waits a Start or Continue message from that source before starting. MidiPlay can be stopped by sending a Stop message.

If this option is not given, MidiPlay transmits clock signals and Start and Stop messages. Thus an external

source can be synchronized to MidiPlay.

Default: OFF (internal sync)

1.27 CIA TIMER

ToolType: CIA=<ON|OFF>

If this option is set and internal sync is used, MidiPlay will use CIA timer. Otherwise timer.device will be used. Using CIA timer may improve timing.

Default: OFF

1.28 SHOWS MAIN WINDOW

ToolType: WINDOW=<ON|OFF>

Shows the main window. If -w is used: there is no keyboard or menu available. The given file(s) will be played unless option -S is used. After all files have been played and if +X option is set, the program exits. Otherwise all files are played again. If loop is used, the first file will be played again. You can stop the program by pressing CTRL-C or CTRL-D (if started from CLI or started from Workbench and text window is open) or by using ARexx QUIT command.

Default: ON

1.29 SKIPS EMPTY MEASURES

ToolType: SKIP=<measures>

Values : 0-

If this option is set, MidiPlay will skip all eventless measures if their number is bigger than given value.

Default: 20

1.30 NO PROGRAM CHANGE ON DRUM CHANNEL

ToolType: NODRUMPC=<ON|OFF>

If this option is set, MidiPlay will ignore all program change messages on the drum channel.

Default: OFF

1.31 NO MAPPING ON CHANNELS

ToolType: NOMAPCHANNELS=<channel>,<channel>...
Values : 1-16

If this option is used, program change mapping won't apply to given channels. This option doesn't affect drum mapping.

Example: NOMAPCHANNELS=11,12 means that mapping won't apply to channels 11 and 12.

Default: mapping on all channels

1.32 BUFFER AS DEFAULT SELECTION

ToolType: BUFDEF=<ON|OFF>

When this options is used, default selection for the selection requester will be buffer. This means that if you select some number from the playlist, it won't be played until the current file has been played or you press CURSOR DOWN key. Default selection can always be overridden by pressing the PLAY gadget in the selection requester.

Default: OFF

1.33 IMMEDIATE START AFTER LOADING

ToolType: START=<ON|OFF>

Playing starts immediately after the MIDI file has been loaded. If not set, the program will wait until you press PLAY or CONT gadgets, space bar or TAB key or send corresponding ARexx message.

Default: ON

1.34 EXIT AFTER PLAYING

ToolType: EXIT=<ON|OFF>

The program exits after the current file has been played. If MidiPlay has been started without a window and this option is set, the program will exit after all files in the playlist have been played.

Default: OFF

1.35 WAITS EXTERNAL START

ToolType: MIDISTART=<ON|OFF>

If external sync is used, the program won't start playing until it receives START or CONT message from the external source.

Default: ON

1.36 MAPPING

ToolType: MAP=<ON|OFF>

The map file won't be used even if it were loaded.

Default: OFF (no mapping)

1.37 PROGRAM CHANGE MAPFILE

ToolType: MAPFILE=<filename>

The program uses file for mapping the program change messages. See content of mapfile. If MAP is set off, mapping won't be used.

Default: no mapfile

1.38 NORMAL RESET

ToolType: NRESET=<ON|OFF>

The program doesn't use international reset message. It sends normal reset instead. See Reset .

Default: OFF (international)

1.39 QUANTIZE

ToolType: QUANT=<ON|OFF>

The program quantizes all event times to the nearest multiple of "steps/measure" / 24.

Default: OFF

1.40 PLAYLIST FILE

ToolType: PLAYLIST=<filename>

The program loads file as a playlist.
See File control .

Default: no playlist

1.41 READS TOOLTYPES

ToolType: ICON=<ON|OFF>

When a new MIDI file is loaded, the tooltypes are also read from the icon (if there is an icon). Before loading of the tooltypes most of the options and muted channels/solo channel will be set to the configuration values, transpose value in the tooltypes will be added to the configuration value.

Default: OFF

1.42 MELODY CHANNEL

ToolType: MELODY=<sign><channel>

Values : 0-16 (channel), sign can be '-', '+' or nothing

This sets the melody channel to given value and that channel is muted. If '-' is used (CLI), MUTE ON will be OFF. If channel is negative (i.e. sign is '-'), the melody channel won't be muted at the beginning. See also MELODY CHANNEL .

Default: 0

1.43 DRUM MAPFILE

ToolType: DRUMMAPFILE=<filename>

The program uses file for mapping the note on/off messages on the drum channel. If MAP is set off, the map file will be loaded but it won't be used. See also Mapfile .

Default: no drum mapfile

1.44 SOFT MUTING

ToolType: SOFT=<ON|OFF>

If this option is used, all messages except note on/off will be passed on muted channels. In this case, the program uses two different routes between MidiPlay and MidiOut. The first one passes only note on/off messages and the other one all other messages. If unset, no messages will be passed.

Default: OFF

1.45 COUNT MEASURES

ToolType: COUNT=<ON|OFF>

If this option is used, the number of the measures in a MIDI file and the duration of the file in seconds will be counted after the file has been loaded. This may take couple of seconds, but then you are able to see e.g. how many seconds are remain during playing.

Default: OFF

1.46 MEASURE FILE STATUS

ToolType: MFSTATUS=<status>

Value : 0-3

Status tells what is the state of the measure field in the beginning. Status can be:

- 0 = none
- 1 = measure
- 2 = time
- 3 = remain

Default: 0

1.47 FADE

ToolType: FADE=<steps>

Steps defines how many steps (tenth of seconds) fade out requires when playing is stopped. When volumes have been faded to zero, all notes off message is sent. Not every instrument reacts correctly to volume message (CC 7). This means that some sounds keep playing until notes off message is sent. 0 means that no fading will be done,

pressing STOP gadget or SPACE BAR will stop playing but all notes keep playing until user sends all notes off message by pressing STOP gadget again or ESC.

Default: 0

1.48 LYRIC TYPE

ToolType: LYRICTYPE=<ON|OFF>

Lyric type defines what text events will be seen in the lyric window. If this is set ON, only normal lyric events (FF 5) will be seen, otherwise normal text events (FF 1) will be seen.

Default: ON

1.49 SETS PLAYLIST PLAYING

ToolType: PLAY=<ON|OFF>

If this option is set, playlist playing will be on. This means that when one file has been played the next one will be loaded.

Default: ON

1.50 CHANNEL PATCHING

ToolType: PATCHCHANNEL=<channel=channel>,<channel=channel>...
Values : 1-16

If this option is used, every message originally meant for the first channel will be sent on the second channel instead of the first one.

Default: no patch

1.51 VOLUMECHANGE

ToolType: VOLUMECHANGE=<channel:change>,<channel:change>...
Values : 1-16 for channel, -128-+127 for change

If this option is used, change will be added to every volume message (CC 7) on channel. change can also be negative. If change is 0, nothing will be added.

Default: 0 (all channels)

1.52 DEFINES SCRIPT FOR MESSAGES

ToolType: MESSAGEREXX=<filename>

This option replaces old NOMON option. filename is an ARexx script, that will be called every time a message is shown on the screen. The script gets the contents of the message as an argument. See also Example 1 .

Default: no script

1.53 DEFINES SCRIPT FOR FILENAMES

ToolType: FILENAMEREXX=<filename>

This options replaces old SPEAK option. filename is an ARexx script, that will be called after a new file has been loaded. The script gets the following argument: Drive,Path,File,Extension (commas included). You can use this script e.g. to speak the filename or to view a text file associated with this MIDI file. See also Example 2 .

Default: no script

1.54 DEFINES SCRIPT FOR NON-MIDI FILES

ToolType: FILETYPEREXX=<filename>

This option defines an ARexx script, which will be called when the current file is not a MIDI file. The main purpose of this script could be unpacking archived files. The script gets the following argument: Drive,Path,File,Extension (commas included). See also Example 3 .

Default: no script

1.55 FORCES RESET

ToolType: FORCERESET=<ON|OFF>

If this option is set, every channel will be reset in spite of the mute/PC/PB settings. If this option is not set, current settings are taken into account.

Default: ON

1.56 REMEMBERS LAST DIRECTORY

ToolType: DIRBUFFER=<ON|OFF>

If this option is set, the MIDI file load requester will remember the contents of the current directory. If unset, the requester will scan the current directory everytime it is opened.

Default: ON

1.57 WINDOWS

MAIN WINDOW
PREFERENCES WINDOW
TEXT EVENT WINDOW
LYRIC WINDOW
PLAYLIST WINDOW

1.58 MAIN WINDOW

MENUS
GADGETS
KEYBOARD

1.59 MENUS

PROJECT
OPTIONS
FILTER
SHOW
FILE CONTROL
WINDOWS

1.60 PROJECT

LOAD (AMIGA L)

Opens a file requester. If a new file is selected it will be added to the end of the playlist and this file will be played. It is also possible to select many files at the same time.

DIRECTORY BUFFER (AMIGA B)

If directory buffer is set, the MIDI file requester will remember the contents of the current directory. If unset, the requester will scan the current directory again.

LOAD PLAYLIST

Using this requester you can load a new playlist. Be careful what you select, playlist is not verified in any ways, so MidiPlay will probably crash if you load a file which is not a playlist.

SAVE PLAYLIST (AMIGA S)

Using this requester you can save the current playlist.

REMOVE PLAYLIST

Removes the current playlist.

ABOUT (AMIGA ?)

Shows information about the program and the current file.

PREFERENCES (AMIGA P)

Opens the preferences window.

QUIT (AMIGA Q, F1)

Quits the program. All windows are closed and the reset message is sent.

1.61 OPTIONS

INTERNAL SYNC (AMIGA I)

EXTERNAL SYNC (AMIGA E)

Sync mode can be changed between these two modes. See NO MIDI START below. If CIA timer is selected, it will be used in INTERNAL SYNC mode. Otherwise all timing will be done through timer.device.

LOOP (AMIGA O, F6)

If this option is set and the end of the song is reached, the song will be played again.

MUTE ON (AMIGA M, F2)

SOLO ON (AMIGA N, F3)

LOAD .INFO

If this option is set, everytime a MIDI file is loaded, tooltypes from its icon will also be loaded and options will be set according to them. Before loading of the tooltypes most of the options and muted channels/solo channel will be set to the configuration values, transpose value in the tooltypes will be added to the configuration value.

MERGE (F4)

If this option is set, all events received in MIDI IN will be transmitted to MIDI OUT. This can be changed on the fly.

NO MIDI START

If this option is NOT set and external sync is used, the program won't start playing until it receives START or CONT message from the external source. The waiting state can be exited using gadgets/keyboard/Arexx commands.

MIDI OUTPUT

If this option is NOT set, MIDI events won't be transmitted to MIDI OUT. Unsetting this option lets you look at the content of the file without long delays (delay is 10ms) between MIDI events.

START AFTER LOAD (AMIGA T, F5)

If this option is set, the program will automatically start playing after a new file has been loaded. Otherwise the program waits until playing is started using gadgets/keyboard.

EXIT AFTER PLAY (AMIGA X)

If this option is set, the program will exit after the current file has been played. If MidiPlay has been started without a window and this option is set, the program will exit after all files in the playlist have been played.

RESET >> INTERNATIONAL/NORMAL

SEND RESET (AMIGA R)

Sends reset message.

1.62 MUTE ON

If this option is set, all the selected mute channels will be muted. If SOLO ON is set at the same time, only the solo channel will be played. If this option is not set, all channels will be unmuted (unless SOLO ON is set).

1.63 SOLO ON

If this option is set, only the selected solo channel will be played.

1.64 RESET

If INTERNATIONAL is set, the program will send international reset message (GM standard) and ALL NOTES OFF messages before the first MIDI event and also before quitting. If NORMAL is set, the program will send the following messages before loading a new MIDI file and also before quitting:

- PROGRAM CHANGE 0
 - CONTROLLERS 0 and 32 to 0
 - MAIN VOLUME to 100
 - PAN to 64
 - EXTDEPTH to 64
 - EXPRESSION to 127
 - RPN COURSETUNE to 64, RPN FINETUNE to 64, RPN PBSSENS to 2
 - SUSTAIN to 0
 - PORTA to 0
 - MODWHEEL to 0
-

- MAX to 0
- RESET CONTROLLERS
- ALL NOTES OFF

See also FORCERESET setting.

1.65 FILTER

PROGRAM CHANGE

Program change messages are not passed.

PITCH BENDER

Pitch bender messages are not passed.

TEMPO CHANGE

Tempo change messages in the MIDI file are not passed.

MAP

If this option is set, program change messages will be mapped according to the map file .

1.66 MAPFILE

Normal map converts every program change message to the number defined in the mapfile. Numbers are listed in the file one per row. If you want map e.g. number 2 to the number 125, just write to the third row the number 125 (program change goes from 0 to 127). To use the mapping, MAP option must be set.

The drum map converts every note on/off message on the drum channel to the number specified in the drum map file (Numbers run from 0 to 127, one per row). To use the mapping, MAP option must be set.

1.67 SHOW

FILE INFO

Prints details of the MIDI file to the console window: format, the number of the tracks and Steps/Quarter Note. Will be shown only right after loading of a new file.

META EVENTS

Prints all meta events in the file to the console window. A meta event can express tempo, time signature, key signature or a text event (copyright notice, sequence/track name, instrument name, lyric etc.).

DATA EVENTS

Prints all real MIDI events in the file to the console window.

1.68 FILE CONTROL

Playlist file is a file that includes names and directories of the MIDI files, like `dh0:music/MID/file.mid`, one per row. The first file is number 1, the second is number 2 and so on. You can tell the program the name of the playlist file in the configuration file, through tooltypes or CLI arguments. All files given as arguments or icons are added to the end of the playlist. Playlist can be changed using load/save/remove playlist in the project menu.

PLAY (AMIGA Y, F7)

When this option is set, MidiPlay will start playing a new file from the playlist after the last one has been played. MidiPlay plays first the number 1 in the beginning of the program. Exception: if playlist has been given and other files are given on the command line or other file icons are selected, other files will be added to the end of the playlist and playing is started from the first file after the given playlist files.

The current file number played is shown in the window title after the file name, like file :1/Amount. If the file name has an extension, it won't be shown. Amount means the number of files in the playlist.

The current number can be change back to 1 using FIRST or SELECT, see below. If you want that a new file is loaded but playing is not started, unset START AFTER LOAD.

FIRST (AMIGA 1, CURSOR UP)

Playing is started from the first file in the playlist.

NEXT (AMIGA >, CURSOR RIGHT)

Playing is started from the next file in the playlist.

PREVIOUS (AMIGA <, CURSOR LEFT)

Playing is started from the previous file in the playlist.

SELECT (AMIGA C, F10)

You can select the number of the MIDI file in the playlist through the selection requester. Just write the right number. If you press PLAY gadget, the selected file will be loaded immediately. If you press BUFFER gadget the number will be put to a buffer. There can be 9 numbers in the buffer at most. You can select the next number from the buffer by pressing CURSOR DOWN key or by selecting BUFFER NEXT from the menu. If there is a number in the buffer when the current file has been played, it will be loaded.

SHUFFLE (AMIGA F)

If this option is set, the next file in the playlist will be selected at random.

BUFFER NEXT (CURSOR DOWN)

Number is picked from the buffer (if the buffer is not empty), and the corresponding MIDI file is loaded.

```
BUFFER CLEAR (DEL)
  Clears the buffer.
```

1.69 WINDOWS

You can open/close one of the following window by selecting its name. If a window is open, there is a checkmark in front of its name.

```
TEXT EVENT WINDOW
LYRIC WINDOW
PLAYLIST WINDOW
```

1.70 GADGETS

The NAME field shows the name of the sequence (format 0) or the name of the first track (format 1) which usually is the name of the sequence.

The COPYRIGHT field shows the copyright event if there is one.

Tempo can be changed using the TEMPO SLIDER. Tempo will not be changed until the left mouse button is released.

The status field shows the state of the player. END and WAIT means that the program is waiting the user to do something. WAIT EXT means that the program is waiting START or CONT message from an external source. PLAY means that the program is currently playing a MIDI file. You can see the number of the current measure, time elapsed or time remain by changing the state of the cycle gadget.

The CYCLE gadget is used to change the type of the information in the status field left from the cycle gadget. If NONE is selected, only WAIT, PLAY or END messages will be seen. If MEASURES is selected, the current measure number will be seen. If COUNT option is set, also the number of the measures in the file will be shown. If TIME is selected, elapsed time will be shown. If REMAIN is selected and COUNT option is set, remaining time will be shown.

The ZOOM gadget toggles between the whole window and a window with only title bar at the top-left corner of the screen.

The following graphical symbols are used:

```
[BLACK SQUARE]    : STOP
|>                : PLAY
>                 : CONT
>>               : FAST FORWARD
|<<              : PREV
>>|              : NEXT
V [ARROW DOWN]    : BUFFER NEXT (meaning of this may change in
                    future)
```

By pressing STOP gadget you can stop playing. If Fade is set to 0 and you press this gadget twice, ALL NOTES OFF messages will be sent on all channels. If Fade is greater than 0, playing fades out (it will take $100\text{ms} \times \text{Fade}$), and ALL NOTES OFF messages will be sent after fading.

By pressing PLAY gadget you can start playing from the start of the file.

By pressing CONT gadget you can continue playing from the current position in the MIDI file.

By pressing FAST FORWARD gadget once you can move fast to the beginning of the next measure.

By pressing PREV gadget you can load the previous file from the playlist.

By pressing NEXT gadget you can load the next file from the playlist.

1.71 KEYBOARD

LSHIFT means that LEFT SHIFT key should be pressed at the same time as other key(s). The main use of LSHIFT key is to decrease e.g. volumechange.

RSHIFT means that RIGHT SHIFT key should be pressed at the same time as other key(s). The main use of RSHIFT key is to increase e.g. volumechange.

SPACE BAR depending on the state of the program, stops/continues playing

TAB starts playing from the start of the file

ESC sends ALL NOTES OFF messages on all channels

F1 quit

F2 MUTE ON ON/OFF

F3 SOLO ON ON/OFF

F4 merge ON/OFF

F5 start after load ON/OFF

F6 loop ON/OFF

F7 playlist play ON/OFF

F8 mutes/unmutes melody channel

LSHIFT+F8 decrease volumechange on the melody channel by one

RSHIFT+F8 increase volumechange on the melody channel by one

F10 select from playlist

CURSOR UP plays the first file from the playlist

CURSOR LEFT plays the previous file from the playlist

CURSOR RIGHT plays the next file from the playlist

CURSOR DOWN reads the next playlist number from the buffer

DEL clears the buffer

1,2,3,4,5,

6,7,8,9,0,

q,w,e,r,t,y use these keys to mute/unmute channels. These keys corresponds the channels 1-16.

LSHIFT+key decreases volumechange on this channel by one

RShIFt+key increases volumechange on this channel by one

a transpose up
A,
z transpose down

m tempo up
M,
n tempo down

i activates the next open window
f fast forward to the beginning of a next measure
u changes the state of the status field cycle gadget
l activates the melody channel gadget in the preferences window
d activates the drum channel gadget in the preferences window
s activates the solo channel gadget in the preferences window

1.72 PREFERENCES WINDOW

KEYBOARD

NOTE: Menu shortcuts in the main window are NOT available when this window is active. All other keyboard shortcuts are available.

MUTE gadgets channels 1-16. If MUTE ON is set, checked channels will be muted.

The SOLO field tells what channel will be heard if SOLO ON is set.

Pressing s selects this gadget.

The DRUM CHANNEL field tells what is the drum channel that won't be transposed. Pressing d selects this gadget.

The MELODY CHANNEL field. Pressing l selects this gadget.

MidiPlay transposes note on/note off messages according to the TRANSPOSE SLIDER. Messages on the drum channel will not be transposed.

NOTE: If any of the channel is muted and option SOFT is not set when playing is started, the program change, volume, pan and other control messages will NOT be transmitted. This means that instrument settings are not correct when those channels are unmuted.

1.73 MELODY CHANNEL

The melody channel can be muted/unmuted pressing F8 in the main window. For example the melody channel can be given using the tooltypes in the icon of the MIDI file (MELODY=4). The melody channel is mostly different

than in previous files. If you want to play or sing along the file, you may need to mute the melody channel.

1.74 TEXT EVENT WINDOW

KEYBOARD

Listview gadget will show those text events, which are selected by checking the corresponding check box gadget. The following text events can be seen, when they are met in the current file during playing:

Text (META 1)
Copyright (META 2)
Track (META 3)
Instrument (META 4)
Lyric (META 5)
Marker (META 6)
Cue Point (Meta 7)

Most of the events are at the beginning of the file. To see them after checking some of the event types, press PLAY gadget.

1.75 PLAYLIST WINDOW

KEYBOARD

Listview gadget in this window shows all the files in the playlist. Text gadget under the listview shows the name of the currently selected/played file and the PATH text gadget shows the path of the file.

SELECT => PLAY checkbox gadget is checked:

the text gadget shows the file currently loaded and you can select a new file to be played by clicking the name of that file in the listview. If you press ADD gadget, a file requester opens and you can add files to the playlist. When you exit the requester without canceling, the selected file (or the first from the selected) will be loaded. All selected files will be added to the end of the playlist. If you press EDIT gadget, an edit requester opens and you can edit the name of the selected file. When you exit this requester without canceling, the edited file will be loaded. If you press REMOVE gadget, the selected file will be removed from the playlist and the playing will be stopped.

SELECT => PLAY checkbox gadget is not checked:

you can edit the playlist without affecting playing. Selection from the playlist causes that file to be removable/editable and the name and the path will be shown under the listview gadget. If you press ADD gadget, a file requester opens and you can add

files to the playlist. When you exit the requester without canceling, all selected files will be added to the end of the playlist. If you press EDIT gadget, an edit requester opens and you can edit the name of the selected file. If you press REMOVE gadget, the selected file will be removed from the playlist. Playing will be stopped if the removed file was playing, this file will remain in memory until a new one is loaded or it was only file in the playlist.

1.76 LYRIC WINDOW

KEYBOARD

Prints all lyric events to a field. The lyric cycle gadget shows what events will be seen in the lyric field. If TEXT is selected, normal text events (META 1) will be seen. If LYRIC is selected, lyric events (META 5) will be seen. Lyric scrolls across the field from right to left, the latest part capitalized.

1.77 AREXX COMMANDS

MidiPlay opens one ARexx port called MidiPlay_rexx.

See STARTING MIDIPLAY section when MESSEAGEREXX, FILETYPEREXX and FILENAMEREXX scripts will be called.

If MidiPlay doesn't recognize used keyword, it returns value 1, otherwise 0 is returned.

The following keywords can be used with some of the commands:

ON is same as 1
OFF is same as 0
TOGGLE is same as -1

The following commands are currently supported, see explanations elsewhere in this document:

PLAY
STOP
CONT

LOAD File File will be loaded and played, it will be added to the playlist.

FILE File File will be loaded and played, it will not be added to the playlist. Useful when unpacked MIDI file should be played.

ADD File File will be added to the playlist, it is not loaded nor played.

TRANSPPOSEUP Value
TRANSPPOSEDOWN Value
TRANSPPOSE Value

See option TRANSPOSE

TEMPOUP Value

TEMPODOWN Value

TEMPO Value

See option TEMPO

REMPPLAYLIST

LOADPLAYLIST List loads playlist List, no requester

QUIT

SETSYNC ON/OFF/TOGGLE See option EXT

SETLOOP ON/OFF/TOGGLE See option LOOP

SETMUTE ON/OFF/TOGGLE See option MUTE

SETSOLO ON/OFF/TOGGLE See option SOLO

SETICON ON/OFF/TOGGLE See option ICON

SETMERGE ON/OFF/TOGGLE See option MERGE

SETNOMIDISTART ON/OFF/TOGGLE See option MIDISTART

SETMIDIOUTPUT ON/OFF/TOGGLE See option DONOTPLAY

SETSTART ON/OFF/TOGGLE See option START

SETEXIT ON/OFF/TOGGLE See option EXIT

SETRESET ON/OFF/TOGGLE See option NRESET

SENDRESET See RESET

SETNOPC ON/OFF/TOGGLE See option NOPC

SETNOPB ON/OFF/TOGGLE See option NOPB

SETTEMPOCHANGE ON/OFF/TOGGLE

SETMAP ON/OFF/TOGGLE See option MAP

LOADMAP Map not supported yet

LOADDRUMMAP Map not supported yet

SHOWFILEINFO ON/OFF/TOGGLE See option FILEINFO

SHOWMETA ON/OFF/TOGGLE See option TEXTINFO

SHOWDATA ON/OFF/TOGGLE See option DATAINFO

SHOWLYRIC ON/OFF/TOGGLE opens or closes the lyric window

SETPLAYLIST ON/OFF/TOGGLE See option PLAY

FIRST plays the first file from the playlist

NEXT plays the next file from the playlist

PREVIOUS plays the previous file from the playlist

SELECT opens the select dialog

SETSHUFFLE ON/OFF/TOGGLE

SOLOCHANNEL Channel See option SOLO

MUTECHANNELS Channels See option MUTE

DRUMCHANNEL Channel See option DRUMCHANNEL

MELODY Channel See option MELODY

NOTESOFF

SETMELODY ON/OFF/TOGGLE

BUFFERNEXT

BUFFERCLEAR

FORWARD

FADE Value See option FADE

SETCIA ON/OFF/TOGGLE works only when stopped
See option CIA
SETSEQUENCE ON/OFF/TOGGLE works only when stopped
See option SEQ
SETQUANTIZE ON/OFF/TOGGLE works only when stopped
See option QUANT
SETSOFT ON/OFF/TOGGLE See option SOFT
SETNODRUMPC ON/OFF/TOGGLE See option NODRUMPC
SETWINDOW ON/OFF/TOGGLE See option WINDOW
SETBUFDEFAULT ON/OFF/TOGGLE See option BUFDEF
SETCOUNT ON/OFF/TOGGLE See option COUNT
PRIORITY Value See option PRIORITY
SKIP Value See option SKIP
NOMAPCHANNELS Channels See option NOMAPCHANNELS
PATCHCHANNEL ChA=ChB See option PATCHCHANNEL
VOLUMEDOWN ChA:Amount decreases volumechange on channel ChA by
Amount
VOLUMEUP ChA:Amount increases volumechange on channel ChA by
Amount
SETVOLUMECHANGE Cha:Amount See option VOLUMECHANGE
SETTIMEFIELD not supported yet

1.78 OTHER INFORMATION

- When started from Workbench, midiplay opens its own console window for text input. That window is not visible unless any text is printed.
- Midiplay opens one midi source named "midiplay". Source is connected to MIDI library's resident node "MidiOut". MidiPlay opens also one MIDI destination named "midiplayin" which is connected to "MidiIn" when the player is playing and uses external synchronization.

1.79 TODO

- AppWindow and AppIcon
- map file editor
- MIDI file editor
- better scrolling lyric field
- MIDI mixer
- Amiga's internal sounds played on midi channels

1.80 PROBLEMS AND LIMITATIONS

On small Amigas (500 & 600) Midiplay does not multitask very well. Files are played in time, but sometimes tempo is jerky. Some files have sometimes so many events in one measure that MidiPlay is not able to send all the events exactly right time on slow Amigas. You can improve timing by using CIA timer and/or using quantization.

If you change the time from the workbench preferences, MidiPlay hangs. If you don't want this to happen, use CIA timer instead.

MidiIn may lose some clock signals on slow Amigas and the midiplayer is then out of sync. If this happens, use slower tempo and do not print anything on the screen.

Faulty MIDI files may cause problems. If you see "Can't read MIDI file" on the screen, loading was incomplete. You can still listen them, but you may get into troubles because of missing END OF TRACK messages etc.

Limitations:

-SYSEX messages are not analysed nor printed.

-SMPTE messages are ignored.

1.81 HISTORY

v1.0 29-Jun-93

first version, only DOS, format 0 files.

v1.1

23-Jul-93

first public release, WB and tooltypes, format 1 files.

v1.2 29-Aug-93

external/internal sync and midi merge added, SYSEX messages now transmitted correctly, too slow tempo problem fixed.

v1.2b 17-Oct-93

some corrections, smaller code

v2.0beta 20-Nov-93

added graphical user interface, transpose bug fixed, CIA timer not finished yet

v2.0 24-Jan-94

added: playlist, map file support, reset message, lyric and measure fields, melody muting, loading of MIDI file icons, quantization. Priority now set back to 0 when exiting. CIA timer works.

v2.0.1 27-Feb-94

fixed int. reset bug, added mapchannel and skip options

v2.01 28-Feb-94

added drum map and soft muting option.

v2.01a 06-Mar-94

added NODRUMPC option, added short delay after loading when NRESET is used.

v2.10beta 14-Mar-94

added own task for the playing routine: printing and using the right mouse button or opening windows/requesters won't stop playing, this means that printing e.g. data events are not necessarily in real time. Printed events look clearer. Fixed memory loss bug, also needs now less stack.

2-Apr-94

added BUFDEF (selection can be put to a buffer), COUNT (length of the file counted) and NOMON (sends arexx messages to Upd) options. Fixed "merge not set after loading" bug. Added different time information and a cycle gadget to select the information type. Many options are set to configuration values when the tool types of a file is loaded.

8-Apr-94

fixed one serious bug in data event printing.

15-Apr-94

changed the minibuffer to hold 9 numbers at maximum. Transpose values in tool types are now added to the configuration value. Options MFSTATUS and SPEAK added.

16-Apr-94

added keyboard shortcuts for tempo, transpose, channel muting, melody/drumchannel/solo channel selection, window activation. New option FADE.

17-Apr-94

all files are now added to the playlist. More than one filename can be given on the command line. More than one icon can be selected and they all will be added to the playlist. File control functions has been changed: MidiPlay doesn't load a new file unless play option is set (default is on), minibuffer is an exception. All other functions work independent of the state of the play option. Setting the play option won't start playing. Added multi-selection for the file requester.

18-Apr-94

if START AFTER LOAD was not set and the first file was started using CONT gadget or SPACE BAR, MIDI routes were not set correctly. This has now been fixed. Added font sensitivity, MidiPlay adapts itself to the screen font. Cosmetic changes in the preferences window.

20-Apr-94

added f key for fast forward. Normal reset now overrides all filters. Directory buffer can be set off from menu. Playlist removing is now possible.

v2.11 24-Apr-94

load/save playlist added. ZOOM gadget added. MidiPlay can be quitted by running it again.

v2.12beta 30-May-94

illegal gadtools handling removed. Fixed errorneous time information which occured when CIA timer was used. GUI modification. Added over 60 AREXX commands. Added PLAY option.

14-Jun-94

added AREXX commands: PATCHCHANNEL,VOLUMEDOWN,VOLUMEUP, SETVOLUMECHANGE. Added new tooltypes: PATCHCHANNEL, VOLUMECHANGE. Also FILENAMEREXX and FILETYPEREXX for user definable purposes like for displaying text files or unpacking non-midi files. SPEAK tooltype REMOVED! Fade now works as intended. Different MIDI files can now have different mapfiles. Solo channel bug fixed. Keyboard shortcuts for volume changing. Setting load .info on will set normal configuration values even if an icon is not found. MidiPlay.info tooltypes overriding/extending settings in the midiplay.config file are considered as configuration values.

26-Jun-94

Fixed FADE rounding error. Fixed a serious bug: some memory was freed twice.

v2.20beta 14-Jul-94

Added playlist, lyric and text event windows. Removed lyric entry in the SHOW menu. Removed the following ToolTypes: NOMON (replaced with MESSEAGEREXX script definition, this means: Upd not needed), PLSIZE (this is not needed anymore). Added ToolType LYRICTYPE. Added file information to the About requester. Added small delay before quitting (MidiOut couldn't send the reset message and crashed sometimes).

23-Jul-94

Fixed bug in About requester. Numeric pad now works.

v2.20 27-Jul-94

About requester works now!! If a track couldn't be loaded completely, counting lasted sometimes forever, not anymore.

31-Jul-94

Added tooltypes DIRBUFFER, FORCERESET. Fixed GUI. Fixed negative tempo case. Added ',' support for options/arexx commands which have used '|' before. VOLUMECHANGE requires now ':' instead of ','.

1-Aug-94

Bugs, bugs, bugs... Timer message not aborted at exit. Menus not freed. One requester not freed. And where do the rest hide?

1.82 AUTHOR

Programs, CDs, postcards, midi files, bug reports, requests, suggestions, questions to:

Janne Syväniemi

Lintuviidankatu 15 C 10

FIN-33340 TAMPERE

FINLAND

E-mail:csjasy@uta.fi

WWW Home Page: <http://www.uta.fi/~csjasy/>

Hardware: Amiga500+, SupraTurbo28, SupraDrive500XP 52Mb(+2Mb Fast Mem),
MIDI interface, ROLAND D-10.

Software: Dr T's KCS v3.57

1.83 CREDITS

Thanks to:

Johnny B. Musik for MIDI files, help and all the great ideas.

Erno Tuomainen for BBS support and ideas.

Also to the authors of the following programs and libraries:

midi.library by Bill Barton

reqtools.library by Nico François

GadToolsBox by Jan van den Baard

Text2Guide by Stephan Sürken

Plus all the other people who have been interested.

REQUEST: If you make map files for different setups, please share them with other people too by sending them to me. I'll include them in future releases and your name will be include in the list above.

1.84 SUPPORT BBS

Do you want the latest version of MidiPlay? Or do you

Need more modules?
Need tunes/modules from famous artists?
Need MIDI-files for your synth?
Need Music Utils for Amiga?
Need newest D.A.S ModPlayer for Amiga?
Need to discuss with group from PAST Years :) (Since 1985)?

Call my BBS, Call Moonlight Sonata DLG!

Lots of music modules for Amiga and PC.

2 Years of music orientated BBS'ing with Amiga 3000.

NOTE --> YOU ARE NOT GONNA FIND AMIEXPRESS HERE! <--

Node #1: +358-18-161763 ZyXEL V32bis 1200-19200bps - 24H
Node #2: +358-18-161862 HST DS V32 1200-14400bps - 24H

Sysop: Erno Tuomainen (Moonlight / DDG)

You can also write to me

2:221/112.0 through Fido
kuutamo@freenet.hut.fi Internet address

1.85 TIPS FOR USERS

PROBLEM: I have two synths, one is a GM synth and another one is a guitar module. How can I map correct patches to the guitar module on channels 1 and 2 and let other channels to be played on the GM synth without mapping?

SOLUTION: Make correct mapfiles for your guitar module and use the following parameters in the configuration file:

MAP=ON
MAPFILE=GuitarModuleMap
NOMAPCHANNELS=3,4,5,6,7,8,9,10,11,12,13,14,15,16

PROBLEM: I have many MIDI files, but drums are always played too loud.
 SOLUTION: If your synth plays drums on channel 10, put the following parameter in your configuration file:

```
VOLUMECHANGE=10:-20
```

This means that all volume messages are 20 lower on channel 10.
 Adjust the value (-20) so that drums are played as you like.
 You can also adjust the value manually using LSHIFT+0 (down) or RSHIFT+0 (up).

PROBLEM: How can I run MidiPlay from a directory utility like DirOpus, without window?

SOLUTION: Use command line "MidiPlay -w +S +X [<files>]". This plays files without window, starts immediately and exits after all files have been played. You can also use ARexx. Check out playonemidi.rexx example script.

1.86 EXAMPLE 1

```
/* This is an example ARexx script for use with MidiPlay.
   Use the following parameter: MESSAGEREXX=ThisScript.rexx
   When MidiPlay shows a message on the screen, it calls ThisScript.
   Argument Text consists of the text of the message.
```

```
   This particular example tries to speak the message. */
```

```
options results
```

```
parse arg Text
```

```
address command
```

```
'say' Text
```

1.87 EXAMPLE 2

```
/* This is an example ARexx script for use with MidiPlay.
   Use the following parameter: FILENAMEREXX=ThisScript.rexx
   When MidiPlay has loaded a new file, it calls ThisScript.
   Argument consists of drive, path, file and extension of the filename.
```

```
   This particular example tries to view a text file with a name
   '.../file.txt' when loaded file was '.../file.mid'.
```

```
*/
```

```
options results
```

```
parse arg Drive ',' Path ',' File ',' Extension .
```

```
if Path == "" then Path2 = Path
```

```

else Path2 = Path || '/'

Ext2 = "txt"
Whole = '' || Drive || Path2 || File || '.' || Ext2 || ''

if exists(Whole) then
  'run >nil: more' '''Whole'''

```

1.88 EXAMPLE 3

```

/* This is an example ARexx script for use with MidiPlay.
   Use the following parameter: FILETYPEPEREXX=ThisScript.rexx
   When MidiPlay cannot load a file, because it is not a MIDI file, it
   calls ThisScript. Argument consists of drive, path, file and extension
   of the filename.

   This particular example tries to unarchive a file with extension lha
   to a directory ram:t:rxmidi. If unarchiving is succesful, the first .MID
   file is played by sending command 'FILE first.MID' to MidiPlay.

*/

options results

parse arg Drive ',' Path ',' File ',' Extension .

address command

if ~show('L',"rexxsupport.library") then do
  if ~addlib('rexxsupport.library',0,-30,0) then
    exit 10
end

if ~exists('t:rxmidi') then
  'mkdir t:rxmidi'

if Path == "" then Path2 = Path
else Path2 = Path || '/'

Whole = ''' || Drive || Path2 || File || '.' || Extension || '''

"delete >nil: t:rxmidi/#?"

if Extension='lha' | Extension='LHA' then
  'sys:archivers/lha >nil: -x0 -q e 'Whole' t:rxmidi/'
else do
  say 'Not a MIDI file' Whole
  RETURN
end

dirl=showdir('t:rxmidi/', 'f', '@')
dirl=insert(dirl, '@')
dir2=upper(dirl)

```

```
position=index(dir2,'.MID')
position3=lastpos('@',dir2,position)
position2=index(dir2,'.MID',position)
filenam=substr(dir2,position3+1,(position2-position3)+3)

address "MidiPlay_rexx"
'FILE t:rxmidi/'filenam
```