

ascii_dtc

| |
|----------------------|
| COLLABORATORS |
|----------------------|

| | | | |
|---------------|-----------------------------|---------------|------------------|
| | <i>TITLE :</i> ascii_dtc | | |
| <i>ACTION</i> | <i>NAME</i> | <i>DATE</i> | <i>SIGNATURE</i> |
| WRITTEN BY | | July 19, 2024 | |

| |
|-------------------------|
| REVISION HISTORY |
|-------------------------|

| NUMBER | DATE | DESCRIPTION | NAME |
|--------|------|-------------|------|
| | | | |

Contents

| | | |
|----------|---|----------|
| 1 | ascii_dtc | 1 |
| 1.1 | ascii_dtc.doc | 1 |
| 1.2 | ascii.datatype/ascii.datatype | 1 |

Chapter 1

ascii_dtc

1.1 ascii_dtc.doc

```
ascii.datatype()
```

1.2 ascii.datatype/ascii.datatype

NAME

ascii.datatype -- data type for ANSI text.

FUNCTION

The ASCII data type, a sub-class of the text.datatype, is used to load ANSI text files.

METHODS

OM_NEW -- Create a new text object from ANSI characters. The source may be either a file or the clipboard.

SEE ALSO

text.datatype.
