

e

COLLABORATORS

	<i>TITLE :</i> e		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		August 25, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	e	1
1.1	main	1
1.2	ch_0a	4
1.3	ch_0b	5
1.4	ch_0c	5
1.5	ch_0d	7
1.6	ch_0e	9
1.7	ch_0f	10
1.8	ch_1a	12
1.9	ch_1b	13
1.10	ch_1c	13
1.11	ch_2a	13
1.12	ch_2b	14
1.13	ch_2c	14
1.14	ch_2d	14
1.15	ch_2e	14
1.16	ch_2f	14
1.17	ch_2g	15
1.18	ch_2h	16
1.19	ch_3a	16
1.20	ch_3b	16
1.21	ch_3c	16
1.22	ch_3d	17
1.23	ch_4a	17
1.24	ch_4b	17
1.25	ch_4c	18
1.26	ch_4d	18
1.27	ch_4e	19
1.28	ch_4f	19
1.29	ch_4g	19

1.30	ch_4h	20
1.31	ch_4i	20
1.32	ch_4j	20
1.33	ch_4k	21
1.34	ch_4l	22
1.35	ch_4m	24
1.36	ch_5a	24
1.37	ch_5b	25
1.38	ch_5c	25
1.39	ch_5d	26
1.40	ch_5e	26
1.41	ch_5f	26
1.42	ch_5g	27
1.43	ch_5h	27
1.44	ch_5i	27
1.45	ch_5j	28
1.46	ch_5k	29
1.47	ch_5l	29
1.48	ch_5m	29
1.49	ch_6a	30
1.50	ch_6b	31
1.51	ch_6c	32
1.52	ch_6d	32
1.53	ch_6e	32
1.54	ch_6f	33
1.55	ch_6g	34
1.56	ch_6h	34
1.57	ch_7a	35
1.58	ch_7b	35
1.59	ch_7c	35
1.60	ch_7d	36
1.61	ch_8a	36
1.62	ch_8b	37
1.63	ch_8c	38
1.64	ch_8d	38
1.65	ch_8e	38
1.66	ch_8f	39
1.67	ch_8g	40
1.68	ch_8h	40

1.69 ch_9a	42
1.70 ch_9b	43
1.71 ch_9c	46
1.72 ch_9d	49
1.73 ch_9e	51
1.74 ch_9f	52
1.75 ch_9g	54
1.76 ch_9h	55
1.77 ch_9i	56
1.78 ch_10a	59
1.79 ch_10b	59
1.80 ch_10c	61
1.81 ch_10d	63
1.82 ch_11a	63
1.83 ch_11b	63
1.84 ch_11c	64
1.85 ch_12a	65
1.86 ch_12b	66
1.87 ch_12c	67
1.88 ch_12d	68
1.89 ch_13a	69
1.90 ch_13b	70
1.91 ch_13c	71
1.92 ch_13d	72
1.93 ch_14a	74
1.94 ch_14b	75
1.95 ch_14c	75
1.96 ch_14d	76
1.97 ch_14e	79
1.98 ch_15a	80
1.99 ch_15b	82
1.100ch_15c	82
1.101ch_15d	83
1.102ch_15e	83
1.103ch_16a	84
1.104ch_16b	84
1.105ch_16c	85
1.106ch_16d	85
1.107ch_16e	86

1.108ch_16f	93
1.109ch_16g	93
1.110ch_17a	95
1.111ch_17b	95
1.112ch_17c	96
1.113ch_17d	97
1.114ch_17e	98
1.115ch_17f	98
1.116ch_17g	99
1.117ch_17h	100
1.118ch_17i	100
1.119ch_17j	101
1.120ch_17k	101
1.121ch_17l	105
1.122ch_17m	107
1.123ch_18a	110
1.124ch_18b	112
1.125ch_18c	113
1.126ch_18d	118
1.127ch_18e	125

Chapter 1

e

1.1 main

```
+-----+
|           |
|           |           Amiga E v3.3a           |
|           |           Compiler for The E Language           |
|           |           By Wouter van Oortmerssen           |
|           |           |
+-----+
```

Contents:

- 0. compiler and introduction
 - A. introduction
 - B. the distribution
 - C. demo restrictions, registration and sites
 - D. installing/using the compiler
 - E. changes / history / new features
 - F. additional information
 - 1. format
 - A. tabs,lf etc.
 - B. comments
 - C. identifiers and types
 - 2. immediate values
 - A. decimal (l)
 - B. hexadecimal (\$l)
 - C. binary (%l)
 - D. float (l.0)
 - E. character
 - F. strings ('bla')
 - G. lists ([l,2,3]) and typed lists
 - H. lisp-cells (<a|b>)
 - 3. expressions
 - A. format
 - B. precedence and grouping
-

- C. types of expressions
 - D. function calls
4. operators
- A. math (+ - * /)
 - B. comparison (= <> > < >= <=)
 - C. logical and bitwise (AND OR)
 - D. unary (sizeof ` ^ { } ++ -- -)
 - E. triple (IF THEN ELSE)
 - F. structure (.)
 - G. array ([])
 - H. float operator (!)
 - I. assignments expressions (:=)
 - J. sequencing (BUT)
 - K. dynamic memory allocation (NEW)
 - L. unification (<=>)
 - M. pointer typing (::)
5. statements
- A. format (;)
 - B. statement labels and gotos (JUMP)
 - C. assignment (:=)
 - D. assembly mnemonics
 - E. conditional statement (IF)
 - F. for-statement (FOR)
 - G. while-statement (WHILE)
 - H. repeat-statement (REPEAT)
 - I. loop-statement (LOOP)
 - J. select-case-statement (SELECT)
 - K. increase statement (INC/DEC)
 - L. void expressions (VOID)
 - M. memory deallocation (END)
6. function definitions and declarations
- A. proc definition and arguments (PROC)
 - B. local and global definitions: scope (DEF)
 - C. endproc/return
 - D. the 'main' function
 - E. built-in system variables
 - F. default arguments to functions
 - G. multiple return values
 - H. function values
7. declaration of constants
- A. const (CONST)
 - B. enumerations (ENUM)
 - C. sets (SET)
 - D. built-in constants
8. types
- A. about the 'type' system
 - B. the basic type (LONG/PTR)
 - C. the simple type (CHAR/INT/LONG)
 - D. the array type (ARRAY)
 - E. the complex type (STRING/LIST)
 - F. the compound type (OBJECT)
 - G. initialisation
-

-
- H. the essentials of the E typesystem
9. built-in functions
 - A. io functions
 - B. strings and string functions
 - C. lists and list functions
 - D. intuition support functions
 - E. graphics support functions
 - F. system support functions
 - G. math and other functions
 - H. string and list linking functions
 - I. lisp-cells and cell functions
 10. library functions and modules
 - A. built-in library calls
 - B. interfacing to the amiga system with the v40 modules
 - C. compiling own modules
 - D. the modulecache
 11. quoted expressions
 - A. quoting and scope
 - B. Eval()
 - C. built-in functions
 12. floating point support
 - A. float values
 - B. computing with floats
 - C. builtin float functions
 - D. float implementation issues
 13. Exception handling
 - A. defining exception handlers (HANDLE/EXCEPT)
 - B. using the Raise() function
 - C. defining exceptions for built-in functions (RAISE/IF)
 - D. use of exception-ID's
 14. OO programming
 - A. OO features in E
 - B. object inheritance
 - C. data hiding (EXPORT/PRIVATE/PUBLIC)
 - D. methods and virtual methods
 - E. Constructors, Destructors and Super-Methods (NEW,END,SUPER)
 15. inline assembly
 - A. identifier sharing
 - B. the inline assembler compared to a macro assembler
 - C. ways using binary data (INCBIN/CHAR..)
 - D. OPT ASM
 - E. Inline asm and register variables
 16. technical and implementation issues
 - A. the OPT keyword
 - B. small/large model
 - C. stack organisation
 - D. hardcoded limits
 - E. error messages, warnings and the unreferenced check
 - F. compiler buffer organisation and allocation
-

G. register allocation

17. Essential E Utilities / Applications

- A. ShowModule
- B. ShowHunk
- C. Pragma2Module / Iconvert
- D. ShowCache / FlushCache
- E. ecompile.rexx
- F. o2m
- G. E-Yacc
- H. SrcGen
- I. EBuild
- J. EE / Aprof
- K. EDBG
- L. EC PreProcessor
- M. EC Library mode

18. Appendices

- A. E Grammar description
- B. Tutorial
- C. Mapping E to C/C++/Pascal/Ada/Lisp etc.
- D. Amiga E FAQ
- E. TODO/BUG list

1.2 ch_0a

0A. introduction

E is an object oriented / procedural / unpure functional higher programming language, mainly influenced by languages such as C++, Ada, Lisp etc. It is a general-purpose programming language, and the Amiga implementation is specifically targeted at programming applications. Features of the language include: speed of >20000 lines/minute on a vanilla A500, inline assembler and linker integrated into compiler, large set of integrated functions, great module concept with v39 includes as modules, flexible type-system, quoted expressions, immediate and typed lists, parametric and inclusion polymorphism, exception handling, inheritance, data-hiding, methods, multiple return values, default arguments, register allocation, fast memory management, unification, LISP-Cells, gui-toolkit, (macro-) preprocessor, very intuitive and powerful source-level debugger, easy .library linking, and much more...

This is what 'HelloWorld' looks like in E:

```
/* nominated for Most Boring Example */

PROC main()
  WriteF('Hello, World!\n')
ENDPROC
```

1.3 ch_0b

0B. the distribution

The distribution includes:

Bin/ contains the compiler EC and the support utilities
Modules/ directory containing all Amiga v40 E modules and
 useful tools as linkable modules
Docs/ documentation on E
Src/ example sources in E

This distribution of Amiga E including the demo version of the compiler is FreeWare, and may be freely copied. The compiler archive some of you may have received together with this archive, however, is NOT FreeWare and should NOT be copied for anyone but yourself.

Distributing copies of E for more than the price of disk+postage (generally <3\$), or any other way of distribution with only the slightest aim of making profit, is not allowed. I explicitly forbid Serge Hammouche or his company "France Festival Distribution" to distribute E in any shape or form. He has done so in the past without my permission, misusing my name and stealing money from me on the backs of french E programmers. If you paid him money, claim it back and spread the word. A french translation of this document authorized by me (made by Olivier Anh) is available on the aminet.

This distribution should always be distributed as a whole, i.e. in the form of the original .lha archive. No additions, modifications, translations, partial distributions or whatever are allowed without my explicit permission.

No guarantees, no warranty. If you manage to drown your pet goldfish using E, or E fails to be suitable for ordering pizzas, that's entirely your problem. Whatever happens, don't blame it on me.

Fred Fish has special permission to distribute E on his CD-ROM's, distribution on Aminet CDROMs is also permitted.

1.4 ch_0c

0C. demo restrictions, registration and sites

The Amiga E distribution is PD, and contains the demo version of the compiler. registered programmers obtain the full compiler as a separate archive, with only "EC" in it.

If you have received the registered EC already, you may wish to put it in the bin directory. The distribution archive may be freely copied for anyone (see 0B on that), but please make sure you do not distribute your registered copy of EC to anyone, not even to friends. I haven't serialised these copies because of the confidence I have in my registered users, so don't break it. Registration is very affordable, and v2.1b is still available, so there's no excuse left for pirating E.

So what's "demo" about the included compiler? The compiler will only spit out executables <8k, above that it will present you with a "workspace full" error. Other than that it's fully functional. [To the ignorant pirates: if you feel like removing this protection make sure you do it right: all attempts I've see sofar only remove the first level of protection and won't allow compilation of large executables].

You are allowed to evaluate this demo for two weeks, after which you decide either to register or quit using this demo version, even if you only write programs <8k. [this used to be 12k, yes. Guess why it has changed.]

E registrations are personal, i.e. you may use it on any number of machines. it also means you can't sell it to someone else if you don't want it anymore.

updates.

distribution updates can be found in the PD as normal, and updates to the registered EC will be distributed as patches, also in the PD.

ordering a copy.

The basic price is, was, and will always be 65 dutch guilders (approx. 40\$). subtract 5 guilders if you are prepared to receive your registered EC per uuencoded E-mail instead of on disk. This is the fastest way to receive a registered version (you only receive the EC executable).

I will allow payment in some other currencies as well, to simplify payment for some people. No rare currencies please. If you send money in your currency, make sure it's well above 65 guilders, according to current exchange rates.

Getting the money to me. Not only has the registration-site situation changed radically (since previous releases of E), my own situation has as well (read the bit about my new address in 0F).

These are the authorized E registration sites at the moment:

England: Jason R. Hulance

Germany: Gregor Goldbach

[NOTE: the one in sweden was closed down a while ago, the ones in the USA and Australia are in the process of being closed down (if you can provide any information of the current whereabouts of either Barry Wills or Rob Nottage, please contact me). The site in germany changed from Jörg Wach to Gregor Goldbach, The one in Italy is having troubles at the moment so please use other sites until further notice. And my own site, Holland, has gone into low-power mode since I live in England now, so I'd advice you not to use it (you risk waiting up to 4 months for your registration)]

Below is some information from the various sites, for more info contact them personally. Residents in nearby countries may choose at their option to registrate at these sites as well (England is the "main" site for the moment). Whatever your method of payment, make sure the correct amount is received by the site.

ENGLAND

name: Jason R. Hulance (Dept. E)

address: Formal Systems (Europe) Ltd, 3 Alfred Street, Oxford OX1 4EH, ENGLAND

telephone: (0869) 324350, out of office hours.
 email: jason@fsel.com, m88jrh@ecs.ox.ac.uk
 price: 26 UK pounds (on disk) or 23 UK pounds (via E-mail)
 "Beginner's Guide to Amiga E" (182 pages) is available in AmigaGuide, TeX,
 PostScript and printed forms with a large index. This costs 5 UK pounds
 (non-printed forms) or 10 UK pounds (printed form).
 payment: For safety, please make payment by cheque (payable to "Jason Hulance"),
 although postal orders/cash/bank transfers will also be accepted

GERMANY

 name: Gregor Goldbach
 address: Gruener Weg 10, 21423 Pattensen, Deutschland
 phone: 04173/511267
 email: glauschwuffel@amt.comlink.de
 price: 60 DM (54 DM if sent by email)
 payment: direct transfer to bank account (preferred, mail me for
 details)
 cash (at your risk)

HOLLAND

 address: (see OF) please use one of the other sites above instead
 price: 65 dutch guilders
 payment: cash (preferred), mandat de poste international, eurocheque
 (in DFL), bank (427875951 ABN-AMRO bank, the netherlands,
 add 20,-), post-giro (6030387, PostBank, the netherlands,
 add 7,-), no cheques please.

1.5 ch_0d

0D. installing/using the compiler

 To install Amiga E on your system, just copy the whole distribution to some
 place in your system, extend your path to the BIN directory, and assign
 EMODULES: to the 'Modules' directory. If you're upgrading from a previous
 version, please reinstall this release, and use your older registered
 compiler (v3.0a, v3.1a or v3.2a) in combination with the corresponding patch
 (in the Bin/ directory) to create the v3.3a EC executable.

syntax of the compiler (2.04+):

SOURCE/A, REG=NUMREGALLOC/N/K, LARGE/S, SYM=SYMBOLHUNK/S, NOWARN/S,
 QUIET/S, ASM/S, ERRLINE/S, ERRBYTE/S, SHOWBUF/S, ADDBUF/N/K, IGNORECACHE/S,
 HOLD/S, WB/S, LINEDEBUG/S, OPTI/S, DEBUG/S, NILCHECK/S:

for 1.2 to 2.03:

EC [-opts] <sourcefile>

As an example we'll compile the program 'HelloWorld.e'. The compiler will produce an executable 'HelloWorld'.

```

1> cd e:src
E:Src> ec helloworld
Amiga~E~Compiler/Assembler/Linker~v2.4f~(c)~91/92/93~$#!
lexical analysing ...
parsing and compiling ...
no errors
E:Src> helloworld
Hello, World!
E:Src> list
HelloWorld.e          89 ----rwed Oggi      17:37:00
helloworld            656 ----rwed Oggi      17:37:00
2 files - 4 blocks used
E:Src>

```

note: the compiler cannot be made resident

Options.

These are standard AmigaDos options. You can see them at any time by typing 'EC ?'. For 1.2 options the old unix-like switches are used (need to be written together, preceded by a "-"):

```

LARGE   -l  compiles with large code/data model (see 16A , OPT LARGE).
ASM     -a  puts EC into assembler mode (see 15D , OPT ASM).
NOWARN  -n  suppresses warnings (see 16A , OPT NOWARN)
SYM     -s  adds a symbolhunk to the executable, for use with
          profilers, debuggers, disassemblers etc.
LINEDEBUG -L  adds a "LINE" debughunk to the executable, for use
          with profilers, debuggers etc. (see 17K ).
REG=N   -rN uses N regs per PROC for register-allocation.
          (default is 0 for the time being, read elsewhere
          about how to use this!)
QUIET   -q  if there are no errors or warnings, EC won't output
          anything.
WB      -w  puts wb to front (for scripts)
SHOWBUF -b  shows buffer memory usage information
ADDBUF=X -mX forces EC to allocate more memory for its buffers.
          X ranges 1..9, the minimum number of 100k blocks to allocate.
          default is 1 (never needed).
ERRLINE -e  give the line# the error was on as returnvalue
ERRBYTE -E  give the byte-offset in the file the error was on
          as returnvalue
IGNORECACHE -c don't use the module-cache in any way
HOLD    -h  wait for a <return> on the commandline before
          exiting EC.
OPTI    enable all optimisations (currently equals REG=5)
DEBUG   attach debug infos to executable/module (see 17K )
NILCHECK insert code at every "." or "[]" dereference to check
          for a NIL pointer. Will throw an exception of the form
          Throw("NIL",source_line_number)

```

example: ec large blabla

compiles blabla.e with large model.

NOTE: in most cases you won't need to use any of these options

1.6 ch_0e

0E. changes / history / new features

New in v3.3a:

- significantly improved version of EasyGUI, including the SOURCE!
- new version of EDBG which a.o. now cooperates with Explorer (see 17K for a full list of new features and bugs fixed).
Now comes with source code as well!
- new version of EBuild
- various new examples, e.g. a texturemapper
- new versions of many modules and examples
- revised docs, e.g. a new "known-bugs" list.
- some new builtins, e.g. the Arc float functions.
- LIBRARY mode now has a PROC close() to match main()
- two (!) new class libraries now part of the distribution, Gregor's OO modules and Fabio's AFC.

Bugs fixed in v3.3a:

- EC now saves debug information for "self", and EDBG makes use of it.
- OPT RTD removed.
- ENUM now works with negative numbers
- module-cache flushing now definitely fool proof.
- and many smaller bugs...

New in v3.2i:

- make sure you read about the bug in mathieeesingbas.library (see 12D) (!)
- You can explicitly assign registers in own libraries (e.g. 'myfun(A0)').
- 'find' in EDBG
- Iconvert supports PhxAss (with "-p")
- quite a few things in the distribution

Bugs fixed in v3.2i:

- methods with an exception handler could cause problems in the register allocator.
- various bugs in EDBG (scroller etc.)
- double declaration of object or label identifiers could go unnoticed
- EC would have problems flushing modules from different directories (now it only looks for the file-part and flushes it).
- problems could occur with method being called before their OBJECT declarations.
- and various smaller bugs...

New features in v3.2e:

- better EasyGUI (plugins)
- better EDBG (Arexx port and config saving)

Bugs fixed in v3.2e:

- procident.member gave weird errors
 - preprocessor failed on 68000 in particular situations
 - preprocessor didn't handle international characters
 - '\0' in strings would cut them off
 - EC would Lock() with an illegal mode from other dirs
 - \$FFFF as default arg became \$FFFF0000
-

- macro errors could cause garbage to be printed on screen
- /* */ in comments failed
- inheriting from yourself wasn't detected
- didn't accept 0(A3,a) or 0(A3,a.L) or lab(PC,a) etc. where a:REG
- AND.L D0,a where a:REG changed src-dest

New features in v3.2a:

- EC can now output .library files!!! (see 17M)
- new EDBG with a massive amount of new features! (see 17K)
- enhanced EasyGUI (have a look)
- NEW and END now work on subobjects as well (see 4K).
- NILCHECK/S, will insert code to check all "." and "[]" dereferences for NIL pointers (see 0D)
- v40 emodules, with types!
- new modules (Src/Class/ScrollWin/ and others)
- new docs / beginners guide
- extended distribution with Jason's RKRM examples etc.

Bugs fixed in v3.2a:

- IGNORECACHE was broken
- silly bug in /2
- asm -xx(Ax,Dx.w) addressing mode assembled wrong
- a-- where a:PTR TO o where SIZEOF o>8 translated into ADDI ipv SUBI
- globals in modules used in inline asm were not exported / offsets adjusted
- exp*globvar in module not compiled ok
- macros of other module would be saved again in current module
- and quite a few smaller ones...

a version history:

vers	date	EC	k	comment
v0.3	sep 91	5		first version that outputs executables
v1.0	may 92	20		builtins and library calls, usable for small tools
v2.0	okt 92	38		v37 modules usable, language pretty "complete"
v2.1a	jan 93	44		first public release
v2.1b	apr 93	45		bug fix, few new features. current version for >1 year
v3.0a	jul 94	82		enormous amount of new features. E gets a price tag.
v3.0b	sep 94	82		bug fix
v3.0e	nov 94	83		bug fix
v3.1a	dec 94	85		EDBG, preprocessor etc.
v3.1i	jun 95	83		new EDBG etc.
v3.2a	jul 95	85		.library mode
v3.2e	nov 95	85		new EDBG, EasyGUI, bugfixes.
v3.2i	nov 96	86		bugfixes, various
v3.3a	okt 97	86		bugfixes, new EDBG/EasyGUI/modules/classes/sources etc.

1.7 ch_0f

0F. additional information

The Amiga E Compiler was developed over the course of more than six years,

after the author's idea of a good programming language, and a quality amiga specific compiler for it. It started out as quite a small project and evolved over the years into the large development environment it is now. EC was programmed (as you might have guessed) in 100% assembly, using the AsmOne assembler v1.02. All other support programs and tools (such as EDBG) were written in E itself.

Special thanks go to the following people:

Jason Hulance - for 'The Beginners Guide', modules/examples, helping out with EasyGUI/EDBG, betatesting, his registration site, and practically being the coauthor of the Amiga E package.

Gregor Goldbach - for his registration site and general help.

Jörg Wach - for EPD and general support.

Rob Verver - for comments/inspiration.

Barry Wills - for being such a good betatester.

I also would like to thank the following people for various reasons (no particular order):

Raymond Hoving, Erwin van Breemen, Michael Zucchi, James Cooper, Jens Gelhar, Paolo Silvera, Sergio Ruocco, Jeroen Vermeulen, Jan van den Baard, Norman Kraft, Urban Mueller, Charles McCreary, Olivier Anh, Lionel Vinténat, Rob Nottage, Mirko Lalli, Jonas Tehler, Paul Nolan, Antonio J. Gomez Glez, Fabio Rotondo and many more...

This compiler was programmed with great care towards reliability, and even more so the code it generates, additionally it has been tested and debugged for a long period. However, it is not impossible that it contains bugs. if you happen to find one, or have other comments/questions, write me at the address below: I strongly prefer E-mail above conventional mail.

NOTE WELL: due to the immense popularity (?) of Amiga E, I get an almost unreplyable amount of Email, some of which (>90%) are questions that would not have been necessary if people read all the docs carefully. What I mean to say is that I don't mind receiving Email, and I generally answer all questions and help people out with their programming problems, but be sure to check all other information at your disposal (like the Amiga E docs or the RKRM's) to see if your question is relevant, before mailing me. Especially questions that are not E specific but Amiga specific should not be directed to me. And try and be gentle on me with comments like "I think E should have feature X...", and compiler bug reports that are really about bugs in your own program (see 18D, the FAQ).

registrations (see 0C) and donations are welcome at the following address:

Note that I've moved to England. For the time being the following address is safe to use (my parents address, will be valid for quite a while, but it may take quite a while for me to collect my mail there):

Wouter van Oortmerssen
Singel 524
3311 HP Dordrecht
HOLLAND

If its about registrations it is wiser to just use another registration site instead for the time being (the english one is preferred).

The old address (in Leiden, Holland) is not valid anymore, please stop sending mail there.

You can try my current address in England, but it is subject to immediate change (better email me first):

Wouter van Oortmerssen
Montefiore House III / L246
Wessex Lane
Swaythling
Southampton
SO18 2NU
UK

What this boils down to is that the only way to reach me without problems is via email:

wvo96r@ecs.soton.ac.uk (strongly preferred)
wouter@ai.let.uva.nl (new, forward)
wouter@mars.let.uva.nl (still valid, forward)
wvo@acm.org (new, forward)
wvo@soton.ac.uk (new, not read)
w.v.oortmerssen@let.uva.nl (probably still works, forward)
oortmers@fwi.uva.nl (probably invalid by now)
wouter@alf.let.uva.nl (likely invalid)
root@wouter.ecs.soton.ac.uk (emergency cases, not read)
m.scha@zadkine.nl (at my parents, emergency only)

or visit me on the www (updated infrequently):

<http://www.dsse.ecs.soton.ac.uk/~wvo96r/> (primary)
<http://ecs.soton.ac.uk/~wvo96r/> (alternatively?)
<http://earth.let.uva.nl/~wouter/> (older copy)
<http://mars.let.uva.nl/wouter/> (might go)

1.8 ch_1a

1A. tabs,lf etc.

E-sources are pure ascii format files, with the linefeed <lf> and semicolon ";" being the separators for two statements. Statements that have particularly many arguments, may be spread over several lines by ending a line with a comma (or any other lexical element that can normally never occur at the end of a line), thus ignoring the following <lf> (see 5A for line endings). Any lexical element in a source code file may be separated from another by any number of spaces, tabs etc.

1.9 ch_1b

1B. comments

comments may be placed anywhere in a source file where normally a space would have been correct. They start with `/*` and end with `*/` and may be nested infinitely. The same goes for one-line comments, which start with a `->` and end at the first `<lf>`.

```
/* this, is a comment */
-> this one too.
```

1.10 ch_1c

1C. identifiers and types

identifiers are strings that the programmer uses to denote certain objects, in most cases variables, or even keywords or function names predefined by the compiler. An identifier may consist of:

- upper and lowercase characters
- "0" .. "9" (except as first character)
- "_" (the underscore)

All characters are significant, but the compiler just looks at the first two to identify the type of identifier it is dealing with:

- | | |
|-------------------------------|---|
| both uppercase: | <ul style="list-style-type: none"> - keyword like IF, PROC etc. - constant, like MAX_LENGTH - assembly mnemonic, like MOVE |
| first lowercase: | <ul style="list-style-type: none"> - identifier of variable/label/object etc. |
| first upper and second lower: | <ul style="list-style-type: none"> - E system function like: WriteF() - library call: OpenWindow() |

Note that all identifiers obey this syntax, for example:
 WBenchToFront() becomes WbenchToFront()

1.11 ch_2a

2A. decimal (1)

Immediate values in E all evaluate to a 32bit result; the only difference among these values (A-G) is either their internal representation, or the fact that they return a pointer rather than a value.

A decimal value is a sequence of characters "0" .. "9", possibly preceded by a minus "-" sign to denote negative numbers.
 examples: 1, 100, -12, 1024

1.12 ch_2b

2B. hexadecimal (%l)

A hexadecimal value uses the additional characters "A" .. "F" (or "a" .. "f") and is preceded by a "\$" character.

Examples: \$FC, \$DFF180, -\$ABCD

1.13 ch_2c

2C. binary (%l)

Binary numbers start with a "%" character and use only "1" and "0" to form a value.

Examples: %1111, %1010100001, -%10101

1.14 ch_2d

2D. float (l.0)

Floats differ only from normal decimal numbers in that they have a "." to separate their two parts. Either one may be omitted, not both. Note that floats have a different internal 32bit (IEEE) representation (see 12A for more information on floats).

Examples: 3.14159, .1 (=0.1), 1. (=1.0)

1.15 ch_2e

2E. character

The value of a character (enclosed in double "" quotes) is its ascii value, i.e. "A" = 65. In E, character immediate values may be a short string up to 4 characters, for example "FORM", where the first character "F" will be the MSB of the 32bit representation, and "M" the LSB (least significant byte).

1.16 ch_2f

2F. string ('bla')

Strings are any ascii representation, enclosed in single '' quotes. The value of such a string is a pointer to the first character of it. More specific: 'bla' yields a 32bit pointer to a memory area where we find the bytes "b", "l" and "a". ALL strings in E are terminated by a zero byte.

Strings may contain format signs introduced by a slash "\", either to introduce characters to the string that are for some reason

not displayable, or for use with string formatting functions like `WriteF()`, `TextF()` and `StringF()`, or `kick2 Vprintf()`.

```
\n    a linefeed (ascii 10)
\a or ' ' an apostrophe ' (the one used for enclosing the string)
\q    a doublequote: "
\e    escape (ascii 27)
\t    tab (ascii 9)
\\    a backslash
\0    a zero byte. Of rare use, as ALL strings are 0-terminated
\b    a carriage return (ascii 13)
```

Additionally, when used with formatting functions:

```
\d    print a decimal number
\h    print a hexadecimal
\s    print a string
\c    print a character
\z    set fill byte to '0' character
\l    format to left of field
\r    format to right of field (these last two act as toggles)
```

Field specifiers may follow the `\d`, `\h` and `\s` codes:

```
[x] specify exact field width x
(x,y) specify minimum x and maximum y (strings only)
```

Example: print a hexadecimal number with 8 positions and leading zeroes:
`WriteF('\z\h[8]\n',num)`

A string may be extended over several lines by trailing them with a "+" sign and a `<lf>`:

```
'this specifically long string ' +
'is separated over two lines'
```

1.17 ch_2g

2G. lists (`[1,2,3]`) and typed lists

An immediate list is the constant counterpart of the LIST datatype, just as a 'string' is the constant counterpart for the STRING or ARRAY OF CHAR datatype. Example:

```
[3,2,1,4]
```

is an expression that has as value a PTR to an already initialised list, a list as a representation in memory is compatible with an ARRAY OF LONG, with some extra length information at a negative offset. You may use these immediate lists anywhere a function expects a PTR to an array of 32bits values, or a list. Examples:

```
['string',1.0,2.1]
[WA_FLAGS,1,WA_IDCMP,$200,WA_WIDTH,120,WA_HEIGHT,150,TAG_DONE]
```

(see 9C on list-functions for a discussion on typed-immediate lists and detailed information).

1.18 ch_2h

2H. lisp-cells (<a|b>)

(see 9I to read about cells in detail)

1.19 ch_3a

3A. format

An expression is a piece of code held together by operators, functions and parentheses to form a value.

They mostly consist of:

- immediate values (see 2A ,...)
- operators (see 4A ,...)
- function calls (see 3D)
- parentheses () (see 3B)
- variables or variable-expressions (see 3C)

examples of expressions:

1
'hello'
\$ABCD+(2*6)+Abs(a)
(a<1) OR (b>=100)

1.20 ch_3b

3B. precedence and grouping

The E language has `_no_` precedence whatsoever. This means that expressions are evaluated left to right. You may change precedence by parenthesizing some (sub-)expression:

1+2*3 /* =9 */ 1+(2*3) /* =7 */ 2*3+1 /* =7 */

1.21 ch_3c

3C. types of expressions

There are three types of expressions that may be used for different

purposes;

- <var>, consisting of just a variable
- <varexp>, consisting of a variable, possibly with unary operators with it, like "++" (increment) "." (member selection) or [] (array operator). (see 4D , 4G). It denotes a modifiable expression, like Lvalues in C.
Note that those (unary) operators are not part of any precedence.
- <exp>. This includes <var> and <varexp>, and any other expression.

1.22 ch_3d

3D. function calls

A function call is a temporary suspension of the current code for a jump to a function, this may be either a self-written function (PROC), or a function provided by the system. The format of a function call is the name of the function, followed by two parentheses () enclosing zero to unlimited arguments, separated by commas ",". Note that arguments to functions are again expressions. (see 6A) on how to make your own functions, (see 9A and 10A) on built-in functions. Examples:

```
foo(1,2)
Gadget(buffer,glist,2,0,40,80+offset,100,'Cancel')
Close(handle)
```

1.23 ch_4a

4A. math (+ - * /)

These infix operators combine an expression with another value to yield a new value. Examples:

```
1+2, MAX-1*5
```

(see 12A on how to overload these operators for use with floats).
"-" may be used as the first part of an expression, with an implied 0, i.e. -a or -b+1 is legal.
Note that * and / are by default 16bit operators: (see 9G , Mul())

1.24 ch_4b

4B. comparison (= <> > < >= <=)

Equal to math operators, with the difference that they result in either TRUE (32bit value -1), or FALSE. These can also be overloaded for floats.

1.25 ch_4c

4C. logical and bitwise (AND OR)

 These operators either combine truth values to new ones, or perform bitwise AND and OR operations. Examples:

```
(a>1) AND ((b=2) OR (c>=3))      /* logical */
a:=b AND $FF                      /* bitwise */
```

1.26 ch_4d

4D. unary (SIZEOF ^ {} ++ -- `)

 - SIZEOF <objectident>
 simply returns the size of a certain object or CHAR/INT/LONG.
 Example: SIZEOF newscreen + SIZEOF INT
 - {<var>}
 Returns the address of a variable or label. This is the operator you would use to give a variable as argument to a function by reference, instead of by value, which is default in E. See "^". [a bit obsolete for variables. use multiple returnvalues instead]
 - ^<var>
 [a bit obsolete. you should be using the [] operator or multiple returnvalues instead]
 The counterpart of {}, writes or reads variables that were given by reference, examples: ^a:=1 b:=^a
 it may also be used to plainly "peek" or "poke" LONG values from memory, if <var> is pointer to such a value.
 Example for {} and ^: write your own assignment function;

```
PROC set(var,exp)
  ^var:=exp
ENDPROC
```

```
and call it with:     set({a},1)     /* equals a:=1 */
- <varexp>++     and <varexp>--
Increases (++) or decreases (--) the pointer that is denoted by <varexp> by the size of the data it points to. This has the effect that that pointer points to the next or previous item. When used on variables that are not pointers, these will simply be changed by one. Note that ++ always takes effect after the calculation of <varexp>, -- always before. Examples:

a++             /* return value of a, then increase by one */
sp[]--         /* decrease pointer sp by 4 (if it were an array of long),
                  and read value pointed at by sp */
```

Note that this is quite different from C, also, expressions like p.i++ work on p, not i.

- `<exp>`
 This is called a quoted expression, from LISP. <exp> is not evaluated, but instead returns the address of the expression, which can later be evaluated when required. More on this special feature in chapter 11

1.27 ch_4e

4E. triple (IF THEN ELSE)

The IF operator has quite the same function as the IF statement, only it selects between two expressions instead of two statements or blocks of statements. It equals the x?y:z operator in C.

```
IF <boolexp> THEN <exp1> ELSE <exp2>
```

returns exp1 or exp2, according to boolexp. For example, instead of:

```
IF a<1 THEN b:=2 ELSE b:=3
```

```
IF x=3 THEN WriteF('x is 3\n') ELSE WriteF('x is something else\n')
```

write:

```
b:=IF a<1 THEN 2 ELSE 3
```

```
WriteF(IF x=3 THEN 'x is 3\n' ELSE 'x is something else\n')
```

1.28 ch_4f

4F. structure (.)

<ptr2object>.<memberofobject> builds a <varexp>

The pointer has to be declared as PTR TO <object> or ARRAY OF <object> (see 8D for these), and the member has to be a legal object identifier. Note that reading a subobject in an object this way results in a pointer to that object. Examples:

```
thistask.userdata:=1
```

```
rast:=myscreen.rastport
```

If the member you select is of type PTR TO <type>, you may use "." and "[]" to dereference further values. If you select an ARRAY or substructure in an OBJECT, the result is again a PTR.

1.29 ch_4g

4G. array ([])

<var>[<indexexp>] (is a <varexp>)

This operator reads the value from the array <var> points to, with index <indexexp>. The index may be just about any expression.

Note1: "[]" is a shortcut for "[0]"

Note2: with an array of n elements, the index is 0 .. n-1

Examples:

```
a[1]:=10          /* sets second element to 10 */
```

```
x:=table[y*4+1]  /* reads from array */
```

```
x.y[3]           /* accesses array in an object */
```

1.30 ch_4h

4H. float operator (!)

<exp>!<exp>

Converts expressions from integer to float and back, and overloads operators + - * / = <> < > <= >= with float equivalents. (see 12A to read all about floats and this operator).

1.31 ch_4i

4I. assignments expressions (:=)

Assignments (setting a variable to a value) exist as statement and as expression. The only difference is that the statement version has the form <varexp>:=<exp> and the expression <var>:=<exp>. The latter has the value of <exp> as result.

Note that as <var>:= takes on an expression, you will often need parentheses to force correct interpretation, like:

```
IF mem:=New(100)=NIL THEN error()
```

is interpreted like:

```
IF mem:=(New(100)=NIL) THEN error()
```

which is not what you mean: mem should be a pointer, not a boolean. but you should write:

```
IF (mem:=New(100))=NIL THEN error()
```

it's a good habit to parenthesize any assignment expression that is part of another one, if not already disambiguated by other constructs such as "bla(a:=1)", "b:=a:=1" etc.

1.32 ch_4j

4J. sequencing (BUT)

The sequencing operator "BUT" allows two expressions to be written in a construction that allows for only one. Often in writing complex expressions/function calls, it would be nice to do a second thing on the spot, like an assignment. Syntax:

```
<expl> BUT <expl>
```

this says: evaluate expl, but return the value of exp2.

Example:

```
myfunc((x:=2) BUT x*x)
```

assign 2 to x and then calls myfunc with x*x. The () around the

assignment are again needed to prevent the := operator from taking (2 BUT x*x) as an expression.

1.33 ch_4k

4K. dynamic memory allocation (NEW)

the NEW operator is a powerful operator for dynamic memory allocation. it has various forms:

(assuming DEF p:PTR TO whateverobj, q:PTR TO INT)

NEW p

is an expression that will allocate zero-ised memory for the object-size p points to. the resulting pointer will be put in p, and is also the value of the expression. if NEW fails to get memory, it raises a "NEW" exception. 'NEW p' is therefore roughly equivalent with:

```
IF (p:=New(SIZEOF whateverobj))=NIL THEN Raise("MEM")
```

with the difference that p never gets any value if an exception is raised, and that the former is of course an expression, not a statement

but there's more: it's also possible to allocate an array dynamically:

```
NEW p[10]          /* array of 10 objects */
```

```
NEW q[a+1]        /* array of INT, size is runtime computed */
```

(this doesn't work when instantiating classes)

A problem with list [1,2,3] expressions sometimes is that they are static, and when using these to build large datastructures they would need to be created at run-time. The dynamic equivalent to static lists may then be used:

```
p:=[1,2,3]:whateverobj          /* static structure */
```

```
p:=NEW [1,2,3]:whateverobj      /* dynamicly allocated! */
```

this works with both lists and typed-lists, and also with arrays:

```
NEW [1,2,3]          /* constant-list, dyn. (note: not a like a listvar!) */
```

```
NEW [1,2,3]:obj      /* object */
```

```
NEW [1,2,3]:INT      /* array of INTs */
```

freeing memory allocated with any variations of NEW is done automatically at the end of the program, or by hand with END or FastDispose().

(note: the only exception is NEW <list>, use FastDisposeList())

If you use NEW [...]:obj, and the number of fields is less than the one present in the object, additional 0/NIL/"\0" whatever fields will be added. this allows extending objects without getting into trouble with allocations like these. (note that this is different from the static [...]:obj)

when you use NEW as a statement, multiple pointers may follow, i.e.:

```
NEW a,b.create(),c
```

is valid.

special forms of NEW and END allow to use a PTR within an object, so you can write things like

```
NEW a.b.create()
NEW a.b[50]
END a.b
```

in the examples, the pointer 'a' is not affected, the pointer 'b' in the 'a' object is used.

NEW allocated lists are not to be used with the Link() functions (see 9H).

(see 5M , END)

(see 9F for the fast memory allocation functions NEW makes use of)

1.34 ch_4l

4L. unification (<=>)

Unification allows a totally different style of programming that will be familiar to you if you're used to either Logic (ProLog), equational or functional (Miranda/Gofer/Haskell) programming. Most of us when using structures/arrays whatever are used to get values from it by selection ("." and "["), in these languages however pattern matching is used.

in E:

```
exp <=> uni_exp
```

exp can be any expression, but in v3 it's only really useful if it somehow is a pointer to a list. uni_exp is the pattern that is used to match exp. All constants in uni_exp much match to values in exp, variables are set to their respective values. if something doesn't match, no variables get a value, and the expression has the result FALSE. otherwise TRUE.

example:

```
a:=[1,2,3]
...
IF a <=> [1,x,y] THEN ...
```

this will succeed with x=2 and y=3. If list a were to be another length than 3, the match would fail too. The fact that a is a list in the first place is something you need to assure by yourself, EC simply tries to fit the uni_exp on whatever value it gets as exp. examples of FALSE:

```
a <=> [1,x] -> wrong list-len
```

```
a <=> [1,4,x]    -> 4=2 fails
'bla' <=> [1,2]   -> unpredictable result / crash ?
```

The fun thing with unification is that you can do very complex matches, and that if you take the first field or so as a constant telling what the structure is, you have a nice form of dynamic typing. And, all the time without using PTRs!

a slightly nicer example:

```
[BLA,[1,'burp'],['bla',"bla"]] <=> [BLA,[1,x],y]
```

binds:

```
x='burp', y=['bla',"bla"]
```

or even:

```
IF myexp <=> [PLUS,[MUL,a,1],[SUBS,[PLUS,c,d],e]] THEN RETURN a+c+d-e
```

maybe a silly example, but one could imagine doing complex stuff like this in a compiler's code-optimizer. it equals this traditional code:

```
IF ListLen(myexp)=3
  IF myexp[]=PLUS
    IF ListLen(dummy:=myexp[1])=3
      IF (dummy[]=MUL) AND (dummy[2]=1)
        a:=dummy[1]
      IF ListLen(dummy:=myexp[2])=3
        IF dummy[]=SUBS
          e:=dummy[2]
          IF ListLen(dummy2:=dummy[1])=3
            IF dummy2[]=PLUS
              c:=dummy2[1]
              d:=dummy2[2]
              RETURN a+c+d-e
            ENDIF
          ENDIF
        ENDIF
      ENDIF
    ENDIF
  ENDIF
ENDIF
```

only then a bit more optimal. As you see there's a lot of expressive power involved in unification as compared to traditional selection-based programming.

For now, the only thing allowed in unification are untyped lists, (integer) constants, variables and LISP-Cells (see 9I for that). The future will see this expanded with strings, typed-lists/objects, and even expressions [!]

1.35 ch_4m

4M. pointer typing (::)

when you write an expression like 'p' where p is a PTR TO object (and only objects), this allows you to dereference it as such. The pointer typing operator allows you to change such a type on the fly:

```
DEF p:PTR TO mp      -> message port

p.sigbit            -> access it
p::ln.name          -> access pointer as if it were a node
```

this is very useful for pointers that can point to different sorts of things or objects that are part of each other, where of course only one declaration is possible.

A second handy use is in OBJECTs that have members declared as LONG, which are actually pointers. You may type it on the fly to dereference it anyway:

```
mywindow.userport::mp.sigbit
```

here the window OBJECT has userport defined as LONG, so you wouldn't be able to dereference it normally.

1.36 ch_5a

5A. format (;)

As suggested in chapter 1A, a statement generally stands in its own line, but several of them may be put together on one line by separating them with semicolon, or one may be spread over more than one line by ending each line in a comma ", ". Examples:

```
a:=1; WriteF('hello!\n')
DEF a,b,c,d,                /* too many args for one line (faked) */
    e,f,g
```

statements may be:

- assignments
- conditional statements, for statements and the like, (see 5E -5K)
- void expressions
- labels
- assembly instructions

The comma is the primary character to show that you do not wish to end the statement with the next linefeed, but from v3 on, any token that cannot legally be the end of a line causes the statement to continue. Furthermore, if not all "[" and "(" occurring in a statement have been closed off, a statement will continue also.

examples of such tokens:

```
+ - * / =
< >= <=
:= . <=> ::
{ [ (
AND OR BUT THEN IS    -> others too, but these are most useful
```

example of bracketing:

```
a:=[
    [1,2],
    [3,4]
]    -> assignment ends here.
```

1.37 ch_5b

5B. statement labels and gotos (JUMP)

Labels are global-scoped identifiers with a ':' added to them, as in:

```
mylabel:
```

they may be used by instructions such as JUMP, and to reference static data. They may be used to jump out of all types of loops (although this technique is not encouraged, (see 5F , EXIT), but not out of procedures. In normal E programs they are mostly used with inline assembly. Labels are always globally visible.

Usage of JUMP: JUMP <label>
continues execution at <label>. You are not encouraged to use this instruction, it's there for situations that would otherwise increase the complexity of the program. Example:

```
IF done THEN JUMP stopnow

/* other parts of program */

stopnow:
```

1.38 ch_5c

5C. assignment (:=)

The basic format of an assignment is: <var> := <exp>
Examples: a:=1, a:=myfunc(), a:=b*3

In E multiple variables can be assigned at once, when <exp> is a function that returns multiple returnvalues. (see 6G)

1.39 ch_5d

5D. assembly mnemonics

In E, inline assembly is a true part of the language, they need not be enclosed in special "ASM" blocks or the like, as is usual in other languages, nor are separate assemblers necessary to assemble the code. This also means that it obeys the E syntax rules, etc. (see 15A to read all about the inline assembler). Example:

```
DEF a,b
b:=2
MOVEQ #1,D0          /* just use some assembly statements */
MOVE.L D0,a         /* a:=1+b */
ADD.L b,a
WriteF('a=\d\n',a) /* a will be 3 */
```

1.40 ch_5e

5E. conditional statement (IF)

IF, THEN, ELSE, ELSEIF, ENDIF

```
syntax:  IF <exp> THEN <statement> [ ELSE <statement> ]
or:     IF <exp>
        <statements>
        [ ELSEIF <exp>          /* multiple elseifs may occur */
          <statements> ]
        [ ELSE ]
          <statements>
ENDIF
```

builds a conditional block. Note that there are two general forms of this statement, a single-line and a multiple-line version.

1.41 ch_5f

5F. for-statement (FOR)

FOR, TO, STEP, DO, ENDFOR

```
syntax:  FOR <var> := <exp> TO <exp> STEP <step> DO <statement>
or:     FOR <var> := <exp> TO <exp> STEP <step>
        <statements>
        ENDFOR
```

builds a for-block, note the two general forms. <step> may be any positive or negative constant, excluding 0, and is optional. Example:

```
FOR a:=1 TO 10 DO WriteF('\d\n',a)
```

The body of FOR may contain EXIT statements with the following syntax:

```
EXIT <boolexp>
```

Which allows you to exit the loop if boolexp is true.

1.42 ch_5g

5G. while-statement (WHILE)

```
-----  
WHILE, DO, ENDWHILE
```

```
syntax:  WHILE <exp> DO <statement>  
or:     WHILE <exp>  
        <statements>  
        ENDWHILE
```

builds a while-loop, which is repeated as long as <exp> is TRUE. Note the one-line/one-statement version and the multiple line version.

WHILE may also contain EXIT statements, like FOR.

1.43 ch_5h

5H. repeat-statement (REPEAT)

```
-----  
REPEAT, UNTIL
```

```
syntax:  REPEAT  
        UNTIL <exp>
```

builds a repeat-until block: it will continue to loop this block until <exp>=TRUE. Example:

```
REPEAT  
    WriteF('Do you really, really wish to exit this program?\n')  
    ReadStr(stdout,s)  
UNTIL StrCmp(s,'yes please!')
```

1.44 ch_5i

5I. loop-statement (LOOP)

```
-----  
LOOP, ENDLLOOP
```

```
syntax:  LOOP  
        <statements>
```

```
ENDLOOP
```

builds an infinite loop.

1.45 ch_5j

5J. select-case-statement (SELECT)

SELECT, CASE, DEFAULT, ENDSELECT

```
syntax:  SELECT <var>
         [ CASE <exp>
           <statements> ]
         [ CASE <exp>
           <statements> ] /* any number of these blocks */
         [ DEFAULT
           <statements> ]
         ENDSELECT
```

builds a select-case block. Various expressions will be matched against the variable, and only the first matching block executed. If nothing matches, a default block may be executed.

```
SELECT character
  CASE 10
    WriteF('Gee, I just found a linefeed\n')
  CASE 9
    WriteF('Wow, this must be a tab!\n')
  DEFAULT
    WriteF('Do you know this one: "\c" ?\n',character)
ENDSELECT
```

next to the old SELECT <var> which works on expressions in the CASE statements, E has a SELECT <maxrange> OF <exp> which works with constants and or ranges of constants in a CASE. not only is this for many applications more powerful, it is also much faster for large numbers of cases (>5 usually), or if cases are equally probable. It assumes however, that all CASEs lie within a small integer range from 0 TO n-1, where n is something reasonable, for example 10, or 256 for characters.

example:

```
SELECT 128 OF FgetC(stream)
  CASE "\n", "\b"
    WriteF('line ending\n')
  CASE "\t", " "
    WriteF('whitepace\n')
  CASE "0" TO "9"
    WriteF('Integer\n')
  CASE "A" TO "Z", "a" TO "z", "_"
    WriteF('Identifier\n')
  DEFAULT
    WriteF('some other character\n')
ENDSELECT
```

DEFAULT will be hit not only for those for which there is no CASE, but also for the chars that fall out of the range, i.e. 128 TO 255 (and >255, and <0).

note that speed costs: because this SELECT uses a jump-table to quickly get at the right CASE, it'll use 2*<maxrange> bytes, 256 in this case.

1.46 ch_5k

5K. increase statement (INC/DEC)

INC, DEC

syntax: INC <var>
 DEC <var>

[obsolete]

short for <var>:=<var>+1 and <var>:=<var>-1. Only difference with var++ and var-- is that these are statements, and do not return a value.

1.47 ch_5l

5L. void expressions (VOID)

VOID

syntax: VOID <exp>

[obsolete: only for backwards compatability]

calculates the expression without the result going anywhere. Only useful for a clearer syntax, as expressions may be used as statements without VOID in E anyway. This may cause subtle bugs though, as "a:=1" assigns a the value 1, but "a=1" as a statement will do nothing. E will give you a warning if this happens.

1.48 ch_5m

5M. memory deallocation (END)

END is the complement to NEW. any pointer obtained should be deallocated (and only!) with END

 END a

or even

```
END a,b,c
```

where the arguments are PTRs to some type. END frees the amount of space that is being pointed to, so if a is PTR TO LONG it will only free 4 bytes. so if you allocated a with NEW a[NUM], free it with

```
END a[NUM]
```

NIL-pointers may safely be passed to NEW. Pointers are also nuked to NIL afterwards.

If a is a PTR to an object that is an instance of a class, END will dynamically get the size to be freed from the class-object, so if you have an object of class b which is 32 bytes, but the pointer you're freeing with is a baseclass pointer (only 24 bytes), END will correctly deallocate 32 bytes. this only works for classes.

You can imagine END p as a macro for:

```
IF p
  p.end()
  FastDispose(p,p.classobject.virtuallen)
  p:=NIL
ENDIF
```

If you don't call END on memory allocated by NEW, it will be deallocated automatically at the end of the program, however no destructor methods (.end()) will be called at this stage (i.e. if this is necessary you'll have to do it yourself).

note that the NEW and END make use of the FastNew() and FastDispose() functions (described elsewhere) which work quite differently from NewR() and Dispose(). (see 9F for details).

1.49 ch_6a

6A. proc definition and arguments (PROC)

You may use PROC and ENDPROC to collect statements into your own functions. Such a function may have any number of arguments, and several return values.

PROC, ENDPROC

```
syntax:  PROC <label> ( <args> , ... )
         ENDPROC <returnvalue>, ...
```

defines a procedure with any number of arguments. Arguments are of type LONG or optionally of type PTR TO <type> (see 8B) and need no further declaration. The end of a procedure is designated by ENDPROC. If no return value is given, 0 is returned. Example: write a function that returns the sum of two arguments:

```
PROC add(x,y)          /* x and y are local variables */
ENDPROC x+y           /* return the result */
```

a short version:

```
PROC add(x,y) IS x+y
```

1.50 ch_6b

6B. local and global definitions: scope (DEF)

 You may define additional local variables besides those which are arguments with the DEF statement. The easiest way is simply like:

```
DEF a,b,c
```

declares the identifiers a, b and c as variables of your function. Note that such declarations should be at the start of your function.

DEF

syntax: DEF <declarations>,...

declares variables. A declaration has one of the forms:

```
<var>
<var>:<type>           where <type>=LONG,<objectident>,...
<var>[<size>]:<type>  where <type>=ARRAY,STRING,LIST
```

(see 8A for more examples, as that is where the types are introduced). For now, we'll use the <var> form.

Arguments to functions are restricted to basic types; (see 8B).

A declaration of a basic type can have an initialisation, in the current version this must be an integer (not an expression):

```
DEF a=1,b=2
```

A program consists of a set of functions, called procedures, PROCs. Each procedure may have Local variables, and the program as a whole may have Global variables. At least one procedure should be the PROC main(), as this is the module where execution begins. A simple program could look like:

```
DEF a, b                               /* definition of global vars */

PROC main()                             /* all functions in random order */
  bla(1)
ENDPROC

PROC bla(x)
  DEF y,z                               /* possibly with own local vars */
ENDPROC
```

To summarize, local definitions are the ones you make at the start of procedures, and which are only visible within that function. Global

definitions are made before the first PROC, at the start of your source code, and they are globally visible. Global and local variables (and of course local variables of two different functions) may have the same name, local variables always have priority.

1.51 ch_6c

6C. endproc/return

As stated before, ENDPROC marks the end of a function definition, and may return a value. Optionally RETURN may be used at any point in the function to exit, if used in main(), it will exit the program.

```
RETURN [<returnvalue>]          /* optional */
```

Example:

```
PROC getresources()
  /* ... */
  IF error THEN RETURN FALSE /* something went wrong, so exit and fail */
  /* ... */
ENDPROC TRUE /* we got this far, so return TRUE */
```

a very short version of a function definition is:

```
PROC <label> ( <arg> , ... ) IS <exp>
```

("RETURN" instead of "IS" is allowed, but obsolete)

These are function definitions that only make small computations, like faculty functions and the like: (one-liners :-)

```
PROC fac(n) IS IF n=1 THEN 1 ELSE fac(n-1)*n
```

1.52 ch_6d

6D. the 'main' function

The PROC called main is only of importance because it is called as first function; it behaves exactly the same as other functions, and may also have local variables. Main has no arguments: the command-line arguments are supplied in the system-variable "arg", or can be checked with ReadArgs() (dos.library function)

1.53 ch_6e

6E. built-in system variables

Following global variables are always available in your program, they're called system variables.

arg As discussed above, contains a pointer to a zero-terminated string, containing the command-line arguments. Don't use this variable if you wish to use `ReadArgs()` instead.
stdout Contains a file-handle to the standard output (and input). If your program was started from the workbench, so no shell-output is available, `WriteF()` will open a CON: window for you and put its file handle here.
stdin file-handle of standard input
conout This is where that file handle is kept, and the console window will be automatically closed upon exit of your program. (see 9A , `WriteF()`, on how to use these two variables properly).
execbase, dosbase, gfxbase, intuitionbase These four variables are always provided with their correct values.
stdrast Pointer to standard rastport in use with your program, or NIL. The built-in graphics functions like `Line()` make use of this variable.
wbmessage Contains a ptr to a message you got if you started from `wb`, else NIL. May be used as a boolean to detect if you started from workbench, or even check any arguments that were shift-selected with your icon. See `WbArgs.e` in the `Src/Args` dir how to make good use of `wbmessage`.

1.54 ch_6f

6F. default arguments to functions

default arguments allows you to specify for one or more arguments of a procedure which is the default value, if the procedure is called with less args than parameters. for example, a procedure like:

```
PROC bla(a,b=1,c=NIL)
```

can be called like: is equivalent with:

```

bla(a,b,c)            bla(a,b,c)
bla(a,b)             bla(a,b,NIL)
bla(a)                bla(a,1,NIL)
  
```

This can be useful and also express something about the procedures function, i.e. that most of the time one would call it with NIL anyway, so why not leave it out for clarity. That's also why you should not overdo it with D.A.: do not start specifying non-sensical values for procedures out of pure laziness, if you feel a certain parameter really has no default value.

to make calls with fewer args unambiguous, D.A. declarations can only apply to the last 0..n parameters of a PROC of n parameters.

for example, illegal is: PROC bla(a,b=1,c)

(you should then simply reorder the parameters, of course).
arguments supplied in a call are filled in from left to right,
missing arguments are added with D.A.'s as needed.

1.55 ch_6g

6G. multiple return values

In E you can return any number of return values (max 3 in
Amiga E because of implementation reasons). How?

RETURN <exp>, <exp>, <exp> (or ENDPROC, of course)

example:

```
PROC sincos(rad)
  DEF sin,cos
  /* whatever computation is needed */
ENDPROC sin,cos
```

call with:

```
s,c:=sincos(3.14)
s:=sincos(1.00)
```

as you can see, there's a new statement of the form:

```
<var> , ... := <exp>
```

where <exp> makes mostly only sense as function call.
note two things:

- you can decide yourself how many values you wish to receive.
this makes sense when the first retval is the main one,
and the second/third optional infos, which might only be
important to some callers.
- this form is a `_statement_`. this means that when you would
call `sincos()` as part of another expression, only the
first (the regular) return value is used: `fun(sincos(1.0))`

1.56 ch_6h

6H. function values

With v3, you can also have functions as values, and pass these
freely around. they're different from quoted expression, since
they're called just like normal PROCs. example:

```
fun:={myproc} -> get PROC ptr
```

...

fun(1,2,3) -> apply to args, just like normal PROC

notes:

- you have to be sure that the PROC you have a ptr to and the number of args are the same. the compiler can't check this for you.
- even worse: you have to be sure the ptr is a PROC at all. there is a compiler warning that may help you with this.

1.57 ch_7a

7A. const (CONST)

syntax: CONST <declarations>,...

Enables you to declare a constant. A declaration looks like:

<ident>=<value>

constants must be uppercase, and will in the rest of the program be treated as <value>. Example:

```
CONST MAX_LINES=100, ER_NOMEM=1, ER_NOFILE=2
```

You cannot declare constants in terms of others that are being declared in the same CONST statement: put these in the next.

CONST, ENUM and SET declarations are always global, i.e. it is not possible to declare constants local to a PROC. The best place for constant declarations is at the top of your source, but EC also allows you to put them between two PROCs, for example.

1.58 ch_7b

7B. enumerations (ENUM)

Enumerations are a specific type of constant that need not be given values, as they simply range from 0 .. n, the first being 0. At any given point in an enumeration, you may use the '<value>' notation to set or reset the counter value. Example:

```
ENUM ZERO, ONE, TWO, THREE, MONDAY=1, TUESDAY, WEDNESDAY
```

```
ENUM ER_NOFILE=100, ER_NOMEM, ER_NOWINDOW
```

1.59 ch_7c

7C. sets (SET)

 Sets are again like enumerations, with the difference that instead of increasing a value (0,1,2,...) they increase a bitnumber (0,1,2,...) and thus have values like (1,2,4,8,...). This has the added advantage that they may be used as sets of flags, as the keyword says.

Suppose a set like the one below to describe properties of a window:

```
SET SIZEGAD,CLOSEGAD,SCROLLBAR,DEPTH
```

to initialise a variable to properties DEPTH and SIZEGAD:

```
winflags:=DEPTH OR SIZEGAD
```

to set an additional SCROLLBAR flag:

```
winflags:=winflags OR SCROLLBAR
```

and to test if either of both of two properties hold:

```
IF winflags AND (SCROLLBAR OR DEPTH) THEN /* whatever */
```

1.60 ch_7d

7D. built-in constants

 Following are built-in constants that may be used:

TRUE,FALSE Represent the boolean values (-1,0)

NIL (=0), the uninitialised pointer.

ALL Used with string functions like StrCopy() to copy all characters

GADGETSIZE Minimum size in bytes to hold one gadget (see 9D , Gadget()) [←
 obsolete]

OLDFILE,NEWFILE Mode-parameters for use with Open()

EMPTY used with methods (might be keyword in the future)

STRLEN Always has the value of the length of the last immediate
 string used. Example:

```
Write(handle,'hi folks!',STRLEN) /* =9 */
```

1.61 ch_8a

8A. about the 'type' system

 E doesn't have a rigid type-system like Pascal or Modula2, it's even more flexible than C's type system: you might as well call it a datatype-system. This goes hand in hand with the philosophy that in E all datatypes are

equal: all basic small values like characters, integers etc. All have the same 32bit size, and all other datatypes like arrays and strings are represented by 32bit pointers to them. This way, the e compiler can generate code in a very polymorphic way.

The (dis)advantages are obvious:

disadvantages of the E-type system

- less compiler checking on silly errors you make

advantages:

- low-level polymorphism, easier to make powerful generic functions.
- flexible way of programming: no problem that some types of return values don't match, no superfluous "casts" etc., no unnecessary error messages.
- no hard to find errors when mixing data of different sizes in expressions

1.62 ch_8b

8B. the basic type (LONG/PTR)

 There's only one basic, non-complex variable type in E, which is the 32bit type LONG. As this is the default type, it may be declared as:

```
DEF a:LONG           or just:           DEF a
```

This variable type may hold what's known as CHAR/INT/PTR/LONG types in other languages. A special variation of LONG is the PTR type. This type is compatible with LONG, with the only difference that it specifies to what type it is a pointer. By default, the type LONG is specified as PTR TO CHAR. Syntax:

```
DEF <var>:PTR TO <type>
```

where type is either a simple type or a compound type. Example:

```
DEF x:PTR TO INT, myscreen:PTR TO screen
```

Note that 'screen' is the name of an object as defined in intuition/screens.m For example, if you open your own screen with:

```
myscreen:=OpenS(... etc.
```

you may use the pointer myscreen as in 'myscreen.rastport'. However, if you do not wish to do anything with the variable until you call CloseS(myscreen), you may simply declare it as

```
DEF myscreen
```

Variable declarations may have optional initialisations, but only integer constants, i.e. no full expression:

```
DEF a=1, b=NIL:PTR TO textfont
```

1.63 ch_8c

8C. the simple type (CHAR/INT/LONG)

The simple types CHAR (8bit) and INT (16bit) may not be used as types for a basic (single) variable; the reason for this must be clear by now. However they may be used as data type to build ARRAYS from, set PTRs to, use in the definition of OBJECTs etc. See those for examples.

1.64 ch_8d

8D. the array type (ARRAY)

ARRAYs are declared by specifying their length (in elements):

```
DEF b[100]:ARRAY
```

this defines an array of 100 bytes. Internally, 'b' is a variable of type LONG and a PTR to this memory area.

Default type of an array-element is CHAR, it may be anything by specifying:

```
DEF x[100]:ARRAY OF LONG
DEF mymenus[10]:ARRAY OF newmenu
```

where "newmenu" is an example of a structure, called OBJECTs in E.

Array access is very easy with: <var>[<sexp>]

```
b[1]:="a"
z:=mymenus[a+1].mutualexclude
```

Note that the index of an array of size n ranges from 0 to n-1, and not from 1 to n.

Note that ARRAY OF <type> is compatible with PTR TO <type>, with the only difference that the variable that is an ARRAY is already initialised.

1.65 ch_8e

8E. the complex type (STRING/LIST)

- STRINGs. Similar to arrays, but different in the respect that they may only be changed by using E string functions, and that they contain length and maxlength information, so string functions may alter them in a safe fashion, i.e: the string can never grow bigger than the memory area it is in. Definition:

```
DEF s[80]:STRING
```

The STRING datatype (called an estring) is backwards compatible with PTR TO CHAR and of course ARRAY OF CHAR, but not the other way around.

(see 9B on string functions for more details).

- **LISTs.** These may be interpreted as a mix between a `STRING` and an `ARRAY OF LONG`. I.e: this data structure holds a list of `LONG` variables which may be extended and shortened like `STRINGS`. Definition:

```
DEF x[100]:LIST
```

A powerful addition to this datatype is that it also has a 'constant' equivalent [], like `STRINGS` have ''. `LIST` is backward compatible with `PTR TO LONG` and of course `ARRAY OF LONG`, but not the other way around. (see 9C and 2G) for more on this.

1.66 ch_8f

8F. the compound type (`OBJECT`)

`OBJECTs` are like a struct/class in C/C++ or a `RECORD` in pascal. Example:

```
OBJECT myobj
  a:LONG
  b:CHAR
  c:INT
ENDOBJECT
```

This defines a data structure consisting of three elements. Syntax:

```
OBJECT <objname>
  <membername> [ : <type> ]          /* any number of these */
ENDOBJECT
```

where type is one of the following:

```
CHAR/INT/LONG/<object>
PTR TO CHAR/INT/LONG/<object>
ARRAY OF CHAR/INT/LONG/<object>
```

(`ARRAY` is short for `ARRAY OF CHAR`)

like `DEF` declarations, omitting the type means `:LONG`.

Note that `<membername>` need not be a unique identifier, it may be in other objects too. There are lots of ways to use objects:

```
DEF x:myobj          /* x is a structure */
DEF y:PTR TO myobj  /* y is just a pointer to it */
DEF z[10]:ARRAY OF myobj
```

```
y:=[-1,"a",100]:myobj      /* typed lists */
```

```
IF y.b="a" THEN /* ... */
```

```
z[4].c:=z[d+1].b++
```

(see 4F and other parts of chapter 4 for these)

ARRAYs in objects are always rounded to even sizes, and put on even offsets:

```
OBJECT mystring
  len:CHAR, data[9]:ARRAY
ENDOBJECT
```

SIZEOF mystring is 12, and "data" starts at offset 2.

'PTR TO' is the only type in OBJECTs that may refer to yet undeclared other objects.

(see 14A for all other OBJECT features that are somehow OO related)

1.67 ch_8g

8G. initialisation

1. Always initialised to NIL (or else, if explicitly stated)
 - global variables
 - NOTE: for documentation purposes, it's always nicer if you write =NIL in the definitions of variables that you expect to be NIL.
2. Initialised to '' and [] resp.
 - global and local STRINGS
 - global and local LISTS
3. Not initialised
 - local variables (unless explicitly stated)
 - global and local ARRAYS
 - global and local OBJECTs

1.68 ch_8h

8H. the essentials of the E typesystem

This section tries to explain how the E typesystem works from another perspective.

Most problems people have while programming in E stem from their incorrect view of how the E type-system works, Also, many people have an idea how types work from their previous programming language, and try to apply this to E, which is often fatal, because E is quite different when it come to types.

The Type System.

but E is in essence a TYPELESS language. Indeed, variables may have a type, but this is only used as a specification how to dereference a variable when it is used as a pointer. In almost ALL other language constructions, variables are treated as all being of the same type, namely the 32bit

typeless value.

In practise this means that for example in expressions with the exception of the ".", "[]" and "++" operators etc., all operators and functions work on 32bit values, regardless of whether they represent booleans, integers, reals or pointers to something.

Pointer Types.

In the E type-system only 4 types exist, PTR TO CHAR, PTR TO INT, PTR TO LONG and PTR TO <object>, where <object> is a name of a previously defined OBJECT. When a variable (or an object member, as we'll see later) is declared as being of this type, It means that if the variable contains a value that is a legal pointer, this is how it should be dereferenced.

LONG, ARRAY etc.

All other types one may see in a DEF declaration are not really types, as they really are only other ways of writing one of the above four. As an example, ARRAY OF <type> is just another way of writing PTR TO <type>, with the only difference that the former is automatically assigned the address of an area of stackspace which is big enough to hold data for the #of elements specified in square brackets.

Here's a table that shows all E 'types' in terms of the basic four:

ARRAY OF CHAR, ARRAY, STRING, LONG	(are equal to)	PTR TO CHAR
ARRAY OF INT	(is equal to)	PTR TO INT
ARRAY OF LONG, LIST	(are equal to)	PTR TO LONG
ARRAY OF <object>, <object>	(are equal to)	PTR TO <object>

- LONG is for variables that are not intended to be used as a pointer, i.e integers. Its equivalence with PTR TO CHAR is quite logical, as conceptually both talk about things that are measured in units of 1. (for example, "++" has the same effect on both)
- LIST and STRING are the same as their ARRAY equivalents, in respect to the fact that they're initialised to a piece of stack-space, but their stack representation is a little more complex to facilitate runtime bounds-checking (when used with the correct functions).
- an <object> is equivalent to [1]:ARRAY OF <object>. both represent an initialised PTR TO <object>.

In an OBJECT one can have the same declarations, with the addition of CHAR and INT (similar to LONG), and the omission of LIST and STRING, as these are complex objects in their own right, and cannot be part of an object.

Deferencing.

Given a pointer p of some type,

"[]" may index other elements that are sequentially ordered next to the element it is currently pointing to. note that this allows for both positive and negative indices, and also no assumptions are made about where and how many elements are actually allocated.

"++" sets the pointer to the next element in memory, "--" to the previous one. note that these operators always operate on the pointer and never on the the element the pointer is pointing to.

"." works similar to "[]", only now indexes the pointer by name, i.e. the

pointer must be a PTR TO <object>.

"[]" and "." may be concatenated to a pointer p in any sequence, given the fact that the previous resulting value again is known to be of a "PTR TO" type.

One does not need to write out a de-reference in total, as in other languages, e.g. if p is an ARRAY OF obj, instead of having to write p[index].member you can write just p[index], which logically results in the address of that object. This also explains why p[].member is equivalent to p.member, since p[] is the same as p when it points to an object.

Reference Semantics.

Another type-related issue that makes E somewhat different from other languages and thus harder to grasp is it's accent on Reference Semantics rather than Value Semantics. I'll try to argue why that's good here.

Informally, Reference Semantics means that objects in a language (mostly other than the simple ones like LONGs) are represented by pointers, while Value Semantics treats these objects as just being themselves. An example of a language that has only Value Semantics is BASIC, examples of languages that have them both are the C/C++ and Pascal type-of languages, and examples of Reference only are newer Object Oriented languages, functional languages like LISP and of course E.

Using Reference Semantics doesn't mean being occupied with pointers all the time, rather you're worrying about them a lot less than in the mixed case or the Value-only case, especially since in real life programs most non-trivial data-structures get allocated dynamically which implies pointers. The best example of this is LISP, where one programs heavily with pointers without noticing. In E, one could easily forget STRING is a pointer, given the ease by which one can pass it around to other functions; in C often lots of "&" are needed where in the equivalent E case none are, and the Oberon equivalent of bla('hallo') looks like bla(sys.ADR('hallo')) because the string doesn't represent a pointer, but a value as a whole...

1.69 ch_9a

9A. io functions

```
WriteF(formatstring,args,...)
PrintF(formatstring,args,...)
```

prints a string (which may contain formatting codes) to stdout. Zero to unlimited arguments may be added. Note that, as formatstrings may be created dynamically, no check on the correct number of arguments is (can be) made. Examples:

```
WriteF('Hello, World!\n') /* just write a lf terminated string */
```

```
WriteF('a = \d \n',a) /* writes: "a = 123", if a was 123 */
```

(see 2F about strings for more).

NOTE: if stdout=NIL, for example if your program was started from the Workbench, WriteF() will create an output window, and put the handle in conout and stdout. This window will automatically be closed on exit of the program, after the user typed a <return>. WriteF() is the only function that will open this window, so if you want to do IO on stdout, and want to be sure stdout<>NIL, perform a "WriteF('')"

as first instruction of your program to ensure output. If you want to open a console window yourself, you may do so by placing the resulting file handle in the 'stdout' and 'conout' variables, as your window will then be closed automatically upon exit. If you wish to close this window manually, make sure to set 'conout' back to NIL, to signal E that there's no console window to be closed. Printf() is the same as WriteF only uses the v37+ buffered IO.

both return the length of the string that was printed.

```
Out(filehandle, char) and char:=Inp(filehandle)
```

Either write or read one single byte to some file or stdout if char=-1 then an EOF was reached, or an error occurred. Out returns the number of bytes actually written (<>1 is error). The functions use dos.library unbuffered IO, and as such are slow for large amounts of data.

```
len:=FileLength(namestring)
```

lets you determine the length of a file you *may* wish to load, and also, if it exists (returns -1 upon error/file not found).

```
ok:=ReadStr(filehandle,estring)
```

(see 9B)

```
oldout:=SetStdOut(newstdout)
```

```
oldin:=SetStdIn(newstdin)
```

Sets the standard output variable 'stdout' (not the value returned from Input() and Output(!)). Equivalent for: oldout:=stdout; stdout:=newstdout. Same goes for the stdin variable.

1.70 ch_9b

9B. strings and string functions

E has a datatype STRING. This is a string, from now on called 'Estring', that may be modified and changed in size, as opposed to normal 'strings', which will be used here for any zero-terminated sequence. Estrings are downward compatible with strings, but not the other way around, so if an argument requests a normal string, it can be either of them. If an Estring

is requested, don't use normal strings. Example of usage:

```
DEF s[80]:STRING, n          -> s is an estring with a maxlen of 80
ReadStr(stdout,s)          -> read input from the console
n:=Val(s)                   -> get a number out of it
-> etc.
```

Note that all string functions will handle cases where string tends to get longer than the maximum length correctly;

```
DEF s[5]:STRING
StrAdd(s,'this string is longer than 5 characters',ALL)
```

s will contain just 'this '.

A string may also be allocated dynamically from system memory with the function String(), (note: the pointer returned from this function must always be checked against NIL)

```
s:=String(maxlen)
```

```
DEF s[80]:STRING      is equivalent to      DEF s      and      s:=String(10)
```

```
bool:=StrCmp(string,string,len=ALL)
```

compares two strings. len must be the number of bytes to compare, or 'ALL' if the full length is to be compared. Returns TRUE or FALSE (len is a default argument (see 6F))

```
StrCopy(estring,string,len=ALL)
```

copies the string into the estring. If len=ALL, all will be copied. returns the estring.

```
StrAdd(estring,string,len=ALL)
```

same as StrCopy(), only now the string is concatenated to the end. returns the estring.

```
len:=StrLen(string)
```

calculates the length of any zero-terminated string

```
len:=EstrLen(estring)
```

returns the length of an estring

```
max:=StrMax(estring)
```

returns the maximum length of a estring

```
StringF(estring,fmtstring,args,...)
```

similar to WriteF, only now output goes to estring instead of stdout. example:

```
StringF(s,'result: \d\n',123)
```

's' will be 'result: 123\n'
returns the eststring, and length as second returnvalue.

RightStr(eststring,eststring,n)

fills eststring with the last n characters of the second eststring
returns the eststring.

MidStr(eststring,string,pos,len=ALL)

copies any number of characters (including all if len=ALL) from
position pos in string to eststring
NOTEZ BIEN: in all string related functions where a position in a
string is used, the first character in a string has position 0,
not 1, as is common in languages like BASIC.
returns the eststring.

value,read:=Val(string,read=NIL)

finds an integer encoded in ascii out of a string. Leading spaces/tabs
etc. will be skipped, and also hexadecimal numbers (1234567890ABCDEFabcdef)
and binary numbers (01) may be read this way if they are preceded by a
"\$" or a "%" sign respectively. A minus "-" may indicate a negative integer.
Val() returns the number of characters read in the second argument, which
must be given by reference (<-!!!), or can be received as second returnvalue.
If "read" returns 0 (value will be 0 too) then the string did not contain an
integer, or the value was too sizy to fit in 32bit. "read" may be NIL.

examples of strings that would be parsed correctly:
'-12345', '%10101010', ' -\$ABcd12'

these would return both as "value" and in read a 0:
'', 'hello!'

foundpos:=InStr(string1,string2,startpos=0)

searches string1 for the occurrence of string2, possibly starting from
another position than 0. Returned is the offset at which the substring
was found, else -1.

newstringadr:=TrimStr(string)

returns the *address* of the first character in a string, i.e., after
leading spaces, tabs etc.

UpperStr(string) and LowerStr(string)

changes the case of a string.
TAKE NOTE: these functions modify the contents of 'string', so they may
only be used on eststrings, and strings that are part of your programs data.
Effectively this means that if you obtain the address of a string through
some amiga-system function, you must first StrCopy() it to a string of
your program, then use these functions.
they return the string.

```
ok:=ReadStr(filehandle,estring)
```

will read a string (ending in ascii 10) from any file or stdout. ok contains -1 if an error occurred, or an EOF was reached. Note: the contents of the string read so far is still valid. Also note that, like Inp() Out(), etc. this function makes use of unbuffered 1.3 style IO, and thus may be slow. The dos.library Fgets() function forms a nice alternative.

```
SetStr(estring,newlen)
```

manually sets the length of a string. This is only handy when you read data into the estring by a function other than an E string function, and want to continue using it as an Estring. For example, after using a function that just puts a zero-terminated string at the address of estring, use SetStr(mystr,StrLen(mystr)) to make it manipulatable again. If the string is too long, SetStr does nothing (this should always be prevented).

```
AstrCopy(string1,string2,size)
```

'Array String Copy' copies string2 into the memory area denoted by string1. string1 is typically not an estring but an ARRAY. size is the total #of chars string1 can hold, i.e. if you write 5 and string2='helloworld', string1 will be 'hell' + 0termination.

```
order:=OstrCmp(string1,string2,max=ALL)
```

'Ordered String Compare' returns 1 if string2>string1, 0 for equal and -1 for less. only max chars are compared.

for string linking functions (see 9H)

1.71 ch_9c

9C. lists and list functions

Lists are like strings, only they consist of LONGs, not CHARs. They may also be allocated either global, local or dynamic:

```
DEF mylist[100]:LIST          /* local or global */
DEF a
a:=List(10)                  /* dynamic */
```

(note that in the latter case, pointer 'a' may contain NIL)
Just as strings may be represented as constants in expressions, lists have their constant equivalent:

```
[1,2,3,4]
```

The value of such an expression is a pointer to an already initialised list. Special feature is that they may have dynamic parts, i.e, which will be filled in at runtime:

```
a:=3
[1,2,a,4]
```

moreover, lists may have some other type than the default LONG, like:

```
[1,2,3]:INT
[65,66,67,0]:CHAR /* equivalent with 'ABC' */
['topaz.font',8,0,0]:textattr
OpenScreenTagList(NIL,[SA_TITLE,'MyScreen',TAG_DONE])
```

As shown in the latter examples, lists are extremely useful with system functions: they are downward compatible with an ARRAY OF LONG, and object-typed ones can be used wherever a system function needs a pointer to some structure, or an array of those. Taglists and vararg functions may also be used this way. NOTEZ BIEN: all list functions only work with LONG lists, typed-lists are only convenient in building complex data structures and expressions.

As with strings, a certain hierarchy holds:
list variables -> constant lists -> array of long/ptr to long
When a function needs an array of long you might just as well give a list as argument, but when a function needs a listvar, or a constant list, then an array of long won't do.

It's important that one understands the power of lists and in particular typed-lists: these can save you lots of trouble when building just about any data-structure. Try to use these lists in your own programs, and see what function they have in the example-programs.

summary:

```
[<item>,<item>,... ] immediate list (of LONGs, use with listfuncs)
[<item>,<item>,... ]:<type> typed list (just to build data structures)
```

If <type> is a simple type like INT or CHAR, you'll just have the initialised equivalent of ARRAY OF <type>, if <type> is an object-name, you'll be building initialised objects, or ARRAY OF <object>, depending on the length of the list.

If you write [1,2,3]:INT you'll create a data structure of 6 bytes, of 3 16bit values to be precise. The value of this expression then is a pointer to that memory area. Same works if, for example, you have an object like:

```
OBJECT myobject
  a:LONG, b:CHAR, c:INT
ENDOBJECT
```

writing [1,2,3]:myobject would then mean creating a data structure in memory of 8 bytes, with the first four bytes being a LONG with value 1, the following byte a CHAR with value 2, then a pad byte, and the last two bytes an INT (2 bytes) with value 3. you could also write:

```
[1,2,3,4,5,6,7,8,9]:myobject
```

you would be creating an ARRAY OF myobject with size 3. Note that such

lists don't have to be complete (3,6,9 and so on elements), you may create partial objects with lists of any size

One last note on data size: on the amiga, you may rely on the fact that a structure like 'myobject' has size 8, and that it has a pad byte to have word (16bit) alignment. It is however very likely that an E-compiler for 80x86 architectures will not use the pad byte and make it a 7byte structure, and that an E-compiler for a sun-sparc architecture (if I'm not mistaken) will try to align on 32bit boundaries, thus make it a 10 or 12 byte structure. Some microprocessors (they are rare, but they exist) even use (36:18:9) as numbers of bits for their types (LONG:INT:CHAR), instead of (32:16:8) as we're used to. So don't make too great an assumption on the structure of OBJECTs and LISTs if you want to write code that stands a chance of being portable or doesn't rely on side effects.

```
ListCopy(listvar,list,num=ALL)
```

Copies num elements from list to listvar. example:

```
DEF mylist[10]:LIST
ListCopy(mylist,[1,2,3,4,5],ALL)
returns listvar.
```

```
ListAdd(listvar,list,num=ALL)
```

Copies num items of list to the tail of listvar.
returns listvar.

```
ListCmp(list,list,num=ALL)
```

Compares two lists, or some part of them.

```
len:=ListLen(list)
```

Returns length of list, like ListLen([a,b,c]) would return 3

```
max:=ListMax(listvar)
```

returns maximum possible length of a listvar.

```
value:=ListItem(list,index)
```

functions as value:=list[index] with the difference that list may also be a constant value instead of a pointer. This is very useful in situations like this where we directly want to use a list of values:

```
WriteF(ListItem(['ok!','no mem!','no file!'],error))
```

this prints an error message according to "error". it's similar to:

```
DEF dummy:PTR TO LONG
dummy:['ok!','no mem!','no file!']
WriteF(dummy[error])
```

```
SetList(listvar,newlen)
```

manually sets the length of a list. This will only be useful when you read data into the list by a function other than a list-specific function, and want to continue using it as a true list.

for list functions that make use of quoted expressions (see 11C).
for list linking functions (see 9H).

1.72 ch_9d

9D. intuition support functions

```
wptr:=OpenW(x,y,width,height,IDCMP,wflags,title,
            screen,sflags,gadgets,taglist=NIL)
```

creates a window where wflags are flags for window layout (like BACKDROP, SIMPLEREFRESH e.d, usually \$F) and sflags are for specifying the type of screen to open on (1=wb,15=custom). screen must only be valid if sflags=15, else NIL will do. gadgets may point to a glist structure, which you can easily create with the Gadget() function, else NIL.

```
CloseW(wptr)
```

closes that screen again. Only difference from CloseWindow() is that it accepts NIL-pointers and sets stdrast back to NIL.

```
sptr:=OpenS(width,height,depth,sflags,title,taglist=NIL)
```

opens a custom screen for you. depth is number of bitplanes (1-6, 1-8 AGA).

```
CloseS(sptr)
```

as CloseW(), now for screens.

```
nextbuffer:=Gadget(buffer,glist,id,flags,x,y,width,string)
```

[obsolete]

This function creates a list of gadgets, which can then be put in your window by giving them as an argument to OpenW(), or afterwards with intuition functions like AddGlist().
buffer is mostly an ARRAY of at least GADGETSIZE bytes to hold all the structures associated with one gadget, id is any number that may help you remember which gadget was pressed when an IntuiMessage arrives.
Flags are: 0=normal gadget, 1=boolean gadget, 3=boolean gadget that is selected. Width is width in pixels, that should be large enough to hold the string, which will be auto-centered. glist should be NIL for the first gadget, and glistvar for all others, so E may link all gadgets.
The function returns a pointer to the next buffer (=buffer+GADGETSIZE).
Example for three gadgets:

```
CONST MAXGADGETS=GADGETSIZE*3
```

```
DEF buf[MAXGADGETS]:ARRAY, next, wptr
```

```

next:=Gadget (buf,NIL,1,0,10,20,80,'bla') /* the 1st gadget */
next:=Gadget (next,buf,... )
next:=Gadget (next,buf,... ) /* any amount linked 2 1st */

```

```
wptr:=OpenW( ...,buf)
```

```
code:=Mouse()
```

gives you the current state of all 2 or 3 mouse buttons; left=1, right=2 and middle=4. If for example code=3 then left and right were pressed together.

NOTEZ BIEN: this is not a real intuition function, if you want to know about mouse-events the proper way, you'll have to check the intuimessages that your window receives. This is the only E function that directly checks the hardware, and thus only useful in demo-like programs and for testing. (DO NOT USE THIS FUNCTION IN PROGRAMS THAT ARE SUPPOSED TO WORK UNDER THE OS)

```
bool:=LeftMouse(win) WaitLeftMouse(win)
```

intuition Mouse() alternatives for programs that only want to test for a mouseclick.

```
x:=MouseX(win) y:=MouseY(win)
```

[obsolete]

enables you to read the mouse coordinates. win is the window they need to be relative to.

```
class:=WaitIMessage(window)
```

This function makes it easier to just wait for a window event. It simply waits until a intuimessage arrives, and returns the class of the event. It stores other variables like code and qualifiers as private global variables, for access with functions described below.

WaitIMessage() represents the following code:

```

PROC waitimessage(win:PTR TO window)
  DEF port,mes:PTR TO intuimessage,class,code,qual,iaddr
  port:=win.userport
  IF (mes:=GetMsg(port))=NIL
    REPEAT
      WaitPort(port)
    UNTIL (mes:=GetMsg(port))<>NIL
  ENDIF
  class:=mes.class
  code:=mes.code /* stored internally */
  qual:=mes.qualifier
  iaddr:=mes.iaddress
  ReplyMsg(mes)
ENDPROC class

```

as you see, it gets exactly one message, and does not forget about multiple messages arriving in one event, if called more than once. For example, say you opened a window that displays something and just waits for a closegadget (you specified IDCMP_CLOSEWINDOW only):

```
WaitIMessage(mywindow)
```

or, you have a program that waits for more types of events, handles them in a loop, and ends on a closewindow event:

```
WHILE (class:=WaitIMessage(win))<>IDCMP_CLOSEWINDOW
  /* handle other classes */
ENDWHILE

code:=MsgCode()    qual:=MsgQualifier()    iaddr:=MsgIaddr()
```

These all supply you with the private global variables as mentioned before. the values returned are all defined by the most recent call to WaitIMessage(). Example:

```
IF class:=IDCMP_GADGETUP
  mygadget:=MsgIaddr()
  IF mygadget.userdata=1 THEN /* ... user pressed gadget #1 */
ENDIF
```

1.73 ch_9e

9E. graphics support functions

All graphics support functions that do not explicitly ask for a rastport, make use of the system-variable 'stdrast'. It is automatically defined by the last call to OpenW() or OpenS(), and is set to NIL by CloseW() and CloseS(). Calling these routines while stdrast is still NIL is legal. stdrast may be manually set by SetStdRast() or stdrast:=myrast

```
Plot(x,y,colour=1)
```

Draws a single dot on your screen/window in one of the colours available. colour ranges from 0-255, or 0-31 on pre-AGA machines.

```
Line(x1,y1,x2,y2,colour=1)
```

Draws a line

```
Box(x1,y1,x2,y2,colour=1)
```

Draws a box

```
Colour(foreground,background=0)
```

sets the colours for all graphics functions (from the library) that do not take a colour as argument. This is the colour *register* (i.e 0-31) and not colour *value*

NOTE: functions that have "colour" as an argument, change the Apen of stdrast.

```
TextF(x,y,formatstring,args,...)
```

exactly the same function as WriteF(), only outputs to some (x,y) on your stderr, instead of stdout. (see 9A , WriteF() and strings in the language reference). returns the length of the resulting string.

```
oldrast:=SetStdRast(newrast)
```

changes the output rastport of the E graphics functions

```
SetTopaz(size=8)
```

[obsolete: don't use]

lets you set the font of the rastport "stderr" to topaz. size is 8 or 9. Only to be used as last resort if you can't support font-sensitivity.

```
SetColour(screen,coloureg,r,g,b)
```

set colour register (0..255) of screen to certain RGB values. each rgb value has a range of 0..255, i.e. 24bit colour. this function will automatically rescale to 12bit colour if no AGA is present, and also use the correct function.

1.74 ch_9f

9F. system support functions

```
bool:=KickVersion(vers)
```

Will give TRUE if the kickstart in the machine your program is running on is equal or higher than vers, else FALSE

```
mem:=New(n)
```

This dynamically creates an array (or memory area, if you wish) of n bytes. Difference with AllocMem() is that it is called automatically with flags \$10000 (i.e cleared mem, any type) and that no calls to Dispose() are necessary, as it is linked to a memory list that is automatically de-allocated upon exit of your program. (see 4K , also)

```
mem:=NewR(n)
```

same as New(), only now automatically raises the "MEM" exception instead of return if no memory could be allocated.

```
mem:=NewM(n,flags)
```

same as NewR(), but also allows you to specify flags (MEMF_CHIP etc.)

```
Dispose(mem)
```

Frees any mem allocated by New(). You only have to use this function

if you explicitly wish to free memory *_during_* your program, as all is freed at the end anyway.

```
CleanUp(returnvalue=0)
```

[obsolete: use exception handling]

Exits the program from any point. It is the replacement for the DOS call `Exit()`: never use it! instead use `CleanUp()`, which allows for the deallocation of memory, closing libraries correctly etc. The return value will be given to dos as returncode.

`Cleanup()` is ONLY necessary if you have to exit at a point different from `ENDPROC` in main.

```
amount:=FreeStack()
```

returns the amount of free stack space left. This should always be 1000 or more. (see 16C on how E organizes its stack. If you don't do heavy recursion, you need not worry about your free stack space.

```
bool:=CtrlC()
```

Returns TRUE if Ctrl-C was pressed since you last checked, else FALSE. This only works for programs running on a console, i.e. cli-programs.

Example of how these last three functions may be used:

```
/* calculate faculty from command-line argument */
```

```
OPT STACK=100000
```

```
PROC main()
  DEF num,r
  num:=Val(arg,{r})
  IF r=0 THEN WriteF('bad args.\n') ELSE WriteF('result: \d\n',fac(num))
ENDPROC
```

```
PROC fac(n)
  DEF r
  IF FreeStack()<1000 OR CtrlC() THEN CleanUp(5) /* xtra check */
  IF n=1 THEN r:=1 ELSE r:=fac(n-1)*n
ENDPROC r
```

Of course, this recursion will hardly run out of stack space, and when it does, it's halted by `FreeStack()` so fast you won't have time to press `CtrlC`, but it's the idea that counts here.

A definition of `fac(n)` like:

```
PROC fac(n) IS IF n=1 THEN 1 ELSE fac(n-1)*n
```

would be less safe.

```
mem:=FastNew(size) FastDispose(mem,size) FastDisposeList(list)
```

`FastNew()` and `FastDispose()` are replacements for `NewR(size)` and `Dispose(ptr)` (they are used by `NEW` and `END`). this is what they have in common:

- "NEW" exceptions may be Raised
 - memory is always cleared
 - auto-dealloc at end of program
 - NIL accepted in deallocation
- but the following differences should be noted (positive):
- they are varying from 10 to 50 times faster (!)
 - they use way less memory for small objects
 - they do not fragment memory
- [all this is for objects <=256 bytes, for bigger ones NewR() and Dispose() are used].
- negative:
- they do not free mem, but recycle it.
 - FastDispose() needs exact size of allocation. END also.

List allocated with NEW need the function FastDisposeList(). Because Lists have a length, the size parameter isn't needed.

1.75 ch_9g

9G. math and other functions

```
a:=And(b,c)           a:=Or(b,c)           a:=Not(b)
a:=Eor(b,c)
```

These work with the usual operations, boolean as well as arithmetic. Note that for And() and Or() an operator exists.

```
a:=Mul(b,c)           a:=Div(a,b)
```

Performs the same operation as the '*' and '/' operators, but now in full 32bit. For speed reasons, normal operations are 16bit*16bit=32bit and 32bit/16bit=16bit. This is sufficient for nearly all calculations, and where it's not, you may use Mul() and Div(). NOTE: in the Div case, a is divided by b, not b by a.

```
bool:=Odd(x)           bool:=Even(x)
```

Return TRUE or FALSE if some expression is Odd or Even

```
Min(a,b)  Max(a,b)
```

compute min and max of the two given ints.

```
randnum:=Rnd(max)  seed:=RndQ(seed)
```

Rnd() computes a random number from an internal seed in range 0 .. max-1. For example, Rnd(1000) returns an integer from 0..999. To initialise the internal seed, call Rnd() with a negative value; the Abs() of that value will be the initial seed.

RndQ() computes a random number "Q"uicker than Rnd() does, but returns only full range 32bit random numbers. Use the result as the seed for the next call, and for startseed, use any large value, like \$A6F87EC1

```
absvalue:=Abs(value)
```

computes the absolute value.

```
s:=Sign(v)
```

computes the sign of v, i.e. returns -1,0,1

```
a,b:=Mod(c,d)
```

Divides 32bit c by 16bit d and returns 16bit modulo a and optionally a 16bit result of the division b. If these 16bit limits are exceeded, Mod() will not give correct results.

```
x:=Shl(y,num)          x:=Shr(y,num)
```

arithmatically shifts y num bits to left or right (set new bits to 0).

```
a:=Long(adr)          a:=Int(adr)          a:=Char(adr)
```

peeks into memory at some address, and returns the value found. This works with 32, 16 and 8 bit values respectively. Note that the compiler does not check if 'adr' is valid. These functions are available in E for those cases where reading and writing in memory with PTR TO <type> would only make a program more complex or less efficient. You are not encouraged to use these functions.

```
PutLong(adr,a)        PutInt(adr,a)        PutChar(adr,a)
```

Pokes value 'a' into memory. See: Long()

```
y:=Bounds(x,a,b)
```

makes sure x lies between bounds a and b, and adjust accordingly if necessary. It equals: y:=IF x<a THEN a ELSE IF x>b THEN b ELSE x

1.76 ch_9h

9H. string and list linking functions

E provides for a set of functions that allows the creation of linked list with the STRING and LIST datatype, or strings and lists that were created with String() and List() respectively. As you may know by now, strings and lists, complex datatypes, are pointers to their respective data, and have extra fields to a negative offset of that pointer specifying their current length and maxlength. the offsets of these fields are PRIVATE. as an addition to those two, any complex datatype has a 'next' field, which is set to NIL by default, which may be used to build linked list of strings, for example. in the following, I will use 'complex' to denote a ptr to a STRING or LIST, and 'tail' to denote another such pointer, or one that already has other strings linked to it. 'tail' may also be a NIL pointer, denoting the end of a linked list.

[note: these String-list functions have nothing to do with E-lists or Lisp-Cell lists]

The following functions may be used:

```
complex:=Link(complex,tail)
```

puts the value tail into the 'next' field of complex. returns again complex.
example:

```
DEF s[10]:STRING, t[10]:STRING
Link(s,t)
```

creates a linked list like: s --> t --> NIL

```
tail:=Next(complex)
```

reads the 'next' field of var complex. this may of course be NIL, or a complete linked list. Calling Next(NIL) will result in NIL, so it's safe to call Next when you're not sure if you're at the end of a linked list.

```
tail:=Forward(complex,num)
```

same as Next(), only goes forward num links, instead of one, thus:

```
Next(c) = Forward(c,1)
```

You may safely call Forward() with a num that is way too large; Forward will stop if it encounters NIL while searching links, and will return NIL.

```
DisposeLink(complex)
```

same as Dispose(), with two differences: it's only for strings and lists allocated with String() or List(), and will automatically de-allocate the tail of complex too. Note that large linked lists containing strings allocated with String() as well as some allocated locally or globally with STRING may also be de-allocated this way.

For a good example of how linked lists of strings may be put to good use in real-life programs, see Src/Utils/D.e

1.77 ch_9i

9I. lisp-cells and cell functions

yep. that's right. you thought LISP was fun, then try E now.
[or: the story about why E is a better LISP than LISP itself :-)]

Starting from v3, E has the cell datatype, almost identical to cells in the LISP language. more technically, E has:

```
'Conservative Mark and Sweep Garbage-Collected Lisp-Cells'
```

basically this amounts to being able to allocate LISP-cells,

which are pairs of two values:

```
x:=<a|b>
```

which is much like NEW [a,b]:LONG, only now E will automatically deallocate the 8 bytes in question itself when it finds out it needs memory and no pointers are pointing to the cell. In practise this means that you can freely have functions create cells as temporaries, without worrying about freeing them. And any LISP-programmer will be able to explain to you that with cells you can build any data-structure (most notably trees and lists). [note: this text does not thoroughly explain how to make full use of cells, since dozens of LISP books have been written about this]

Selecting the values can easily be done using Car(x) and Cdr(x), two LISP-functions which select head and tail (first and second) element of the cell. if x is a PTR TO LONG, even x[0] and x[1] are allowed.

One can also write lists of cells:

```
<a,b,c>
```

(note the commas) as short for

```
<a|<b|<c|NIL>>>
```

An alternative for selection with Car/Cdr is E's unification:

```
x <=> <a,b|c>
a+b+c
```

instead of:

```
Car(x)+Car(Cdr(x))+Cdr(Cdr(x))
```

lisp-cell unification resembles E-list unification (see 4L). for example:

```
x <=> <1,2|a>
```

equals:

```
IF Car(x)=1
  IF Car(Cdr(x))=2
    a:=Cdr(Cdr(x))
    ...
```

A lisp-nil value is available "<>", which equals "NIL" and "0", but not "[]".

some functions are available (note that Cons() is only available through <...>)

```
h:=Car(c) t:=Cdr(c)
```

get the head and the tail value of a cell c

```
bool:=Cell(c)
```

gives a bool for whether or not c points at a cell, so Cell(<1>)=TRUE, and Cell(3.14)=FALSE. This is not a fast function.

```
n:=FreeCells()
```

tell you about the amount of free cells available. very slow function. there should be no need to call this function other than curiosity.

```
SetChunkSize(k)
```

Sets the chunksize to allocate for cells to k kilobyte. default is 128k. This function can only be called once, and only before the first cons (<..>) allocation takes place. Thereafter it has no effect.

In general, get a good book about lisp to understand more about programming with cells.

One can write any LISP-functions in E, with exactly the same functionality:

```
PROC append(x,y) IS IF x THEN <Car(x)|append(Cdr(x),y)> ELSE y
PROC nrev(x) IS IF x THEN append(nrev(Cdr(x)),<Car(x)>) ELSE NIL
PROC sum(x) IS IF x THEN Car(x)+sum(Cdr(x)) ELSE 0
```

using a destructive implementation for functions like these is also allowed.

techy stuff:

E's garbage collector implements a conservative mark and sweep algorithm that was tested to be 5 to 25 times faster than several logical and functional language implementations on the Amiga. Conservative means that in case of doubt, the GC will not deallocate a cell. this is necessary since in a typeless language such as E, the GC can easily bump into a value that is not a valid pointer etc.

The GC allocates big chunks (default 128k), in which it allocates cells. if out of cells, it will collect garbage by scanning the stack and registers for pointers into the cellspace, and recursively mark them. after that, all unmarked cells are reused, and if the gain after a collection was only small, a new chunk is allocated (if this fails, "NEW" is raised).

interaction with other E values:

- storing other values in cells is no problem whatsoever. objects, strings, floats, anything can be put into a cell without confusing the GC too much.
 - storing cells in other values, for example a ptr to a cell in a dynamic object, is problematic, since the GC won't be able to find it there. a solution for this will be provided. However I think this case will seldom occur.
- ptrs to cells can safely be stored in global and local variables, even registers, and any stack datastructures.
[and most importantly, in other cells!]

caveats:

- The GC currently can't collect cells that have a Car-list >1000 long or so, i.e. <<<NIL:a>b>c>, but then 1000 instead of 3 entries. this will hardly ever occur since lists like this are usually formed as Cdr-lists, which the GC can handle into infinity. (it will raise "STCK" if this fails")
- inline assembly code should never push stuff on the stack that is not LONG aligned. this was already necessary in v2.1b, but now is even more essential.

There's a trade off in chunk-size between time and space.

Allocating small chunks obviously is nice since you won't waste any memory, however, when collecting garbage, the effort for each pointer to trace is almost proportional to the number of spaces. therefore:

- if speed is most important tune the chunkspacesize such that that only one space is needed. if the top cell-memory usage at a certain time is 50k, a chunkspace of 100k or 150k will give optimal performance.
- if memory usage is more important, in the example above a chunksize of 20k or 30k will be quite optimal for memory.

In general, time a heavy usage of your cell-algorithm with different sizes to see what trade-off suits you best.

1.78 ch_10a

10A. built-in library calls

 As you may have noticed from previous sections, the piece of code automatically linked to the start of your code, called the "initialisation code", always opens the three libraries intuition, dos, graphics and (and sometimes mathieeesingbas), and because of this, the compiler has all the calls to those four libraries (including exec) integrated in the compiler (there are a few ← hundred of them). These are up to AmigaDos v3.1 (v40). To call Open() from the dos library ← simply say:

```
handle:=Open('myfile',OLDFILE)
```

or AddDisplayInfo() from the graphics library:

```
AddDisplayInfo(mydispinfo)
```

it's as simple as that.

1.79 ch_10b

10B. interfacing to the amiga system with the v40 modules

To use any other library than the five in the previous section, you'll need to resort to modules. Also, if you wish to use some OBJECT or CONST definition from the Amiga includes as is usual in C or assembler, you'll need modules. Modules are binary files which may include constant, object, library and function (code) definitions. The fact that they're binary has the advantage over ascii (as in C and assembly), that they need not be compiled over and over again, each time your program is compiled. The disadvantage is that they cannot simply be viewed; they need a utility like ShowModule (see 17A) to make their contents visible. The modules that contain the library definitions (i.e the calls) are in the root of emodules: (the modules dir in the distribution), the constant/object definitions are in the subdirectories, structured just like the originals from Commodore.

MODULE

syntax: MODULE <modulenames>,...

Loads a module. A module is a binary file containing information on libraries, constants, and sometimes functions. Using modules enables you to use libraries and functions previously unknown to the compiler.

Now for an example, below is a short version of the source/examples/asldemo.e source that uses modules to put up a filerequester from the 2.0 Asl.slibrary.

```
MODULE 'Asl', 'libraries/Asl'
```

```
PROC main()
  DEF req:PTR TO filerequester
  IF aslbase:=OpenLibrary('asl.library',37)
    IF req:=AllocFileRequest()
      IF RequestFile(req) THEN WriteF('File: "\s" in "\s"\n',req.file,req.drawer)
      FreeFileRequest(req)
    ENDIF
    CloseLibrary(aslbase)
  ENDIF
ENDPROC
```

From the modules 'asl', the compiler takes asl-function definitions like RequestFile(), and the global variable 'aslbase', which only needs to be initialised by the programmer (i.e it should not be defined by the programmer). From 'libraries/Asl', it takes the definition of the filerequester object, which we use to read the file the user picked. Well, that wasn't all that hard: did you think it was that easy to program a filerequester in E?

Note that when objects imported from modules contain references to objects from yet other modules, with an object member of type PTR TO <object>, this type will only be set correctly if the object in question is already available, otherwise it is set to LONG. The only way to influence this is rearranging the order of modules in the MODULE statement.

1.80 ch_10c

10C. compiling own modules

 with v3, you can gather all PROCs, CONSTs, OBJECTs and to some extent also global variables that you feel somehow belong together in one source, write "OPT MODULE" to signal EC that this is supposed to be a module, and then compile all to a .m file to be used in the main program, just like you used to do with the old modules.

by default, all elements in a module are PRIVATE, i.e. not accessible to the code that imports the .m file. to show which elements you wish to be visible in the module, simply write EXPORT before it:

```
EXPORT ENUM TESTING, ONE, TWO, THREE, FOUR
```

```
EXPORT DEF important_glob_var, bla:PTR TO x
```

```
EXPORT OBJECT x
  next, index, term
ENDOBJECT
```

```
EXPORT PROC burp()
  /* whatever */
ENDPROC
```

```
EXPORT lab:
```

"EXPORT" is useful in making a distinction between private and public, especially when all functions of an OBJECT can be accessed via PROCs, you may wish to keep OBJECT private as an effective method of data hiding. more on this topic, (see 14C)
 [EXPORT can be written on any line, doesn't affect everything though.]

If in a module _all_ elements need to be exported (for example one with only constants), a 'OPT EXPORT' will export all, without the need for individual EXPORT keywords.

global variables require extra attention:

- try to avoid global variables. having lots of globals in modules makes projects messy and error-prone
- globals in a module cannot have initialisations directly in the DEF statement (reason for this will become clear below). for example:


```
DEF a          not      DEF a=1
DEF a:PTR TO x not      DEF a[10]:ARRAY OF x
```
- globals in a module which are not exported function as local for the module, i.e. they'll never clash with globals in other modules. those who _are_ exported though, are combined with the others, i.e. if in both the main program and in a module a variable with the same name are used, this will be one and the same variable. that's why one can write DEF a[10]:ARRAY OF x in the main program, and EXPORT DEF a:PTR TO x in the module, to share the

array. Also, if both use for example 'gadtools.m', only one of the two needs to initialise 'gadtoolsbase' for both to be able to make calls to the library. If you do not want librarybases to be shared (i.e. you want to have a local, private library base), simply redeclare it in a DEF that is not EXPORTed in the module. If you export a variable in a general purpose module, make sure to give it a pretty unique name. variables are combined in the main program, if you want to reference an exported variable from another module, you will have to export it there too.

- using globals in modules which provide general purpose datatypes needs special attention, as the module may be in use from more than one other module, in which case it may be unclear who is responsible for resources. take good care of this.

Using modules in modules

This requires little extra attention. If the module (B) you include in your own module (A) is one that only declares CONSTs, LIBRARYs and OBJECTs (without code) nothing special happens, however if B includes PROCs, then it's obvious this code needs to be linked later to the main program when A is linked. Therefore if a main program uses A, B will need to be present for compilation. The fact that A needs B is stored in A, and can be viewed with ShowModule. This chain of uses may grow out to a tree of dependencies, which has the result that if you use just one module in your program, a lot of others are automatically linked to it. Thus, E's module system automatically keeps track of dependencies that other languages need makefiles for. EC also allows for circular inclusions, and loads/links modules at most once (i.e. doesn't link unused modules). One thing E's module system doesn't automatically do for you is recompile dependant modules. If you change B, it is often necessary to recompile A too, since it might be referring to offsets etc. in the old version of B, which might cause code to crash. If this gets too complex in your project, use a utility such as E-Build (see 17I).

Try out the new ShowModule (see 17A) to see what EC puts in modules.

Including modules from other directories.

By default, a module name is prefixed by 'emodules:' to obtain the actual file. Now you can prefix the name with a '*' to denote the directory the source is in, so:

```
MODULE 'bla', '*bla'
```

if this statement would be in source 'WORK:E/burp.e', these two modules would be 'emodules:bla.m' and 'WORK:E/bla.m'.

This is naturally the way to include components of your app into other parts. If you write modules that you use in many of your programs it would be handy to store them in the emodules hierarchy, and the place for this is the 'emodules:other/' dir.

Circular dependancies.

When writing sets of own modules, one should try to avoid circular dependancies (EC does not enforce this), as in some cases this can result in chicken and egg problems (you can't recompile everything from scratch, you always need atleast one readily compiled module).

1.81 ch_10d

10D. the modulecache

(see 17D , ShowCache/FlushCache about this).

1.82 ch_11a

11A. quoting and scope

Quoted expressions start with a backquote. The value of a quoted expression is not the result from the computation of the expression, but the address of the code. This result may then be passed on as a normal variable, or as an argument to certain functions.

example:

```
myfunc:='x*x*x
```

myfunc is now a pointer to a 'function' that computes x^3 when evaluated. These pointers to functions are very different from normal PROCs, and you should never mix the two up. The biggest differences are that a quoted expression is just a simple expression, and thus cannot have its own local variables. In our example, "x" is just a local or global variable. That's where we have to be cautious: if we evaluate myfunc somewhat later in the same PROC, x may be local, but if myfunc is given as parameter to another PROC, and then evaluated, x needs of course to be global. There's no scope checking on this.

1.83 ch_11b

11B. Eval()

Eval(func)

simply evaluates a quoted expression (exp = Eval('exp)).

NOTE: because E is a somewhat typeless language, accidentally writing

"Eval(x*x)" instead of "Eval('x*x)" will go unnoticed by the compiler, and will give you big runtime problems: the value of x*x will be used as a pointer to code.

To understand why 'quoted expressions' is a powerful feature think of the following cases: if you were to perform a set of actions on a set of different variables, you'd normally write a function, and call that function with different arguments. But what happens when the element that you want to give as argument is a piece of code? in traditional languages this would not be possible, so you would have to 'copy' the blocks of code representing your function, and put the expression in it. Not in E. say you wanted to write a program that times the execution time of different expressions. In E you would simply write:

```
PROC timing(func,title)
  /* do all sorts of things to initialise time */
  Eval(func)
  /* and the rest */
  WriteF('time measured for \s was \d\n',title,t)
ENDPROC
```

and then call it with:

```
timing('x*x*x','multiplication')
timing('sizycalc(),'large calculation')
```

in any other imperative language, you would have to write out copies of timing() for every call to it, or you would have to put each expression in a separate function. This is just a simple example: think about what you could do with data structures (LISTs) filled with unevaluated code:

```
drawfuncs:=[ 'Plot(x,y,c), 'Line(x,y,x+10,y+10,c), 'Box(x,y,x+20,y+20,c) ]
```

Note that this idea of functions as normal variables/values is not new in E, quoted expressions are literally from LISP, which also has the somewhat more powerful so-called Lambda function, which can also be given as argument to functions; E's quoted expressions can also be seen as parameterless (or global parameter only) lambdas.

1.84 ch_11c

11C. built-in functions

```
MapList (varadr,list,listvar,func)
```

performs some function on all elements of list and returns all results in listvar. func must be a quoted expression (see 11A), and var (which ranges over the list) must be given by reference. Example:

```
MapList ({x}, [1,2,3,4,5], r, 'x*x)      results r in:      [1,4,9,16,25]
```

returns listvar.

```
ForAll(varadr,list,func)
```

Returns TRUE if for all elements in the list the function (quoted expression) evaluates to TRUE, else FALSE. May also be used to perform a certain function for all elements of a list:

```
ForAll({x},['one','two','three'],'WriteF('example: \s\n',x))
```

```
Exists(varadr,list,func)
```

As ForAll(), only this one returns TRUE if for any element the function evaluates to TRUE (<>0). note that ForAll() always evaluates all elements, but Exists() possibly does not.

```
SelectList(v,list,listvar,quotedexp)
```

Much like MapList(), only now doesn't store the result from quotedexp, it uses it as a boolean value, and only those values for which it is true are stored in listvar (which should be capable of holding the same amount of elements as list. example:

```
SelectList({x},[1,2,0,3,NIL],r,'x<>0)
```

results in r being [1,2,3].
returns length of listvar.

Example of how to use these functions in a practical fashion: we allocate different sizes of memory in one statement, check them all together at once, and free them all, but still only those that succeeded. (example is v37+)

```
PROC main()
  DEF mem[4]:LIST,x
  MapList({x},[200,80,10,2500],mem,'AllocVec(x,0)')          -> alloc some
  WriteF(IF ForAll({x},mem,'x') THEN 'Yes!\n' ELSE 'No!\n')  -> suxxes ?
  ForAll({x},mem,'IF x THEN FreeVec(x) ELSE NIL')          -> free only those <>NIL
ENDPROC
```

Note the absence of iteration in this code. Just try to rewrite this example in any other language to see why this is special.

1.85 ch_12a

12A. float values

REALs (or FLOATs, whatever) are very different in E than in other languages. This mainly has to do with the fact that E doesn't really discriminate between types of values. One is advised to understand these chapters well before attempting to use floats.

In E, a float is just another 32bit value. The E compiler treats them just like integers or pointers, with the difference that their bit representation means something different. The E float format is the IEEEsingle standard.

A float value looks like an integer value with the exception that somewhere a "." is present. for example, the following are valid floats:

```
3.14159    .1    1.    -12345.6
```

these aren't:

```
.    1234
```

(i.e. atleast one "." and one "0-9" char must be present).

You can use these values at almost all places where LONG values are legal, i.e. if you have have a function or datastructure that handles arbitrary LONG values, it will also handle floats.

```
DEF f=3.14
myobj.x:=.1
fun(f,2.73)
```

1.86 ch_12b

12B. computing with floats

Because to E a float will seem like just another LONG, it will happily apply integer math to it when used in an expression, which is mostly not what you want. Also, one would like to be able to convert to integer and vice-versa. The float operator "!" handles all this.

assume in the following examples that a,b,c contain integer values, and x,y,z float values.

By default, an expression in E is considered an integer expression.

what the "!" does when it occurs in an expression is the following:

- changes the expression from int to float. any operators following (+ * - / = <> > < >= <=) will be float operations. "!" may occur any number of times in an expression, changing from and to float again and again.
- the expression that did occur before the "!", if any, is converted to the appropriate type.

examples:

```
x:=a!
```

converts "a" to float, and stores the result in x. "a" is an integer exp, which is then toggled to float, which implies a conversion.

```
a:=!x!
```

converts "x" to integer and stores the result in a.

```
x:=y
```

```
x:=Ftan(y)
```

no "!" is needed here since no operator-math or conversions are necessary.

```
x:=!y*z
```

the "*" acts on y and z as floats, since "!" denotes the whole as a float-exp. the float result is stored in x

```
a:=b!*x+y!
```

a more complex example: the int "b" is converted to float, then x and y are float-multiplied and float-added to it. The result is converted to int and stored in the int "a"

```
x:=!y*z-z*y+(a!)+z/z
```

```
z:=!x*Fsin(!x*y)
```

all (+ * - /) are computed as float, and the int "a" is converted to float somewhere in the middle. since "(" ")" denotes a new expression, it has it's own status of "!". Same idea for the function below.

```
IF !x<0.1 THEN WriteF('Float value too small!\n')
```

as you can see, "!" also works on the six comparison operators.

1.87 ch_12c

12C. builtin float functions

Some trans-math functions are present, more will probably follow.

```
x:=Fsin(y)    x:=Fcos(y)    x:=Ftan(y)
```

usual sin() etc. functions. they work with radians.

New in v3.3 are Fatan() Fasin() Facos() Fsincos() Fsinh() Fcosh() and Ftanh() which work analogously to the functions above. Ftieee() and Ffieee() convert FFP floats to and from ieee floats (as used by E).

```
x:=Fabs(y)
```

compute absolute value of y

```
x:=Ffloor(y)    x:=Fceil(y)
```

compute lowest and highest whole-number float value near y

```
x:=Fexp(y)    x:=Flog(y)    Flog10(y)    x:=Fpow(y,z)    Fsqrt(y)
```

compute e^y , $\ln(y)$, log base 10, z^y and square root of y, respectively.

```
x,n:=RealVal(s)
```

parses string "s" to produce float value x. will skip leading spaces and tabs.
n is the number of characters parsed from the start of the string, or 0
if it couldn't be parsed as a float value. "x" will then be 0.0.
accepts negative numbers (and number without a ".", even).
example:

```
RealVal(' 3.14 ')    results in    3.14, 5
RealVal('blabla')   results in    0.0, 0
```

```
s:=RealF(s,x,n)
```

Format a float value x to the estring s, with n positions after the ".".
max for "n" is 8, even less if you have lots of digits leading the ".".
an "n" of 0 will denote no fraction. The string is returned as result,
so it can be reused in a WriteF() for example:

```
WriteF('float = \s\n',RealF(s,3.14159),4)    results in    'float = 3.1416\n'
```

RealF() tries hard to make sensible roundings for a certain "n", as
the example shows. negative numbers are also handled properly.

```
RealF(s,-3.14159,0)    results in    '-3'
```

1.88 ch_12d

12D. float implementation issues

As said before, the E float format is IEEE (single), this means that
older float code using the FFP format with the SpXxx functions will
have to be rewritten (as stated in the v2.1b docs). The mathffp
library is no longer directly supported by EC starting from v3.0, and
you'll have to open this library like all others if you want to use it.

single IEEE's were chosen because:

- double IEEE's don't fit in a LONG
- the FFP format routines do not make use of a 68881 if present,
the IEEE ones do. Furthermore the FFP format is incompatible
with the 68881, which also uses IEEE format.
- IEEE is the worldwide float-format standard, which encourages
data-file compatability among software/platforms.

E's float routines use the mathieeesingbas.library and the
mathieeesingtrans.library, which are not by default supplied

with the ancient v1.3 of the OS. This means that if you want to write under / support 1.3 AND you want to use the `_builtin_floats`, you have to make sure these libraries are present (they seem to be available, maybe through commodore?).

Both EC and the programs it generates do not open these libraries as long as no float-features are used.

If all else fails, one can always use other floatlibraries to use floats with 1.3. I might recommend the `tools/longreal.m` module which uses doubles.

In the future, EC will probably allow `mathieee` library calls to be replaced with inline 68881 code transparently.

The bug in `mathieeesingbas.library`.

v3.1 (v40) of the amiga operating system is known to contain a bug in the IEEE code of the divide and multiply functions. If you're using E floats under this version of the OS you will need to run a patch that fixes this otherwise you may provoke crashes. Even worse, even if you program under another version of the OS, if your program uses these float operations, you will have to notify your users to use this patch, otherwise your programs may fail on other peoples machines. I've included `SetPatch v43.6` in this distribution which fixes the problem (`Bin/SetPatch/`). Another suitable patch is for example `util/boot/PatchMathSB10.lha` on Aminet (or CD #7). As far as EC itself is concerned, if EC has to use one of these operations (for example for float constants) it will warn you that you are not running the patch.

1.89 ch_13a

13A. defining exception handlers (HANDLE/EXCEPT)

The exception mechanism in E is basically the same as in ADA; it provides for flexible reaction on errors in your program and complex resource management. NOTE: the term 'exception' in E has very little to do with exceptions caused directly by 680x0 processors.

An exception handler is a piece of program code that will be invoked when runtime errors occurs, such as windows that fail to open or memory that is not available. You, or the runtime system itself, may signal that something is wrong (this is called "raising an exception"), and then the runtime-system will try and find the appropriate exception handler. I say "appropriate" because a program can have more than one exception handler, on all levels of a program. A normal function definition may (as we all know) look like this:

```
PROC bla()
  /* ... */
ENDPROC
```

a function with an exception handler looks like this:

```
PROC bla() HANDLE
  /* ... */
EXCEPT
  /* ... */
ENDPROC
```

The block between PROC and EXCEPT is executed as normal, and if no exception occurs, the block between EXCEPT and ENDPROC is skipped, and the procedure is left at ENDPROC. If an exception is raised, either in the PROC part, or in any function that is called in this block, an exception handler is invoked.

1.90 ch_13b

13B. using the Raise() function

There are many ways to actually "raise" an exception, the simplest is through the function Raise():

```
Raise(exceptionID=0)
```

the exception ID is simply a constant that defines the type of exception, and is used by handlers to determine what went wrong. Example:

```
ENUM NOMEM,NOFILE /* and others */

PROC bla() HANDLE
  DEF mem
  IF (mem:=New(10))=NIL THEN Raise(NOMEM)
  myfunc()
EXCEPT
  SELECT exception
  CASE NOMEM
    WriteF('No memory!\n')
  /* ... and others */
  ENDSELECT
ENDPROC

PROC myfunc()
  DEF mem
  IF (mem:=New(10))=NIL THEN Raise(NOMEM)
ENDPROC
```

The "exception" variable in the handler always contains the value of the argument to the Raise() call that invoked it. In both New() cases, the Raise() function invokes the handler of function bla(), and then exits it correctly to the caller of bla(). If myfunc() had its own exception-handler, that one would be invoked for the New() call in myfunc(). The scope of a handler is from the start of the PROC in which it is defined until the EXCEPT keyword, including all calls made from there.

This has three consequences:

- A. handlers are organized in a recursive fashion, and which handler is actually invoked is dependant on which function calls which at runtime;
- B. if an exception is raised within a handler, the handler of a lower level is invoked. This characteristic of handlers may be used to implement complex recursive resource allocation schemes with great ease, as we'll see shortly.
- C. If an exception is raised on a level where no lower-level handler is available (or in a program that hasn't got any handlers at all), the program is terminated. (i.e: Raise(x) has the same effect as CleanUp(0))

other functions:

```
Throw(exceptionID,value)
```

same as Raise(), only now it takes an arbitrary value with it. in a handler one can then scrutinize this value with the variable 'exceptioninfo'

```
ReThrow()
```

has no args. simply does a Throw() on the current exception value, IFF it is <>0.

1.91 ch_13c

13C. defining exceptions for built-in functions (RAISE/IF)

 With exceptions like before, we have made a major gain over the old way of defining our own "error()" function, but still it is a lot of typing to have to check for NIL with every call to New().

The E exception handling system allows for definition of exceptions for all E functions (like New(), OpenW() etc.), and for all Library functions (OpenLibrary(), AllocMem() etc.), even for those included by modules. Syntax:

```
RAISE <exceptionId> IF <func> <comp> <value> , ...
```

the part after RAISE may be repeated with a ",".

Example:

```
RAISE NOMEM IF New()=NIL,
    NOLIBRARY IF OpenLibrary()=NIL
```

the first line says something like: "whenever a call to New() results in NIL, automatically raise the NOMEM exception".

<comp> may be any of = <> > < >= <=

After this definition, we may write all through our programs:

```
mem:=New(size)
```

without having to write:

```
IF mem=NIL THEN Raise(NOMEM)
```

Note that the only difference is that 'mem' never gets any value if the runtime system invokes the handler: code is generated for every call to New() to check directly after New() returns and call Raise() when necessary.

We'll now be implementing a small example that would be complex to solve without exception handling: we call a function recursively, and in each we allocate a resource (in this case memory), which we allocate before, and release after the recursive call. What happens when somewhere high in the recursion a severe error occurs, and we have to leave the program? right: we would (in a conventional language) be unable to free all the resources lower in the recursion while leaving the program, because all pointers to those memory areas are stored in unreachable local variables. In E, we can simply raise an exception, and from the end of the handler again raise an exception, thus recursively calling all handlers and releasing all resources. Example:

```
CONST SIZE=100000
ENUM NOMEM /* ,... */

RAISE NOMEM IF AllocMem()=NIL

PROC main()
  alloc()
ENDPROC

PROC alloc() HANDLE
  DEF mem
  mem:=AllocMem(SIZE,0) /* see how many blocks we can get */
  alloc() /* do recursion */
EXCEPT DO
  IF mem THEN FreeMem(mem,SIZE)
  ReThrow() /* recursively call all handlers */
ENDPROC
```

This is of course a simulation of a natural programming problem that is usually far more complex, and thus the need for exception handling becomes far more obvious. For a real-life example program whose error handling would have become very difficult without exception handlers, see the 'D.e' utility source.

The "DO" after an EXCEPT means that instead of jumping to ENDPROC, the main code will simply continue execution in the handler as soon as it gets there. it also sets exception to 0. This is handy if you free resources local to a PROC in the handler.

1.92 ch_13d

13D. use of exception-ID's

 In real life an exception-ID is of course a normal 32-bit value, and you may pass just about anything to an exception handler: for example, some use it to pass error-description strings

```
Raise('Could not open "gadtools.library"!')
```

However, if you want to use exceptions in expandable fashion and you want to be able to use future modules that raise exceptions not defined by your program, follow the following guidelines:

- Use and define ID 0 as "no error" (i.e. normal termination)
- For exceptions specific to your program, use the ID's 1-10000. Define these in the usual fashion with ENUM:

```
ENUM OK, NOMEM, NOFILE, ...
```

(OK will be 0, and others will be 1+)

- ID's 12336 to 2054847098 (these are all identifiers consisting of upper/lowercase letters and digits of length 2,3 or 4 enclosed in "") are reserved as common exceptions. A common exception is an exception that need not be defined in your program, and that may be used by implementors of modules (with functions in them) to raise exceptions: for example, if you design a set of procedures that perform a certain task, you may want to raise exceptions. As you would want to use those functions in various programs, it would be unpractical to have to coordinate the IDs with the main program, furthermore, if you use more than one set of functions (in a module, in the future) and every module would have a different ID for 'no memory!', things could get out of hand. This is where common exceptions come in: the common out-of-memory ID is "MEM" (including the quotes): any implementor can now simply

```
Raise("MEM")
```

from all different procedures, and the programmer that uses the module only needs to supply an exception handler that understands "MEM"

future modules that contain sets of functions will specify what exception a certain procedure may raise, and if these overlap with the IDs of other procedures, the task of the programmer that has to deal with the exceptions will be greatly simplified.

examples:

(system)

```
"MEM"   out of memory
"FLOW"  (nearly) stack overflow
"STCK"  garbage collector has stack problems
"^C"    Control-C break
"ARGS"  bad args
```

(exec/libraries)

"SIG" could not allocate signal
 "PORT" could not create messageport
 "LIB" library not available
 "ASL" no asl.library
 "UTIL" no utility.library
 "LOC" no locale.library
 "REQ" no req.library
 "RT" no reqtools.library
 "GT" no gadtools.library (similar for others)

(intuition/gadtools/asl/gfx)

"WIN" failed to open window
 "SCR" failed to open screen
 "REQ" could not open requester
 "FREQ" could not open filerequester
 "GAD" could not create gadget
 "MENU" could not create menu(s)
 "FONT" problem getting font

(dos)

"OPEN" could not open a file / file does not exist
 "OUT" problems while writing
 "IN" problems while reading
 "EOF" unexpected end of file
 "FORM" input format error
 "SEG" loadseg problems

The general tendency is:

- * all uppercase for general system exceptions,
- * mixed case for exceptions used by >1 app, but not general enough.
- * all lowercase for exceptions raised within your own multi-module application

- all others (including all negative IDs) remain reserved.

1.93 ch_14a

14A. OO features in E

 The features described here in this chapter are grouped as such since they constitute what is generally seen as the three essential main components that make a language 'Object Oriented' (i.e. inheritance - data hiding - polymorphism). However in E they are by no means a 'separate chapter' since each can be used in any way with other E features.

1.94 ch_14b

14B. object inheritance

 it's always annoying not being able to express dependencies between OBJECTS, or reuse code that works on a particular OBJECT with a bigger OBJECT that encapsulates the first. Object Inheritance allows you to do just that in E. when you have an object a:

```
OBJECT a
  next, index, term
ENDOBJECT
```

you can make a new object b that has the same properties as a (and is compatible with code for a):

```
OBJECT b OF a
  bla, x, burp
ENDOBJECT
```

is equivalent to:

```
OBJECT b
  next, index, term      /* from a */
  bla, x, burp
ENDOBJECT
```

with DEF p:b, you can directly not only access p.bla as usual, but also p.next.

as an example, if one would have a module with an OBJECT to implement a certain datatype (for example a doubly-linked-list), and PROCs to support it, one could simply inherit from it, adding own data to the object, and use the `_existing_` functions to manipulate the list. However, it's only in combination with methods (described below), inheritance can show its real power.

1.95 ch_14c

14C. data hiding (EXPORT/PRIVATE/PUBLIC)

 E has a very handy data-hiding mechanism. Other languages, like C++, use data-hiding on classes, which raises the need for kludges (like 'friends'), and makes datahiding insecure (Eiffel). E's datahiding works on the module-level, which can model class-level datahiding, but enables more intelligent schemes also.

PRIVATE and PUBLIC let you declare a section of an object as visible to the outer world or not; the outer world here is all code outside the module. for the code within a module, everything is always visible. example:

```

OBJECT mydata PRIVATE                                -> whole object is private
  bla:PTR TO mydata, burp, grrr:INT
ENDOBJECT

OBJECT aaargh
  blerk:PTR TO aaargh                                -> public
PRIVATE
  x:INT, y:INT, z:INT                                -> private
PUBLIC
  hmpf[10]:ARRAY OF mydata                          -> public again
ENDOBJECT

```

an object is by default public, an occurring PRIVATE or PUBLIC acts as a toggle-switch to the objects current visibility. In the first object, all is private. The second object has only (x,y,z) as private. PRIVATE and PUBLIC keywords may occur:

- in the object header line
- as a line on itself in the object-def
- preceding decls in an object-def
(i.e virtually anywhere)

Why datahiding?

If you want to know why datahiding is a good technique, you'd probably want to read a good book on OO. But in short: it is generally assumed that lots of problems in maintaining and enhancing large pieces of software is the fact that it's hard to change things because lots of code start to depend on certain structures in your program. if you datahide an object, only the code within a module will rely on the format of objects, and you can easily change both representation of an object (for example changing a stack implementation from ARRAY to a linked list) and the code that works with it. If a lot of code of a large app depend on the fact that the stack is an ARRAY, you won't be able to simply change it, which will lead to kludges. In general, try to datahide as much as possible without becoming too restrictive on the use of your object. Using methods (below) will often enable you to keep the whole object private.

1.96 ch_14d

14D. methods and virtual methods

A method is much like a PROC, only now it's part of an OBJECT. It also allows you to exploit Polymorphism on objects, as we'll see below. definition of a method:

```

OBJECT blerk PRIVATE
  x:PTR TO blerk, y:INT, z
ENDOBJECT

PROC getx() OF blerk IS self.x

```

the 'OF blerk' part tells the compiler it belongs to the object 'blerk'. Note that apart from the 'OF' the syntax is completely like a 'PROC', however, it can't be invoked as one, and also functions quite differently.

'self' is a local variable that is available in every method, and is a pointer to the object that the method belongs to (in this case 'self:PTR TO blerk'). This function just returns the value of the x field of blerk, which actually makes sense, given that this allows you to later change whatever x represents.

we may call methods similar to object selections ".":

```
DEF a:PTR TO blerk
NEW a
...
a.getx()           -> invoke method getx() on object a
```

in this example, upon invocation 'a' becomes the value of 'self' during the execution of getx().

so far the use of methods has been nice, but hasn't show us its real power, which only comes when used with inheritance.

If I inherit an object that has methods, I automatically get those in the new object:

```
OBJECT burp OF blerk PRIVATE           -> same as blerk, + extra field
  prut:INT
ENDOBJECT

DEF b:PTR TO burp
NEW b
...
b.getx()                               -> same method
```

The interesting thing is now, that instead of inheriting a method, you may also redefine it:

```
PROC getx() OF burp IS self.x+1
```

(it goes without saying that we may also add new methods) so where appropriate, we can choose to modify slightly the behaviour of methods we get from other objects, while the interface to it (i.e. 'getx()') stays the same. Not only does this allow us to reuse code selectively, we can also make use of polymorphism:

```
PROC dosomething(o:PTR TO blerk)
```

```

...
o.getx()
...
ENDPROC

```

```

dosomething(a)
dosomething(b)

```

we may call that PROC with both a and b, since both are compatible with a blerk object. But which of the two method implementations of `getx()` is invoked at `o.getx()`? Answer: both are. Method calls in E are what virtual method calls are in other languages: they dynamically act on the real type of an object (o) and call the appropriate method.

A more clear example:

-> classical OO polymorphic example

```

OBJECT loc
  PRIVATE xpos:INT, ypos:INT
ENDOBJECT

OBJECT point OF loc
  PRIVATE colour:INT
ENDOBJECT

OBJECT circle OF point
  PRIVATE radius:INT
ENDOBJECT

PROC show() OF loc IS WriteF('I''m a Location!\n')
PROC show() OF point IS WriteF('I''m a Point!\n')
PROC show() OF circle IS WriteF('I''m a Circle!\n')

PROC main()
  DEF x:PTR TO loc,l:PTR TO loc,p:PTR TO point,c:PTR TO circle
  ForAll({x},[NEW l,NEW p,NEW c],`x.show()`)
ENDPROC

```

In the above, x is a PTR TO loc, so many would expect `x.show()` to write 'I'm a Location' three times, but instead it writes the right string for each object.

If one would write this example in a non-OO language, one would need a SELECT for every operation like `show()`, testing some value present in the object to see what it is. If I would add a new shape to this, say:

```
OBJECT ellipse OF circle
```

I would need to change all SELECTs throughout my app to account for it. With object-polymorphism, I can just write a `show()` method, and ALL code throughout my app that calls `x.show()` will act correctly when x is a PTR TO ellipse, even without recompilation!

It's difficult to show why this is powerful in a few examples, and best to discover this is using it in real life apps. and: like I said, read a book on it.

How does polymorphism work?

In the above examples, it's clear the compiler can't know what method it's going to call. that's why E uses a 'class object', and every object created gets a ptr to this object. In the class object, all information is stored that is common for all objects of that type, such as pointers to methods. when the E compiler sees a call like x.show(), instead of looking directly at the show() that belongs to the type of x (i.e. loc), it will generate code to retrieve the pointer to the show() method from loc's class object. since the class object for point looks the same as loc (only maybe slightly larger), that code will automatically call point's show(), when x is really a point object. This is sometimes called runtime binding.

Objects that have methods therefore always are 4 bytes larger than you expect them to be, since they contain a class object pointer. This pointer is automatically installed by NEW, which is the reason `_currently_ NEW` is the only way to create such an object (!).

If a method is declared with the sole purpose of enabling subclasses to redefine it (this type of class is known as a virtual baseclass in some languages), one may use EMPTY:

```
PROC bla() OF obj IS EMPTY
```

it may then be redefined in subclasses. Since a programmer might not implement all methods at once, it is not an error when the above method is executed. it will just return 0 or NIL.

One may effectively add methods to system OBJECTs:

```
OBJECT mygadget OF gadget -> from intuition!
-> extra fields here
ENDOBJECT
```

```
PROC creategadget() OF mygadget IS ...
```

A pointer to an object such as mygadget above is then compatible with a normal gadget pointer, i.e. it may be added directly to a window etc.

1.97 ch_14e

14E. Constructors, Destructors and Super-Methods

The constructor name may be anything, but it is usually given the same name as the class. One may even have multiple constructors for one class. A constructor is called directly on the object created with NEW (and only NEW!):

```
NEW obj.stack()
```

Destructors however have to be named "end". An object is destroyed like this:

```
END obj
```

If 'obj' has a .end() method, it is automatically called. end() shouldn't have any arguments, and it is of no use returning a value. (see 5M for a description of END's precise functioning).

The super-method of a method is the method by the same name of its super class. Sometimes it's handy to call this method because you might want to add its behaviour to the implementation of your class, however, since you're redefined it, calling the super-method by that name will just call yourself (!). The SUPER keyword allows you to call any method of your superclass (or someone else's superclass):

```
SUPER obj.method()
```

This piece of code above can be used as expression and statement. Care has to be taken though, since if your supermethod calls another method of that object, it will call the redefined version, not the one at its own 'level', so to speak (generally this is what one wants). Also, the compiler looks at the static type of 'obj' to find the superclass, not the dynamic type (though it may still have that behaviour).

1.98 ch_15a

15A. identifier sharing

As you've probably guessed from the example in chapter 5D, assembly instructions may be freely mixed with E code. The big secret is, that a complete assembler has been built in to the compiler. Apart from normal assembly addressing modes, you may use the following identifiers from E:

```
mylabel:
LEA mylabel(PC),A1    /* labels */

DEF a                /* variables */
MOVE.L (A0)+,a       /* note that <var> is <offset>(A4) (or A5) */

MOVE.L dosbase,A6   /* library call identifiers */
JSR    Output(A6)
```

```
MOVEQ #TRUE,D0      /* constants */
```

EC's assembler supports following constructs,

where

n = register number

x = index

lab = label, from: "label:" or "PROC label()"

abs = absolute addressing

s = size. L, W or B where appropriate.

- addressing modes supported by EC:

```
Dn, An, (An), (An)+, -(An), x(An), x(An,Dn.s),
lab(PC), lab(PC,Dn.s), abs, abs.W
```

(note: write abs.W in hexadecimal, to not confuse it with a float value, i.e. write MOVE.L \$4.W,A6)

- supported partially:

```
#<constexp>
```

- not supported:

```
lab (same as abs), #lab
use LEA lab(PC),An instead.
```

- extra modes:

```
var.s (transfers contents of var. optionally size is ".W" or ".B",
      default is ".L")
```

```
LibraryFunction(A6)
```

example:

```
...
MOVE.W myvar.W,D0      -> move lowword of 'myvar'
...
MOVE.L dosbase,A6
JSR   Write(A6)
```

As an extra, E allows to directly return registers from a function:

```
ENDPROC D0
```

You may even interpret this as multiple return values, i.e. D0/D1/D2.

1.99 ch_15b

15B. the inline assembler compared to a macro assembler

The inline assembler differs somewhat from your average macro-assembler, and this is caused mainly by the fact that it is an extension to E, and thus it obeys E-syntax. Main differences:

- comments are with `/* */` and not with `;"`, they have a different meaning.
- keywords and registers are in uppercase, everything is case sensitive
- no macros and other luxury assembler stuff (well, there's the complete E language to make up for that ...)
- You should be aware that registers A4/A5 may not be trashed by inline assembly code, as these are used by E code. Also, if your code can be called by code that is register-allocated, you should preserve D3-D7. an instruction like

```
MOVEM.L D3-D7,-(A7); /* inline asm */; MOVEM.L (A7)+,D3-D7
```

should help if problems occur.

- no support for LARGE model/reloc-hunks in assembly `_YET_`. This means practically that you have to use (PC)-relative addressing for now (which is faster anyway).

1.100 ch_15c

15C. ways using binary data (INCBIN/CHAR..)

INCBIN

```
syntax:  INCBIN <filename>
```

includes a binary file at the exact spot of the statement, should therefore be separate from the code. Example:

```
mytab: INCBIN 'df1:data/blabla.bin'
```

LONG, INT, CHAR

```
syntax:  LONG <values>,...
         INT  <values>,...
         CHAR <values>,...
```

Allows you to place binary data directly in your program. Functions much like DC.x in assembly. Note that the CHAR statement also takes strings, and will always be aligned to an even word-boundary. Example:

```
mydata: LONG 1,2; CHAR 3,4,'hi folks!',0,1
```

INCBIN, LONG and in general inline assembly can also be written between PROCs in an E source (so it doesn't stand in the way of normal

E control flow). Notice however that an E source needs at least one PROC before any inline assembly.

1.101 ch_15d

15D. OPT ASM

 OPT ASM is discussed also in chapter 16A. It allows you to operate 'EC' as an assembler. There's no good reason to use EC over some macro-assembler, except that it is significantly faster than for example A68k, equals DevPac and loses of AsmOne (sob 8-{}). You will also have a hard time trying to squeeze your disks of old seka-sources through EC, because of the differences as described in chapter 15B. If you want to write assembly programs with EC, and want to keep your sources compatible with other assemblers, simply precede all E-specific elements with a ";", EC will use them, and any other assembler will see them as a comment. Start all regular comments with a smiley (";->").

Example:

```
; OPT ASM

start: MOVEQ #1,D0    ;-> do something silly
      RTS           ;-> and exit
```

this will be assembled by any assembler, including EC

1.102 ch_15e

15E. Inline asm and register variables

 register variables are a great companion to inline assembly, as they function just as registers, but at the same time have clear identifiers instead of Dx, and also are automatically saved and restored by E code. example:

```
PROC bla()
  DEF count:REG
  MOVEQ #10,count
loop: WriteF('count=\d\n',count)
  DBRA count,loop
ENDPROC
```

all instruction that can work with a Dx EA, work with register variables. examples:

```
MOVEQ #1,a
MOVEM.L D0/D1/a/b/A0,-(A7)
LSL.L a,b
```

etc.

as may be known, EC uses D3-D7 for these register variables. If you wish to write code that freely mixes assembly with E, it's advisable to keep longer-term values in register variables, and temporaries in D0-D2/A0-A3/A6

1.103 ch_16a

16A. the OPT keyword

OPT, LARGE, STACK, ASM, NOWARN, DIR, OSVERSION, MODULE, EXPORT, RTD, REG

syntax: OPT <options>,...

allows you to change some compiler settings:

LARGE Sets code and data model to large. Default is small; the compiler generates mostly pc-relative code, with a max-size of 32k. With LARGE, there are no such limits, and reloc-hunks are generated (see 0D , LARGE).

STACK=x Set stacksize to x bytes yourself. Only if you know what you are doing. Normally the compiler makes a very good guess itself at the required stack space (see 16C).

ASM Set the compiler to assembly mode. From there on, only assembly instructions are allowed, and no initialisation code is generated. (see 15D , inline assembly)

NOWARN Shut down warnings. The compiler will warn you if it *thinks* your program is incorrect, but still syntactically ok. (see 0D , -n)

DIR=moduledir Sets the directory where the compiler searches for modules. default='emodules:'

OSVERSION=vers Default=33 (v1.2). Sets the minimum version of the kickstart (like 37 for v2.04) your program runs on. That way, your program simply fails while the dos.library is being opened in the initialisation code when running on an older machine. However, checking the version yourself and giving an appropriate error-message is more helpful for the user.

MODULE denotes this source to be a module. (see 10C)

EXPORT automatically export all declarations in a module

RTD generates RTD's instead of RTS in the main source.
020+ only. [experimental optimisation]

020,881,040 generate code for these CPUs. not really usable yet.

REG=n use n register for register-allocation.

example:

OPT STACK=20000,NOWARN,DIR='df1:modules',OSVERSION=39,REG=3

1.104 ch_16b

16B. small/large model

Amiga E lets you choose between SMALL and LARGE code/data model. Note that most of the programs you'll write (especially if you just started with E) will fit into 32k when compiled: you won't have to bother setting some code-generation model. You'll recognise the need for LARGE model as soon as EC starts complaining that it can't squeeze your code into 32k anymore. To compile a source with LARGE model:

```
l> ec large sisy.e
```

or better yet, put the statement

```
OPT LARGE
```

at the top of your code.

1.105 ch_16c

16C. stack organisation

To store all local and global variables, the run-time system of an executable generated by Amiga E allocates a chunk of memory, from which it takes some fixed part to store all global variables. The rest will be dynamically used as functions get called. as a function is called in E, space on the stack is reserved to store all local data, which is released upon exit of the function. That is why having large arrays of local data can be dangerous when used recursively: all data of previous calls to the same function still resides on the stack and eats up large parts of the free stack space. However, if PROCs are called in a linear fashion, there's no way the stack will overflow.

Example:

```
global data:    10k (arrays etc.)
local data PROC #1: 1k
local data PROC #1: 3k
```

the runtime system always reserves an extra 10k over this for normal recursion (for example with small local-arrays) and additional buffers/system spaces, thus will allocate a total of 24k stack space

1.106 ch_16d

16D. hardcoded limits

Note these signs: (+-) just about, depends on situation,
 (n.l.) no clear limit, but this seems reasonable.

OBJECT/ITEM	SIZE/AMOUNT/MAX
<hr/>	
value datatype CHAR	0 .. 255
value datatype INT	-32 k .. +32 k
value datatype LONG/PTR	-2 gig .. +2 gig
identifierlength	100 bytes (n.l.)
length of one source line	2000 lexical tokens (+-)
source length	2 gig (theoretically)
constant lists	few hundred elements (+-)
constant strings	1000 chars (n.l.)
max. nesting depth of loops (IF, FOR etc.)	500 deep
max. nesting depth of comments	infinite
#of local variables per procedure	8000
#of global variables	7500
#of arguments to own functions	8000 (together with locals)
#of arguments to E-varargs functions (WriteF())	64 (v2.1) / 1024 (v2.5)
max length of string processed by WriteF() etc.	5000 (depends on stack)
one object (allocated local/global or dyn.)	8 k
one array, list or string (local or global)	32 k
one string (dynamically)	32 k
one list (dynamically)	128 k
one array (dynamically)	2 gig
objects with NEW	64k elem.
CHAR/INT/LONG with NEW	2 gig.
local data per procedure	250 meg
global data	250 meg
code size of one procedure	32 k
code size of executable	32 k SMALL, 2 gig LARGE model
current practical limit (may extend in future)	2-5 meg (v2.1) / 10 meg (v2.5)
buffer size of generated code and identifiers	relative to source
buffer size of labels/branches and intermediate	independently (re)allocated

1.107 ch_16e

16E. error messages, warnings and the unreferenced check

Sometimes, when compiling your source with EC, you get a message of the sort UNREFERENCED: <ident>, <ident>, ... This is the case when you have declared variables, functions or labels, but did not use them. This is an extra service rendered to you by the compiler to help you find out about those hard to find errors.

There are several warnings that the compiler issues to notify you that something might be wrong, but is not really an error.

- "A4/A5 used in inline assembly"
This is the warning you'll get if you use registers A4 or A5 in your assembly code. The reason for this is that those registers are used internally by E to address the global and local variables respectively. Of course there might be a good reason to use these, like doing a `MOVEM.L A4/A5,-(A7)` before a large part of inline assembly code
- "keep an eye on your stacksize"
- "stack is definitely too small"
Both these may be issued when you use `OPT STACK=<size>`. The compiler will simply match your `<size>` against its own estimate (see 16C), and issue the former warning if it thinks it's ok but a bit on the small side, and the latter if it's probably too small.
- 'suspicious use of "=" in void expressions (s). (line %d)'
This warning is issued if you write expressions like `'a=1'` as a statement. One reason for this is the fact that a comparison doesn't make much sense as a statement, but the main reason is that it could be an often occurring typo for `'a:=1'`. Forgetting those `":"` may be hard to find, and it may have disastrous consequences.
- 'module changed OPT settings'
If you use a module that has `OPT OSVERSION=37`, this changes the OPT for the main program too. this warning serves to make you aware of this. put such an OPT in the main program too to get rid of it.
- 'variable used as function'
in v3, arbitrary variables may be used as function. this function is there to warn you so you don't accidentally do this.
- 'code outside PROCs'
You wrote E code in between PROCs, which is only rarely useful.

Errors.

The compiler will print the source-code-line that caused the error below it, with a cursor at the exact spot. The cursor denotes the spot the compiler was when it discovered the error, it is thus likely that the token that caused the error is the one or two tokens just before the cursor, maybe even on the previous line (i.e. the cursor is always after the error).

- 'syntax error'
Most common error. This error is issued either when no other error is appropriate or your way of ordering code in your sources is too abnormal.
- 'unknown keyword/const'
You have used an identifier in uppercase (like "IF" or "TRUE"), and the compiler could not find a definition for it. Causes:
 - * misspelled keyword
 - * you used a constant, but forgot to define it in a CONST statement
 - * you forgot to specify the module where your constant is defined
- '":=" expected'
You have written a FOR statement or an assignment, and put something other than `":="` in its place.

-
- 'unexpected characters in line'
You used characters that have no syntactic meaning in E outside of a string. examples: "@!&\~"
 - 'label expected'
At some places, for example after the PROC or JUMP keyword, a label identifier is required. You wrote something else.
 - '"'," expected'
In specifying a list of items (for example a parameter list) you wrote something else instead of a comma.
 - 'variable expected'
This construction requires a variable, example:
FOR <var>:= ... etc.
 - 'value does not fit in 32 bit'
In specifying a constant value (see 2A -2E) you wrote too large a number, examples: \$FFFFFFFF, "abcdef".
Also occurs when you define a SET of more than 32 elements.
 - 'missing apostrophe/quote'
You forgot the ' at the other end of a string.
 - 'incoherent program structure'
* you started a new PROC before ending the last one
* you don't nest your loops properly, for example:
FOR
 IF
 ENDFOR
ENDIF
 - 'illegal command-line option'
In specifying 'EC -opt source' you wrote something for '-opt' that is not a legal option to EC.
 - 'division and multiplication 16bit only'
The compiler detected that you were about to use 32bits for * or /. This would not have the desired result at runtime. (see 9G , Mul() and Div()).
 - 'superfluous items in expression/statement'
After the compiler already compiled your statement, it still found lexical tokens instead of an end of line. You probably forgot the <lf> or ";" to separate two statements.
 - 'procedure "main" not available'
Your program does not include a main procedure !
 - 'double declaration of label'
You declared a label twice, for example:
label:
PROC label()
 - 'unsafe use of "*" or "/"'
This again has to do with 16bit instead of 32bit * and /.
-

See 'division and multiplication 16bit only'.

- "reading sourcefile didn't succeed"
Check your source spec. that you gave with 'ec mysource'
make sure the file ends in '.e'
 - "writing executable didn't succeed"
Trying to write the generated code as an executable caused a dos
error. For example, the executable that did already exist could
not be overwritten.
 - 'no args'
"USAGE: ec [-opts] <sourcecodefilename> (`.e' is added)"
You get this by just typing 'ec' without any arguments.
 - 'unknown/illegal addressing mode'
This error is reported only by the inline assembler. Possible causes are:
* you used some addressing mode that does not exist on the 68000
* the addressing mode exists, but not for this instruction.
not all assembly instructions support all combinations of
effective addresses for source and destination.
 - 'unmatched parentheses'
Your statement has more "(" than ")" or the other way around
 - 'double declaration'
One identifier is used in two or more declarations.
 - 'unknown identifier'
An identifier is not used in any declaration; it is unknown.
You probably forgot to put it in a DEF statement.
 - 'incorrect #of args or use of ()'
* You forgot to put "(" or ")" at the right spot
* you supplied the incorrect #of arguments to some function
 - 'unknown e/library function'
You wrote an identifier with the first character in uppercase, and
the second in lowercase, but the compiler could not find a definition.
Possible causes:
* Misspelled name of function
* You forgot to include the module that defines this library call.
 - 'illegal function call'
Rarely occurs. You get this one if you try to construct weird
function calls like nested WriteF()'s. Example:
WriteF(WriteF('hi!'))
 - 'unknown format code following "\'
You specified a format code in a string which is illegal.
(see 2F for a listing of format codes)
 - '/* not properly nested comment structure */'
The #of '/*' is unequal to the #of '*/', or is placed in a funny order.
 - 'could not load binary'
<filespec> in INCBIN <filespec> could not be read.
-

- '"}" expected'
You started an expression with "{<var>" , but forgot the "}"
 - 'immediate value expected'
Some constructions require an immediate value instead of an expression.
Example:
DEF s[x*y]:STRING /* wrong: only something like s[100]:STRING is legal */
 - 'incorrect size of value'
You specified an unacceptably large (or small) value for some construction.
Examples:
DEF s[-1]:STRING, t[1000000]:STRING /* needs to be 0..32000 */
MOVEQ #1000,D2 /* needs to be -128..127 */
 - 'no e code allowed in assembly modus'
You wish to operate the compiler as an assembler by writing 'OPT ASM',
but, by accident, wrote some E code.
 - 'illegal/inappropriate type'
At someplace where a <type> spec. was needed, you wrote something
inappropriate. Examples:
DEF a:PTR TO ARRAY /* no such type */
[1,2,3]:STRING
 - '"]" expected'
You started with "[", but never ended with "]"
 - 'statement out of local/global scope'
A breakpoint of scope is the first PROC statement. before that,
only global definitions (DEF,CONST,MODULE etc.) are allowed, and no code.
In the second part, only code and function definitions are legal, no
global definitions.
 - 'could not read module correctly'
A dos error occurred while trying to read a module from a MODULE
statement. Causes:
* emodules: was not assigned properly
* module name was misspelled, or did not exist in the first place
* you wrote MODULE 'bla.m' instead of MODULE 'bla'
 - 'workspace full!'
Rarely occurs. If it does, you'll need the '-m' (ADDBUF) option to
manually force EC to make a bigger estimate on the needed amount of
memory. Try compiling with -m2, then -m3 until the error disappears.
You'll probably be writing huge applications with giant amounts
of data just to even possibly get this error.
 - 'not enough memory while (re-)allocating'
Just like that. Possible solutions:
1. You were running other programs in multitasking. Leave them and try again.
2. You were low on memory anyway and your memory was fragmented.
Try rebooting.
3. None of 1-2. Buy a memory expansion (um).
 - 'incorrect object definition'
You were being silly while writing the definitions between OBJECT and
-

ENDOBJECT. (see 8F to find out how to do it right).

- 'illegal use of/reference to object'
If you use expressions like ptr.member, member needs to be a legal member of the object ptr is pointing to.
 - 'incomplete if-then-else expression'
If you use IF as an operator (see 4E), then an ELSE part needs to be present: an expression with an IF in it always needs to return a value, while a statement with an IF in it can just 'do nothing' if no ELSE part is present.
 - 'unknown object identifier'
You used an identifier that was recognised by the compiler as being part of some object, but you forgot to declare it. Causes:
 - * misspelled name
 - * missing module
 - * the identifier in the module is spelled not like you expected from the RCRM's. Check with ShowModule.Note that amiga-system-objects inherit from assembly identifiers, not from C. Second: identifiers obey E-syntax.
 - 'double declaration of object identifier'
One identifier used in two object definitions
 - 'reference(s) out of 32k range: switch to LARGE model'
Your program is growing larger than 32k. Simply put 'OPT LARGE' in your source and code on. (see 16B).
 - 'reference(s) out of 256 byte range'
You probably wrote BRA.S or Bcc.S over too great a distance.
 - 'too sizy expression'
You used a string '' or list [], possibly recursive [[]], that is too sizy.
 - 'incomplete exception handler definition'
You probably used EXCEPT without HANDLE, or the other way round (see 13A on exception handling).
 - 'not allowed in a module'
You're doing one of the few things you can't do in a module, such as global variables with initialisations.
 - 'allowed in modules only'
you probably use EXPORT in your main source
 - 'this doesn't make sense'
general error.
 - 'you need a newer version of EC for this :-)'
You probably use a module that was compiled with a newer version of EC than you currently have.
 - 'no matching "["'
within a statement, a "]" was found, without a matching "]"
 - 'this instruction needs a better CPU/FPU (see
-

You use a construction (probably an asm instruction) that requires an OPT 020 or the like.

- 'object doesn't understand this method'
you invoke a method on a object that wasn't defined for its type.
 - 'method doesn't have same #of args as method of baseclass'
If you redefine a method, you have to make sure the new one has the same #of args as the original.
 - 'too many register variables in this function'
If you use :REG to assign register variables yourself, you can't use more than 5, currently.
 - 'Linker can't find all symbols'
If you use a module A that uses again a module B, B also needs to be linked. A relies on certain PROCs to be present in B, and if B was recompiled with those PROCs removed, the linker has trouble putting your exe together.
 - 'could not open "mathieeesingbas.library"'
If you use float code, the compiler itself may need float functions to be able to generate code.
 - 'illegal destructor definition'
You defined an end() method with arguments (or with a returnvalue)
 - 'implicit initialisation of private members'
You write a [...] or NEW [...] expression that has private parts.
 - 'double method declaration'
You defined a method on this object twice.
 - 'object referenced by other object not found'
You probably inherited from some other object in another module, and then changed it (its name for example) without changing/recompiling other dependant modules too.
 - 'unknown preprocessor keyword'
only #define, #ifdef, #ifndef and #endif are known by EC's PP.
 - 'illegal macro definition'
You made a syntax error in typing your #define (see 17L)
 - 'incoherent #ifdef/#ifndef nesting'
You forgot to close with #endif or similar
 - 'macro redefinition'
You can't use the same macro-name-identifier twice.
 - 'syntax error in #ifdef/#ifndef/#else/#endif'
(see 17L for the correct way to write conditionally compiled code)
 - 'macro(s) nested too deep'
You will get this if macros expand to other macros which expand to yet
-

others... such that the amount of memory needed for this is getting out of hand. More likely you just defined a recursive macro (which will want to expand forever).

- 'method definition out of object/module scope'
You can only define methods for an object in the same module/source where that object is defined.
- 'library definition problem'
Generally when there's something wrong with the procs you specified in the LIBRARY declaration, i.e.: one doesn't exist, is not a PROC or is a method etc.
- 'object not known at this point'
You are calling a method on an object whose type is not fully known at that point in the source. Better place the OBJECT at the top of your source.

1.108 ch_16f

16F. compiler buffer organisation and allocation

When you get the error 'workspace full' (very unlikely), or want to know what really happens when your program is compiled, it's useful to know how EC organizes its buffers.

A compiler, and in this case EC needs buffers to keep track of all sorts of things, like identifiers etc., and it needs a buffer to keep the generated code in. EC doesn't know how big these buffers need to be. for most buffers, like the one for various structures, this is no problem: if the buffer is full while compiling, EC just allocates a new piece of memory and continues. Other buffers, like the one for the generated code, need to be a continuous block of memory that doesn't move while compiling: EC needs to make a pretty good estimate of this buffersize to be able to compile small and large sources alike. To do this, EC computes the needed memory relative to the size of your source code, and adds a nice amount to it. This way, in 99% of the cases, EC will have allocated enough memory to compile just about any source, in other cases, you'll get the error and have to specify more memory with the '-m' (ADDBUF) option.

Experiment with different types and sizes of example-sources in combination with the '-b' (SHOWBUF) option (see 0D) to see how this works in practice.

1.109 ch_16g

16G. register allocation

E v3 supports a register allocation, which is a technique to keep variables in registers instead of on the stack. For normal code

that uses OS-routines you won't notice the difference very much, but for tight computation-loops, this optimisation can make a big difference. There are two ways to use register allocation:

- with the option REG.

If you write for example EC REG=3 bla.e, (max=5, currently), EC will compute for each PROC the 3 most-used variables in registers. Register allocation is a technique that tries to be intelligent: it will compute for each var a weight, and will use heuristics to increase that weight, for example a var used in a FOR loop gets relatively a higher weight than one outside it, and one in an IF gets an even lower weight. These weights are combined, so a WHILE in a FOR gets quite a high weight.

- DIY: you can put the keyword REG in front of any type in a declaration, for example:

```
DEF x:REG, s[4]:REG LIST
```

you can do this if you don't trust the register-allocator, or if you want to fine-tune just one PROC. You can even use both together: if in a PROC you have one var with :REG, compiling with REG=5 will allow EC to pick the remaining 4 by itself.

The default is REG=0, so EC works much like the older versions.

The variables that CAN be allocated are only local variables that are not parameters. also, if you take the address of a variable with {} it can't be put in a register either (guess why...). registers can't be allocated in PROCs that have an exception handler, for now.

There are a few things to note when using registers:

- this part of EC is currently (E v3.0a) was tested to be pretty reliable, but you still check that behaviour is the same as in non-allocated code.
- EC uses registers D7..D3 for variables, so if you use inline assembly, you need to check that PROCs that use register-allocation or :REG don't trash these (see 15E). The code generated for a PROC automatically saves the registers it uses (callee save) to protect the code that called it.
- hint: compiling with REG=5 is not inherently fastest, since variable saving on function/library calls also incurs an overhead. REG=3 may be better for some cases. Also if `_all_` code in question deals with library calls instead of pure computation, expect no gain from registers.

-> register allocation will easily make this program twice as fast

```
PROC main()
  DEF a,b=10,c=20,d
  FOR a:=1 TO 1000000 DO d:=b+c
ENDPROC
```

-> at most 5% faster when using register allocation

```
PROC main()
  DEF a,s[100]:STRING,t
  t:='putting "a" in a reg won''t give that much of a speedup, I think.'
  FOR a:=1 TO 100000 DO StrCopy(s,t)
ENDPROC
```

1.110 ch_17a

17A. bin/showmodule

As you might have noticed, E's equivalent for "includes", modules, are binary files, much like those usually supplied with Modula2 compilers, for example. To display the contents of such a file in readable ascii form, you may use showmodule:

```
showmodule <modulespec>
```

examples:

```
1> showmodule emodules:intuition/intuition
1> showmodule >gadtools.txt emodules:gadtools
```

note that showmodule by default outputs to stdout, and may be interrupted at any point by <ctrlc>.

when given the option -c, ShowModule will output modules with library declarations in .fd format, constants in #define format.

1.111 ch_17b

17B. sources/utilities/showhunk.e, bin/showhunk

Displays all types of executable files, and also object ".o" files as generated by (other) compilers/assemblers. will show you the (very simple) structure of executables generated by EC, but also supports complex overlay-files. also dumps labels (like XREF's and XDEF's).

most important of all, ShowHunk features a disassembler for code-hunks. use the option 'DISASM/S'

```
showhunk <exefile>
```

```
like:  1> showhunk helloworld
       1> showhunk disasm dpaint
```

1.112 ch_17c

17C. bin/iconvert, bin/pragma2module

These two utilities are for advanced E-programmers only. if you don't feel like one (yet), skip this part.

[NOTE: like the showmodule utility, the sources to these utilities have been removed from the distribution, because people misused their knowledge of the .m module format. It is PRIVATE. Contact me first if you want to do something with it.]

Iconvert will convert structure and constant definitions in assembly ".i" files to E modules, and pragma2module will do the same for SAS/C pragma library definition files. Of course, all commodores includes have already been converted this way, but say you find a nice PD library that you may want to use with E, you will need these utilities.

most libraries come with various includes defining, most obvious, the library calls of the library, as well as the constants and structures (OBJECTs in E) that it uses. say that it is called "tools.library", then it will probably feature:

```
pragmas/tools_pragmas.h
includes/tools.i
```

then do:

```
1> pragma2module tools_pragmas.h
```

rename the resulting "tools_pragmas.m" to "tools.m" and put it in emodules:, check with ShowModule if all went well.

Now, in your program you may use tools.library:

```
MODULE 'tools'

PROC main()
  IF (toolsbase:=Openlibrary('tools.library',37))=NIL THEN error()

  ToolsFunc()

...etc.
```

convert tools.i with Iconvert to another tools.m, which you place in emodules:libraries, for example. Iconvert needs an assembler like the PD A68k or PhxAss (use option "-p") to do the hard work of understanding the actual assembly.

```
1> iconvert tools.i
```

see with showmodule what became of the ".i" file. use in your program with:

```
MODULE 'libraries/tools'
```

```
DEF x:toolsobj, y=TOOLS_CONST
```

converting with Iconvert may require some assembly expertise, as Iconvert relies on the correct format of the ".i" file, just like commodores assembly includes. About 10% of the ".i" files need to be patched by hand to be "convertable". definitions that Iconvert judges correctly are amongst others

```
<label> EQU <any_expression>
```

```
STRUCTURE <sname>,0          ; if <>0, then <struct>_SIZEOF
ULONG <sname>_<label>
BPTR <sname>_<label>
    ; etc.
LABEL <sname>_SIZEOF        ; or "_SIZE"
```

to get an idea what kind of assembly-expression Iconvert can handle, take a look at commodores assembly includes and compare them to the equivalent modules (for example intuition.i).

1.113 ch_17d

```
17D. bin/ShowCache, bin/FlushCache
```

The E Module Cache is a piece of memory that is able to hold modules (.m) between compiles. The first time you use a certain module, EC will load it from disk and put it in the cache. the second time and on, EC will find it in cache and doesn't have to load anything from disk. If EC compiles a module of which an old version is present in cache, it will flush it. One can imagine that this a tremendous speedup, even for people with HD's when they use a lot of modules and recompile often.

To see what's currently stored in the cache (and how much memory it's wasteing :-), type:

```
1> ShowCache
```

A second utility, FlushCache, allows you to selectively remove modules from the cache. Reasons for this can be:

- you can't afford the memory it uses
- you created a new .m, with a tool other than EC, so you need to flush by hand (in all other cases it's NOT necessary to flush!).

The argument to Flushcache is the substring that needs to occur in a module name for it to be flushed. no args means flush all.

```
1> FlushCache                ; empty whole cache
1> FlushCache intuition/     ; flush all intuition-related modules
```

You can use the EC option 'IGNORECACHE/S' to compile a source without using the cache. Whether the cache is full or empty, EC will load all from disk, and store nothing new in cache.

If two EC's try to access the cache simultaneously in multitasking,

the second EC acts as if its IGNORECACHE flag were set.

1.114 ch_17e

17E. rexx/ecompile.rexx

This is a rexx-script for CygnusEd (tm), and enables you to compile E programs from the editor. Just assign this script a function key in the editor with "Install Dos/Arx command ..." (check your CED-manual if you're not sure how to do this). Now write your programs, and press Fx if you wish to compile. Your source will be saved if necessary, the compiler will be invoked on a separate console window, and the program is run on the same console. When your program is done, you may press <return> to return to the editor (CED-screen to back and front is automatically done by the script). If an error occurred during compilation, the script will let CED jump to the line of error after you pressed <return>

Note: in the script there is a path name as to where the compiler can be found. You probably need to change this. Also, the script copies EC to ram: for systems with a slower SYS: device, you may want to disable this if you have a fast HD.

1.115 ch_17f

17F. bin/o2m

If you have large pieces of assembly source that you'd like to use it would be tedious at best to convert them all by hand to E's inline assembly. o2m allows you to simply have your favourite macro-assembler assemble it all to a .o file, and o2, then will turn this .o file into a .m file for use with E. If you have a file bla.o:

```
1> o2m bla
```

will produce bla.m. However, the .o file will have to obey certain rules. It should consist of just one code-hunk with external definitions (XDEFs) for each symbol you wish to reference from E, and no XREFs. typically,

your source would look like:

```
XDEF add__ii
add__ii:
  move.l 4(a7),d0
  add.l 8(a7),d0
  rts
```

this example shows a bit of assembly code that gets two arguments (hence the two "i" for integer). arguments can be found on the stack, where 4(a7) is the last arg, 8(a7) the one before that etc.

Showhunk shows you this:

```

    hunk_unit:
HUNK -1 hunk_name:
    hunk_code: 12 bytes
    hunk_ext
    add__ii = $0

```

this type of .o file is easily transformed to .m by o2m:

```
/* this module contains 12 bytes of code! */
```

```
PROC add(a,b)
```

there are a couple of things to note:

- if your asm code uses D3-D7/A4/A5 you should probably save it.
- if a label doesn't have the "__" with an "i" for each function, it becomes a parameterless function. Don't worry if the label actually references data, you can simply get the address of this 'proc' with {}, and use it as a ptr to your data.

theoretically, o2m could be used to link C code to E programs, however in practise this is often not feasible. If your C compiler allows you to 'tune' the resulting .o files a bit, this might work.

some problems are:

- reference of C functions, for example _printf()
- reference of globals vars created by C startup code. C code may reference "DOSBase" as an XREF, whereas E's startup code makes this value available somewhere on the stack
- call/register conventions.

I did manage to link a small C function to E that only does some computation, and call it successfully (this was done using MaxonC++, whose linker uses the __ii convention for parameters also).

1.116 ch_17g

17G. bin/EYacc

This is a port of the famous Yacc utility for unix, which now produces E code instead of C code. It is only a first version, so don't expect too much from it. If you have no clue what Yacc does, read a text on it, since I'm not going to explain that in full here.

Basically you can write .y sources as normal, only where actions used to be written in C, now you can write E. See the Src/Yacc/bcalc.y example.

```
1> eyacc bcalc.y
```

produces a file 'yyparse.e'

```
1> ec yyparse
```

will get you a module, which contains only the function `yyparse()`. The rest of 'how to interface with Yacc' should be analogous to C.

[note: I'm halfway through a translation of Lex to E-Lex, but not done yet.]

further info.

E-Yacc is a modification of Berkeley Yacc 1.8, originally by `corbett@berkeley.edu`. The inclusion of this modified version in the E distribution is totally legal, as the author states in the original BYacc1.8 README:

```
" Berkeley Yacc is in the public domain. The data structures and algorithms
used in Berkeley Yacc are all either taken from documents available to the
general public or are inventions of the author. Anyone may freely distribute
source or binary forms of Berkeley Yacc whether unchanged or modified.
Distributers may charge whatever fees they can obtain for Berkeley Yacc.
Programs generated by Berkeley Yacc may be distributed freely. "
```

1.117 ch_17h

```
17H. Src/Various/SrcGen.e
```

```
-----
SrcGen GadToolBox source generator for E: beta version
[note: this is now very much obsolete. Have a look at EasyGUI]
```

You'll be needing GadToolBox v2.0 or higher, and have the `gadtoolsbox.library` that comes with it in your `LIBS:.` Now, with GTB, make some simple example (just a window with a few gadgets/menus etc.), save it as "bla" (filename will be "bla.gui"), and type:

```
1> SrcGen bla
1> EC bla
1> bla
```

"bla.e" contains the routines for opening your interface, as well as some routines to handle `idcmpmessages`, errors etc., and a dummy "main" that just waits for one selection. here you can put in your own code. see the commandline template how to stop SrcGen from generating these routines.

That's all there's to it. If you have problems, just check the source that has been generated.

1.118 ch_17i

```
17I. bin/EBuild
```

```
-----
```

now also described by its own documentation in the Src/Utils/Build directory.

1.119 ch_17j

17J. Aprof

described in its own documentation in the Bin/Tools directory.

1.120 ch_17k

17K. EDBG

bugs fixed for v3.3a:

- Double-clicking on window frames no longer sets breakpoints, etc.
- 'ARG/K' argument now works (sets the arguments for the program being debugged)
- More than 16 windows allowed now, without crashing!
- Safer closing of public screen
- Unary negation now works as an expression
- No longer ignores some identifiers with "_"
- Serious (but benign?) bugs in initial breakpoint setup code removed

features new for v3.3a:

- Integrated calls to Explorer to debug objects (extracts type information from declarations)
- Can now debug standard global variables
- Can now debug "self" variable (requires EC v3.3a+)
- "Follow Step" mode added (and configurable)
- "Repeat Step" mode added (useful for debugging loops)
- "^var" expression now handled
- Source location of offsets added (useful for finding Enforcer hits)
- Registers now marked with whether they have changed since last step
- Status/flags register now expressed more clearly

Explorer

To examine/watch a variable (in the current scope) double-click on it. To see it in Explorer, press Shift while you double-click. If Explorer is not running it will be automatically started (as "explorer" or whatever you set in the options, including any arguments). It will be instructed to open on the same screen as EDBG, and will quit when EDBG quits (but only if EDBG started it). Explorer ought to be run in Auto-Reply mode, and you need Explorer v2.2j+.

EDBG is the E sourcelevel debugger. To use it, compile your source with the DEBUG flag (this works on both main program and modules). This will add debug infos to your executable/module.

NOTE: Do NOT distribute a program of which any part is compiled with DEBUG/S. (You can check this with ShowHunk, it should not contain any hunk_debug). Programs with debug-infos are compiled with extra NOPs to facilitate debugging, which isn't wanted in the final code.

Always make sure sources and compiled are in the current directory, then fire up EDBG with:

```
1> EDBG exename
```

template:

```
EXECUTABLE/A,PUBSCREEN/K:
```

with for example PUBSCREEN=Workbench you can run EDBG anywhere. By default it opens its own screen, which is a clone of the workbench in size and display mode. EDBG works fine on the graphics-cards etc.

EDBG opens a window for every source/module in your project, and it will start with the one that contains 'main'. From there you can step through your code, and windows will automatically open when necessary. When code doesn't have a source attached, it can be executed only (which is sometimes handy, if it doesn't need to be debugged).

From here all is pretty intuitive. Major buttons are the first two pictures which are step over/in. Step in follows the code every step as it is executed, step over does the same but does not enter subroutines. [Just try it, the debugger is quite intuitive]

Other functions show memory or register windows, and various other functions. An important one is double-clicking on variable-names: this will show their contents in variable view window. Double clicking somewhere not on a variable allows you to set a breakpoint.

For the memory views, memory breakpoints, exception raising features a subset of the E expression language can be used to denote addresses and values:

```
values: 123, $ABC, %010101, "FORM"  
variables: a, {a}  
operators: +, -, *, /, ()
```

For example:

- to check when variable 'a' is modified, use '{a}' as a memory breakpoint.
- to view the memory pointed to by array 'a' (of LONGs) at offset 'b', use 'a+(b*4)' with a memory view.
- to change the contents of variable 'a' into 'b*2' click on the variable in the variable-view and select 'Modify'.

Note that when raising exceptions, that the handler for the current PROC is installed only at the first statement after the local DEFs, i.e. you will want to step past there first before raising an exception that should go to that handler.

To quit a debugging session in the middle of a program while still freeing all resources, or to test the capacity of your program to deal with failures, raise an exception.

Caveats:

- The debugged program runs on the same task as EDBG. this means that all code that does something special to the task will have to be careful. An example is Forbid() etc.
- A special case is ReadArgs(). because EDBG already read the args, a call from the debugged program will cause a read from the console. So you can conveniently type the args to your program on the EDBG output console and press return.

Know problems:

- The variable view treats scopes on basis of variable names

Future:

- editing in variable and memory views
- more extensive E expression language support
- E types support (OBJECTs in particular)
- cooperation with enforcer (as soon as I can run it)

The LINEDEBUG and SYM options.

The LINEDEBUG option adds linedebug info to your executable (for each line of code inside a PROC). This option is necessary for EDBG, but the DEBUG switch automatically turns it on. LINEDEBUG is partially compatible with the "LINE" HUNK_DEBUG produced by other compilers/assemblers, so it can be useful with other debug-tools as well. The SYM option is not necessary for EDBG, but can be useful for others, such as AProf or disassemblers.

The EDBG Arexx port (name: "EDBG")

EDBG's prefs saving works by saving an arexx-script, and running it again on startup. It will save specific prefs for every project, remember window positions (if you want to), and also variables you were watching!

Select 'Settings...', and after that 'Save Settings'. You may add optional Arexx-scripts that can be launched directly from EDBG's 'Rexx' menu. The saved script is '.edbg-startup.rexx' in the current dir, which you are encouraged to examine and modify.

currently supported EDBG Arexx commands:

QUIT

emergency exit (raising an exception is friendlier).

STEPIN

STEPOVER

RUN

step in/over and run to breakpoint. only actually performed when control returns to the debugged program.

EVAL exp

allows you to evaluate an E expression. You may use variables from the scope that is currently being debugged (much like 'Eval E Expression' from the menu). Nearly all Arexx commands that expect integer arguments can use similar expressions to EVAL. This is the only command that returns something in the rexx variable "rc" (the value of the expression). example:

```
'eval {a}+(b*4)'  
say 'rc =' rc
```

you might need to fiddle with "options failat". Note closely how these to get their variables from entirely different scopes:

```
'eval a+b'  
'eval' a+b
```

(from Arexx (!))

BREAKPOINT linenum

sets the breakpoint to that linenum (in the current view).

MEMORYBREAKPOINT addr

sets a memory breakpoint on that address. example:

```
'memorybreakpoint {a}'  
'run'
```

runs to the spot where variable "a" gets modified.

RAISE exception exceptioninfo

raises that exception in the debugged program.

ASSIGN varname exp

modifies a variable in the current scope. example:

```
'assign a a+1'
```

increases "a" by one.

WATCH varname varname ...

may be followed by any number of variable names. these will be inserted into the list of watched variables, which will then automatically be shown whenever you get to the scope that contains those variables.

MEMORY exp

opens a memory window on the address denoted by exp. doesn't check for validity of the address.

VARIABLES left top width height

opens the variable view window on that particular spot on the EDBG screen. If it was already open, it will resize it if necessary.

SRCWINDOW srcname left top width height

same for the source view of source "srcname"

NOABOUT

prevents the about window from popping up

NOREFRESH

will not refresh memory windows etc. at every step

REXX n script

sets up the arexx script "script" for launching within EDBG, from menu item "n".

[note: if you want EDBG to make debugging steps during the execution of your scripts, you should launch them with 'rx', as those launched from EDBG execute the whole script before returning to the debugged program]

1.121 ch_17l

17L. EC PreProcessor

EC has an internal preprocessor which features macro substitution and conditional compilation. These are not features of the E language, rather it has been integrated with EC for speed and flexibility.

Activating the preprocessor.
Until you type:

OPT PREPROCESS

EC will behave as normal. This OPT is necessary for any preprocessor related feature.

Macros.

The macropreprocessor is mostly compatible with Mac2E and the C language PP (see

You can define macros as follows:

```
#define MACRONAME
#define MACRONAME BODY
```

```
#define MACRONAME (ARG,...) BODY
#define MACRONAME (ARG,...) BODY \
    REST OF BODY
```

MACRONAME and ARG may be ANY case, and may contain "_" and 0-9 as usual. Whitespace may be added everywhere, except between MACRONAME and "(", because otherwise EC can't see the difference between arguments and a body. The BODY may contain occurrences of the ARGs. A macro may continue on the next line by preceding the end_of_line with a "\". A body should not extend over more than one statement. (a macroname with no body is useful in combination with conditional compilation).

Macro identifiers have precedence over other identifiers.

Macro definitions defined in a module will be saved in the module only if OPT EXPORT is on (#define can't be preceded with EXPORT). If that's a problem, keep macros together in their own modules. Macros in modules can be used in other code simply by importing them with MODULE and OPT PREPROCESS.

Using a macro.

Using MACRONAME anywhere in the program will insert the body of the macro at that spot. Note that this substitution is text substitution, and has little to do with actual E syntax. If the macros have arguments they will be inserted at their respective places in the macrobody. If the body (or the arguments) contain further macros, these will be expanded after that.

example:

```
#define MAX(x,y) (IF x>y THEN x ELSE y)

WriteF('biggest = \d\n',MAX(10,a))
```

will equal writing:

```
WriteF('biggest = \d\n',(IF 10>a THEN 10 ELSE a))
```

This immediately shows a danger of macros: since it simply copies textually, writing MAX(large_computation(),1) will generate code that executes large_computation() twice. Be aware of this.

Differences of the E PP from the C PP and Mac2E

- * it doesn't support 0-arg macros, i.e. MACRONAME()
- * comments part of a macro definition are not removed
- * macro arguments in string constants are replaced as well. This can actually be quite handy, to write macros such as:


```
#define debug(x) (WriteF('now evaluating: x\n') BUT x)
```

Conditional compilation.

This can be useful if you wish to decide at compile time which part of your code to use. syntax:

```
#ifdef MACRONAME
```

or

```
#ifndef MACRONAME
```

the piece of source following this will or won't be compiled depending on whether MACRONAME was defined. you can simply do this with:

```
#define MYFLAG
```

or somesuch. End a conditionally compiled block with:

```
#endif
```

Blocks like these may be nested. example:

```
#define DEBUG
->#define HEAVYDEBUG

#ifdef DEBUG
    WriteF('now entering bla() with x = %d\n',x)
#endif
#ifdef HEAVYDEBUG
    WriteF('now dumping memory...\n')
    /* ... */
#endif
#endif
```

1.122 ch_17m

17M. EC Library mode

NOTE: there are quite a couple of things you need to know before you can rush off and create a library. please read this WHOLE chapter before proceeding!

EC can generate shared library files that can be called from any programming language, and from any number of tasks at the same time. Additionally it supports almost all E language constructs in one way or another.

How?

You can create a library by writing a LIBRARY declaration at the top of the sourcefile you want to become the library. syntax:

```
LIBRARY name,version,revision,versionstring IS function,...
```

for example:

```
LIBRARY 'mytools.library',37,1,'MyTools 37.1 (2.7.95)' IS
    opengui,closegui,...
```

The function names are simply those of the PROCs (no methods!) you wish to make available as functions in the library. The order in which they appear is important, because it denotes at which offsets they will be in the library

(starting from -30). You can explicitly assign registers (e.g. `'myfun(A0)'`).

A source with a declaration like this is in many respects similar to a normal E source (i.e. not a module). You may also put names of PROCs from included modules in the LIBRARY declaration.

If all went ok, EC will compile your source to two files: the library file (with the name from the LIBRARY declaration, not the source file!), and a module ("`.library`" replaced by `".m"`) which contains information for other E programs on how to use your library (see of procedures have their first char converted to uppercase).

You may now use your library from another E program as follows:

```
MODULE 'mymodule'

PROC main()
  IF mymodulebase:=OpenLibrary('mymodule.library',37)
    /* ... use libfunctions here! ... */
    CloseLibrary(mymodulebase)
  ENDIF
ENDPROC
```

or similar. This is all the E syntax need to create and use libraries, however, there are quite a number of things one needs to know about what kind of E code may be put into libraries.

What's so special about libraries then?

Well, imagine that the code in a library is completely separate from the calling program, and that it may be executed at the same time by two different tasks. This weren't so problematic if it weren't for the fact that code in most languages needs a global environment, not only for storing global variables, but in E also for quite a lot of features including exception handling, memory, io, library bases, etc. (In E, the A4 register is used for this). It is safe to say that E code without this specific global environment is almost impossible.

This environment can't be provided by the program that calls the library, since this program might be written in C (even for E it would be a problem). It can't be stored in the library base, since two tasks might be using the library at the same time. So what do E libraries do? They create such an environment for every task that calls them. When the library is opened by a task, a small E environment for that task is created. When the task makes a call, the environment belonging to the task is looked up (and put in A4).

In practise this means that libraries created by E should be opened/closed by any one task EXACTLY ONCE, not more, not less (this shouldn't pose any problems though). If you put your library in the PD, you will want to put a programmers notice in your docs mentioning this. Strange things WILL happen if you don't obey this rule.

features and problems/suggestions, hints and tips:

- If you use global variables, or in general the global environment, remember

that you have a set of global vars for each task that uses your library. Global arrays are initialised as normal. (this is what you want, in general).

- A procedure main() still needs to be present. It will be called each time when a task makes an OpenLibrary() call to you library. Use it only to make minor initialisations, i.e. setting global vars to certain values, otherwise leave it empty. The code in main() is executed within a Forbid()/Permit(). If the source for a LIBRARY contains a PROC close(), it will be called when the user of the library calls CloseLibrary() (i.e. it is the counterpart to main()). [close still mentioned as unref]
- Lists with variable bits in them, i.e [1,2,a]. A problem when >1 task uses the library. This is a bit of a problem for example in taglists. For now one should probably prefix those with a NEW and FastDisposeList() them afterwards (hopefully a better solution will be found sometime later).
- Exceptions can be raised and caught like normal, only NO exception should be thrown out of a library call EVER (strange things might happen). If one of your library calls uses code that might throw an exception, you have to handle it at the bottom level and turn it into an error code or somesuch.
- In general, and specifically with NEW, if you allocate resources in the library, free them in the library. If you feel you have to leave memory behind from or to the library, use AllocMem. Also, don't deallocate stuff that the calling task allocated for you.
- If you need callbacks, use hooks from the OS. Using pointers to PROCs like for example EasyGUI does won't do, as these then will be executed within the libraries' environment (i.e. the calling task will not be able to reach its own A4 (or equivalent in another language)).
- LISP Cells make use of tricky garbage collection techniques on the stack, and generally will not work in libraries. This could be made to work, I guess...
- stdin, stdout, conout, arg, wbmmessage will all be NIL. If you wish to use for example WriteF(), it's best to open (and close!) your own console, and place its handle in stdout.
- libraries will stay in memory after use, so make you flush them regularly, otherwise debugging becomes particularly hard (you'll be using an old version: "didn't I just change that?"). Also close the library in all cases, otherwise you'll have to reboot to flush it. A trick to flush directly after testing the library is writing 'AllocMem(100000000,0)' or similar directly after the CloseLibrary() call.
- memory allocation like New() and NEW, and other resources that E startup code may arrange, are freed when the calling task closes your library, i.e. not when your library is removed. Remember that your code might be dealing (hopefully transparently) with different sets of global variables, NEW memory pools, resources etc.
- If you want to use libraries with other languages like C, note that ShowModule has a "-c" option that shows a library module in .fd format, which can easily be converted to pragmas for a specific compiler.
- Do not "convert" old code to libraries without looking at it first, especially don't put code you don't have the source to in libraries without thinking first (it might have static lists, exceptions at weird spots etc.). (easygui.m is an example of this).
- Test your code under different circumstances. Have two programs use your library at the same time, and close in different orders to see whether it has problematic code in it. Try letting it fall over in any combination of EDBG, NILCHECK/S, enforcer/mungwall etc. Test your code first as normal exe or module before turning it into a library.
- In general, If you do tricky stuff involving the task or global environment, remember that you're in a different position from normal E code.

Have a look at the examples in the Src/Library dir.

It is currently not possible to create devices directly with EC library link feature. If a lot of people require this feature I will build it in.

1.123 ch_18a

18A. The E grammar

This is a grammar of E for those who are interested. Don't expect it to be up to date or otherwise complete/correct though (it should be quite ok for E upto v2.1b atleast).

lex syntax: regular expressions
 parse syntax: own ASF/SDF adaption;

```

name = grammar ident
"name" = constant
() = grouping
| = or
e* = 0 or more of e
e+ = 1 or more of e
{e s}* = 0 or more of e separated by s
{e s}+ = 1 or more of e separated by s
[e] = e is optional
; e = e is comment :-)
```

LEX

```

whitespace = [ \t] ; also \n if last token is [,+-*/] or similar
            anything between "/*" and "*/"
            from "->" to \n
eol        = [;\n]
```

```

constant  = [A-Z] ( [A-Z] [A-Za-z0-9_]* )?
builtin   = [A-Z] [a-z] [A-Za-z0-9_]*
ident,objident = [a-z] [a-zA-Z0-9_]*
```

```

num       = [0-9]+ ; "-" is separate token
           $[0-9A-Fa-f]+
           %[01]+
fnum      = [0-9]*.[0-9]*
```

```

stringconst = anything in ''
charconst   = anything in ""
```

PARSE

```

program    = opts globalpart localpart

globalpart = ( modulestat | defstat | objdecl | constdecl | raisedecl ) *
localpart  = ( procdecl | constdecl ) +

modulestat = "MODULE" { conststring "," } + eol
defstat    = "DEF" vardecllist eol
objdecl    = "OBJECT" ident [ "OF" ident ] eol
            ( vardecllist eol ) +
            "ENDOBJECT" eol
constdecl  = "CONST" { ( constant "=" constexp ) "," } + |
            "ENUM" { ( constant | constant "=" constexp ) "," } + |
            "SET" { constant "," } +
procdecl   = [ "EXPORT" ] "PROC" ident "(" argdecllist ")"
            [ "OF" ident ] [ "HANDLE" ]
            ( ( "RETURN" | "IS" ) { exp "," } * |
              eol defstat * stats
              [ "EXCEPT" eol stats ]
              "ENDPROC" { exp "," } * eol )
raisedecl  = "RAISE" { ( constant "IF" builtin "(" compop num ) "," } +
opts      = ( "OPT" { setting "," } + ) * ; machine dependant

vardecllist = { vardecl "," } +
vardecl     = ident [ "=" num ]
            [ ":" ( "LONG" | "REAL" | "PTR" "TO" ptrtype ) ] |
            ident ":" objtype |
            ident "[" num "]" ":"
            ( "ARRAY" |
              "ARRAY" "OF" ptrtype |
              "STRING" |
              "LIST" )
argdecllist = { argdecl "," } +
argdecl     = ident [ "=" defaultarg ]
            [ ":" ( "LONG" | "REAL" | "PTR" "TO" ptrtype ) ]
ptrtype     = objtype | simpletype
simpletype   = CHAR | INT | LONG
objtype     = ident

stats       = ( ( onelinestat | multlinestat ) eol ) *
onelinestat = exp |
            lval "!=" exp |
            { var "," } + "!=" exp |
            "IF" exp "THEN" onelinestat "ELSE" onelinestat |
            "FOR" var "!=" exp "TO" exp [ "STEP" num ]
            "DO" onelinestat |
            "WHILE" exp "DO" onelinestat |
            "RETURN" { exp "," } * |
            "JUMP" ident |
            ( "INC" | "DEC" ) var | ; nearly obsolete
            asm_mnemonic { operand "," } * | ; machine dependant

```

```

"INCBIN" stringconst |      ; inline asm support
simpletype { num ", " }+ |
"VOID" exp                ; obsolete
multlinestat = "IF" exp eol stats
                [ ( "ELSEIF" exp eol stats ) * ]
                [ "ELSE" eol stats ]
                "ENDIF" |
"FOR" var ":@" exp "TO" exp [ "STEP" num ] eol
                stats "ENDPROC" |
"WHILE" exp eol stats "ENDWHILE" |
"REPEAT" eol stats "UNTIL" exp |
"SELECT" var eol
                ( "CASE" exp eol stats ) +
                [ "DEFAULT" eol stats ]
                "ENDSELECT" |
                "LOOP" eol stats "ENDLOOP"

explist = { exp ", " }+
exp = [ "-" ] { item binop }+ |
    exp "BUT" exp
item = num | fnum | lval | stringconst | charconst |
    "SIZEOF" objident |
    "IF" exp "THEN" exp "ELSE" exp |
    "[" explist "]" [ ":" ptrtype ] |
    ( builtin | ident ) "(" explist ")" |
    var ":@" exp |
    "{" ident "}" |
    "`" exp |
binop = mathop | compop | logop
mathop = "+" | "-" | "*" | "/"
compop = "=" | "<>" | ">" | "<" | ">=" | "<="
logop = "AND" | "OR"
constexp = [ "-" ] { num ( "+" | "-" | "*" | "/" ) }+
lval = var ( "[" [ exp ] "]" | "." ident ) * [ "++" | "--" ] |
    "^" var [ "++" | "--" ] |
var = ident
defaultarg = num

```

1.124 ch_18b

18B. Tutorial

NOTE: the original E v2.1b tutorial has been removed, since it was not a very useful tutorial, IMHO. Instead, Jason Hulance made an extensive E tutorial (Docs/BeginnersGuide/) that you'd definitely want to take a look at.

1.125 ch_18c

18C. Mapping E to C/C++/Pascal/Ada/Lisp etc.

 [some new stuff has been added here]

In the first/second column I will match E against AnsiC/C++, the third column is reserved for a third language. I will mainly use Pascal here, but where a feature asks for it, I will use others (for example, LISP with quoted expression, Ada with exceptions etc).

note well: take these tables with a grain of salt. I'll try to denote syntactic equivalences, and semantic properties as well as possible, but different languages still need their own evaluation.

usage of signs:

- = feature not available in language in question.
 ? = author has no clue what this feature translates to.
 (or at least he's not sure).
 ... = feature may be available, but no appropriate 1:1 translation possible to make it interesting.
 x,y,z = arbitrary identifiers
 e,f,g = arbitrary expressions
 s,t,u = arbitrary statements
 i,j,k = arbitrary integers
 etc.

 STRUCTURE/STATEMENTS

E C/C++ Pascal

 PROC x() int x() { FUNCTION x:INTEGER;
 PROC x(y,z) int x(y,z) { FUNCTION x(y,z:INTEGER):INTEGER;
 PROC x(y=1) int x(y=1) { -
 ENDPROC return 0; }; x:=0; END;
 ENDPROC e return e; }; x:=e; END;
 ENDPROC e,f,g - -
 RETURN e return e; ?

 IF e if(e) { IF e THEN BEGIN
 ELSEIF e } else if(e) { END ELSE IF e THEN BEGIN
 ELSE } else { END ELSE BEGIN
 ENDIF }; END;
 IF e THEN s if(e) s; IF e THEN s;
 IF e THEN s ELSE t if(e) s else t; IF e THEN s ELSE t;

 FOR x:=e TO f - (1) FOR x:=e TO f DO BEGIN
 FOR x:=e TO f STEP i - - (2)
 EXIT e if(e) break; -
 ENDFOR - END;
 FOR x:=e TO f DO s - FOR x:=e TO f DO s;

```

WHILE e      while(e) {      WHILE e DO BEGIN
EXIT e      if(e) break;      -
ENDWHILE    };      END;
WHILE e DO s      while(e) s;      WHILE e DO s;

s; WHILE e      for(s;e;u) {      s; WHILE e DO BEGIN
  t; u          t;          t; u
ENDWHILE      };      END;

REPEAT      do {      REPEAT
UNTIL e      } while(!e);      UNTIL e;

LOOP      for(;;) {      WHILE TRUE DO BEGIN (?)
ENDLOOP      };      END;

SELECT x      switch(x) {      CASE x OF
SELECT x OF y      switch(x) {      CASE x OF
CASE 1; s...      case 1: s...; break 1: BEGIN s... END
CASE a+1      -      -
CASE 1,2,3      case 1: case 2: case3: 1,2,3:
CASE "a".. "z"      -      -
ENDSELECT      };      END

INC x      x++;      x:=x+1; (INC())
DEC x      x--;      x:=x-1; (DEC())
JUMP lab      goto lab;      GOTO lab;
x:=e      x=e;      x:=e;

/* */      /* */      { }
->      //      -

```

- (1) see WHILE; C has no FOR, "for" in C is another way of writing "while"
(2) only STEP -1 as DOWNT0

VALUES

E	C/C++	Pascal
1	1	1
1.0	1.0	1.0
\$1	0x1	?
%1	?	?
"a"	'a'	chr(97) (?)
'blabla'	"blabla"	'blabla'
[1,2,3]	- (1)	-
[1,2,3]:INT	-	-

- (1) in translating from E to C, you can often simulate them with:

```
myfunc ([1,2,3])
```

becomes:

```
int dummy [] = {1,2,3};
myfunc (dummy);
```

OPERATORS

E	C/C++	Pascal
+ - * /	+ - * /	+ - * DIV
= <> > < >= <=	== != > < >= <=	= <> > < >= <=
AND OR (log)	&&	and or
AND OR (bit)	&	?
SIZEOF x	sizeof(x)	-
`e	-	(1)
^x (4)	*x	...
{x}	&x	...
x++	x++	-
x--	--x	-
-x	-x	-x
IF e THEN f ELSE g	e ? f : g	-
x.y	x->y	x^.y
-	x.y	x.y
x.y.z	x->y->z	x^.y^.z
x:=e	x=e	-
e BUT f	(e, f)	-
x[]	x[0] *x (2)	x[0]
x[1]	x[1]	x[1]
x[1] (3)	&x[1]	?
x[1].y	x[1]->y	x[1]^y
x[]++	*x++	-
x[1].y++	*(x+1)++	-
x::y.a	((y *x)->a	-
x.y::z.a	((z *x->y)->a	-

(1) see QUOTED EXPRESSIONS

(2) also for others, equivalences between *(x+e) and x[e] hold.

(3) if ARRAY OF <object>

(4) ONLY for giving by reference. otherwise: "[]"

CONSTANTS/TYPES

E	C/C++	Pascal
CONST X=1	#define X 1	CONST X=1;
	const int X=1;	
ENUM X,Y,Z	#define X 0 (etc.)	TYPE x=(X,Y,Z);
	enum x{X,Y,Z};	
SET X,Y,Z	-	TYPE x=SET OF (X,Y,Z);
DEF	VAR	
x	int x; (or: long x;)	x:INTEGER;
x:LONG	int x;	x:INTEGER;
x:PTR TO y	struct y* x;	x:^y;
x:y	struct y x;	x:y;
x[10]:ARRAY OF y	struct y x[10];	x:ARRAY [0..9] OF y;
x[10]:STRING	- (1)	x:STRING[10]; (2)
x[10]:LIST	- (1)	- (1)

```
x:REG      register int x;
```

```
OBJECT x    struct x { (3) TYPE x = RECORD
  y:CHAR,z:INT      char y; short z;   y:CHAR; z:INTEGER;
ENDOBJECT    };      END;
```

- (1) when translating from E to C, simulate with an array of char/int resp., and do your own range-checking etc.
- (2) no Wirth Pascal, but available in all popular dialects.
- (3) or public class.

QUOTED EXPRESSIONS

E	LISP	MIRANDA
'e	(QUOTE e)	'e (3)
	(LAMBDA () e)	(1)
'x+y	'(+ x y)	
Eval('e)	(EVAL 'e)	
ForAll(v,l,'e)	-	(2)
MapList(v,l,l,'e)	(MAPCAR (LAMBDA (V) E) L)	map (\v->e) l

example:

```
E:      MapList({x}, [1,2,3,4], a, 'x*x)
MIRANDA: map (\x->x*x) [1,2,3,4]
LISP:   (MAPCAR (LAMBDA (X) (* X X)) '(1 2 3 4))
```

- (1) really QUOTE, but sometimes used where in LISP LAMBDA would be used, like in MapList()
- (2) not even in ProLog, see other logical languages.
- (3) lazyness would be used instead here

UNIFICATION AND LISP CELLS

E	LISP	PROLOG
<1 2>	(1 . 2)	[1 2]
<1,2,3>	(1 2 3)	[1,2,3]
<1,2 3>	(1 2 . 3)	[1,2 3]

E	HASKELL	PROLOG
e <=> <x y>	(x:y) = e	e = [X Y]
e <=> <1,2,x>	[1,2,x] = e	e = [1,2,X]
e <=> [1,x]	-	-

EXCEPTIONS

E	C++	ADA
---	-----	-----

```

PROC x() HANDLE int x() { try { function x is begin
EXCEPT      } catch (exc) { (1) exception
EXCEPT DO   -      -
ENDPROC      }};      end x;

Raise(e)      throw e;      raise e;
Throw(e,f)    ?      -
ReThrow()     throw e;      raise e;
RAISE "MEM" IF New()=0 -      - (2)

```

- (1) catch handles only one specific exception, it's quite different from general exception handlers as used in E.
- (2) the runtime system does raise some exceptions, but I'm not sure whether automatically raised exceptions can be defined in Ada.

OBJECT ORIENTED PROGRAMMING

E C++

```

OBJECT x      class x {
OBJECT x OF y  class x : y {
self.i        this->i
PROC a OF x IS self.i virtual int x::a() { return i; }
-            int x::a() { return i; }
PROC a OF x IS EMPTY virtual int x::a() =0
PUBLIC        public:
a.method(1)   a->method(1)
SUPER a.method(1) a->supername::method(1)

```

[see also next part under NEW]

BUILTIN FUNCTIONS AND MEMORY ALLOCATION

(only a few are presented here, as an example)

E C/C++ Pascal

```

WriteF(fs,...)  printf(fs,...);  WriteLn(a,b,...);
                cout << a << b ... ;

ReadStr(f,s)    scanf(fs,...)  ReadLn(s)
Val(s)          Val()
                cin >> s;

StrCopy(s,s,n) (1) strcpy(s,s)  s:=s; (2)

Mod(e,e)        e%e            e MOD e
Shl(e,n)        e<<n           Shl()
Long(e)         -              -

p:=New(e)       p=malloc(e);    New(p);
NEW p          p=new type;
NEW p.constr() p=new constr()  -

```

```
NEW [e,f,g]    -    -
Dispose(p)    free(p);    Dispose(p);
END p        delete p;
```

- (1) when translating from C, make sure you turn the arrays of char into proper STRINGS.
- (2) dunno what function is needed in the pointer case.

1.126 ch_18d

18D. Amiga E FAQ

[94_10_1..94_12_1]

This FAQ-list (Frequently Asked Questions) was compiled by looking through old email and gathering those questions which keep popping up.

Compiler/Linking/Executables

- Will EC generate code for PowerPC Amiga's, if they become available?

Likely, though don't pin me down on this. I have an idea on how to adapt EC for PPC, and maybe other processors/languages as well. When, where and how this is going to happen depends, and you'll just have to wait. A project like this easily requires a year's worth of hard work, so if I'm to go through with it, it'd better be worth it. That of course depends heavily on the future of the Amiga.

- How can I link E code with other languages? / use standard object (.o) format?

Converting between .m and .o really isn't a huge problem, as one can see from the o2m utility, which allows cooperation between E and Macro-Assembly quite marvelously. The problem with C is in the compiled code, not the file format. Anything but trivial C will reference things like _DOSBase, link-library functions, stack-bases or other things from startup-code that E provides in a quite different way, for example E's startup code is very different from that of C compilers, and dosbase in E is placed on the stack, not in the exe as with C. Even two C compilers may have these problems. If you can get your C compiler to deliver a .o without external references etc., you can link it with E (I did this once with MaxonC++). If you need to program a project in both E and another language, you may wish to look at E's (or the other language's) library linking facilities. E is really quite a bit different from other languages (e.g. C), and providing .o linking facilities only makes sense if the code contained in the .o files can cooperate, which isn't the case with E.

- Can I link amiga.lib?

Currently no. To a lesser extend this has the same problems as .o files. Many functions from amiga.lib have already been "converted" to E modules. (see

- Can E code be made resident?

Nearly ALL E code is already resident-able without the help of the programmer. As far as I know, the only E construct that can violate this is a static list [] with an expression in it (so [a], for example. [1] or NEW [a] is ok.).

- I have this application with pieces of inline asm, and after OPTI/S it behaves weird. what is going on?

Inline asm may use the same registers as the register optimizer does. check E.doc for this.

- I wrote X in both C and E, and the E version is Y times slower/faster. how come?

It's not easy to compare both in a fair way. Often it may be the case that one of the two has more optimized routines for something (string handling, I/O etc.). Use of a profiler can reveal this. If the code in question only does calculations, there's no reason why any of the two should be significantly slower than the other, if used properly.

- I have written this nice 'myutils.m', only when I use one function from it, EC links all. I don't like that.

The style of writing modules in E is to keep them as relatively small units, with only related code and data. (This makes more sense if you know that the module is the unit of datahiding in E). Split it up!

- Can I make EC resident?

no, currently not. EC itself is still written in old-fashioned assembly style, and cannot be made resident ;-)

- Can we have an option for EC to generate assembly source instead of an executable?

No. There's no intermediate level of assembly in EC, it generates code directly. Using a disassembler is as close as you will get.

- I have been disassembling some code generated by EC, and I think this bit of code here can be optimized to this bit of code.

Sure it can, I can see that too. But EC is not an assembly programmer. Doing really very high quality optimisations would require a complete rewrite of EC, and would make it a lot slower, even with optimisation off. Writing a good optimizer for a compiler is quite a non-trivial operation, and if some EC generated code is sub-optimal or downright silly doesn't mean I must be amateur assembly programmer too, and you need to explain me how its done.

- E should have a CHIP keyword or somesuch, to put data areas in chip memory.

I don't find this worth it. If the amount of data is small (a gadget image), it's no waste doing a CopyMem(). If it's large (an iff picture, a sample), what's it doing in the executable in the first place? load it directly to

chip mem from disk.

Resources

- There's no explanation in the docs of all those handy functions from `intuition.library` etc. How come?

The functions are not part of E, rather they are part of the Amiga OS. As such, they are described by Commodore's documents, not by the E documents. "The AMIGA ROM Kernel Reference Manuals" are a series of books published by Addison Wesley. A good place to start is for example "Libraries", ISBN 0-201-56774-1. Other books are worth considering too, an example is "The Amiga Guru Book" by Ralph Babel. All the C code you come across in the RKRM is available in E form in `Src/RKRM/`

- I'd like to read more source code than what comes with the distribution where should I look?

There are lots of places to look, but the best is without doubt Aminet (A collection of FTP-sites on the internet), for example `ftp.luth.se`. In the directory `'pub/aminet/dev/e'` you'll find all sorts of E related stuff. Some BBS'es outside of the internet also carry Aminet, and there are even CDROMs available. Another good place to pick up sources and to talk with fellow E programmers is the E mailing list. Send an email with `'SUBSCRIBE'` in the subject to `'amigae-list@intercom.it'` (or `'UNSUBSCRIBE'` if you want get off it again), and any future messages to the same address. If you have any problems with the list email `'fsoft@intercom.it'` (Fabio Rotondo, the list administrator). The old list at `amigae-request@bkhouse.cts.com` is no longer operational. There are E discussions on other nets as well (FidoNet, AmigaNet), public domain disk series (EPD in Europe/Germany, same address as the German registration site), furthermore there are heaps of user-clubs, BBS's etc. supporting E these days. Just look around in your area.

- I have troubles understanding your incomprehensible English. Can I read about E in my own language?

There are translations of E.guide (some older versions) in German, French, Spanish and Italian, the first three are available on Aminet.

- Where can I find any E related sites on the WWW?

You can take my home page (<http://ecs.soton.ac.uk/~wvo96r/>) as a starting point. It has an E homepage which has links to a few other E sites.

- I have heard about this mailing list. Is it any good?

Find out for yourself. If you're serious about E it's definitely a must, also because it's the place where news on E is generally released first. Many good E programmers are on it as well, so you are sure to get the right answers to your questions.

- I have a hard time getting on the mailing list. Could you take care of that for me?

I personally don't have anything to do with the administration of the list,

so I can't help out any better than anyone else can. Remember that the server is an automated process, so you need to be very precise in what you send there. Don't send administrative post to the list at large, instead try and get hold of the administrator (Fabio Rotondo: fsoft@intercom.it).

- I'm new to internet. Could you help me get on the mailing list / FTP files from Aminet etc...?

Stuff like that is way beyond my service. Please try and contact someone locally.

- How do I know what is the latest version / How do I receive it?

If you're on the mailing list you'll be the first to know. Aminet is the place where releases and updates are uploaded first.

- Can you send me email as soon as a new version is out?

No. I used to send all registered users email with new versions, but can't do so anymore as the number is too large (last time I tried I jammed our network and crashed various workstations).

- How do I register?

please read E.doc on this.

- Does E exist for other platforms?

Not Yet. Personally I have undertaken small projects to make portable compilers/translators, and several others have E compiler projects on other platforms, but nothing has come out of this so far. Portability of some form might be available as a spin-off of the PPC backend project (see

- Can I become an E registration site for country X?

Generally I pick sites myself, when I feel the necessity, and know someone in that country pretty well.

- Can I start an E support BBS / an E programming club...?

You can always do that, without asking me. I of course enjoy hearing about efforts like this...

- Just out of curiosity, how many registered E programmers are there?

This changes all the time. Inquire within :-)

Programming

- Can I do X in E? (where X = {games, dtp-packages, ...})

E is a general purpose programming language, so there shouldn't be any type of program that can't be done in E (with few rare exceptions, which are covered by E's inline asm). This doesn't mean E is especially equipped for certain types of programs, i.e. E has no special functions for games (though its

extensibility makes it easy to add them).

- How do I create X in E (where X = {window, interrupt handler,...})

as with the last question, E just opens the possibilities to write anything, and there isn't always a specific function available. In the worst case this means having to use difficult functions from spooky libraries, but it's worth it getting to grips with that. If you're lucky some E programmer already has done something similar which you can learn from.

- Please write me an example how to do X in E.

Please try to figure it out yourself first, or ask other E programmers to help out.

- The compiler refuses to compile things like `myscreen.rastport.bitmap`, even though `x.y.z` is generally possible. Why is that?

Thanks to jasons v40 modules this should not be a problem anymore. The only case where this can still occur is if you do not include the module that defines the object "z" is in.

- I'm writing code like this:

```
DEF s[100]:STRING
s:='my beautiful string'
```

which is allowed by the compiler, but later gives me problems. What can possibly be wrong with this?

If you're used to for example BASIC, you're used to handle strings in the same way as integers, as they are both `_values_`. In E however there are no real string variables in the BASIC sense, the DEF above creates a piece of memory to hold a string, then sets the variable as a pointer to this memory. The pointer and the memory are implementation-wise two unrelated entities. From that DEF on, all operation that directly access 's' access the pointer, which is just an integer which tells us where to find the actual string. The assignment thus puts the address of 'my beautiful string' into 's', overwriting the old value. The string-memory created by the DEF sits there unaltered, and now unaccessible because no pointer points to it. Functions like `StrCopy()` can use this pointer to find the real memory, and can fill it:

```
StrCopy(s,'my beautiful string')
```

is correct. Of course assigning strings as pointers also has a use, for example if you just want to read the string data and do nothing else with it. then:

```
DEF s:PTR TO CHAR
```

allocates no memory for a string, only the pointer. the assignment above would now make sense. This all boils down to the differences between pointers and values (or value/reference semantics), and is important to understand to successfully program in E.

- How do I return a STRING / OBJECT etc. from a function?

depends. If you just wish to use it as temporary return value, give a string as argument and let the routine fill it. If you need to create a NEW string/object, allocate it dynamically within the function, and return the pointer.

- can I create an array of typed pointers, eg ARRAY OF PTR TO LONG

um... no. you'll have to use an ARRAY OF LONG instead.

<more of these specific questions are to be added>

Bugs

- I remember programming something when suddenly the compiler crashed/misbehaved/produced an internal error/gave wrong error messages. shouldn't you be doing something about this?

If I have no clue where to look for a bug I can't fix it. If you stumble across something that you're sure of is a compiler bug, make a copy of the source that reproduces the bug (possibly cut the source down while making sure it still shows the bug) and send it to me with as much info as possible. EC-enforcer hits for example are very useful.

- I wrote program X, but it crashes. I'm positive I made no mistakes, so certainly this must be a compiler bug.

due to E's untyped-ness, you can never be quite sure you're code is correct. Most code send to me with comments like the above later proved to be errors in the code, mostly due to lack of E knowledge. Read the docs, and use EDBG!

Future Features

Will E have...

- Initialisation for globals in modules?
- Unaligned object members?
- Bitfields?
- Startup code that doesn't open intuition etc.?
- A feature to automatically include all modules used by a module?
- Access to object members in methods without the 'self.' prefix?
- DEFs halfway PROCs or local to loops etc.?
- Disassembly mixed mode for EDBG?
- Sourcecode level #include?
- Unsigned INT/LONG or signed CHARs?
- Multiple statements in macros?
- Multiple error messages?
- Dereferenced variables in lefthandsides of assignment expressions, multiple returnvalue assignments, and the {} operator?
- Inlined code for small functions (e.g. Shl())?

No. Or atleast very unlikely.

- Registerised arguments?

It surely is possible but like many things it's not a priority for me.

- Library linker?

Yes, it's included in this version.

- Multiple Inheritance?

Not possible in E. MI breaks with structural compatability between objects, and needs relatively strong typing to resolve this.

- PROCs inside PROCs?

Not likely.

- multidimensional arrays?

Not likely either. In E there isn't really something like an array, just pointers that point to a large amounts of equally sized objects. To have twodimensional arrays, one needs to have the concept of 'size' of an array, which E doesn't have.

- Overloading

No. Overloading requires quite strong typing to distinguish which function to call. Besides, overloading is 100% syntactic sugaring, it doesn't provide any added functionality whatsoever.

- more 020/881 support?

Yes, eventually. It just isn't at the top of my TODO-list.

- assembly source output?

No. Unlike other compilers, E never passes an assembly stage, E code is compiled directly to opcodes. Providing this feature would boil down to doing a disassembly. E's inline assembler is not used for generating code for E constructs. (see

- C compatible syntax?

Often people are used to some type of language (mostly C), and don't understand why a programming language design isn't as configurable as a directory utility or text editor:

'I like "=="/"=" better than "="/"=":'

'Can't you switch "" and "' ?'

'Why doesn't "--" work as in C?'

'I hate typing CAPS for keywords!'

'No precedence sucks!'

The features 'referenced' above will never change, and you'd better get use to them. All design decisions have good reasons, and unlike some rumours they were not done for compiler speed (infact implementing them more traditionally wouldn't make the compiler any slower).

- Why is feature X in E not like language Y, which I find better.
-

Like above, the design of a language isn't changed just because of personal preference. If you have strong ideas of what a language should look like according to you, and those ideas stem from language Y, then use Y. If you can't find your ideas in any existing language, then it's time to design and implement your own! (I'm not kidding, it's worth the trouble! and you can always start with E... :-)

- X maybe?

Having seen literally hundreds of programming languages, your chances of suggesting a new feature for E which I haven't thought of before are not too bright. Many things don't 'fit' into E, and in general time is limited to add more fancy stuff. (If you look closely, the amount of features in E is already quite high for an average programming language). I have quite a huge list of possible features for E, and eventually some of these will be implemented. just wait and see...

1.127 ch_18e

18E. TODO/BUG list

 By popular demand: This is an extract from my todo/bugs list for E. The real list is much longer, since I left all the real details/unimportant stuff out. Don't go and ask why any of these items haven't been done yet; the answer will generally vary from the tactical "due to the internal structure of the compiler fixing this bug is more work than the collective trouble it will ever cause" to the honest "I'm too lazy: I can't be bothered" :) Don't go and ask me "when?" either.

Bugs I haven't been able to reproduce:

- * compilation problems on 060
- * broken Lock in combination with MCX

Bugs still not fixed:

- * dereferencing an untyped OBJECT member is not properly interpreted as "PTR TO CHAR". Easy workaround: Give the member a type.
 - * debug hunks don't contain directory information for projects split up over sub directories.
 - * error reports can sometimes be off by several lines.
 - * error reports for inline assembly often doesn't work.
 - * unreferenced check too conservative in some cases.
 - * doesn't detect two library functions with the same names.
 - * constant folding optimizer often misbehaves, disallowing you to do things like '1+SIZEOF o' in constant expressions or 1+a as list-elements.
 - * internal linker problem doesn't allow for private methods.
 - * strings in lists cannot be joined by "+" (optimizer problem).
 - * StrCopy/MidStr don't fill dest with empty-string if len=0
 - * methods and procs in one module cannot have the same name (other than by inheritance).
-

- * Exists() evaluates all regardless.
- * SUPER doesn't check whether the superclass actually has such a method.
- * recompiling a module that is being used at the same time by another invocation of EC can give problems.

Future Todo's

- * fix above bugs :)
- * extend CONST expressions with floats etc.
- * find a way to split up executables in more hunks
- * add symbols for methods
- * lots of extensions to the optimizer
- * proper 020+ support
- * improve error reporting
- * class variables
- * short-circuit AND / OR

Wild Ideas (aka Big Todo's)

- * plug a general back-end onto EC (to allow for code generation to other cpus (e.g. PPC) or even languages (e.g. C) or better optimizers etc.)
- * extend the language with lambda's / higher order functions / lazyness etc.
- * concurrency system based on Linda
- * better debugging / analysis / type inference tools
- * full visual language on top of E

-----EOF-----