

NewWait4Port

Jean Holzammer

Copyright © 1999 by Jean Holzammer

COLLABORATORS

	TITLE : NewWait4Port		
ACTION	NAME	DATE	SIGNATURE
WRITTEN BY	Jean Holzammer	January 19, 2025	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	NewWait4Port	1
1.1	NewWait4Port Documentation	1
1.2	introduction	1
1.3	features	1
1.4	installation	2
1.5	usage	2
1.6	bugs	3
1.7	history	3
1.8	copyright	3
1.9	contact	3

Chapter 1

NewWait4Port

1.1 NewWait4Port Documentation

© 1999 by Jean Holzammer

Introduction	What is it all about ?
Features	What's so special with NewWait4Port ?
Installation	How to make it work
Usage	How to use it
Bugs	No program is perfect
History	Have a look back
Contact	How you can get in contact with me

1.2 introduction

So what does it do ?

NewWait4Port is a replacement of the WaitForPort command provided with Amiga-OS. It waits for a Message Port to appear and then end itself. This is useful for batch scripts. Here's an example:

```
run <>NIL: Miami:Miami          ;start Miami TCP/IP-Stack as background task
NewWait4Port MIAMI.1           ;wait for its Msg port to appear
rx "ADDRESS MIAMI.1 ONLINE"    ;send a rexx command to this port
```

This script waits till Miami has been started and its ARexx Port is available. Then it tells Miami to go online. Without NewWait4Port you would try to send a rexx message before the Port is available as it needs some time for Miami to start. Of course you could use a simple wait 5. But you never really know how long Miami will need to start.

1.3 features

The original WaitForPort command of Amiga-OS has two major disadvantages:

- it ends itself if the port isn't available within 10 seconds.

·it uses an endless loop of FindPort() calls resulting in a massive loss of CPU performance.

NewWait4Port waits for the Port to appear even if it has to wait for hours. It also allows you to define a delay time between FindPort() calls preventing a loss of CPU performance. ↵

1.4 installation

Nothing's as simple as that.

Copy NewWait4Port to sys:rexxc/
Rename it to WaitForPort if you like.

Copy the documentation to wherever you want.

1.5 usage

Usage:

PORT/A,DELAYTICKS/N

PORT/A is the name of the message port to wait for. This argument must be provided. If the name includes spaces you need to enclose it with ". Consider that Amiga-OS port names are case sensitive !

DELAYTICKS/N is the delay time between the single FindPort() calls. The value given must be the number of 1/50 seconds (=1 tick). Defaults to 0 (behaviour of the original WaitForPort command). 25 is probably a good value here.

Example:

```
NewWait4Port MIAMI.1 10 ; waits for MIAMI.1 port to appear. It checks its
                        availability every 10/50 second (=200 milli seconds ↵
                        ).
```

If you start NewWait4Port without any arguments Amiga-DOS will show you the template and ask you for input. If you input a ? now you will get a more detailed explanation of the arguments. ↵

You can cancel NewWait4Port by sending a CTRL_C break. This can be done by pressing <Ctrl><c> or by the following commandline: ↵

```
break `status COM=newwait4port` C
```

Note that it can take up to DELAYTICKS time for the program to quit as the program

cannot quit within a Delay() call.

1.6 bugs

No bugs known (so far...).

Tell me if you find one.

1.7 history

1.00 First Version, first Aminet Release

1.8 copyright

©1999 by Jean Holzammer

This Programm is Freeware.

You may use it for free for private and commercial use.

You may distribute it as long as you provide the full and unmodified archive.

If you distribute it commercially you may not charge more than 1 EUR per disc or 5 ↔
EUR per CD-ROM.

Otherwise you need my explicit permission.

Permission is hereby granted to Aminet CD-ROMs and Aminet Set CD-ROMs.

1.9 contact

Do you want to report bugs, make suggestions or show me you like this product you ↔
can contact me at

jholzammer@bene.baynet.de

snailmail:

Jean Holzammer
Ringstraße 20
92369 Sengenthal
Germany

fax: (0049 for Germany) 089/6661 713 498

<http://Jean.Holzammer.home.pages.de>

You can also contact me if you are interested in the source of the programm.

Thanks to:

- Wouter van Oortmerssen for his implementation of the E language.
 - Dietmar Eilert for the best text editor available on any platform.
 - Urban Müller and his team for the Aminet that initiated a boom of freely ↵
 available
 software.
 - Richard Körber for GuideML.
 - everyone else supporting the idea of free software and open source technology.
-