

PrintManager

COLLABORATORS

	TITLE : PrintManager		
ACTION	NAME	DATE	SIGNATURE
WRITTEN BY		January 19, 2025	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	PrintManager	1
1.1	PrintManager v39 - © 1997-1999 by Stephan Rupprecht	1
1.2	PrintManager.guide/Copyright	1
1.3	PrintManager.guide/Overview	2
1.4	PrintManager.guide/Shareware	2
1.5	PrintManager.guide/Author	3
1.6	PrintManager.guide/Requirements	3
1.7	PrintManager.guide/Installation	3
1.8	PrintManager.guide/Usage	4
1.9	PrintManager.guide/SetPUNT	12
1.10	PrintManager.guide/History	12
1.11	PrintManager.guide/Credits	15
1.12	PrintManager.guide/Bugs	15

Chapter 1

PrintManager

1.1 PrintManager v39 - © 1997-1999 by Stephan Rupprecht

Ää\$\\div\$äëñßäëï PrintManager

Import information:

Äëëäéþíáðá	Äëëäéþíáðá éäé íìëëÛ
Ðñëäñäöþ	PrintManager? Ôé åßíäé ?
ShareWare	Ôï PrintManager åßíäé SHAREWARE
Ðñíäñáìíäðéóððò	Ðùò ìðïñþ íá äñþ ôïí ðñíäñáìíäðéóòþ

Usage:

Äðäéððóäéò	Ôé áðäéððóäé äéä íá òñÝíäðä ôï PrintManager
ÄäëäóÛóðáóç	Ðùò íá ôï ääëäóðáóððóäðä
\$\times\$ñþóç	Ðùò íá ôï \$\div\$ñþóéìðéððóäðä

Appendix:

SetPUNT	Ç åíðïëþ SetPUNT
ÉóðïñëëÛ	ÉóðïñëëëÛ
Ðñíäëþíáðá	ÐéëäíÛ ðñíäëþíáðá éäé ç ëýóç ôïðò
Äð\$\\div\$äñéóððáð	Ï ðñíäñáìíäðéóððò äðéëðíä íá äð\$\\div\$äñéóððóäé...

~

1.2 PrintManager.guide/Copyright

Äëëäéþíáðá éäé íìëëÛ

Ôï ðáñþí ìðïñäß íá áíðéäñÛðäðé éäé íá äéäíÝíäðäé äðüóíí ç ðáñíýóá äþëüóç éäé Ûääéä äéëäëùìÛòíí áíðéäñäðð òðìðäñéëäíäÛíäðäé óä üëä óä áíðäñäðá.

ÄÉÊÁËÜÌÁ ÁÍÔÉÃÑÄÖÇÓ

Copyright (C) 1997-1999 by Stephan Rupprecht

ÞÜóá áíáðãñüíáíá éáóáóééýíóá óþíáóá áßíáé öðü òuí éäéíéðçòþí òíðò.

ìç ÞÁÑî\$\\times\$ç ÅÃÃÖÇÓÇÓ

ï äçíéíðñäüò äáí áßíáé öðäýèðííò äéá íðíéáäþðíðä æçíéÜ ðñíéèçèää áðü òçí \$\\ ←
div\$ñþóç
Þ éáðÜ\$\\div\$ñçóç òíð ðãñüíðíð äããñÜðíð Þ/éáé òíð ðñíãñÜííáðíð/uí ðíð ðãñéãñÜðäé.~

ÄÉÁíîç

~

Áðöü òí ðäéýðí ëíäéóíééý (áðáíá-)äéáíýíáðäé äñãñÜí. Äáí áðéðñýðäðäé íá
äëéá\$\\div\$èää íá íðíéíäþðíðä òñüðí, äéöüò áðü òçí ðãñððöüóç òðíðßáóçò.

1.3 PrintManager.guide/Overview

PrintManager?~Ôé áßíáé?

To PrintManager áßíáé ýíáð printer-spooler, óðëéáíäÜíáé óéð èëþóáéð òíð printer. ←
device
óççí parallel-/serial.device éáé óþæáé óá äãäííýíá òíð äéðððüðþ óá ýíá áñ\$\\ ←
div\$åßí.
ðóé, ðñíãñÜííáðä ðíð óðýéííðí äãäííýíá óðíí äéðððüðþ äáí \$\\div\$ñäéÜæðäé íá òíí
ðãñéíýííðí äéá íá óðíá\$\\div\$þóíðí. Áðßóçò óáo áßíáé ëÜðíéíí ýéää\$\\div\$í ó\$\\ ←
div\$ðééëÜ íá óá
äãäííýíá ðíð óðýéíííðäé óðíí äéðððüðþ. Ìðíñãðä áðßóçò íá äéðððóáðä áñ\$\\div\$åßá
áðäðéåðáð áðü òí PrintManager~íýòü òuí datatypes.

ðééáíðò íýñãðä òí PrintManager 2.0 áðü òíí Nikola Salmoria, óá äýí ðñíãñÜííáðä
áððá ííéÜæíðí ëßäí (äáí áßíáé òð\$\\div\$áßí :-), áëëÜ éáíýíá íýñíð òíð ðñíãñÜííáðüð ←
ííð
äáí ááóðæðäé óðíí ëþäééá òçò ýéäíóçò òíð Nicola.

1.4 PrintManager.guide/Shareware

Ôí PrintManager áßíáé Shareware

, \$\\div\$åðä òðíðçí üðé òí ðñüãñáííá áßíáé SHAREWARE, áÜí óáo áñýóáé ðãñáééäððéä ←
íá
éáðá\$\\div\$ñþðáðä òí áíððððü óáo. Éáðá\$\\div\$ñçíýííé \$\\div\$ñþððäð éá ëÜäíðí ýíá ←
áñ\$\\div\$åßí-ëëäéää
ðíð áðäéñää òíðð áíí\$\\div\$ëçðééýð äéðçðýð. Óá óðíé\$\\div\$åßá íáíýý ",ñäí/ ←
Áðíèþéäððç üð
..." éáé "Ñðèíððäðð/Fast Par?"~éá áíãñäíðíéçèíýí éáé áððÜ.

ÐëçñùìÐ åããñáöÐò (ìüíí ìåñçöÛ/eurocheque Ð öå\$\\div\$öäñîìëêÐ áðìóðìëÐ ðåñåéåëþ):

US\$ 10.-

DEM 15.-

Ãéå íå ðÛñåöå òì åñ\$\\div\$åßì-ëëåéåß ìå éåììíëëü öå\$\\div\$öäñîìåßì, ðñìóëÝóöå US\$3 ←
.-/DEM 5.-

óðçí ðëçñùìÐ.

ÓçìÁíÔÉÊÏ: Ìçí ìå\$\\div\$Ûöåöå ìå áíåöÝñåöå òì üíìå éåé òçí
äéåýèðìóÐ óåð üöåí åããñÛöåöå.

1.5 PrintManager.guide/Author

Ðùò ìðìñþ ìå åñù òìí äçìéìðñäü

Snailmail:

Stephan Rupprecht
Apfeldweg 1
D-44359 Dortmund
GERMANY

eMail:

stephan.rupprecht@gmx.de

1.6 PrintManager.guide/Requirements

Ôé áðåéöåßöåé äéå ìå òñÝìåöå òì PrintManager

Ôì PrintManager áðåéöåß:

Ýíåí ÒðìëìåóöÐ (óöìååöü ìå) Amiga ìå öìöëÛ\$\\div\$éóöìí AmigaOS 3.0 éåé åêöððùöÐ ←
:-)

1.7 PrintManager.guide/Installation

Ðùò ìå òì åãéåöåóöÐóåöå

\$\\times\$ñçóéììðìéÐóöå òì åìðåñéå\$\\div\$üìåíí ÓåíÛñéì-ÃäéåöÛöóåóçò äéå ìå ←
åãéåöåóöÐóåöå òì

PrintManager.~

ÐÅÑÅÉÅÉÅÉÓÖÅ ìå ÁÖÅÉÑÅÖÅÖÅ ÌÐÌÉÌÄÇÐÌÖÅ ÅÑÅÉÉÅÉÏ ÓÁÍ ÔÌ PRINTMANAGER ÐÌÖ Å\$\\ ←
times\$ÅÖÅ

ÀÀÊÁÔÁÓÔÇÓÁÊ ÓÔÏ ÓÔÓÔÇÏÁ ÓÁÓ ÐÑÏÔÏÔ ÀÀÊÁÔÁÓÔÇÓÁÔÁ ÔÏ PRINTMANAGER (ð.\$\div\$. ôÏ PrintManager V2 áðü ôÏ Nicola Salmoria)!

1.8 PrintManager.guide/Usage

ÀÊÊßÍÇÓÇ

~ ÌðÏñÀßÔÁ íÁ áñ\$\div\$ßÔÁÔÁ ôÏ PrintManager áðü ôÏ shell~Ð ôÏ workbench.
Óé áêüëÏÔèáð áðéëÏÄÝò (cli/tooltypes) áíááíüñßæÏíÔáé:

CX_POPUP default: YES

ÊáèÏñßæáé ÁÛÏ èá áííé\$\div\$èáß ôÏ ðáñÛèõñÏ ôÏ ðñÏñÛÏíáôÏò üôáí ôÏ ðñÝ\$\div\$áôá ←
ãéá
ðñðÇ òÏñÛ. ÁÛÏ áãéáôáóÔÞóáôá ôÏ PrintManager~óôÏ óõñÔÛñé~WBStartup~ãéá íá
áíáñáÏÏÏéáßÔáé áðüüíáôá, ôüôá äÞóôá ôÏ ùñéóíá ÍÏ.

CX_POPKEY default: shift alt p

Áðüü Áßíáé ôÏ ~hotkey, Ç áêüëÏÔèßÁ áéóüäÏò ðÏò áíßßáé ôÏ ðáñÛèõñÏ ÁÛÏ Áßíáé
èéáéóôü, Ð ôÏ öÝñíáé áìðñüò ÁÛÏ Áßíáé ÐäÇ áííé\$\div\$ðü.

CX_PRIORITY default: 0

Ç ðñÏðáñáéüÔÇÓÁ ôÏ commodity. Äáí \$\div\$ñáéÛæáôá íá áêéá\$\div\$ðáß.

PUBSCREEN default: not defined

ÔÏ üíííá ÇÇò äÇüüóéáð ïèüíÇò ÓÇÇÏ ïðÏßÁ èá áííé\$\div\$ðáß ôÏ ðáñÛèõñÏ.

PRINTDRAWER default: not defined

Áñ\$\div\$ééü óõñÔÛñé áéá ÇÇÏ áßÇÇÇÇ áñ\$\div\$áßÏ "Print ..."

SAVEDRAWER default: not defined

Áñ\$\div\$ééü óõñÔÛñé áéá ÇÇÏ áßÇÇÇÇ áñ\$\div\$áßÏ "Save as ..."

SPOOLDRAWER default: T:spool

ÔÏ óõñÔÛñé óôÏ ïðÏßÏ èá ðñÝðáé íá ÓÞæÏíÔáé ðñÏóñéíÛ áñ\$\div\$áßÁ. ÁÛÏ Ý\$\div\$áôá ←
íáñééÛ
MB áêáýèáñÇ ïíÞíá, \$\div\$ñÇóéíÏðÏéÞóôá ôÏ T:~(ôÏ ïðÏßÏ ÓðÏÞèüò Áßíáé ÓÇÇ RAM:),
áêéëéÞò ïñßóôá Ýíá óõñÔÛñé óôÏ ÓêêÇñü. \$\times\$ñÇóéíÏðÏéÞíÔáò ôÏ ÓêêÇñü Ý\$ ←
div\$áôá ÇÇ
äðíáôüÔÇÓÁ ÓðÏÝ\$\div\$éóÇò ïéóÏðáéèéèüíÝíüí áêóððóáüí ïáôÛ áðü áðáíáêéßÇÇÇ ôÏò
ððÏèÏáéóÔÞ. Óá ðáñßððüÇ ðÏò ôÏ óõñÔÛñé äáí ððÛñ\$\div\$áé, äÇÏÏññáßÔáé.

KEYPATH default: DEVS:

ÔÏ óõñÔÛñé óôÏ ïðÏßÏ áñßóéáôáé ôÏ áñ\$\div\$áßÏ-èéáéäß.

SPOOLPRI default: 0

ÅÜí ç æøýðuoç òñpæ üei öii ææýeãñi \$\\div\$ñüii öiö åðãíãñãáoð, \$\\div\$ñçóéííðíéðóðå öi
 SPOOLPRI æéá íá íæþóðåð çí ðñiðãñãæüðçðå ðçð æéãñãáoðåð öiö æøðææáoð, Ýðóé
 þóðå íá ææðæãñþóðåð \$\\div\$ñüii æéá Üëëåð æéãñãáoðåð. Ç ðñiðãñãæüðçðå ðñÝðæé íá
 åðíæé áíÜíåðå ðå -5 éæé 5.
 ÓçìÅÉÜÓÇ: ¼ðáí eÝðåðå öi SPOOLPRI~ðå -1 Þ \$\\div\$áìçëüðåñå, ç æéãñãáoðå ìðíñåð íá
 íçí ëÜåæé åñæðü \$\\div\$ñüii æéá íá åñ\$\\div\$ðóæé áíÝðüð ðçí æøýðuoç. Öüðå éå
 åìðáíéóðåð
 öi íýíçíå "ÁíÝðíéíìð æøððüðð!?" íÝ\$\\div\$ñéð üöiö üéå ðå åååííÝíå öiö æøððüðð
 ððíëíæéóðíýí áðü öi printer.device (Þ üðáí ððÜñ\$\\div\$æé ëÜðíéìð ææýeãñið
 \$\\div\$ñüiið:-).

BUFFERSIZE default: 4096

ÅðéðñÝðæé ðçí æëëåð íåãÝëiðð öüí óðóóüñåððí ðið \$\\div\$ñçóéííðíéýíðæé æéå ãñåð
 éæé áíÜáíüç. ÍååæþííiðÜð öi íæþíåðæé ç ðñüðåáóç óöi óëëçñü, æëÜ Ý\$\\div\$æé üð
 ðåñåíÝñåæé ðçí éæéðóðÝñçóç ðçð æøýðuoçð íÝ\$\\div\$ñé íá ëçðëíýí åñæðÜ åååííÝíå
 æéå
 íá ååíðóæé i óðóóüñåðð. Öi æÜ\$\\div\$éóöi íÝåæëð åðíæé 4096 bytes.

ENUM

FULLNAME default: not active

¼ðáí åðíæé åíåñü, ç ðåððüðçðå ëÜèå Ýñåið (3 øçðå) ðñíåÜëëåðæé óðçí ëðóðå.
 ð.\$\\div\$.: Multiview -> Multiview.000

NODRAGNJ default: not active

Åðååíñåýæé ðç íåðåöíñÜ öið "« Next Job »" (ëíéöÜiðå éæé ðåñåëÜðü).

ICONIFYGADGET default: YES

ÅÜí ðæëåð óöi 'YES' éå ðñiðóðæåð Ýíå ëiðiðð æëëíéæëiðíçóçð óöi ðÜíü üñéí öið
 ðåñåëýñið.

CHECKPRINTERSTATE default: YES

ÉÜíæé öi PrintManager~íå æëÝå\$\\div\$æé ðçí éåðÜóðåóç öið æøððüðð ðñéí óðåðæéå
 åååííÝíå.

CONFIGFILE default: none

Öi üíííå öið åñ\$\\div\$åðíð ñòëíðóåüí ðið éå öiñðüèåð üðáí æëëéíçèåð öi
 PrintManager
 (ÉíéöÜiðå éæé ðåñåëÜðü)

DATEFMT default: DOS

You can use this option to change the dateformat of the job list. The follow-
 ing keywords are accepted by DATEFMT:

Åðëëíåð æëëåðð öið ðñüðíð åððåæéíçð ðçð çíåñíìçíðåð óðçí ëðóðå. Íë æëüëiðæåð
 ëÝíæéð åðíííðæé áðíåæëðÝð:

DOS çç-ììì-\$\\div\$\$\\div\$ (ie. 02-Jan-98)
 INT \$\\div\$\$\\div\$-ììì-çç (98-Jan-02)
 USA ìì-çç-\$\\div\$\$\\div\$ (01-02-98)

CDN çç-ii-\$\div\$\$\div\$ (02-01-98)
 DEF ñýèìéóç locale

SAFEREMOVE default: not activated

Ìà ôçí àðéèìāð áððð, èá àñùððóðā èÛèā öïñÛ ðïð èá èÝèāðā íá áðáéñÝóāðā Ýíá Ýñāì ìā öï èìðìðð "ÁðììÛèñðíóç"

COPYDUPLICATES default: not activated

ÀÛí áíáðāñāāÛāāðā Ýíá Ýñāì ìā öï ìāììý ",ñāā/ÁíáðāñāāÛāð", öï PrintManager èá èÛíāé Ýíá óýíāāóìì ööì àñ\$÷div\$āðì. ÀÛí èÝóāðā áðððí ôçí àðéèìāð óā èāéöìðñāðā ←
 /
 ðüðā èá äçìéìðñāāððāé ðñāāìáðéèü áìððāñāöì èáé ü\$÷div\$é óýíāāóç.
 ÓçìĀÉÛÓç: Óðçí ðāñðððüóç ðïð āðíāé āäýíāöì íá äçìéìðñāçèāð óýíāāóç, èá āðíāé áìðéāñāðð àñ\$÷div\$āðìð!

PAUSED default: NO

Āñ\$÷div\$éèð èáðÛððāóç öïð "« Āðüìāìì ,ñāì »" (èìéðÛîðā ðāñāéÛðü).

APPMENU default: NO

ÀÛí 'YES', öï PrintManager èá ðñìðéèÝóāé Ýíá appmenuitem óðā ìāììý öïð wb.

POPWINDOW default: NEVER

ACTIVE: ¶ìíéāìā ðāñāèýññï ùðāí āìðāíéóððāð èāéììýñāéì Ýñāì.
 ALWAYS: Óāí öï ACTIVE, áèèÛ áìððāé öï ðāñÛèðññ èáðÛ ôçí āèèðíçóç,
 ùðāí ððÛñ\$÷div\$ìðì áíáðììāðíāíðā Ýñāā áðü ðñìçāìýìāíç öïñÛ.
 NEVER: áðāíāñāìðìéāð öï POPWINDOW.

APPICON default: ACTIVE

NEVER: Öï PrintManager āāì äçìéìðñāāð appicon.
 ACTIVE: Öï appicon āìðāíðæāðāé ùðāí āìðāíéóððāð èāéììýñāéì Ýñāì èáé
 āíāðāíðæāðāé ùðāí ðāèāéðóāé ç āèðýðüóç.
 ALWAYS: Tì appicon āðíāé óðíā\$÷div\$ðð ìñāðü.

Āéðèü èèðè āìðāíðæāé èáé öÝñíāé ìðññíóðÛ öï ðāñÛèðññ.

APPICONNAME default: PrintManager/localized name

ĀðéðñÝðāé ôçí áèèāāð öïð ìíüìáðìð öïð áéèìíéāðìð.

DELCOM default: off

ĀðéðñÝðāé öïì ðññíóāéìñéóìü ìéáð āíðìèðð ðïð èá āèðāèāððāé üðìðā öï
 PrintManager~èÝèāé íá äéāāñÛðāé Ýíá àñ\$÷div\$āðì. ,ðóé ìðññāð íá \$÷ ÷
 ÷div\$ñçóéììðìéçèāð ð\$÷div\$
 öï GlobalTrash~(áðü öïì Oliver Blumert) āéā äéāāñāöÝð.

ð\$÷div\$:
 DELCOM="GlobalTrashClient %s"

Öï '%s' èá áìðéèāðāóðāéāð áðü öï àñ\$÷div\$āðì ðññíð áìðéāñāðð.

AUTOFF default: off

Άν\$\\div\$έέP έάóŨóóάóç óĩō óóιέ\$\\div\$αβιō ιάίιγ "Άōōūλάόç áíóιέP Form Feed" (←
 έιέóŨíôá
 δάñάέŨóù) .

```
FASTPAR          default: off
```

Άν\$\\div\$έέΠ έΥόϕ όιό όδιέ\$\\div\$άβιό ίάίίΥ "Fast Par". Αΰί άβίαέ άίαñāΠ, όι ←
PrintManager

éá \$ \div \$ ñ ç ó é í ï ð í é þ ó á é ô ç í ä é é é ü ö i ö parallel.device (fastpar.device) ä é á ô ç í
 á ð i ó ó i é þ ä ä ä i l ý i u i ó ö i i ä é ö ö ð u ö ç . Á ö ð þ ç ó ö ö é ä ö þ i ð i ñ ñ á þ í á ó ö á þ é ä é ä ä ä i l ý í á
 ó ö i i ä é ö ö ð u ö þ ö é i ä ñ þ ä i ñ á á ö ü ô ç í é á í í é é þ parallel.device.

ÐĚǺİÍǺÊÔÇÌÁÔÁ :-)

- Ìããáëýôãñç ôá\$\div\$ýôçôá.

- Éäéáßôâñá éäëþ äéá âêôôðüôÝò ìä ìääÛëïò óóóóñâóôÝò.

- Áðáéóáß ëéäüóáñï \$ \div \$ñüíï äðáíáñääóðP áðü òçí~parallel.device,~ïðïßðä ïðïñáßðä ↵

ía óõía\$\\div\$βóâôâ íá äïöëäýâôâ áíp ãßíáôáé âêôýðùóç.~

$$\dot{I} \dot{A} \dot{E} \ddot{I} \dot{I} \dot{A} \hat{E} \hat{O} \zeta \dot{I} \dot{A} \hat{O} \dot{A} : - ($$

- Ìüíî ãéá êáôá\$\\div\$ũñçìÝíîõò \$\\div\$ñŦóôâò

- 4eā ōā āāāīīYīā ōōYēīīīōāē ōōcī ōōŪñ\$\\div\$īī ōāñŪēēēcēç ēýñā, īōūōā ēā ōñYōāē īā ōōīāYōāōā ōīī āēōōōūōP ōāō āēāā.

- İdîñāḅ ıá ıçı äioēāyāē ıā ıāēēıııōēēYō Amiga-Ḍıō āāı Yş\divşıōı Bāēı ōēēēü ḍāñüēēççō ēyñāō (Ḍēēāıü ēıēēpıāōā ḍḍıēıāēōōp)

```
- ÐñīāñÜlláóá ðīō áðáéðīýí ðēý $\\div$ñüüī āðāīāñāáoðÐ (ð.$\\div$. printer.device) ←  
~lðīñāß
```

ία όάιάôΠόϊĩί ôçí âêôýðùόç.

WINDOWX default: 0

İñéæüíôéá èÝóç ðañaèýñiõ.

WINDOWY default: below screen titlebar

ÊÛèâôç èÝóç ðáñáèýñĩõ.

ICONX

ICONY

ÈÝóç áéêíéäßïð ãöáñììãðò. ÅÜí äái êáèĩñéóôĩý, ôïðïèãôãßôáé áõôüìáôá.

```
PRINTDELAY      default: 0
```

İñéóìüò \$\\div\$ñüíïõ áíáìïíÐò ìÝ\$\\div\$ñé ôcí âêêßícóc âêôýðùócò íÝïõ Ýñãïõ.

Examples:

```
PRINTDELAY=10
```

ĐãñéìÝíïé 10 äãõô. ìÝ\$\\div\$ñé ôcí âêêßícóc âêôýðùócò íÝï ÿñäï/

ÓÇÌÀÊÙÓÇ: Ç áíáìííP óôáíáôÛâé áõôüíáôá üôáí Ý\$\\div\$îïí ëçöèàß üëá ôá äääììÝíá.

PRINTDELAY=0

Áñ\$ \div \$βæǎé áìÝóùò ç âêôýðùóç.

PRINTDELAY=-1

Ç æøýðùóç èá áñ\$\div\$ßóæé áöiý ëçøèiýi üëá ôá äääiüííá.

TIMEOUT default: 0

İñææé ðüóí èá ðañéiýííæ ôï PrintManager~æéá íá äßííæ Ýðieiüò ï æøððùòðò. ÅÜí
ï æøððùòðò äái äßííæ Ýðieiüò óðíí éæèñéóíýíí \$\div\$ñüíí, ←
ôï
PrintManager~óðáíáðÜæé íá ðañéiýííæ éæé áìöáíßæé Ýíá ðañÜèõñï ðïð óáo
áíçíáñþííæ üðé äái äßííæ äóíáð Ç æøýðùóç.

Examples:

TIMEOUT=0

Äðáíáñäïðíçóç éæèþí ëðíçò \$\div\$ñüííð. (ðñíáðéèíäð)

TIMNEOUT=30

ËÜèìò ëðíçò \$\div\$ñüííð íáðÜ 30 ääðð.

ÓçíÁíÓÉÉİ: Ôï TIMEOUT äái äüðéäýæé åÜí ôï "CHECKPRINTERSTATE=NO" !

PRINTCOUNT default: 1 <1...999>

Ôï Printmanager íðññâß íá óóÝéííæ ôï ßæéí Ýñäí ðieëýò öññýò óðíí æøððùòðò.
Äððü äðééýäæé ðüóðò öññýò èá æøðððíáðáé ëÜèä Ýñäí.

DEVICE default: systemconfig

UNIT

ÉáíííéëÜ ôï PrintManager~èá äéáèñßííæ áððüíáðá óá ðieÜ óðóèäð Ý\$\div\$åðä ←
óóíäýóáé
ðíí æøððùòðò (ð\$\div\$ parallel-/serial.device). İüíí èëðóáéð óçíí éáðÜëççç ←
óðóèäð
áíá\$\div\$áéðßæííðáé åÜí äßííðí áðü óçíí printer.device. Äðððð\$\div\$þòü ëÜðieá ←
ðñüäñÜíáðá
äái èá äüðéýðíðí íá ôï PrintManager~åÜí äái ïñßóáðä áððíí óçíí äðéèíäð (ð\$ ←
div\$
datatypes.library)

Äßíííðáð Ýíá üíííá óðóèäððò (éæé ðñíáñáéðéëÜ áñéèü üííÜäìò) èá ëÜíáé òò
PrintManager íá éáðá\$\div\$ññþóáé İËÄÓ òéð èëðóáéð óçíí óðóèäððò. ð\$\div\$~:
DEVICE=parallel.device

Äðü ôï v39.21~éæé Ýðáéðá ôï PrintManager~ððíóçññææé óçíí éáðá\$\div\$þñçóç ←
ðieëäðëþí
óðóèäððí/íííÜäüí. Äéá óçíí éáðá\$\div\$þñçóç ð\$\div\$ òüí parallel.device, ioblixpar. ←
device,

DEVICE=parallel.device,ioblixpar.device

Óá UNIT, DEVICEWEDGE and UNITWEDGE äÝ\$\div\$ííðáé òéð ðañáíýðññòò íá ôíí ßæéí ←
ðñüðí.

ÓçíÄÉÜÓÇ: Äái äßííæ äóíáð Ç æøýðùóç ðañéóóüðañüí áðü áíüð Ýñäíð óçíí ßæéá
óðéäíð. ¼ðáí òðÜñ\$\div\$íðí Ýñäá óçíí ëßóðá æøýðùóçò, İé äðéèíäýð DEVICE/UNIT~äái
èá ðñýðáé íá áéá\$\div\$èiýí, äéüðé óçíí áðüíáíç öññÜ ðïð èá äéèéíçèäß ôï
PrintManager,~ðí ðñüäñáííá èá óá óðáßèæé óçíí ëÜèìò óðóèäððò~(äéá ðañáääéäíÜ,
ái èñáððóáðä óá ííííáðá òüí óðóèäððí áéëÜ áéëÜíáðä óçíí óáéñÜ İñéóíüð ðïðò)

DEVICETYPE

ÀÛí Ý\$\\div\$âââ òâéñéâéü âêôôðùòð èÝóóâ òí òòí 'serial', áëëíéðò òòí 'parallel' (ð\$\\div\$. DEVICETYPE=parallel). Áôòü âßíáé áðáñáðòçòí iüíí ÀÛí ç éáôÛóóáóç òíô âêôôðùòð äáí áíáäíüñßæâðáé òùóóÛ.

DEVICEWEDGE

UNITWEDGE default: not active

ÀðéòñÝðáé òçí íâðáöíñÛ íâðáçòçò òçò âêôýðùòçò áðü ìßá óóóéâðð óâ Üëëç (ð\$\\div\$ ð
áðü
òçí parallel.device òòçí serial.device, ð óâ üðíéá Üëëç óóóéâðð èÝéâðâ!:) ←

IGNORETASK

Ìâ òçí âðéëíâð áôðð, ìñéóíÝíá ðñíññÜííáðá äáí óðéáíâÜíííðáé, üðùò éâéíñßæííðáé áðü ó\$\\div\$çíáðéóííýò AmigaDOS. Áôòü âßíáé \$\\div\$ñðóéíí àÛí Ý\$\\ ð
div\$âââ ð\$\\div\$ Ýíá
óéÜíññ òóíâââäíÝíí òòçí ßáéá èýñá ìâ òíí âêôôðùòð.

ð\$\\div\$:

IGNORETASK=scanner.device - Òí PrintManager äáí âêôâéâß áðü òí scanner.device.
IGNORETASK=(scanner.device|dpaint|TPaint) - Ìçí âêôððíáéð áðü scanner.device,
dpaint and tpaint.

ÒçíÌâÛÓÇ: Èâéðíðñââß iüíí íáæß ìâ òçí âðéëíâð DEVICE. Æéá ðççñíðíñßâð ó\$\\ ð
div\$âðééÜ
ìâ òíðò ó\$\\div\$çíáðéóííýò òðíâíðéâððâðâ òí äâ\$\\div\$âéñßæéí òíô AmigaDOS! ←

PATCH default: YES

ÈáíííééÜ òí PrintManager~ââéâééóóÜ Ýíá ìðÛèüíá òòí óýóòçíá æéá òçí éáðá\$\\ ð
div\$ðñçóç
óóóéâððí. ÀÛí òí áðáíññâíððéððâðâ àÛæííðáð òí PATCH òòí NO, òí PrtManager~èá
âíðéâýâé ðéí òééééÜ ìâ òí óýóòçíá áéëÜ éá áðáéðâß òçí áðáíññýèéóç òçò
printer.device~æéá íá óðÝéíáé äâäííÝíá òòçí ìííÜâá 0 òçò~spool.device. Æéá òí
TurboPrint~ð òçí printer.device V42~áôòü âßíáðáé ìÝòü òíô ðñíññÜííáððò
âðéëíâðí. Æéá òçí printer.device v39/40~\$\\div\$ñçóéííððéâßóóâ òí ðñüññáííá SetPunt
Òí PATCH=NO~áðáéðâß òíí ìñéóíü òüí âðéëíâðí DEVICE/UNIT~òòçí óóóéâðð áíüäíò
(ð\$\\div\$ paralle.device) ←

\$\\times\$ñçóéííððéðíðáð òí ðñéââÜëëíí

Ç âðéëíâð áíüò Ýñâíò óáð âðéòñÝðáé òçí ðñÜíç áíññââéðí óâ áôòü. Ìðíñâðâ íá
òçí óðáíáððâðâ/âðáíâééíððâðâ ìâ òí èíòìðß (Àíññâü/ÓðáíáðçíÝíí) (=èíòìðß
return) ð íá òí áðáéñÝóâðâ áðü òç èßóðá ìâ òí Áðáßñâóç. Ç èßóðá
áíáâéíñâáíðíðáé ìâ óâ èíòìðß ðáíü/Éáðü. ¼ðáí òððíáðáé Ýíá Ýñâí, äáí ìðíñâß
íá ìâðáééíçéâß. Òí èíòìðß ðáýóç âðéòñÝðáé òçí ìâðáßòóç òçò âêôýðùòçò òíô Ýñâíò
âéëÜ äáí òí áðáéñâß áðü òçí ìòñÛ âêôýðùòçò.

Áí áðáéñÝóâðâ ìéá ü\$\\div\$é ðèðñçò ãñáóßá áðü òç èßóðá (ââßí\$\\div\$âé ãñüòçíáðééÜ), ð
òüðâ
òí ðñüññáííá éá âðéòñÝðáé èÜèèò òòíí áðíòðíéÝá, áéëÜ áôòü äáí óðíâðÛââðáé üðé

ì áðìóðìēýáò èá óðáìáòþóáé!Óá áðòþí òçí ðāñßðòùóç òá áéóāñ\$\\div\$ùìáíá āāāììýíá āāìììýíóáé.

ÒðÛñ\$\\div\$áé ìßá áéāēēþ éáóá\$\\div\$þñçóç óòç ëßóóá, « Åðùìáíì ñāì ». ¼éá òá áéóāñ\$\\div\$ùìáíá
 ýñāì èá ìðìóí ðñßí áðù áðòþí éáé èá āßíáé óòçí ßāéá éáòÛóóáóç (áíāñāÛ þ óā áíáìììþ). ÅÛí ëìéðùí ēýóáòá áðòþí óā áíáìììþ āāí èá áéòððùēāß òßðìòá ìý\$\\div\$ñé
 íá
 òçí áēēēéíþóáòá. Ìáòáēēéíþíóáò ýíá ýñāì áðù ēÛòù áðù òì Åðùìáíì ñāì, āāí èá áéòððùēāß. ñāā ðìò ý\$\\div\$ìóí ìāßíáé áðù Ûēēç öìñÛ èá ìðìóí éáé áðòÛ áðù ēÛòù.
 Åéá
 òç áðìòðāþ éáíēáóìýíçò áíāñāìðìßçóçò ýñāì ēÛòù áðù òì Åðùìáíì ñāì ùóáí áðòÛ ìáòáēēéíçēíýí ðñìò óā áðÛíù, áðòýò áðòùìá òßēáíóáé óā áíáìììþ. ¼óáí ìáòáēēéíþóá ùìò òì Åðùìáíì ñāì ðñìò óā ēÛòù, óā ýñāā ðìò āāāßíìóí áðù ðÛíù āāí òßēáíóáé óā áíáìììþ!

paused!

*\$^1\$ Ìā òì gtdrag.library ç ëßóóá ìðìñāß íá áēēÛíáé ìā Drag&Drop.
 Òì NODRAGNJ áðāāññāýáé òçí ìáòáöìñÛ òìò « Next Job ».

The menu

Åñāáóßá

=====

ðāñß ðēçñìðìñßáò

ðñìāñáìáòéóìùò ... Åðāíāñāìðìēāß óā ýñāā éáé óā áíāñāìðìēāß íáíÛ ìáòÛ
 áðù ēÛðìēí ðñìēáēíñéóìýíí \$\\div\$ñùíí. ¼óáí āßíáé áíāñāùò, \$\\div\$ñçóéììðìēāßóóā
 òì óðìē\$\\div\$āßí áðòù òìò ìáíìý áéá íá òì áðāíāñāìðìēþóáòá.

Åðùēñðøç Êēāßíáé òì ðāñÛēòññ \$\\div\$ùñßò íá ēēāßóáé òì ðñüāñáìá.
 Òýēìò Êēāßíáé òì~PrintManager (ç ìòñÛ áēóýðùóçò ðñýðáé íá āßíáé Ûāāéá).

ñāā

=====

Åēóýðùóç ... Åðēēíāþ āñ\$\\div\$āßùí áéá áēóýðùóç.
 Ìðìñāßóā āßóçò íá áēòððóáòá āñ\$\\div\$āßá ðìò ðāñēý\$\\div\$ìóí óēýóá āāāììýíá
 áēòððùóçò (áðù ",ñāā/Åāāñāóþ...") ìýòù áðòìý òìò ìáíìý. Òì ó\$\\div\$üēēí òìò
 āñ\$\\div\$āßíò ðñýðáé íá āßíáé "Raw Printer Data"!

Áíòßāñáóá ... Åðēēíāþ òìò āñēēìý áíóēāñÛòùí òìò áðēēāāìýííò ýñāìò.
 Áí áēēÛíáòá òìí āñēēìù òìò « Åðùìáíì ñāìò», ùéá óā ýñāā èá ý\$\\div\$ìóí
 òìí ßāéí āñēēìù áēóýðùóçò.
 Ìáòìíììáóßá ... Åēēāāþ òìò ìíùìáòìò áíùò ýñāìò.
 Åìòēāýáé ìíìí áéá ýñāā ðìò áēāßíç òç óóēāìþ āāí áēòððíííóáé.

Åāāñáóþ ùò ... Åðìēþēáòóç ýñāìò ùò āāāììýíá áēòððùóþ. ÌáòÛ ìðìñāßóā íá
 óóāßēáòá òì āñ\$\\div\$āßí óòìí áēòððùóþ, āßóā ìýòù òìò PAR: āßóā ìýòù òìò
 PrintManager. Òì ó\$\\div\$üēēí òìò āñ\$\\div\$āßíò èá āßíáé "RAW PRINTERDATA".
 (ìííí ÅÉÁ Òçí ÉÁÓÁ\$\\times\$ÛÑçìÄíç ÅÉÄíÓç)

Áíáðāñāāùāþ ÁíóēāñÛóáé òçí āìòēāéÛ óòç ëßóóá éáé āÛæáé āñēēìù áēòððóáùí 1.
 Êēāßáùìá Åðāāññāýáé òçí áóāßñāóç òìò ýñāìò.

ÅðììÛēñðíóç ùēùí Åóáēñāß ùéá óā ýñāā áðù òç ëßóóá

```

Ñõèìßóáéò
=====
Äçìéìõñãßá áéëííéäßúí? ¼ôáí óþæåðå Ýíá Ýñäí äçìéìõñããßóáé áéëííßäéí
(Äðéëíäþ CREATEICONS) .
Áððüíáðç Áíðíëþ Form Feed Ôíðíëåðåß Ýíá form feed íåðÛ áðü ëÛëå Ýñäí (AUTOFF) .
Fast Par? ÍåðåðíñÝò ðøçëþð óá$\\div$ýðçðåð áéå äñþäíñíðð åéðððüðÝò (FASTPAR) .
,ëää$\\div$ìð åéðððüðþ ,ëää$\\div$ìð éåðÛóðåóçð åéðððüðþ ðñéí ðçí áðíóðíëþ ←
äääííÝíüí
(CHECKPRINTERSTATE) .
Áððåëþð áðííÛëñðíóç? Äðéååååßüç 'ÁðííÛëñðíóç' (SAFEREMOVE) .
-----
Äãäñåðþ Óþæåé ðéð ðüñéíÝò ñõèìßóáéò (üëåð ðéð äðéëíäÝò cli/wb) .

ÁíðíëÝò
=====
ÁíÛäíüç ñõèìßóåíí ...ÁíÛäíüç äñ$\\div$åßíð ñõèìßóåíí
-----
ÁÛí Ý$\\div$åé áííé$\\div$ðåß äñ$\\div$åßí ñõèìßóåíí íé áíðíëÝò åßíåé äþ

ÄéÛðíñå
****

Ôí PrintManager åßíåé commodity,éåé åëÝä$\\div$åðåé áðü ôí Exchange.

Ôí ESC éëåßíåé ôí ðåñÛëðñí,
Ôí RETURN áéëÛæåé ðçí éåðÛóðåóç áíüð Ýñäíð (Áíåñäü/Áíåñäü) . Óå åäëÛéå (ðÛíü/ ←
ëÛðü)
äðéëÝäíðí Ýñåå. Äéðëí éëéë ëÛíåé ôí ßäéí ðñÛíå íå ôí ëíðíðß "Áíåñäü/Áíåñäü" .
Ôí DEL áðåéñåß ôí Ýñäí áðü ðç ëßóðå.
Ôí HELP åíðåíßæåé ôí ää$\\div$åññäéí.

Ìðíñåßðå íå åéðððóðåð äñ$\\div$åßå äðåðååßåð áðü ôí PrintManager~íå ðçí äðéëíäþ~" ←
,ñåå/ÄéðÝðüç..."
óýñííóåð áéëííßäéå óðí áéëííßäéí äðåñííäþð þ óðí ðåñÛëðñí ðíð ðñíåñÛíåðíð.

Ôí äñ$\\div$åßí äðéëíäþí
*****

ÄðéðëÝíí ôí PrintManager äðéðñÝðåé ðçí áðíóðíëþ áíðíëþí åéðððüðþ áðü ôí ←
ðñüåñåííå.
Ôí äñ$\\div$åßí äðéëíäþí åßíåé Ýíåé áðëü äñ$\\div$åßí éåéíÝííð íå esc-sequences äéå ←
åéðððüðÝò.
þ$\\times$:

// Set font
Prestige: $1b,'k',1
Draft: 27,'k',0
...

Óå ó$\\div$üééå äéóÛäííóåé íå äýí '/'.
Ôí üíííå ðçð áíðíëþð Ý$\\div$åé üñéí 30 $\\div$åñåéðñåð éåé $\\div$ññæåðåé áðü ðçí ←
åéíëíðéßå
íå Ýíå ':'. ÁÛí ëÝëåðå íå $\\div$ññßóåðå íßå äñåííþ óå ðíëëÝò, äÛëðå Ýíå backlash~ ←
óðí
óÝëíð ëÛëå äñåííþð. Ìðíñåßðå íå äÛëåðå äñéëíüð óðí äåéåäéëü þ óðí äåéåäíåéëü. ←
ËÛëå

```

byte~ôçò áíôïëð ðñýðáé íá \$\\div\$ũñßæâôáé iâ ëüiíá.

1.9 PrintManager.guide/SetPUNT

Ç áíôïëð SetPUNT

Ôï SetPUNT áßíáé iéá áíôïëð cli-command ~ðïð áðéôñýðáé ôçí áëëáãð ôïð
PUNT-Chunk ôúi áðéëïãðí áëôððùôð. Áðù ëýáé óôï printer.device óá ðïéÛ
óðóéáðð éá óðýëíáé ááäïiýíá. Áðù óóíðèùð ááí \$\\div\$ñçóéiððïéáßôáé áðù ôï ←
óýóðçíá
áéáðß ié áðéëïãýð áëôððùôð áðéôñýðïí iüiü ôçí áðéëïãð iáðáíý
parraler/serial.device. Ôï SetPUNT~áðéôñýðáé ôçí áëëáãð ôúi ñëèßóáùí \$\\div\$ũñßð
iðÛëüíá ôïð óðóððíáðïð.

Examples:

SetPUNT hyperPAR 0 ; send all printer data to 'hyperPAR.device' unit 0

SetPUNT "" 0 ; back to default settings

SetPUNT ; display current PUNT settings

ÓçíÁíÔÉËÏ: Áí ááí \$\\div\$ñçóéiððïéáßôáé ôçí áðéëïãð DEVICE~éáé i áëôððùôðð
ááí áßíáé óóíááááiýíið óôï serial/paraller.device-\$\\div\$ñçóéiððïéáßôáé ôï
SetPUNT~áéá íá áëëÛíáðá óéð áðéëïãýð ôïð áëôððùôð, þóðá ôï PrintManager~íá
iðïñáß íá éáðáéÛááé óá ðïéÛ óðóéáðð ý\$\\div\$áðá óóíáýóáé ôïí áëôððùôð.

1.10 PrintManager.guide/History

History

39.0 first public release

39.1 small changes in PrintManager and spool.device. Added APPICONNAME
option. When APPICON is set to ACTIVE, the icon is shown as long
as there is a job available, indepent of its state (active/paused).
polish catalog. Filerequester, no longer "forgets" last selected
path. removed catalogs/blank.cd. french catalog.

39.2 bugfix: system crash when trying to print a file from inside
prtman under non cybergfx systems. Added version number
to commodity name. Added "Rename ..." job option. New option
to change the dateformat of the job list.

39.3 Menuitems weren't always disabled/enabled, when the job list
changed. APPICON=ACTIVE didn't work when all jobs were placed
below « Next Job ». Norwegian catalog. DrawInfo wasn't released.
Changed gui of "rename ..." window. Printing text files from
inside PrtMan didn't work. Included SetPUNT command into the
archive. spool.device: sometimes crashed the system when removed
from memory.

39.4 new print count funtion, internal changes in spool.device. czech

- catalog. APPICONNAME tooltype wasn't saved correctly. SetPUNT saved the printer preferences only to ENV:. serbian catalog. security requester when trying to remove all jobs from list and when trying to overwrite an already existing file by 'Jobs/Save as ...'. reworked listview. spool.device process wasn't removed from memory on expunge. Added a compatibility kludge for printer.device v42, when printing files from inside PrtManager (not the best solution yet). Fixed rounding error.
- 39.5 PrintManager should work with pit.device (MFC) now. Updated serbian and swedish catalog files. Empty files in SPOOLDRAWER are automatically deleted on startup.
- 39.6 Now works with HyperPAR.device. Integrated spool.device into PrintManager. envvar SD_DEVICETYPE replaced by DEVICETYPE option. NSCMD_QUERY is used to determine the type of the output device (serial/parallel). Creates index file to speed up scanning of spooldrawer. New options: DEVICEWEDGE, UNITWEDGE
- 39.7 commodity crashed when started a second time (only in 39.6).
- 39.8 INTERNAL RELEASE
New option: APPMENU. bug when taskname contained full path (eg. SYS:Tools/xyz), AFAIK only occurred when using ToolManager 2.x.
- 39.9b New option DELCOM. Now your programs can use an API that allows to change a jobs' name (see directory Developer). Index file will be saved 30 seconds after the last change of the job list. Enforcerhit when settings were saved. Index reading function was broken. "Copies ..." / "Rename ..." window is now correctly centered within the main window. New functions "Print once" / "Scheduler". listview rounds up shown filesize now.
- 39.9b2 Fixed bugs in DELCOM and API. Moved menuitem "Project/Print ..." to "Jobs". Renamed "Print once" to "Duplicate". New button to abort the current print job. Function to send printer commands from within printmanager. AUTOFF is a bit smarter now, it doesn't add a formfeed if the job already has one at the end. New option: BUFFERSIZE.
- 39.9 Stop didn't work correctly when job was already paused. "Settings/Save" was broken. Some catalogs has been updated (thanks to the translators).
- 39.10 Now saves index after 15secs (before 30secs), this should solve some invalid index problems (eg. system reboot before index has been saved). Unregistered: SHAREWARE-Requester pops-up when you open the window for the first time, before it was opened whenever you started PrintManager. NEW OPTION: POPWINDOW - works similar to APPICON.
- 39.11 New options: CHECKPRINTERSTATE, SPOOLPRI. Swedish catalog has been updated. NOKLUDGE option for hyperPAR- and pit.devices that return the printer state correctly. spool.device: NSCMD_DEVICEQUERY was broken. DEL key will zip the window. A double-click on a job will've the same effect as pressing the "Active/Paused" cycle button. Additionally checks PARBUSY flag to make sure that your printer is really ONLINE.
- 39.12 Because of a small bug (?), the API and "Jobs / Print ..." didn't work without TurboPrint (since 39.9). SAFEREMOVE option forces PM to pop up a requester each time you want to delete a job by using the "Remove" button. Replaced "Settings / Save" function by a smaller and more comfortable (from the programmers p.o.v.) one. New option COPYDUPLICATES. « Next Job » is now displayed in boldstyle. Replaced calls to C:Copy by an internal routine. DEL will no longer zip the window but instead remove the selected job from the job list.
- 39.13 Standard WB tooltypes (DONOTWAIT, STARTPRI, TOOLPRI) wasn't set by
-

- "Settings / Save". SAFEREMOVE requester came up when prtman wanted to delete a job after printing <Mirko Lukas>.
- 39.14 ital. catalog by Matteo Cortese. Pressing HELP brings up the manual <Jens Rosenboom>. Added note concerning SPOOLPRI to the manual. Fixed a bug that could lead to crashes when the user was playing with one of the action buttons while a message was pending between PrintManager and spool.device.
- 39.15 spanish catalog by Damaso Dominguez. new KEYPATH option to change the home directory of the keyfile. 68020+ version.
- 39.16 window is now vertically resizeable (new option: WINDOWHEIGHT). looks at more places for its manual. WINDOWX/Y weren't updated saved.
- 39.17 corrected docs: WINDOWHEIGHT is implemented as WINHEIGHT. Just like MUI, BGUI, ... you can cycle through the gadgets using the TAB key. Added workaround for a bug in ioblixpar.device (PARBUSY flag works in reverse order).
- 39.17a fixed Installer script bug <Axel Teichmann>. Included dutch catalog by Roland de Herder.
- 39.18 fixed bug caused by IconifyGadget by Håkon Enger. Optionally adds an own iconify gadget to the window. speeded up internal copy command by using async reading/writing. Added additional options to the 'Settings' menu.
- 39.18a Added spanish guide, registrationform and catalog to the archive. 1000 'thank you's to Damaso Dominguez.
- 39.19 added three dummy LVOs (spool.device) to avoid that queryioblix crashes. used egcs for compilation, which produced a code that is around 10kb shorter than the one produced by MaxonC. miscellaneous internal changes.
- 39.20 because of some changes in 39.19, two bugs were introduced: pressing Esc could crash the machine, 'Rename ...' didn't work properly. compiled with egcs1.1.
- 39.21 finally, I fixed 'Rename ...' :) Now upto eight devices/units can be cached. Had to change the filenote of cachefiles from "Raw Printer Data" to "RAWPRINTERDATA", additional information are also saved in the comment. Improved recognition of invalid index files.
- 39.22 rewrote spool.device, jobs for all 8 devices allowed can be cached at the same time now. incomplete jobs can be removed from joblist. changed default drawer for SPOOLDRAWER from T: to T:spool, if the given drawer doesn't exist it will be created. removed NOKLUDGE option, CHECKPRINTERSTATE can be used instead!
- 39.23 new option ENUM=FULLNAME/S <Marcin Orlowski>. spool.device uses async doublebuffering to speed up saving and printing.
- 39.24 on some systems (locales) the time string created by dos.library/DateToStr() doesn't contain seconds, PRTMan didn't take care of this when drawing the listview contents. When available, tbciclass (VisualPrefs and titlebar_ic.lha) is used to draw the iconifyimage. Thanks to Francis Labrie for the bug report.
- 39.25 Menuitem "Jobs / Lock" can be used to protect a job from deletion, this includes removing the job from the list after it has been printed. Copyroutine did not always set the filenote. While copying, a progress indicator is shown. In order to make copying faster, async double-buffering is only used when source and dest aren't on the same physical device.
- 39.26 old jobs were printed twice because of a bug in the new index-reading routine <Alexander Doeller>. new serbian, polish and italian catalogs.
- 39.27 When gtdrag.library is installed, the joblist can be changed by Drag'N'Drop.
- 39.28 new czech catalog by Vit Sindlar. now ignores double-clicks on the joblist when there's no job under the mouse pointer <Alexander Doeller>.
-

NODRAGNJ/S forbids dragging of "Next Job" <Marcin Orlowski>. compiled using egcs 2.95.1.

39.29 now uses MatchNext() to scan the SPOOLDRAWER rather than the buggy ExAll(). filerequester better remembers last selected path now.

when trying to remove "Next Job" no requester will come up (SAFEREMOVE) <Marcin Orlowski>. When using OS3.5 the WB menu-item "Icons/Snapshot" can be used to save the current appicon position to disk. Dropped 68000/010 support.

1.11 PrintManager.guide/Credits

The author want to thank ...

all people, who will support the future of this program:-)

And especially ...

Marcin Orlowski (ATO) and

Miloslaw Smyk (ATO) for their suggestions and the polish catalog

Pascal Walers for the french catalog

Kimme Utsi (ATO) for the norwegian catalog

Terry Coles for the error report

Martin Hassel for the swed. catalog

Vit Sindlar (ATO) for the czech translation

John Kelly for his suggestion.

Ljubomir Jankoviá for the serbian catalog.

Stephan Riedelbeck for the bug-reports

Axel Gröger for the bug report concerning PM & PowerCache
and the donation of DM 10.- :)

Matteo Cortese for the italian catalog.

Roland de Herder for the dutch catalog.

Didier Giron for the french catalog (update).

Damaso Dominguez for the spanish translation of the program,
guide, installerscript and registration form. Thanks again.

1.12 PrintManager.guide/Bugs

Possible problems and their solution

If you discover any bugs, please send a detailed bug-report to the Author.
Don't forget to add a description of your configuration!

\textdegree{} Since I don't own a serial printer, I wasn't able to verify if ↵
PrintManager
correctly works with such a kind of printer.

\textdegree{} If PrintManager doesn't recognize some programs sending data to the ↵
printer,
you should activate the DEVICE option.

\textdegree{} While PrintManager is printing a file via the datatypes-system, the ↵
Workbench

Screen can't be closed. This is because PrintManager opens an invisible window on the screen.

\textdegree{} If the program seems to "hang" when trying to print a file via the ↵
datatypes-
system, you should activate the DEVICE option.

\textdegree{}~In the case that you use TurboPrint by IrseeSoft, you must ↵
deactivate the
TurboPAR option of TP. Otherwise PrtMan cannot recognize any job.

\textdegree{} pit.device: The PDCMD_QUERY of this device is broken this means ↵
that PM
cannot determine the printer state.

\textdegree{} PowerCache may cause block errors when PrintManager saves temporary ↵
data on
a cached disk. Seems that PC has some problems when reading and writing a
file at the same time. This is not a bug of PM!

\textdegree{} Problems with the HyperCOM io-boards have been reported, either the ↵
hardware
or software of these boards seem to be buggy (bad printerstate is returned).
CHECKPRINTERSTATE=NO might help to workaround the problem.
