

Dwarf

Oliver Gantert

COLLABORATORS

	<i>TITLE :</i> Dwarf		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Oliver Gantert	January 20, 2025	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1 Dwarf	1
1.1 main	1
1.2 faqu	1
1.3 what	1
1.4 quik	2
1.5 hist	3
1.6 futu	3
1.7 cheater	3
1.8 trainer	4

Chapter 1

Dwarf

1.1 main

Dwarf - English documentation

What is this?

Needed

Quick Usage

Usage

FAQ

Credits

History

Future...

1.2 faqu

Frequently Asked Questions

How can I enter hexadecimal numbers?

(0.43) A leading \$ specifies hex numbers. \$a would be 10.

1.3 what

What is this?

If you know TrainerMaker or Cheater, you're already familiar with this kind of program.

Why another?

I've seen TrainerMaker some time ago, and I was surprised to see something like the Action Replay trainer mode working in multitasking. But most games switched it off and there was no chance to get around this.

OS-friendly games came to fashion, when people recognized that their soft didn't work on any other machine than their own.

There is Cheater, which comes with a nice MUI window and some useful functions. But Cheater was (and still is) Shareware and I didn't want to pay money for a program that I was sure I could code myself.

I started development and created a small program that does what I needed from Cheater before. It was really small, not in filesize, but in functions, so I called it Dwarf. I know there's another program carrying that name, but I just don't care :)

Use Cheater or Dwarf?

If you want a nice (but slow) MUI window, some good menus and a requester appearing everytime you press a gadget ;), download Cheater.

If you don't like the requester, pay \$10 for it.

If you want a nice (and fast) GadTools GUI and continuing free support - use Dwarf.

1.4 quik

Quick Usage

- Start Dwarf by double-clicking on its icon.
 - Play any game, note down the value to be changed, PAUSE the game, switch to WB ('Amiga'+ 'M').
 - Select mode (Byte/Word/Long/Float) with first cycle gadget. If you don't know what to select, try Long or Word.
 - Select memory mode (Chip/Fast/Both) with second cycle gadget. Most games keep the relevant data in Fastmem, so this should do the job.
 - Enter value you've noted before (hope you did) and type it into the string gadget.
 - Press 'Search' gadget. This will take some time.
 - Continue playing your game until that value changes. Pause, and switch to WB again.
 - Enter new value into string gadget.
-

- Press 'Verify' gadget. This is a fast operation which compares the new value with those stored in the listview gadget (or in memory).
- You've found the address? If not, play on and verify again.
- Now type your desired value (see limits above) into the string gadget and select an address from the list.
- Press 'Set'. That's it!

1.5 hist

History

0.01 (08.09.1999) - First working version (ACE Basic)
0.02 (10.09.1999) - Optimized search routine
0.03 (11.09.1999) - --"
0.04 (14.09.1999) - --"
0.05 (16.09.1999) - --"
0.06 (17.09.1999) - --"
0.07 (18.09.1999) - --"
0.08 (19.09.1999) - --"
0.09 (20.09.1999) - --"
0.10 (21.09.1999) - --" (~350% faster since 0.01)
0.12 (18.10.1999) - Bug in search routine fixed
0.20 (31.10.1999) - Revised search routine, should be stable now
0.40 (30.05.2000) - Completely rewritten to C, compiled with vbcc.
0.41 (01.06.2000) - Some minor changes.
0.42 (02.06.2000) - Some minor changes.
0.43 (04.06.2000) - Hex number input and Float search possible!

1.6 futu

Future

- 'Range' memory mode. Set start and end address.
- Switch for en/disabling multitasking during search operations.
- Select and change multiple addresses at once.
- Locale support.

1.7 cheater

Cheater is © by:

Frank Weber
Schlitzstr. 53
74076 Heilbronn
Germany

1.8 trainer

TrainerMaker is © by:

Andreas Ackermann
Lorenz-Summa-Str. 10
????? Oberkötzau
Germany