

PrintManager

COLLABORATORS

	TITLE : PrintManager		
ACTION	NAME	DATE	SIGNATURE
WRITTEN BY		January 20, 2025	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	PrintManager	1
1.1	PrintManager v39 - © 1997-1999 by Stephan Rupprecht	1
1.2	PrintManager.guide/Copyright	1
1.3	PrintManager.guide/Overview	2
1.4	PrintManager.guide/Shareware	2
1.5	PrintManager.guide/Author	3
1.6	PrintManager.guide/Requirements	3
1.7	PrintManager.guide/Installation	3
1.8	PrintManager.guide/Usage	4
1.9	PrintManager.guide/SetPUNT	12
1.10	PrintManager.guide/History	12
1.11	PrintManager.guide/Credits	15
1.12	PrintManager.guide/Bugs	15

Chapter 1

PrintManager

1.1 PrintManager v39 - © 1997-1999 by Stephan Rupprecht

```
Ää$div$äëñßäëï PrintManager
*****
```

Import information:

```
Äëëäéþláôá      Äëëäéþláôá éäé íìëëÛ
Ðññëãñäöþ      PrintManager? Ôé åßíäé ?
ShareWare        Ôï PrintManager åßíäé SHAREWARE
Ðññäññáìíäöéóöþ      Ðùò ìðññ íá ãñþ ôïí ðññäññáìíäöéóöþ
```

Usage:

```
Äðäéöþóäéò      Ôé áðäéöðßðäé äéä íá ðñÝíäðä ôï PrintManager
ÄäëäóÛóóáóç      Ðùò íá ôï ääëäóäóöþóäðä
$times$ñþóç      Ðùò íá ôï $div$ñþóéìððééþóäðä
```

Appendix:

```
SetPUNT          Ç åíðïëþ SetPUNT
Éóðïñëëëü      Éóðïñëëëü
Ðññäëþláôá      ÐëëäíÛ ðññäëþláôá éäé ç ëýóç ôïðð
Äö$div$äñéóöðäð      Ì ðññäññáìíäöéóöþð äðëëöìäß íá äö$div$äñéóöðóäé...
```

~

1.2 PrintManager.guide/Copyright

```
Äëëäéþláôá éäé íìëëÛ
*****
```

Ôï ðáñþí ìðññäß íá áíðëãñÛðäé éäé íá äëäíÝíäðä äöüóíí ç ðáññýóá äþëüóç éäé Ûääéä äëëäëüìÛðí áíðëãñäöþð óöìðäñëëäìÛíäðäé óä üëä óä áíðßãñäóä.

ÄÉÊÁËÜÌÁ ÁÍÔÉÃÑÄÖÇÓ

Copyright (C) 1997-1999 by Stephan Rupprecht

ÞÜóá áíáðãñüíáíá éáóáóééýíóá óþíáóá áßíáé öðü òuí éäéíéðçòþí òíðò.

ìç ÞÁÑî\$\\times\$ç ÅÃÃÖÇÓÇÓ

ï äçíéíðñäüò äáí áßíáé öðäýèðííò äéá ìðíéáäþðíóä æçíéÜ ðñíéèçèää áðü òçí \$\\ ←
div\$ñþóç
Þ éáðÜ\$\\div\$ñçóç òíð ðãñüíðíð äããñÜðíð Þ/éáé òíð ðñíãñÜííáðíð/uí ðíð ðãñéãñÜöáé.~

ÄÉÁíîç

~

Áðöü òí ðáéýðí èíäéóíéèý (áðáíá-)äéáíýíáðáé äñãñÜí. Äáí áðéðñýðáðáé íá
áèéá\$\\div\$èää íá ìðíéíäþðíóä òñüðí, áèöüò áðü òçí ðãñððöüóç òðíðßáóçò.

1.3 PrintManager.guide/Overview

PrintManager?~Ôé áßíáé?

To PrintManager áßíáé ýíáð printer-spooler, óðèèáíäÜíáé òéð èèþóáéð òíð printer. ←
device
óççí parallel-/serial.device éáé óþæáé óá äãäííýíá òíð áèöððüðþ óá ýíá áñ\$\\ ←
div\$åßí.
ðóé, ðñíãñÜííáóá ðíð óðýéííðí äãäííýíá óðíí áèöððüðþ äáí \$\\div\$ñäéÜæáðáé íá òíí
ðãñéíýííðí äéá íá óðíá\$\\div\$þóíðí. Áðßóçò óáo áßíáé èÜðíéíí ýèää\$\\div\$í ó\$\\ ←
div\$áðéèÜ íá óá
äãäííýíá ðíð óðýéíííðáé óðíí áèöððüðþ. Ìðíñãßðá áðßóçò íá áèöððþóáðá áñ\$\\div\$åßá
áðáðèääáð áðü òí PrintManager~íýòü òuí datatypes.

ðééáíðò ìýñãðá òí PrintManager 2.0 áðü òíí Nikola Salmoria, óá äýí ðñíãñÜííáóá
áðóá ìíéÜæíðí èßäí (äáí áßíáé òð\$\\div\$áßí :-), áèèÜ éáíýíá ìýñíð òíð ðñíãñÜííáðüð ←
ííð
äáí ááóßæáðáé óðíí èþäééá òçò ýèäíóçò òíð Nicola.

1.4 PrintManager.guide/Shareware

Ôí PrintManager áßíáé Shareware

, \$\\div\$åðá òðíðçí üðé òí ðñüãñáííá áßíáé SHAREWARE, áÜí óáo áñýóáé ðãñáééääßóèä ←
íá
éáðá\$\\div\$ñþóáðá òí áíðßðððü óáo. Éáðá\$\\div\$ñçíýííé \$\\div\$ñþóðáð éá èÜäíðí ýíá ←
áñ\$\\div\$åßí-èèééää
ðíð áðáéñää òíðð áíí\$\\div\$èçðéèýýð áéðçðýð. Óá óðíé\$\\div\$åßá ìáíýý ",ñäí/ ←
Áðíèþèääóç üð
..." éáé "Ñðèíðóáéð/Fast Par?"~éá áíãñäíðíéçèèýíí éáé áðöÜ.

ÐëçñùìÐ åããñáõÐò (ìüíí ìåññçõÛ/eurocheque Ð ôá\$÷div\$õäññìëêÐ áðìóðìëÐ ðáñáéáëþ):

US\$ 8.-
DEM 15.-

Ãéá íá ðÛñåðå òì åñ\$÷div\$åßì-ëëåéåß ìå éáììíëëü ôá\$÷div\$õäññìåßì, ðñìóëÝóðå US\$2 ←
.-/DEM 5.-
óðçí ðëçñùìÐ.

ÓçìÁíÔÉÊÏ: Ìçí ìå\$÷div\$Ûðåðå ìå áíáöÝñåðå òì üíìå éåé òçí
äéåýèðìóÐ óåð üðáí åããñÛðåðåðå.

1.5 PrintManager.guide/Author

Ðùò ìðìñþ íå åññ òìí äçìéíðñäü

Snailmail:

Stephan Rupprecht
Apfeldweg 1
D-44359 Dortmund
GERMANY

eMail:

stephan.rupprecht@gmx.de

1.6 PrintManager.guide/Requirements

Ôé áðåéðåßðåé äéá íå òñÝíåðå òì PrintManager

Ôì PrintManager áðåéðåß:

Ýíáí ÒðìëìäéóðÐ (óðìååöü ìå) Amiga ìå òìöëÛ\$÷div\$éóðìí AmigaOS 3.0 éåé åêðððùðÐ ←
:-)

1.7 PrintManager.guide/Installation

Ðùò íå òì åãéåðåóððåðåðå

\$\times\$ñçóéììðìéðóðå òì åìðåñéå\$÷div\$üìåíí ÓáíÛñéì-ÅãéåðÛððåóçò äéá íå ←
åãéåðåóððåðåðå òì
PrintManager.~

ÐÁÑÁÉÁÉÅÉÓÓÅ ÍÁ ÁÖÁÉÑÅÓÅÓÅ ÌÐÌÉÌÄÇÐÌÅ ÅÑÅÉÅÉÏ ÓÁÍ ÔÌ PRINTMANAGER ÐÌÕ Å\$÷ ←
\$\times\$ÅÖÅ

ÀÀÊÁÔÁÓÔÇÓÁÊ ÓÔÏ ÓÔÓÔÇÏÁ ÓÁÓ ÐÑÏÔÏÔ ÀÀÊÁÔÁÓÔÇÓÁÔÁ ÔÏ PRINTMANAGER (ð.\$\div\$. ôÏ PrintManager V2 áðü ôÏ Nicola Salmoria)!

1.8 PrintManager.guide/Usage

ÀÊÊßÍÇÓÇ

~ ÌðÏñÀßÔÁ íÁ áñ\$\div\$ßÔÁÔÁ ôÏ PrintManager áðü ôÏ shell~Ð ôÏ workbench.
Óé áêüëÏÔèáð áðéëÏÄÝò (cli/tooltypes) áíááíùñßæÏíÔáé:

CX_POPUP default: YES

ÊáèÏñßæáé ÁÛÏ èá áííé\$\div\$èáß ôÏ ðáñÛèõñÏ ôÏð ðñÏñÛÏíáôÏð üôáí ôÏ ðñÝ\$\div\$áôá ←
ãéá
ðñðÇÇ òÏñÛ. ÁÛÏ áãéáôáóÔÞóáôá ôÏ PrintManager~óôÏ óõñÔÛñé~WBStartup~ãéá íá
áíáñáÏðÏÏéáßÔáé áðôüíáôá, ôüôá äÞóôá ôÏ ùñéóíá ÍÏ.

CX_POPKEY default: shift alt p

Áðôü Áßíáé ôÏ ~hotkey, Ç áêüëÏÔèßÁ áéóüäÏð ðÏð áíÏßááé ôÏ ðáñÛèõñÏ ÁÛÏ Áßíáé
èéáéóôü, Ð ôÏ öÝñíáé áìðñüò ÁÛÏ Áßíáé ÐäÇ áííé\$\div\$ôü.

CX_PRIORITY default: 0

Ç ðñÏðáñáéüÔÇÓÁ ôÏð commodity. Äáí \$\div\$ñáéÛæáôá íá áêéá\$\div\$ôáß.

PUBSCREEN default: not defined

ÔÏ üíííá ÇÇò äÇüüóéáð ïèüíÇÇ óÔÇÏ ïðÏßÁ èá áííé\$\div\$ôáß ôÏ ðáñÛèõñÏ.

PRINTDRAWER default: not defined

Áñ\$\div\$ééü óõñÔÛñé áéá ÇÇÏ áßÇÇÇÇ áñ\$\div\$áßÏð "Print ..."

SAVEDRAWER default: not defined

Áñ\$\div\$ééü óõñÔÛñé áéá ÇÇÏ áßÇÇÇÇ áñ\$\div\$áßÏð "Save as ..."

SPOOLDRAWER default: T:spool

ÔÏ óõñÔÛñé óôÏ ïðÏßÏ èá ðñÝðáé íá óÞæÏíÔáé ðñÏóùñéíÛ áñ\$\div\$áßÁ. ÁÛÏ Ý\$\div\$áôá ←
íáñééÛ
MB áêáýèáñÇ ïíÞíá, \$\div\$ñÇóéíÏðÏéÞóôá ôÏ T:~(ôÏ ïðÏßÏ óðÏÞèüò Áßíáé óÔÇ RAM:),
áêéëéÞò ïñßóôá Ýíá óõñÔÛñé óôÏ óêêÇñü. \$\times\$ñÇóéíÏðÏéÞíÔáò ôÏ óêêÇñü Ý\$\div\$ ←
÷íáôá ÇÇ
äðíáôüÔÇÓÁ óðÏÝ\$\div\$éóÇò ïéóÏðáéèéèüíÝíüí áêôððÞóáüí ïáôÛ áðü áðáíáêêßÇÇÇ ôÏð
ððÏÏéáéóÔÞ. Óá ðáñßðôüÇÇ ðÏð ôÏ óõñÔÛñé äáí ððÛñ\$\div\$áé, äÇíéíðñáßÔáé.

KEYPATH default: DEVS:

ÔÏ óõñÔÛñé óôÏ ïðÏßÏ áñßóéáôáé ôÏ áñ\$\div\$áßÏ-èéáéäß.

SPOOLPRI default: 0

ÅÜí ç æøýðuoç ònpæe üei öii ææýeãñi \$\\div\$ñüii öiö åðãíãñãáoð, \$\\div\$ñçóéííðíéðóðå öi
 SPOOLPRI æéá íá íæépóðåð öçí ðñiðãñãæüöçðå öçð æéãñãáoðåð öiö æøðææáoð, Ýðóé þóðå íá ææðæãñþóðåð \$\\div\$ñüii æéá Üëëåð æéãñãáoðåð. Ç ðñiðãñãæüöçðå ðñÝðæé íá åßíæé áíÜíåðå öå -5 éæé 5.
 ÖçíÅÉÜÖÇ: ¼ðáí eÝðåðå öi SPOOLPRI~ðå -1 Þ \$\\div\$áìçëüðåñå, ç æéãñãáoðå íðññåß íá íçí ëÜåæé åñæåðü \$\\div\$ñüii æéá íá åñ\$\\div\$ßóæé áíÝóùð öçí æøýðuoç. Öüðå éå æíðáíéóðåß
 öi íýíçíå "ÁíÝðíéííð æøððüðð!?" íÝ\$\\div\$ñéð üöiö üéå öå åååííÝíå öiö æøððüðð ððíëíæéóðíýí áðü öi printer.device (Þ üðáí ððÜñ\$\\div\$æé ëÜðíéíð ææýeãñið \$\\div\$ñüiið:-).

BUFFERSIZE default: 4096

ÅðéðñÝðæé öçí æëëåãÞ íåãÝëiðð öüí óðóóüñåððí ðið \$\\div\$ñçóéííðíéýíðæé æéå ãñåð éæé áíÜáíüöç. ÍåååëþííiðÜð öi íæépíåðæé ç ðñüðååöç óöi óëëçñü, æëÜ Ý\$\\div\$æé üð ðåñåíÝñåæé öçí éæéðóðÝñçöç öçð æøýðuoçð íÝ\$\\div\$ñé íá ëçðëíýí åñæåðÜ åååííÝíå æéå
 íá ååíßóæé i óðóóüñåðð. Öi æÜ\$\\div\$éóöi íÝåæëið åßíæé 4096 bytes.

ENUM

FULLNAME default: not active

¼ðáí åßíæé åíåñåü, ç óåððüöçðå ëÜëå Ýñåið (3 øçðå) ðñíåÜëëåðæé óöçí ëßóðå. ð.\$\\div\$.: Multiview -> Multiview.000

NODRAGNJ default: not active

Åðååíñåýæé öç íåðåöíñÜ öið "« Next Job »" (ëíéöÜiðå éæé ðåñåëÜðü).

ICONIFYGADGET default: YES

ÅÜí óæëåß óöi 'YES' éå ðñiðóðæåß Ýíå ëiðíðß æëëíéæëiðíßçöçð óöi ðÜíü üñéi öið ðåñåëýñið.

CHECKPRINTERSTATE default: YES

ËÜíæé öi PrintManager~íå æëÝå\$\\div\$æé öçí éåðÜóðåöç öið æøððüðð ðñéí óðåßëæé åååííÝíå.

CONFIGFILE default: none

Öi üíííå öið åñ\$\\div\$åßið ñòëíßóåüí ðið éå öiñðüëåß üðáí æëëéíçëåß öi PrintManager
 (ËíéöÜiðå éæé ðåñåëÜðü)

DATEFMT default: DOS

You can use this option to change the dateformat of the job list. The following keywords are accepted by DATEFMT:

ÅðëëíãÞ æëëåãÞð öið ðñüðíð åðßååéíçð öçð çíåñíìçíåð óöçí ëßóðå. Íë æëüëiðæåð ëÝíæéð åßííiðæé áðíåæëðÝð:

DOS çç-ííí-\$\\div\$\$\\div\$ (ie. 02-Jan-98)
 INT \$\\div\$\$\\div\$-ííí-çç (98-Jan-02)
 USA íí-çç-\$\\div\$\$\\div\$ (01-02-98)

CDN çç-ii-\$\div\$\$\div\$ (02-01-98)
 DEF ñýèìéóç locale

SAFEREMOVE default: not activated

Ìà ôçí àðéèìāð áõðð, èá àñùððóðā ēÜèā öïñÜ ðïð èá èÝèāðā íá áöáēñÝóāðā Ýíá
 Ýñāì ìā öï èìðìðð "ÁðììÜēñðíóç"

COPYDUPLICATES default: not activated

ÅÜí áíáðāñāāÜāāðā Ýíá Ýñāì ìā öï ìāìíý ",ñāā/Áíáðāñāāüāð", öï PrintManager
 èá ēÜíāē Ýíá óýíāāóìì ööì āñ\$÷div\$āßì. ÅÜí èÝóāðā áõððí ôçí àðéèìāð óā ēāēðìðñāßā ←
 /
 ðüðā èá äçìéìðñāāððāē ðñāāìáðéēü áìðßāñāöï ēāē ü\$÷div\$ē óýíāāóç.
 ÓçìÅÉÜÓÇ: Óôçí ðāñßððüóç ðïð āßíāē āäýíāöï íá äçìéìðñāçēāß óýíāāóç, èá āßíāē
 áìðēāñāðð āñ\$÷div\$āßìð!

PAUSED default: NO

Åñ\$÷div\$ēēð ēáðÜððāóç öïð "« Åðüìāìì ,ñāì »" (ēìéðÜîðā ðāñāēÜðü).

APPMENU default: NO

ÅÜí 'YES', öï PrintManager èá ðñìðéèÝðāē Ýíá appmenuitem óðā ìāìíý öïð wb.

POPWINDOW default: NEVER

ACTIVE: ¶ìíēāìá ðāñāēýññö üðāí āìðāíéóððāß ēāēììýñāēì Ýñāì.
 ALWAYS: Óāí öï ACTIVE, áēēÜ áìßāāē öï ðāñÜèðññ ēáðÜ ôçí āēēßíçóç,
 üðāí ððÜñ\$÷div\$ìðì áíáðììāßíāíðā Ýñāā áðü ðñìçāìýìāíç öïñÜ.
 NEVER: áðāíāñāìðìēāß öï POPWINDOW.

APPICON default: ACTIVE

NEVER: Öï PrintManager āāí äçìéìðñāāß appicon.
 ACTIVE: Öï appicon āìðāíßæāðāē üðāí āìðāíéóððāß ēāēììýñāēì Ýñāì ēāē
 āíáðāíßæāðāē üðāí ðāēāēðóāē ç āēðýðüóç.
 ALWAYS: Tì appicon āßíāē óðíā\$÷div\$ðð ìñāðü.

Åéðēü ēēðē āìðāíßæāē ēāē öÝñíāē ìðññìóðÜ öï ðāñÜèðññ.

APPICONNAME default: PrintManager/localized name

ÅðéðñÝðāē ôçí áēēāāð öïð ìíüìáðìð öïð āēēìíēāßìð.

DELCOM default: off

ÅðéðñÝðāē öïí ðññìðāēìñéóìü ìéáð āíðìēðð ðïð èá āēðāēāßðāē üðìðā öï
 PrintManager~èÝèāē íá āēāāñÜðāē Ýíá āñ\$÷div\$āßì. ,ðóé ìðññāß íá \$÷div\$
 ðññçóéììðìçēāß ð\$÷div\$
 öï GlobalTrash~(áðü öïí Oliver Blumert) āēā āēāāñāöÝð.

ð\$÷div\$:
 DELCOM="GlobalTrashClient %s"

Öï '%s' èá áìðéēāðāóðāēāß áðü öï āñ\$÷div\$āßì ðññìð áìðēāñāðð.

AUTOFF default: off

Ἀνῆ\div\$éeē ēáôÛóóáoç ôiō óóie\$ῥ\div\$áβiō iáíiý "Άôöüááoç áíôieē Form Feed" (←
 ēieôÛiôâ
 ḐáñáéÛôù) .

```
FASTPAR          default: off
```

Άν\$\\div\$έέΠ έΎόϙ ôiô óôîé\$\\div\$âßiô lâííŷ "Fast Par". ÅŮí âßíáé áíâñāΠ, ôi ←
PrintManager

éá \$ \div \$ñçóéíïðíéþóáé ôçí äéééÛ ôïö parallel.device (fastpar.device) äéá ôçí
 áðïíóóíëþ ääääííýíüí óóíí äéóððüòç. Áðð ç óðóéäð ððíññáß íá óðáßéäé ääääííýíá
 óóíí äéóððüòç ðéí äñþäíñá áðü ôçí éáíííééþ parallel.device.

ÐĚǺǻÍǺÊÔÇÌÁÔÁ :-)

- Ìããáëýôãñç ôá\$\div\$ýôçôá.

- Éäéáßôâñá éäëþ äéá âêôôðüôÝò ìä ìääÛëïò óóóóùñäóôÝò.

- Áðáéóáß ëéäüóáñï \$ \div \$ñüíï äðáíáñääóð áðü òçí~parallel.device,~ïðïßðä ïðïñáßðä ↵

ía óõía\$\\div\$βóâôâ íá äïöëäýâôâ áíp ãßíáôáé âêôýðùóç.~

$$\dot{I} \dot{A} \dot{E} \ddot{I} \dot{I} \dot{A} \hat{E} \hat{O} \zeta \dot{I} \dot{A} \hat{O} \dot{A} : - ($$

- Ìüíî ãéá êáôá\$\\div\$ũñçìÝíîõò \$\\div\$ñŦóôâò

- 4eā ōā āāāīīYīā ōōYēīīīōāē ōōcī ōōŪñ\$\\div\$īī ōāñŪēēēcēç ēýñā, īōūōā ēā ōñYōāē īā ōōīāYōāōā ōīī āēōōōūōP ōāō āēāā.

- İdîñāḅ ıá ıçı äioēāyāē ıā ıāēēıııōēēYō Amiga-Ḍıō āāı Yş\divşıōı Bāēı ōēēēü ḍāñüēēççō eyñāō (Ḍēēāıü ēıēēpıāōā ōḍıēıāēōōp)

```
- ÐñīāñÜlláóá ðīō áðáéðīýí ðēý $\\div$ñüüī āðāīāñāáoôþ (ð.$\\div$. printer.device) ←  
~lðīñāð
```

ία όάιάόΠόϊόί όçí âêôýðùόç.

WINDOWX default: 0

İñéæüíôéá èÝóç ðañaèýñiõ.

WINDOWY default: below screen titlebar

ÊÛèâôç èÝóç ðáñáèýñiõ.

ICONX

ICONY

ÈÝóç áéêíéäßïð ãöáñììãðò. ÅÜí äái êáèĩñéóôĩý, ôïðïèãôãßôáé áõôüìáôá.

```
PRINTDELAY      default: 0
```

İñéóìüò \$\\div\$ñüíïõ áíáìííÐò ìÝ\$\\div\$ñé ôcí âêêßícóc âêôýðùócò íÝïõ Ýñãïõ.

Examples:

```
PRINTDELAY=10
```

ĐãñéìÝíïé 10 äãõô. ìÝ\$\\div\$ñé ôcí âêêßícóc âêôýðùócò íÝï ÿñäï/

ÓCÌÀÉÙÓC: C áíáíiíP óôáíáôÜâé áôöüiáôá üôáí Ý\$\\div\$ïíôí ěcöëâß üëá ôá äääïiÝíá.

```
PRINTDELAY=0
```

Áñ\$ \div \$βæǎé áìÝóùò ç âêôýðùóç.

PRINTDELAY=-1

Ç æøýðùóç èá áñ\$\\div\$ßóæ æöíý èçøèíýí üëá óá äääííýíá.

TIMEOUT default: 0

İñæææ ðüóí èá ðañéíýíáæ öí PrintManager~æéá íá äßíáæ ýðíéíìò ì æøððùòðò. ÅÜí
ì æøððùòðò äái äßíáæ ýðíéíìò óðíí èæèñéóíýíí \$\\div\$ñüíí, ←
öí
PrintManager~óðáíáðüáæ íá ðañéíýíáæ èæé àìöáíßææ ýíá ðañüèöñí ðíð óáo
áíçíáñþíáæ üðé äái äßíáæ äóíáðð ç æøýðùóç.

Examples:

TIMEOUT=0

Åðáíáñäíðíßçóç èæèþí èðíçò \$\\div\$ñüííð. (ðñíáðéèíäð)

TIMNEOUT=30

ÈÜèìò èðíçò \$\\div\$ñüííð íáðÜ 30 ääðð.

ÓçìÁíÓÉÉİ: Öí TIMEOUT äái äüðèäýáæ åÜí öí "CHECKPRINTERSTATE=NO" !

PRINTCOUNT default: 1 <1...999>

Öí Printmanager íðíñåß íá óóýéíáæ öí ßæèí ýñäí ðíèèýðò öíñýò óðíí æøððùòðò.
Åððü åðéèýäææ ðüóðò öíñýò èá æøðððíáðáæ èÜèå ýñäí.

DEVICE default: systemconfig

UNIT

ÉáíííéèÜ öí PrintManager~èá æéáèñßíáæ áððüíáðá óá ðíéÜ óðóèäð ý\$\\div\$åðå ←
óðíáýóáæ
öíí æøððùòðò (ð\$\\div\$ parallel-/serial.device). İüíí èèðóáèð óçíí èáðÜèèçç ←
óðóèäðð
áíá\$\\div\$áèðßæííðáæ åÜí äßííðí áðü óçíí printer.device. Åðóðð\$\\div\$þòü èÜðíéá ←
ðñüäñÜíáðá
äái èá äüðèýðíðí íá öí PrintManager~åÜí äái ìñßóåðå áððíí óçíí åðéèíäð (ð\$\\ ←
div\$
datatypes.library)

Äßíííðáð ýíá üíííá óðóèäððò (èæé ðñíáñáèðéèÜ áñéèìü ìííÜäìò) èá èÜíáæ òò
PrintManager íá èáðá\$\\div\$ññþóáæ İÉÄÓ òèð èèðóáèð óçíí óðóèäðð. ð\$\\div\$~:
DEVICE=parallel.device

Åðü öí v39.21~èæé ýðæéðá öí PrintManager~ððíóçññææ óçíí èáðá\$\\div\$þñçóç ←
ðíèèäðèþí
óðóèäððí/ìííÜäìí. Åéá óçíí èáðá\$\\div\$þñçóç ð\$\\div\$ òüí parallel.device, ioblixpar. ←
device,

DEVICE=parallel.device,ioblixpar.device

Óá UNIT, DEVICEWEDGE and UNITWEDGE äý\$\\div\$ííðáæ òèð ðañáíýðññòò íá öíí ßæèí ←
ðñüðí.

ÓçíİÆÜÓÇ: Äái äßíáæ äóíáðð ç æøýðùóç ðañéóóüðåñüí áðü áíüð ýñäíð óçíí ßæéá
óðéäíð. ¼ðáí òðÜñ\$\\div\$íðí ýñäá óçíí èßóðá æøýðùóçò, İé åðéèíäýð DEVICE/UNIT~äái
èá ðñýðæé íá áèá\$\\div\$èíýí, æéüðé óçíí áðüíáíç öíñÜ ðíð èá æèèéçèåß öí
PrintManager,~öí ðñüäñáííá èá óá óðåßèæé óçíí èÜèìò óðóèäðð~(æéá ðañáääéäíÜ,
ái èñáððóåðå óá ííüíáðá òüí óðóèäððí áèèÜ áèèÜíáðå óçíí óáèñÜ ìñéóíüð öíðò)

DEVICETYPE

ÀÛí Ý\$\\div\$âââ òâéñéâéü âêôôðùòð èÝóóâ òí òòí 'serial', áëëíépò òòí 'parallel' (ð\$\\div\$. DEVICETYPE=parallel). Áôòü âßíáé áðáñáðòçòí iüíí ÀÛí ç éáôÛóóáóç òíô âêôôðùòð äáí áíáäíüñßæâðáé òùóóÛ.

DEVICEWEDGE

UNITWEDGE default: not active

ÀðéòñÝðáé òçí íâðáöíñÛ íâðáçòçò òçò âêôýðùòçò áðü ìßá óóóéâðð óâ Üëëç (ð\$\\div\$ ← áðü òçí parallel.device òòçí serial.device, ð óâ üðíéá Üëëç óóóéâðð èÝéâðâ!:) ←

IGNORETASK

Ìâ òçí âðéëíâð áôòð, ìñéóíÝíá ðñíññÛííáðá äáí óðéáíâÛíííðáé, üðùò éâéíñßæííðáé áðü ó\$\\div\$çíáðéóííýò AmigaDOS. Áôòü âßíáé \$\\div\$ñðóéíí àÛí Ý\$\\div\$ ← ð\$\\div\$ Ýíá óéÛíñ òóíâââáíÝíí òòçí ßáéá èýñá ìâ òíí âêôôðùòð.

ð\$\\div\$:

IGNORETASK=scanner.device - Òí PrintManager äáí âêôâéâß áðü òí scanner.device. IGNORETASK=(scanner.device|dpaint|TPaint) - Ìçí âêôððíáéò áðü scanner.device, dpaint and tpaint.

ÒçíÌâÛÓÇ: Èâéðíðñââß iüíí íáæß ìâ òçí âðéëíâð DEVICE. Æéá ðëçñíðíñßâò ó\$\\div\$ ← ìâ òíòò ó\$\\div\$çíáðéóííýò óðíâíðéâððâðâ òí äâ\$\\div\$âéñßâéí òíò AmigaDOS!

PATCH

default: YES

ÈáíííééÛ òí PrintManager~ââéâééóóÛ Ýíá ìðÛèüíá òòí óýóòçíá äéá òçí éáðâ\$\\div\$ ← ð\$\\div\$ðñçóç òóóéâððí. ÀÛí òí áðáíññíðíððáðâ àÛæííðáò òí PATCH òòí NO, òí PrtManager~èá äíðéâýâé ðéí òééééÛ ìâ òí óýóòçíá áéëÛ éá áðáéðâß òçí áðáíññýèéóç òçò printer.device~âéá íá óðÝéíáé äââííÝíá òòçí ìííÛâá 0 òçò~spool.device. Æéá òí TurboPrint~ð òçí printer.device V42~áôòü âßíáðáé ìÝòù òíò ðñíññÛííáððò âðéëíâðí. Æéá òçí printer.device v39/40~\$\\div\$ñçóéííðíéâßóóâ òí ðñüññáííá SetPunt Òí PATCH=NO~áðáéðâß òíí ìñéóíü òüí âðéëíâðí DEVICE/UNIT~òòçí òóóéâðð áíüäíò (ð\$\\div\$ paralle.device)

\$\\times\$ñçóéííðíéðíðáò òí ðññéâÛéëíí

Ç âðéëíâð áíüò Ýññíò óáò âðéòñÝðáé òçí ðñÛíç áíññââéðí óâ áôòü. Ìðíñâðâ íá òçí óóáíáððáðâ/âðáíâééíððáðâ ìâ òí èíòìðß (Àíññâü/ÓóáíáòçíÝíí) (=èíòìðß return) ð íá òí áðáéñÝóâðâ áðü òç èßóðá ìâ òí Áðáßñáóç. Ç èßóðá áíáâéíñâáíðíðáé ìâ óâ èíòìðß ðáíü/Éáðü. ¼ðáí òððíáðáé Ýíá Ýññí, äáí ìðíñâß íá ìâðáééíçéâß. Òí èíòìðß ðáýóç âðéòñÝðáé òçí ìâðáßòóç òçò âêôýðùòçò òíò Ýññíò áéëÛ äáí òí áðáéñâß áðü òçí ìòñÛ âêôýðùòçò.

Áí áðáéñÝóâðâ ìéá ü\$\\div\$é ðèðñçò ãñáóßá áðü òç èßóðá (ââßí\$\\div\$âé ãñüòçíáðééÛ), ← òüðâ òí ðñüññáííá éá âðéòñÝðáé èÛèòò òòíí áðíòðíéÝá, áéëÛ áôòü äáí òóíâðÛââðáé üðé

ì áðìóðìēýáò èá óðáìáòþóáé!Óá áðòþí òçí ðāñßðòùóç òá áéóāñ\$\\div\$ùìáíá āāāììýíá āāìììýíóáé.

ÒðÛñ\$\\div\$áé ìßá áéāēēþ éáóá\$\\div\$þñçóç óòç ëßóóá, « Åðùìáíì ñāì ». ¼éá òá áéóāñ\$\\div\$ùìáíá
 Ýñāì èá ìðìóí ðñßí áðù áðòþí éáé èá āßíáé óòçí ßāéá éáòÛóóáóç (áíāñāÛ þ óā áíáìììþ). ÅÛí ëìéðùí ēýóáòá áðòþí óā áíáìììþ āāí èá áéòððùēāß òßðìòá ìý\$\\div\$ñé
 íá
 òçí áēēēéíþóáòá. Ìáòáēēéíþíóáò ýíá Ýñāì áðù ēÛòù áðù òì Åðùìáíì ñāì, āāí èá áéòððùēāß. ñāā ðìò ý\$\\div\$ìóí ìāßíáé áðù Ûēēç öìñÛ èá ìðìóí éáé áðòÛ áðù ēÛòù.
 Åéá
 òç áðìòðāþ éáíēáóìýíçò áíāñāìðìßçóçò Ýñāì ēÛòù áðù òì Åðùìáíì ñāì ùóáí áðòÛ ìāóáēēéíçēíýí ðñìò óā áðÛíù, áðòýò áðòùìá òßēáíóáé óā áíáìììþ. ¼óáí ìāóáēēéíþóá ùìò òì Åðùìáíì ñāì ðñìò óā ēÛòù, óā Ýñāā ðìò āāāßíìóí áðù ðÛíù āāí òßēáíóáé óā áíáìììþ!

paused!

*\$^1\$ Ìā òì gtdrag.library ç ëßóóá ìðìñāß íá áēēÛíáé ìā Drag&Drop.
 Òì NODRAGNJ áðāāññāýáé òçí ìāóáöìñÛ òìò « Next Job ».

The menu

Åñāáóßá

=====

ðāñß ðēçñìðìñßáò

ðñìāñáìíáðéóìùò ... Åðāíāñāìðìēāß óā Ýñāā éáé óā áíāñāìðìēāß íáíÛ ìāòÛ
 áðù ēÛðìēí ðñìēáēíñéóìýíí \$\\div\$ñùíí. ¼óáí āßíáé áíāñāùò, \$\\div\$ñçóéììðìēāßóóā
 òì óðìē\$\\div\$āßí áðòù òìò ìáíìý áéá íá òì áðāíāñāìðìēþóáòá.

Åðùēñðøç Êēāßíáé òì ðāñÛēòññ \$\\div\$ùñßò íá ēēāßóáé òì ðñüāñáìíá.
 Òýēìò Êēāßíáé òì~PrintManager (ç ìòñÛ áēóýðùóçò ðñýðáé íá āßíáé Ûāāéá).

ñāā

=====

Åēóýðùóç ... Åðēēíāþ āñ\$\\div\$āßùí áéá áēóýðùóç.
 Ìðìñāßóā āßóçò íá áēòððóáòá āñ\$\\div\$āßá ðìò ðāñēý\$\\div\$ìóí óēýóá āāāììýíá
 áēòððùóçò (áðù ",ñāā/Åāāñāóþ...") ìýòù áðòìý òìò ìáíìý. Òì ó\$\\div\$üēēí òìò
 āñ\$\\div\$āßíò ðñýðáé íá āßíáé "Raw Printer Data"!

Áíòßāñáóá ... Åðēēíāþ òìò āñēēìý áíóēāñÛòùí òìò áðēēāāìýííò Ýñāìò.
 Áí áēēÛíáòá òìí āñēēìù òìò « Åðùìáíì ñāìò», üéá óā Ýñāā èá ý\$\\div\$ìóí
 òìí ßāéí āñēēìù áēóýðùóçò.
 Ìāòìííìáóßá ... Åēēāāþ òìò ìíùìáòìò áíùò Ýñāìò.
 Åìòēāýáé ìííì áéá Ýñāā ðìò áēāßíç òç óóēāìþ āāí áēòððíííóáé.

Åāāñáóþ ùò ... Åðìēþēáóóç Ýñāìò ùò āāāììýíá áēòððùóþ. ÌāòÛ ìðìñāßóā íá
 óóāßēáòá òì āñ\$\\div\$āßí óòìí áēòððùóþ, āßóā ìýòù òìò PAR: āßóā ìýòù òìò
 PrintManager. Òì ó\$\\div\$üēēí òìò āñ\$\\div\$āßíò èá āßíáé "RAW PRINTERDATA".
 (ìííí ÅÉÁ Òçí ÉÁÓÁ\$\\times\$ÛÑçìÄíç ÅÉÄíÓç)

Áíáðāñāāùāþ ÁíóēāñÛóáé òçí āìòēāéÛ óòç ëßóóá éáé āÛæáé āñēēìù áēòððóáùí 1.
 Êēāßáùìá Åðāāññāýáé òçí áóāßñāóç òìò Ýñāìò.

ÅðììÛēñòíóç üēùí Åóáēñāß üéá óā Ýñāā áðù òç ëßóóá

```

Ñõèìßóáéò
=====
Äçìéìõñãßá áéëííéäßúí? ¼ôáí óþæåðå Ýíá Ýñäí äçìéìõñããßóáé áéëííßäéí
(Äðéëíäþ CREATEICONS) .
Áððüíáðç Áíðíëþ Form Feed Ôíðíëåðåß Ýíá form feed íåðÛ áðü ëÛëå Ýñäí (AUTOFF) .
Fast Par? ÍåðåðíñÝò ðøçëþð óá$÷div$ýðçðåð áéå ãñþäíñíðð åëðððüðÝò (FASTPAR) .
,ëää$÷div$ìð åëðððüðþ ,ëää$÷div$ìð éåðÛóðåóçð åëðððüðþ ðñéí ðçí áðíóðíëþ ←
äääííÝíúí
(CHECKPRINTERSTATE) .
Áððåëþð áðííÛëñðíóç? Äðéååååßüç 'ÁðííÛëñðíóç' (SAFEREMOVE) .
-----
Äããñåðþ Óþæåé ðéð ðüñéíÝò ñõèìßóáéò (üëåð ðéð äðéëíäÝò cli/wb) .

ÁíðíëÝò
=====
ÁíÛäíüç ñõèìßóåíí ...ÁíÛäíüç åñ$÷div$åßíð ñõèìßóåíí
-----
ÁÛí Ý$÷div$åé áííé$÷div$ðåß åñ$÷div$åßí ñõèìßóåíí íé áíðíëÝò åßíåé åþ

ÄéÛðíñå
****

Ôí PrintManager åßíåé commodity,éåé åëÝå$÷div$åðåé áðü ôí Exchange.

Ôí ESC éëåßíåé ôí ðåñÛëðñí,
Ôí RETURN áéëÛæåé ðçí éåðÛóðåóç áíüð Ýñäíð (Áíåñåü/Áíåíåñåü) . Óå ååëÛéå (ðÛíü/ ←
ëÛðü)
äðéëÝäíðí Ýñåå. Äéðëí éëéë ëÛíåé ôí ßäéí ðñÛíå íå ôí ëíðíðß "Áíåñåü/Áíåíåñåü" .
Ôí DEL áðåéñåß ôí Ýñäí áðü ðç ëßóðå.
Ôí HELP åíðåíßæåé ôí åå$÷div$åññäéí.

Ìðíñåßðå íå åëðððóðåðå åñ$÷div$åßå áðåðéåßåð áðü ôí PrintManager~íå ðçí äðéëíäþ~" ←
,ñåå/ÄéðÝðüç..."
óýñííóåð åéëííßäéå óðí åéëííßäéí åðåñííäþð þ óðí ðåñÛëðñí ðíð ðñíåñÛíåðíð.

Ôí åñ$÷div$åßí äðéëíäþí
*****

ÄðéðëÝíí ôí PrintManager äðéðñÝðåé ðçí áðíóðíëþ áíðíëþí åëðððüðþ áðü ôí ←
ðñüåñåííå.
Ôí åñ$÷div$åßí äðéëíäþí åßíåé Ýíå áðëü åñ$÷div$åßí éåéíÝííð íå esc-sequences áéå ←
åëðððüðÝò.
þ$÷div$÷:

// Set font
Prestige: $1b,'k',1
Draft: 27,'k',0
...

Óå ó$÷div$üéåé åéóÛåííóåé íå äýí '/'.
Ôí üíííå ðçð áíðíëþð Ý$÷div$åé üñéí 30 $÷div$åñåéðñåð éåé $÷div$ññæåðåé áðü ðçí ←
åéíëíðéßå
íå Ýíå `:'. ÁÛí ëÝëåðå íå $÷div$ññßóåðå íßå åñåííþ óå ðíëëÝò, åÛëðå Ýíå backlash~ ←
óðí
óÝëíð ëÛëå åñåííþð. Ìðíñåßðå íå åÛëåðå åñéëíüð óðí ååéååéü þ óðí ååéååíåéëü. ←
ËÛëå

```

byte~ôçò áíôïëð ðñýðáé íá \$\\div\$ũñßæâôáé iâ ëüiíá.

1.9 PrintManager.guide/SetPUNT

Ç áíôïëð SetPUNT

Ôï SetPUNT áßíáé iéá áíôïëð cli-command ~ðïð áðéôñýðáé ôçí áëëáãð ôïð
PUNT-Chunk ôúi áðéëïãþí áëôððùôð. Áðü ëýáé óôï printer.device óá ðïéÜ
óðóéáðð éá óðýëíáé äääïiýíá. Áðü óóíðèùð äáí \$\\div\$ñçóéiððïéáßôáé áðü ôï ←
óýóðçíá
áéáðß ié áðéëïãýð áëôððùôð áðéôñýðïí iüiü ôçí áðéëïãð iáðáíý
parraler/serial.device. Ôï SetPUNT~áðéôñýðáé ôçí áëëáãð ôúi ñëèßóáüí \$\\div\$ũñßð
iðýëüíá ôïð óðóðþíáðïð.

Examples:

SetPUNT hyperPAR 0 ; send all printer data to 'hyperPAR.device' unit 0

SetPUNT "" 0 ; back to default settings

SetPUNT ; display current PUNT settings

ÓçíÁíÔÉËÏ: Áí äáí \$\\div\$ñçóéiððïéáßôáé ôçí áðéëïãð DEVICE~éáé i áëôððùôðð
äáí áßíáé óóíäääáiýíü óôï serial/paraller.device~\$\\div\$ñçóéiððïéáßôáé ôï
SetPUNT~äéá íá áëëüiáðá óéð áðéëïãýð ôïð áëôððùôð, þóðá ôï PrintManager~íá
iðïñáß íá éáðáëüäáé óá ðïéÜ óðóéáðð ý\$\\div\$áðá óóíäýóáé ôïí áëôððùôð.

1.10 PrintManager.guide/History

History

39.0 first public release

39.1 small changes in PrintManager and spool.device. Added APPICONNAME
option. When APPICON is set to ACTIVE, the icon is shown as long
as there is a job available, indepent of its state (active/paused).
polish catalog. Filerequester, no longer "forgets" last selected
path. removed catalogs/blank.cd. french catalog.

39.2 bugfix: system crash when trying to print a file from inside
prtman under non cybergfx systems. Added version number
to commodity name. Added "Rename ..." job option. New option
to change the dateformat of the job list.

39.3 Menuitems weren't always disabled/enabled, when the job list
changed. APPICON=ACTIVE didn't work when all jobs were placed
below « Next Job ». Norwegian catalog. DrawInfo wasn't released.
Changed gui of "rename ..." window. Printing text files from
inside PrtMan didn't work. Included SetPUNT command into the
archive. spool.device: sometimes crashed the system when removed
from memory.

39.4 new print count funtion, internal changes in spool.device. czech

- catalog. APPICONNAME tooltype wasn't saved correctly. SetPUNT saved the printer preferences only to ENV:. serbian catalog. security requester when trying to remove all jobs from list and when trying to overwrite an already existing file by 'Jobs/Save as ...'. reworked listview. spool.device process wasn't removed from memory on expunge. Added a compatibility kludge for printer.device v42, when printing files from inside PrtManager (not the best solution yet). Fixed rounding error.
- 39.5 PrintManager should work with pit.device (MFC) now. Updated serbian and swedish catalog files. Empty files in SPOOLDRAWER are automatically deleted on startup.
- 39.6 Now works with HyperPAR.device. Integrated spool.device into PrintManager. envvar SD_DEVICETYPE replaced by DEVICETYPE option. NSCMD_QUERY is used to determine the type of the output device (serial/parallel). Creates index file to speed up scanning of spooldrawer. New options: DEVICEWEDGE, UNITWEDGE
- 39.7 commodity crashed when started a second time (only in 39.6).
- 39.8 INTERNAL RELEASE
New option: APPMENU. bug when taskname contained full path (eg. SYS:Tools/xyz), AFAIK only occurred when using ToolManager 2.x.
- 39.9b New option DELCOM. Now your programs can use an API that allows to change a jobs' name (see directory Developer). Index file will be saved 30 seconds after the last change of the job list. Enforcerhit when settings were saved. Index reading function was broken. "Copies ..." / "Rename ..." window is now correctly centered within the main window. New functions "Print once" / "Scheduler". listview rounds up shown filesize now.
- 39.9b2 Fixed bugs in DELCOM and API. Moved menuitem "Project/Print ..." to "Jobs". Renamed "Print once" to "Duplicate". New button to abort the current print job. Function to send printer commands from within printmanager. AUTOFF is a bit smarter now, it doesn't add a formfeed if the job already has one at the end. New option: BUFFERSIZE.
- 39.9 Stop didn't work correctly when job was already paused. "Settings/Save" was broken. Some catalogs has been updated (thanks to the translators).
- 39.10 Now saves index after 15secs (before 30secs), this should solve some invalid index problems (eg. system reboot before index has been saved). Unregistered: SHAREWARE-Requester pops-up when you open the window for the first time, before it was opened whenever you started PrintManager. NEW OPTION: POPWINDOW - works similar to APPICON.
- 39.11 New options: CHECKPRINTERSTATE, SPOOLPRI. Swedish catalog has been updated. NOKLUDGE option for hyperPAR- and pit.devices that return the printer state correctly. spool.device: NSCMD_DEVICEQUERY was broken. DEL key will zip the window. A double-click on a job will've the same effect as pressing the "Active/Paused" cycle button. Additionally checks PARBUSY flag to make sure that your printer is really ONLINE.
- 39.12 Because of a small bug (?), the API and "Jobs / Print ..." didn't work without TurboPrint (since 39.9). SAFEREMOVE option forces PM to pop up a requester each time you want to delete a job by using the "Remove" button. Replaced "Settings / Save" function by a smaller and more comfortable (from the programmers p.o.v.) one. New option COPYDUPLICATES. « Next Job » is now displayed in boldstyle. Replaced calls to C:Copy by an internal routine. DEL will no longer zip the window but instead remove the selected job from the job list.
- 39.13 Standard WB tooltypes (DONOTWAIT, STARTPRI, TOOLPRI) wasn't set by
-

- "Settings / Save". SAFEREMOVE requester came up when prtman wanted to delete a job after printing <Mirko Lukas>.
- 39.14 ital. catalog by Matteo Cortese. Pressing HELP brings up the manual <Jens Rosenboom>. Added note concerning SPOOLPRI to the manual. Fixed a bug that could lead to crashes when the user was playing with one of the action buttons while a message was pending between PrintManager and spool.device.
- 39.15 spanish catalog by Damaso Dominguez. new KEYPATH option to change the home directory of the keyfile. 68020+ version.
- 39.16 window is now vertically resizeable (new option: WINDOWHEIGHT). looks at more places for its manual. WINDOWX/Y weren't updated saved.
- 39.17 corrected docs: WINDOWHEIGHT is implemented as WINHEIGHT. Just like MUI, BGUI, ... you can cycle through the gadgets using the TAB key. Added workaround for a bug in ioblixpar.device (PARBUSY flag works in reverse order).
- 39.17a fixed Installer script bug <Axel Teichmann>. Included dutch catalog by Roland de Herder.
- 39.18 fixed bug caused by IconifyGadget by Håkon Enger. Optionally adds an own iconify gadget to the window. speeded up internal copy command by using async reading/writing. Added additional options to the 'Settings' menu.
- 39.18a Added spanish guide, registrationform and catalog to the archive. 1000 'thank you's to Damaso Dominguez.
- 39.19 added three dummy LVOs (spool.device) to avoid that queryioblix crashes. used egcs for compilation, which produced a code that is around 10kb shorter than the one produced by MaxonC. miscellaneous internal changes.
- 39.20 because of some changes in 39.19, two bugs were introduced: pressing Esc could crash the machine, 'Rename ...' didn't work properly. compiled with egcs1.1.
- 39.21 finally, I fixed 'Rename ...' :) Now upto eight devices/units can be cached. Had to change the filenote of cachefiles from "Raw Printer Data" to "RAWPRINTERDATA", additional information are also saved in the comment. Improved recognition of invalid index files.
- 39.22 rewrote spool.device, jobs for all 8 devices allowed can be cached at the same time now. incomplete jobs can be removed from joblist. changed default drawer for SPOOLDRAWER from T: to T:spool, if the given drawer doesn't exist it will be created. removed NOKLUDGE option, CHECKPRINTERSTATE can be used instead!
- 39.23 new option ENUM=FULLNAME/S <Marcin Orlowski>. spool.device uses async doublebuffering to speed up saving and printing.
- 39.24 on some systems (locales) the time string created by dos.library/DateToStr() doesn't contain seconds, PRTMan didn't take care of this when drawing the listview contents. When available, tbciclass (VisualPrefs and titlebar_ic.lha) is used to draw the iconifyimage. Thanks to Francis Labrie for the bug report.
- 39.25 MenuItem "Jobs / Lock" can be used to protect a job from deletion, this includes removing the job from the list after it has been printed. Copyroutine did not always set the filenote. While copying, a progress indicator is shown. In order to make copying faster, async double-buffering is only used when source and dest aren't on the same physical device.
- 39.26 old jobs were printed twice because of a bug in the new index-reading routine <Alexander Doeller>. new serbian, polish and italian catalogs.
- 39.27 When gtdrag.library is installed, the joblist can be changed by Drag'N'Drop.
- 39.28 new czech catalog by Vit Sindlar. now ignores double-clicks on the joblist when there's no job under the mouse pointer <Alexander Doeller>.
-

NODRAGNJ/S forbids dragging of "Next Job" <Marcin Orlowski>. compiled using egcs 2.95.1.

39.29 now uses MatchNext() to scan the SPOOLDRAWER rather than the buggy ExAll(). filerequester better remembers last selected path now.

when trying to remove "Next Job" no requester will come up (SAFEREMOVE) <Marcin Orlowski>. When using OS3.5 the WB menu-item "Icons/Snapshot" can be used to save the current appicon position to disk. Dropped 68000/010 support.

1.11 PrintManager.guide/Credits

The author want to thank ...

all people, who will support the future of this program:-)

And especially ...

Marcin Orlowski (ATO) and

Miloslaw Smyk (ATO) for their suggestions and the polish catalog

Pascal Walers for the french catalog

Kimme Utsi (ATO) for the norwegian catalog

Terry Coles for the error report

Martin Hassel for the swed. catalog

Vit Sindlar (ATO) for the czech translation

John Kelly for his suggestion.

Ljubomir Jankoviá for the serbian catalog.

Stephan Riedelbeck for the bug-reports

Axel Gröger for the bug report concerning PM & PowerCache
and the donation of DM 10.- :)

Matteo Cortese for the italian catalog.

Roland de Herder for the dutch catalog.

Didier Giron for the french catalog (update).

Damaso Dominguez for the spanish translation of the program,
guide, installerscript and registration form. Thanks again.

1.12 PrintManager.guide/Bugs

Possible problems and their solution

If you discover any bugs, please send a detailed bug-report to the Author.
Don't forget to add a descprition of your configuration!

\textdegree{} Since I don't own a serial printer, I wasn't able to verify if ↵
PrintManager
correctly works with such a kind of printer.

\textdegree{} If PrintManager doesn't recognize some programs sending data to the ↵
printer,
you should activate the DEVICE option.

\textdegree{} While PrintManager is printing a file via the datatypes-system, the ↵
Workbench

Screen can't be closed. This is because PrintManager opens an invisible window on the screen.

\textdegree{} If the program seems to "hang" when trying to print a file via the ↵
datatypes-
system, you should activate the DEVICE option.

\textdegree{}~In the case that you use TurboPrint by IrseeSoft, you must ↵
deactivate the
TurboPAR option of TP. Otherwise PrtMan cannot recognize any job.

\textdegree{} pit.device: The PDCMD_QUERY of this device is broken this means ↵
that PM
cannot determine the printer state.

\textdegree{} PowerCache may cause block errors when PrintManager saves temporary ↵
data on
a cached disk. Seems that PC has some problems when reading and writing a
file at the same time. This is not a bug of PM!

\textdegree{} Problems with the HyperCOM io-boards have been reported, either the ↵
hardware
or software of these boards seem to be buggy (bad printerstate is returned).
CHECKPRINTERSTATE=NO might help to workaround the problem.
