

# **DirScannerRexx**

Hynek Schlawack

<b>COLLABORATORS</b>
----------------------

	<i>TITLE :</i> DirScannerRexx		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Hynek Schlawack	January 20, 2025	

<b>REVISION HISTORY</b>
-------------------------

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>DirScannerRexx</b>	<b>1</b>
1.1	DirScanner - Rexx . . . . .	1
1.2	DirScanner - GET . . . . .	1
1.3	DirScanner - SET . . . . .	1
1.4	DirScanner - TOGGLE . . . . .	2
1.5	DirScanner - ABOUT . . . . .	2
1.6	DirScanner - REQUESTER . . . . .	2
1.7	DirScanner - START . . . . .	2
1.8	DirScanner - ADDPATH . . . . .	2
1.9	DirScanner - CLEARPATHS . . . . .	2
1.10	DirScanner - DELPATH . . . . .	2
1.11	DirScanner - CLIP . . . . .	3
1.12	DirScanner - COPY . . . . .	3
1.13	DirScanner - VIEW . . . . .	3
1.14	DirScanner - DELETE . . . . .	3
1.15	DirScanner - SELECT . . . . .	3
1.16	DirScanner - UNSELECT . . . . .	3
1.17	DirScanner - GOTO . . . . .	3

# Chapter 1

## DirScannerRexx

### 1.1 DirScanner - Rexx

Rexx

Version 2 of DirScanner introduced an extensive Rexx port which enables many possibilities. Beside of the standard MUI commands, he consists of the following ones:

GET GOTO SET TOGGLE

ABOUT REQUESTER START

ADDPATH CLEARPATHS DELPATH

CLIP COPY VIEW DELETE

SELECT UNSELECT

### 1.2 DirScanner - GET

GET

Template: WHAT/A,VAL/A

Gets an attribute and returns it in the "result" variable. The possible attributes are:

· PATTERN - The pattern (string). · MATCH\_CURS - The active match (integer). · MATCH\_AMM - The ammount of matches (integer). · MATCH\_FILE - The full path of the current match (string). From 2.3 on: GET MATCH\_FILE <nr> is also supported. · PATH\_CURS - The active path (-1 if none selected) (integer). · PATH\_AMM - The ammount of paths (integer). · PATH - The active path (string). · MODE - The mode (Search By:) (string). · CONDITION - The Condition (string). · ICONIFY - Is DirScanner iconified (boolean)? · VERSION - Returns the version of DirScanner ("VERSION.REVISION"). · LOCKGUI - Is the mainwindow locked (boolean)? · PUBSCREEN - The name of the current public screen (string). · ISSELECTED <nr> - Checks if match <nr> is selected (bool).

### 1.3 DirScanner - SET

SET

Template: WHAT/A,VAL/A

Sets an attribute. The possible attributes are:

· PATTERN - The pattern (string). · MATCH\_CURS - The active match (integer). · PATH\_CURS - The active path (integer). · MODE - The mode, please use the english Search By-Strings for it. · CONDITION - The condition, please use the english Mode-Strings for it. · ICONIFY - Iconify or uniconify DirScanner (boolean). · LOCKGUI - Lock the main window (boolean). Works nested!

## 1.4 DirScanner - TOGGLE

TOGGLE

Template: WHAT/A,HOW

Toggles an attribute. The possible attributes are:

· MATCH\_CURS - Move the cursor in the matches listview ("UP" or "DOWN"). · PATH\_CURS - Move the cursor in the paths listview ("UP" or "DOWN"). · MODE - Set the "NEXT" or "PREV" mode. · CONDITION - Set the "NEXT" or "PREV" condition. · ICONIFY - Iconify or uniconify. No "how" supported.

## 1.5 DirScanner - ABOUT

ABOUT

Pops up the about requester.

## 1.6 DirScanner - REQUESTER

REQUESTER

Template: TEXT/A

Pops up a requester with the specified text.

## 1.7 DirScanner - START

START

Starts the scan.

## 1.8 DirScanner - ADDPATH

ADDPATH

Template: PATH

Adds a path. If no path is specified an asl-requester will ask for him.

## 1.9 DirScanner - CLEARPATHS

CLEARPATHS

Clears the list of paths.

## 1.10 DirScanner - DELPATH

DELPATH

Removes the active path from the paths list and all matches found in it from the matches list.

---

## 1.11 DirScanner - CLIP

CLIP

Puts the path of the selected matches in the clipboard.

## 1.12 DirScanner - COPY

COPY

Template: TO

Copies the selected matches either to "TO" or pops up an ask requester for determining the destination.

## 1.13 DirScanner - VIEW

VIEW

Views the selected matches.

## 1.14 DirScanner - DELETE

DELETE

Deletes the selected matches from disk and the matches list.

## 1.15 DirScanner - SELECT

SELECT

Template: WHAT/A

Selects either a certain or "ALL" matches (you must enclose the command in quotes!).

## 1.16 DirScanner - UNSELECT

UNSELECT

Template: WHAT/A

Unselects either a certain or "ALL" matches.

## 1.17 DirScanner - GOTO

GOTO

Template: WHERE/A

Moves the cursor of the matches.

The following moves are possible:

· NEXT - Moves the cursor an entry down. · PREV - Moves the cursor an entry up. · NEXTSEL - Moves the cursor to the next selected entry (returns 0 if not possible, otherway 1). · PREVSEL - Moves the cursor to the previous selected entry (see above).

---