

**beginner**

COLLABORATORS

|            |                     |                 |           |
|------------|---------------------|-----------------|-----------|
|            | TITLE :<br>beginner |                 |           |
| ACTION     | NAME                | DATE            | SIGNATURE |
| WRITTEN BY |                     | August 22, 2024 |           |

REVISION HISTORY

|        |      |             |      |
|--------|------|-------------|------|
| NUMBER | DATE | DESCRIPTION | NAME |
|        |      |             |      |

# Contents

|          |  |          |
|----------|--|----------|
| <b>1</b> | <b>beginner</b>                                  | <b>1</b> |
| 1.1      | More About Statements and Expressions . . . . .  | 1        |
| 1.2      | Turning an Expression into a Statement . . . . . | 1        |
| 1.3      | Initialised Declarations . . . . .               | 2        |
| 1.4      | Assignments . . . . .                            | 3        |
| 1.5      | More Expressions . . . . .                       | 4        |
| 1.6      | Side-effects . . . . .                           | 4        |
| 1.7      | BUT expression . . . . .                         | 4        |
| 1.8      | Bitwise AND and OR . . . . .                     | 5        |
| 1.9      | SIZEOF expression . . . . .                      | 6        |
| 1.10     | More Statements . . . . .                        | 7        |
| 1.11     | INC and DEC statements . . . . .                 | 8        |
| 1.12     | Labelling and the JUMP statement . . . . .       | 8        |
| 1.13     | EXIT statement . . . . .                         | 9        |
| 1.14     | LOOP block . . . . .                             | 10       |
| 1.15     | Unification . . . . .                            | 10       |
| 1.16     | Quoted Expressions . . . . .                     | 14       |
| 1.17     | Evaluation . . . . .                             | 14       |
| 1.18     | Quotable expressions . . . . .                   | 15       |
| 1.19     | Lists and quoted expressions . . . . .           | 16       |
| 1.20     | Assembly Statements . . . . .                    | 17       |
| 1.21     | Assembly and the E language . . . . .            | 18       |
| 1.22     | Static memory . . . . .                          | 19       |
| 1.23     | Things to watch out for . . . . .                | 20       |

---

# Chapter 1

## beginner

### 1.1 More About Statements and Expressions

More About Statements and Expressions

\*\*\*\*\*

This chapter details various E statements and expressions that were not covered in Part One. It also completes some of the partial descriptions given in Part One.

Turning an Expression into a Statement  
Initialised Declarations  
Assignments  
More Expressions  
More Statements  
Unification  
Quoted Expressions  
Assembly Statements

### 1.2 Turning an Expression into a Statement

Turning an Expression into a Statement

=====

The VOID operator converts an expression to a statement. It does this by evaluating the expression and then throwing the result away. This may not seem very useful, but in fact we've done it a lot already. We didn't use VOID explicitly because E does this automatically if it finds an expression where it was expecting a statement (normally when it is on a line by itself). Some of the expressions we've turned into statements were the procedure calls (to WriteF and fred) and the use of ++. Remember that all procedure calls denote values because they're really functions that return zero by default (see Functions).

For example, the following code fragments are equivalent:

```

VOID WriteF('Hello world\n')
VOID x++

WriteF('Hello world\n')
x++

```

Since E automatically uses VOID it's a bit of a waste of time writing it in, although there may be occasions when you would want to use it to make this voiding process more explicit (to the reader). The important thing is the fact that expressions can validly be used as statements in E.

## 1.3 Initialised Declarations

Initialised Declarations  
=====

Some variables can be initialised using constants in their declarations. The variables you cannot initialise in this way are array and complex type variables (and procedure parameters, obviously). All the other kinds can be initialised, whether they are local or global. An initialised declaration looks very much like a constant definition, with the value following the variable name and a = character joining them. The following example illustrates initialised declarations:

```

SET ENGLISH, FRENCH, GERMAN, JAPANESE, RUSSIAN

CONST FREDLANGS=ENGLISH OR FRENCH OR GERMAN

DEF fredspeak=FREDLANGS,
    p=NIL:PTR TO LONG, q=0:PTR TO rec

PROC fred()
    DEF x=1, y=88
    /* Rest of procedure */
ENDPROC

```

Notice how you need to use a constant like FREDLANGS in order to initialise the declaration of fredspeak to something mildly complicated. Also, notice the initialisation of the pointers p and q, and the position of the type information.

Of course, if you want to initialise variables with anything more than a simple constant you can use assignments at the start of the code. Generally, you should always initialise your variables (using either method) so that they are guaranteed to have a sensible value when you use them. Using the value of a variable that you haven't initialised in some way will probably get you in to a lot of trouble, because the value will just be something random that happened to be in the memory which is now being used by the variable. There are rules for how E initialises some kinds of variables (see the 'Reference Manual', but it's wise to explicitly initialise even those, as (strangely enough!) this will make your program more readable.

## 1.4 Assignments

### Assignments

=====

We've already seen some assignments--these were assignment statements. Assignment expressions are similar except (as you've guessed) they can be used in expressions. This is because they return the value on the right-hand side of the assignment as well as performing the assignment. This is useful for efficiently checking that the value that's been assigned is sensible. For instance, the following code fragments are equivalent, but the first uses an assignment expression instead of a normal assignment statement.

```
IF (x:=y*z)=0
    WriteF('Error: y*z is zero (and x is zero)\n')
ELSE
    WriteF('OK: y*z is not zero (and x is y*z)\n')
ENDIF

x:=y*z
IF x=0
    WriteF('Error: y*z is zero (and x is zero)\n')
ELSE
    WriteF('OK: y*z is not zero (and x is y*z)\n')
ENDIF
```

You can easily tell the assignment expression: it's in parentheses and not on a line by itself. Notice the use of parentheses to group the assignment expression. Technically, the assignment operator has a very low precedence. Less technically, it will take as much as it can of the right-hand side to form the value to be assigned, so you need to use parentheses to stop x getting the value ((y\*z)=0) (which will be TRUE or FALSE, i.e., -1 or zero).

Assignment expressions, however, don't allow as rich a left-hand side as assignment statements. The only thing allowed on the left-hand side of an assignment expression is a variable name, whereas the statement form allows:

```
var
var [ expression ]
var . obj_element_name
^ var
```

(With as many repetitions of object element selection and/or array indexing as the elements' types allow.) Each of these may end with ++ or --. Therefore, the following are all valid assignments (the last three use assignment expressions):

```
x:=2
x--:=1
x[a*b]:=rubble
x.apple++:=3
x[22].apple:=y*z
x[].banana.basket[6]:=3+full(9)
```

```

x[].pear--:=fred(2,4)

x.pear:=(y:=2)
x[y*z].table[1].orange:=(IF (y:=z)=2 THEN 77 ELSE 33)
WriteF('x is now \d\n', x:=1+(y:=(z:=fred(3,5)/2)*8))

```

You may be wondering what the ++ or -- affect. Well, it's very simple: they only affect the var, which is x in all of the assignment statements above. Notice that x[].pear-- is the same as x.pear--, for the same reasons mentioned earlier (see Element selection and element types).

## 1.5 More Expressions

More Expressions  
=====

This section discusses side-effects, details two new operators (BUT and SIZEOF) and completes the description of the AND and OR operators.

Side-effects  
BUT expression  
Bitwise AND and OR  
SIZEOF expression

## 1.6 Side-effects

Side-effects  
-----

If evaluating an expression causes the contents of variables to change then that expression is said to have side-effects. An assignment expression is a simple example of an expression with side-effects. Less obvious ones involve function calls with pointers to variables, where the function alters the data being pointed to.

Generally, expressions with side-effects should be avoided unless it is really obvious what is happening. This is because it can be difficult to find problems with your program's code if subtleties are buried in complicated expressions. On the other hand, side-effecting expressions are concise and often very elegant. They are also useful for obfuscating your code (i.e., making it difficult to understand--a form of copy protection!).

## 1.7 BUT expression

## BUT expression

-----

BUT is used to sequence two expressions. `exp1 BUT exp2` evaluates `exp1`, and then evaluates and returns the value of `exp2`. This may not seem very useful at first sight, but if the first expression is an assignment it allows for a more general assignment expression. For example, the following code fragments are equivalent:

```
fred((x:=12*3) BUT x+y)
```

```
x:=12*3
fred(x+y)
```

Notice that parentheses need to be used around the assignment expression (in the first fragment) for the reasons given earlier (see Assignments).

## 1.8 Bitwise AND and OR

### Bitwise AND and OR

-----

As hinted in the earlier chapters, the operators AND and OR are not simply logical operators. In fact, they are both bit-wise operators, where a bit is a binary digit (i.e., the zeroes or ones in the binary form of a number). So, to see how they work we should look at what happens to zeroes and ones:

| x | y | x OR y | x AND y |
|---|---|--------|---------|
| 1 | 1 | 1      | 1       |
| 1 | 0 | 1      | 0       |
| 0 | 1 | 1      | 0       |
| 0 | 0 | 0      | 0       |

Now, when you AND or OR two numbers the corresponding bits (binary digits) of the numbers are compared individually, according to the above table. So if `x` were `%0111010` and `y` were `%1010010` then `x AND y` would be `%0010010` and `x OR y` would be `%1111010`:

|          |          |
|----------|----------|
| %0111010 | %0111010 |
| AND      | OR       |
| %1010010 | %1010010 |
| -----    | -----    |
| %0010010 | %1111010 |

The numbers (in binary form) are lined up above each other, just like you do additions with normal numbers (i.e., starting with the right-hand digits, and maybe padding with zeroes on the left-hand side). The two bits in each column are AND-ed or OR-ed to give the result below the line.

So, how does this work for TRUE and FALSE, and logic operations? Well, FALSE is the number zero, so all the bits of FALSE are zeroes, and TRUE is



-1, which has all 32 bits as ones (these numbers are LONG so they are 32-bit quantities). So AND-ing and OR-ing these values always gives numbers which have all zero bits (i.e., FALSE) or all one bits (i.e., TRUE), as appropriate. It's only when you start mixing numbers that aren't zero or -1 that you can muck up the logic. The non-zero numbers one and four are (by themselves) considered to be true, but 4 AND 1 is %100 AND %001 which is zero (i.e., false). So when you use AND as the logical operator it's not strictly true that all non-zero numbers represent true. OR does not give such problems so all non-zero numbers are treated as true. Run this example to see why you should be careful:

```
PROC main()
    test(TRUE,          'TRUE\t\t')
    test(FALSE,         'FALSE\t\t')
    test(1,             '1\t\t')
    test(4,             '4\t\t')
    test(TRUE OR TRUE,  'TRUE OR TRUE\t')
    test(TRUE AND TRUE, 'TRUE AND TRUE\t')
    test(1 OR 4,        '1 OR 4\t\t')
    test(1 AND 4,       '1 AND 4\t\t')
ENDPROC

PROC test(x, title)
    WriteF(title)
    WriteF(IF x THEN ' is TRUE\n' ELSE ' is FALSE\n')
ENDPROC
```

Here's the output that should be generated:

```
TRUE          is TRUE
FALSE         is FALSE
1             is TRUE
4             is TRUE
TRUE OR TRUE  is TRUE
TRUE AND TRUE is TRUE
1 OR 4        is TRUE
1 AND 4       is FALSE
```

So, AND and OR are primarily bit-wise operators, but they can be used as logical operators under most circumstances, with zero representing false and all other numbers representing true. Care must be taken when using AND with some pairs of non-zero numbers, since the bit-wise AND of such numbers does not always give a non-zero (or true) result.

You can easily turn any value into a real truth value using the expression `x<>FALSE`, where `x` represents the value to be converted. For example, this expression is true: `(1<>FALSE) AND (4<>FALSE)`.

## 1.9 SIZEOF expression

SIZEOF expression

-----

SIZEOF returns the size, in bytes (8-bits, like a CHAR), of an OBJECT

or a built-in type (like LONG). This can be useful for determining storage requirements. For instance, the following code fragment prints the size of the object rec:

```
OBJECT rec
    tag, check
    table[8]:ARRAY
    data:LONG
ENDOBJECT

PROC main()
    WriteF('Size of rec object is %d bytes\n', SIZEOF rec)
ENDPROC
```

You may think that SIZEOF is unnecessary because you can easily calculate the size of an object just by looking at the sizes of the elements. Whilst this is generally true (it was for the rec object), there is one thing to be careful about: alignment. This means that ARRAY, INT, LONG and object typed elements must start at an even memory address. Normally this isn't a problem, but if you have an odd number of consecutive CHAR typed elements or an odd sized ARRAY OF CHAR, an extra, pad byte is introduced into the object so that the following element is aligned properly. For an ARRAY OF CHAR this pad byte could be considered part of the array, so in effect this means array sizes are rounded up to the nearest even number. Otherwise, pad bytes are just an unusable part of an object, and their presence means the object size is not quite what you'd expect. Try the following program:

```
OBJECT rec2
    tag, check
    table[7]:ARRAY
    data:LONG
ENDOBJECT

PROC main()
    WriteF('Size of rec2 object is %d bytes\n', SIZEOF rec2)
ENDPROC
```

The only difference between the rec and rec2 objects is that the array size is seven in rec2. If you run the program you'll see that the size of the object has not changed. We might just as well have declared the table element to be a slightly bigger array (i.e., have eight elements).

## 1.10 More Statements

More Statements  
=====

This section details five new statements (INC, DEC, JUMP, EXIT and LOOP) and describes the use of labelling.

INC and DEC statements  
Labelling and the JUMP statement

---

```
EXIT statement
LOOP block
```

## 1.11 INC and DEC statements

INC and DEC statements

-----

INC x is the same as the statement `x:=x+1`. However, because it doesn't do an addition it's a bit more efficient. Similarly, DEC x is the same as `x:=x-1`.

The observant reader may think that INC and DEC are the same as ++ and --. But there's one important difference: INC x always increases x by one, whereas x++ may increase x by more than one depending on the type to which x points. For example, if x were a pointer to INT then x++ would increase x by two (INT is 16-bit, which is two bytes).

## 1.12 Labelling and the JUMP statement

Labelling and the JUMP statement

-----

A label names a position in a program, and these names are global (they can be referred to in any procedure). The most common use of label is with the JUMP statement, but you can also use labels to mark the position of some data (see Assembly Statements). To define a label you write a name followed by a colon immediately before the position you want to mark. This must be just before the beginning of a statement, either on the previous line (by itself) or the start of the same line.

The JUMP statement makes execution continue from the position marked by a label. This position must be in the same procedure as the JUMP statement, but it can be, for instance, outside of a loop (and the JUMP will then have terminated that loop). For example, the following code fragments are equivalent:

```
x:=1
y:=2
JUMP rubble
x:=9999
y:=1234
rubble:
z:=88

x:=1
y:=2
z:=88
```

As you can see the JUMP statement has caused the second group of

---

assignments to `x` and `y` to be skipped. A more useful example uses `JUMP` to help terminate a loop:

```
x:=1
y:=2
WHILE x<10
  IF y<10
    WriteF('x is \d, y is \d\n', x, y)
  ELSE
    JUMP end
  ENDIF
  x:=x+2
  y:=y+2
ENDWHILE
end:
WriteF('Finished!\n')
```

This loop terminates if `x` is not less than ten (the `WHILE` check), or if `y` is not less than ten (the `JUMP` in the `IF` block). This may seem pretty familiar, because it's practically the same as an example earlier (see `WHILE` loop). In fact, it's equivalent to:

```
x:=1
y:=2
WHILE (x<10) AND (y<10)
  WriteF('x is \d, y is \d\n', x, y)
  x:=x+2
  y:=y+2
ENDWHILE
WriteF('Finished!\n')
```

## 1.13 EXIT statement

EXIT statement  
-----

As noted above, you can use the `JUMP` statement and labelling to break out of a loop prematurely. However, a much nicer mechanism exists for `WHILE` and `FOR` loops: the `EXIT` statement. This statement will terminate the closest one of these loops (of which it is part) if the supplied expression evaluates to true (i.e., a non-zero value). Any loop using `EXIT` can be re-written without it, but sometimes at the expense of readability.

The following fragments of code are equivalent:

```
FOR x:=1 TO 10
  y:=f(x)
  EXIT y=-1
  WriteF('x=\d, f(x)=\d\n', x, y)
ENDFOR

FOR x:=1 TO 10
  y:=f(x)
```

```

        IF y=-1 THEN JUMP end
        WriteF('x=\d, f(x)=\d\n', x, y)
    ENDFOR
end:

```

This example shows a situation which is arguably more readable using something like EXIT. It can be rewritten using a WHILE loop, as below, but the code is a bit less clear.

```

going:=TRUE
x:=1
WHILE going AND (x<=10)
    y:=f(x)
    IF y=-1
        going:=FALSE
    ELSE
        WriteF('x=\d, f(x)=\d\n', x, y)
        INC x
    ENDIF
ENDWHILE

```

## 1.14 LOOP block

LOOP block

-----

A LOOP block is a multi-line statement. It's the general form of loops like the WHILE loop, and it builds a loop with no check. So, this kind of loop would normally never end. However, as we now know, you can terminate a LOOP block using the JUMP statement. As an example, the following two code fragments are equivalent:

```

x:=0
LOOP
    IF x<100
        WriteF('x is \d\n', x++)
    ELSE
        JUMP end
    ENDIF
ENDLOOP
end:
WriteF('Finished\n')

x:=0
WHILE x<100
    WriteF('x is \d\n', x++)
ENDWHILE
WriteF('Finished\n')

```

## 1.15 Unification

## Unification

=====

In E, unification is a way of doing complicated, conditional assignments. It may also be referred to as pattern matching because that is what it does: it matches patterns and tries to fit values to the variables mentioned in those patterns. The result of a unification is true or false, depending on whether the pattern was successfully matched.

The basic form of a unification expression is:

expression <=> pattern

The only things that can be used in a pattern are constants and variable names, and lists of patterns. (Strictly speaking, lisp-cells are also allowed, but this variant of unification is beyond the scope of this Guide.) The pattern is matched against the expression as follows:

- \* If pattern is a constant then the match succeeds only if expression evaluates to the same value. So, the simple unification expression `x<=>1` is similar to an equality check `x=1`.
- \* If pattern is a variable name then the match is always successful and the variable is assigned the value of expression. So, the simple unification expression `1<=>x` is similar to an assignment `x:=1`.
- \* If pattern is a list then expression is assumed to be a list, and each element of pattern is taken to be a pattern to be (recursively) matched against the corresponding element (by index) of the expression list. The match succeeds only if the pattern list and the expression list are the same length and all the elements match. (It is a serious programming error if pattern is a list but expression does not represent a list. In this case, strange things may happen and the program may crash.)

So, the things in pattern that control whether a match succeeds are the constants and the lists.

If a match succeeds then all variables mentioned in the pattern will be assigned the appropriate values. However, if a match fails you should consider all variables involved in the pattern to have undefined values (so you may need to initialise them to safely use their values again). This is because the actual way that unification is implemented may not follow the rules above in the obvious way, but will have the same effect in the successful case and will affect only the variables mentioned in the pattern if the match fails.

For example, the following program shows a couple of simple unification expressions in use:

```
PROC main()
  DEF x, lt
  x:=0
  WriteF('x is %d\n', x)
  lt:=[9,-1,7,4]
```

```

/* The next line uses unification */
IF lt <=> [9,-1,x,4]
  WriteF('First match succeeded\n')
  WriteF('1) x is now \d\n', x)
ELSE
  WriteF('First match failed\n')
  /* To be safe, reset x */
  x:=0
ENDIF

/* The next line uses unification */
IF lt <=> [1,x,6,4]
  WriteF('Second match succeeded\n')
  WriteF('2) x is now \d\n', x)
ELSE
  WriteF('Second match failed\n')
  /* To be safe, reset x */
  x:=0
ENDIF
ENDPROC

```

The first match will succeed in this example, and there will be a side-effect of assigning seven to x. The second match will not succeed because, for instance, the first element of lt is not one.

We can rewrite the above example without using the unification operator (to show why unification is so useful). This code follows the rules in one particular way, so is not guaranteed to have the same effect as the unification version if any of the matches fail.

```

PROC main()
  DEF x, lt, match
  x:=0
  WriteF('x is \d\n', x)
  lt:=[9,-1,7,4]

  /* The next lines mimic: lt <=> [9,-1,x,4] */
  match:=FALSE
  IF ListLen(lt)=4
    IF ListItem(lt, 0)=9
      IF ListItem(lt, 1)=-1
        x:=ListItem(lt,2)
        IF ListItem(lt, 3)=4 THEN match:=TRUE
      ENDIF
    ENDIF
  ENDIF
  IF match
    WriteF('First match succeeded\n')
    WriteF('1) x is now \d\n', x)
  ELSE
    WriteF('First match failed\n')
    /* To be safe, reset x */
    x:=0
  ENDIF

  /* The next lines mimic: lt <=> [1,x,6,4] */
  match:=FALSE

```

```

IF ListLen(lt)=4
  IF ListItem(lt, 0)=1
    x:=ListItem(lt, 1)
    IF ListItem(lt, 2)=6
      IF ListItem(lt, 3)=4 THEN match:=TRUE
    ENDIF
  ENDIF
ENDIF
IF match
  WriteF('Second match succeeded\n')
  WriteF('2) x is now \d\n', x)
ELSE
  WriteF('Second match failed\n')
  /* To be safe, reset x */
  x:=0
ENDIF
ENDPROC

```

Here's a slightly more complicated example, which shows how you might use patterns made up of nested lists. Remember that if the pattern is a list then the expression to be matched must be a list. If this is not the case (e.g., if the expression represents NIL) then your program could behave strangely or even crash your computer. A similar, but less disastrous, problem is if the converse happens: the pattern is not a list but the expression to be matched is a list. In this case the pointer (to the list) is matched against the pattern constant or assigned to the pattern variable.

```

PROC main()
  DEF x=10, y=-3, p=NIL:PTR TO LONG, lt, i
  WriteF('x is \d, y is \d\n', x, y)
  lt:=[[23,x],y]

  /* This basically swaps x and y */
  IF lt <=> [[23,y],x]
    WriteF('First match succeeded\n')
    WriteF('1) Now x is \d, y is \d\n', x, y)
  ELSE
    WriteF('First match failed\n')
    /* To be safe, reset x and y */
    x:=10; y:=-3
  ENDIF

  /* This will make p point to the sub-list of lt */
  IF lt <=> [p,-3]
    WriteF('Second match succeeded\n')
    WriteF('2) p is now $\h (a pointer to a list)\n', p)
    FOR i:=0 TO ListLen(p)-1
      WriteF('   Element \d of the list p is \d\n', i, p[i])
    ENDFOR
  ELSE
    WriteF('First match failed\n')
    /* To be safe, reset p */
    p:=NIL
  ENDIF
ENDPROC

```



## 1.16 Quoted Expressions

### Quoted Expressions

=====

Quoted expressions are a powerful feature of the E language, and they require quite a bit of advanced knowledge. Basically, you can quote any expression by starting it with the back-quote character ` (be careful not to get it mixed up with the quote character ' which is used for strings). This quoting action does not evaluate the expression; instead, the address of the code for the expression is returned. This address can be used just like any other address, so you can, for instance, store it in a variable and pass it to procedures. Of course, at some point you will use the address to execute the code and get the value of the expression.

The idea of quoted expressions was borrowed from the functional programming language Lisp. Also borrowed were some powerful functions which combine lists with quoted expressions to give very concise and readable statements.

Evaluation

Quotable expressions

Lists and quoted expressions

## 1.17 Evaluation

### Evaluation

-----

When you've quoted an expression you have the address of the code which calculates the value of the expression. To evaluate the expression you pass this address to the Eval function. So now we have a round-about way of calculating the value of an expression. (If you have a GB keyboard you can get the ` character by holding down the ALT key and pressing the ' key, which is in the corner just below the ESC key. On a US and most European keyboards it's on the same key but you don't have to press the ALT key at the same time.)

```
PROC main()
  DEF adr, x, y
  x:=0; y:=0
  adr:='1+(fred(x,1)*8)-y
  x:=2; y:=7
  WriteF('The value is \d\n', Eval(adr))
  x:=1; y:=100
  WriteF('The value is now \d\n', Eval(adr))
ENDPROC
```

```
PROC fred(a,b) RETURN (a+b)*a+20
```

This is the output that should be generated:

```
The value is 202
The value is now 77
```

This example shows a quite complicated expression being quoted. The address of the expression is stored in the variable `adr`, and the expression is evaluated using `Eval` in the calls to `WriteF`. The values of the variables `x` and `y` when the expression is quoted are irrelevant--only their values each time `Eval` is used are significant. Therefore, when `Eval` is used in the second call to `WriteF` the values of `x` and `y` have changed so the resulting value is different.

Repeatedly evaluating the same expression is the most obvious use of quoted expressions. Another common use is when you want to do the same thing for a variety of different expressions. For example, if you wanted to discover the amount of time it takes to calculate the results of various expressions it would be best to use quoted expressions, something like this:

```
DEF x,y

PROC main()
  x:=999; y:=173
  time('x+y,      'Addition')
  time('x*y,      'Multiplication')
  time('fred(x),  'Procedure call')
ENDPROC

PROC time(exp, message)
  WriteF(message)
  /* Find current time */
  Eval(exp)
  /* Find new time and calculate difference, t */
  WriteF(': time taken \d\n', t)
ENDPROC
```

This is just the outline of a program--it's not complete so don't bother running it. The complete version is given as a worked example later (see [Timing Expressions](#)).

## 1.18 Quotable expressions

Quotable expressions

There is no restriction on the kinds of expression you can quote, except that you need to be careful about variable scoping. If you use local variables in a quoted expression you can only `Eval` it within the same procedure (so the variables are in scope). However, if you use only global variables you can `Eval` it in any procedure. Therefore, if you are going to pass a quoted expression to a procedure and do something with it,

you should use only global variables.

A word of warning: Eval does not check to see if the address it's been given is really the address of an expression. You can therefore get in a real mess if you pass it, say, the address of a variable using {var }. You need to check all uses of things like Eval yourself, because the E compiler lets you write things like Eval(x+9), where you probably meant to write Eval(`x+9). That's because you might want the address you pass to Eval to be the result of complicated expressions. So you may have meant to pass x+9 as the parameter!

## 1.19 Lists and quoted expressions

Lists and quoted expressions  
-----

There are several E built-in functions which use lists and quoted expressions in powerful ways. These functions are similar to functional programming constructs and, basically, they allow for very readable code, which otherwise would require iterative algorithms (i.e., loops).

MapList(address,list,e-list,quoted-exp)

The address is the address of a variable (e.g., {x}), list is a list or E-list (the source), e-list is an E-list variable (the destination), and quoted-exp is the address of an expression which involves the addressed variable (e.g., `x+2). The effect of the function is to take, in turn, a value from list, store it at address, evaluate the quoted expression and store the result in the destination list. The resulting list is also returned (for convenience).

For example:

```
MapList({y}, [1,2,3,a,99,1+c], lt, `y*y)
```

results in lt taking the value:

```
[1,4,9,a*a,9801,(1+c)*(1+c)]
```

Functional programmers would say that MapList mapped the function (the quoted expression) across the (source) list.

ForAll(address,list,quoted-exp)

Works just like MapList except that the resulting list is not stored. Instead, ForAll returns TRUE if every element of the resulting list is true (i.e., non-zero), and FALSE otherwise. In this way it decides whether the quoted expression is true for all elements of the source list. For example, the following are TRUE:

```
ForAll({x}, [1,2,-13,8,0], `x<10)
ForAll({x}, [1,2,-13,8,0], `x<=8)
ForAll({x}, [1,2,-13,8,0], `x>-20)
```

and these are FALSE:

```

ForAll({x}, [1,2,-13,8,0], 'x OR x)
ForAll({x}, [1,2,-13,8,0], 'x=2)
ForAll({x}, [1,2,-13,8,0], 'x<>2)

```

Exists(address,list,quoted-exp)

Works just like ForAll except it returns TRUE if the quoted expression is true (i.e., non-zero) for at least one of the source list elements, and FALSE otherwise. For example, the following are TRUE:

```

Exists({x}, [1,2,-13,8,0], 'x<10)
Exists({x}, [1,2,-13,8,0], 'x=2)
Exists({x}, [1,2,-13,8,0], 'x>0)

```

and these are FALSE:

```

Exists({x}, [1,2,-13,8,0], 'x<-20)
Exists({x}, [1,2,-13,8,0], 'x=4)
Exists({x}, [1,2,-13,8,0], 'x>8)

```

SelectList(address,list,e-list,quoted-exp)

Works just like MapList except the quoted-exp is used to decide which elements from list are copied to e-list. The only elements which are copied are those for which quoted-exp is true (i.e., non-zero). The resulting list is also returned (for convenience).

For example:

```
SelectList({y}, [99,6,1,2,7,1,1,6,6], lt, 'y>5)
```

results in lt taking the value:

```
[99,6,7,6,6]
```

## 1.20 Assembly Statements

Assembly Statements

=====

The E language incorporates an assembler so you can write Assembly mnemonics as E statements. You can even write complete Assembly programs and compile them using the E compiler. More powerfully, you can use E variables as part of the mnemonics, so you can really mix Assembly statements with normal E statements.

This is not really the place to discuss Assembly programming, so if you plan to use this feature of E you should get yourself a good book, preferably on Amiga Assembly. Remember that the Amiga uses the Motorola 68000 CPU, so you need to learn the Assembly language for that CPU. More powerful and newer Amigas use more advanced CPUs (such as the 68020) which have extra mnemonics. Programs written using just 68000 CPU mnemonics will work on all Amigas.

If you don't know 68000 Assembly language you ought to skip this section and just bear in mind that E statements you don't recognise are probably Assembly mnemonics.

Assembly and the E language  
 Static memory  
 Things to watch out for

## 1.21 Assembly and the E language

Assembly and the E language  
 -----

You can reference E variables simply by using them in an operand. Follow the comments in the next example (the comments are on the same lines as the Assembly mnemonics, the other lines are normal E statements):

```
PROC main()
  DEF x
  x:=1
  MOVE.L x, D0 /* Copy the value in x to register D0 */
  ADD.L D0, D0 /* Double the value in D0 */
  MOVE.L D0, x /* Copy the value in D0 back to variable x */
  WriteF('x is now %d\n', x)
ENDPROC
```

Constants can also be referenced but you need to precede the constant with a #.

```
CONST APPLE=2

PROC main()
  DEF x
  MOVE.L #APPLE, D0 /* Copy the constant APPLE to register D0 */
  ADD.L D0, D0 /* Double the value in D0 */
  MOVE.L D0, x /* Copy the value in D0 to variable x */
  WriteF('x is now %d\n', x)
ENDPROC
```

Labels and procedures can similarly be referenced, but these are PC-relative so you can only address them in this way. The following example illustrates this, but doesn't do anything useful:

```
PROC main()
  DEF x
  LEA main(PC), A0 /* Copy the address of main to register A0 */
  MOVE.L A0, x /* Copy the value in A0 to variable x */
  WriteF('x is now %d\n', x)
ENDPROC
```

You can call Amiga system functions in the same way as you would normally in Assembly. You need to load the A6 register with the appropriate library base, load the other registers with appropriate data and then JSR

to the system routine. This next example uses the E built-in variable `intuitionbase` and the Intuition library routine `DisplayBeep`. When you run it the screen flashes (or, with Workbench 2.1 and above, you might get a beep or a sampled sound, depending on your Workbench setup).

```
PROC main()
    MOVE.L #NIL, A0
    MOVE.L intuitionbase, A6
    JSR DisplayBeep(A6)
ENDPROC
```

## 1.22 Static memory

Static memory

-----

Assembly programs reserve static memory for things like strings using DC mnemonics. However, these aren't real mnemonics. They are, in fact, compiler directives and they can vary from compiler to compiler. The E versions are `LONG`, `INT` and `CHAR` (the type names), which take a list of values, reserve the appropriate amount of static memory and fill in this memory with the supplied values. The `CHAR` form also allows a list of characters to be supplied more easily as a string. In this case, the string will automatically be aligned to an even memory location, although you are responsible for null-terminating it. You can also include a whole file as static data using `INCBIN` (and the file named using this statement must exist when the program is compiled). To get at the data you mark it with a label.

This next example is a bit contrived, but illustrates some static data:

```
PROC main()
    DEF x:PTR TO CHAR
    LEA datatable(PC), A0
    MOVE.L A0, x
    WriteF(x)
ENDPROC

datatable:
    CHAR 'Hello world\n', 0
moredata:
    LONG 1,5,-999,0;    INT -1,222
    INCBIN 'file.data'; CHAR 0,7,-8
```

The Assembly stuff to get the label address is not really necessary, so the example could have been just:

```
PROC main()
    WriteF({datatable})
ENDPROC

datatable:
    CHAR 'Hello world\n', 0
```

## 1.23 Things to watch out for

Things to watch out for

-----

There are a few things to be aware of when using Assembly with E:

- \* All mnemonics and registers must be in uppercase, whilst, of course, E variables etc., follow the normal E rules.
  - \* Most standard Assemblers use ; to mark the rest of the line as a comment. In E you can use -> for the same effect, or you can use the /\* and \*/ delimiters.
  - \* Registers A4 and A5 are used internally by E, so should not be messed with if you are mixing E and Assembly code. Other registers might also be used, especially if you've used the REG keyword. Refer to the 'Reference Manual' for more details.
  - \* E function calls like WriteF can affect registers. Refer to the 'Reference Manual' for more details.
-