

HDOffGUI_39

COLLABORATORS

	<i>TITLE :</i> HDOffGUI_39		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		August 22, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	HDOffGUI_39	1
1.1	HDOffGUI_39.guide	1
1.2	HDOffGUI_39.guide/Copying	1
1.3	HDOffGUI_39.guide/Overview	2
1.4	HDOffGUI_39.guide/Requirements	3
1.5	HDOffGUI_39.guide/Installation	3
1.6	HDOffGUI_39.guide/Using	4
1.7	HDOffGUI_39.guide/News	7
1.8	HDOffGUI_39.guide/Bugs	7
1.9	HDOffGUI_39.guide/Author	8
1.10	HDOffGUI_39.guide/Credits	10
1.11	HDOffGUI_39.guide/Index	13

currency) for a disk, DM 30 for a single CD-ROM and DM 60 for a double, triple, quadruple CD-ROM.

- * no more than one BBS ad is included, none is allowed on CD-ROM distributions. The only exception is the Tribal BBS in Langenfeld/Rhineland, Germany, whose ad may always be present.

Permission is also granted explicitly to distribute this package on Meeting Pearls, Aminet and Amiga Library Services CD-ROM as well as SaarAG PD disks.

It is strictly prohibited to use this package in commercial packages or sell it on tool/"PD" disks without licence which can only be obtained from the Author.

The package MUST NOT be included in cover disks or in disk magazines without prior written consent of the author.

Legal status: Mail-Ware. This means: Although I do not request any monetary charge of you, I will gladly receive donations such as money, registered versions of a shareware tool you have written, postcards.

You must send me an E-Mail, picture postcard or letter if you use HDOffGUI regularly, please state your likes and dislikes and your configuration if you want.

----- Footnotes -----

- (1) this applies also to the file_id.diz file!

1.3 HDOffGUI_39.guide/Overview

Overview

HDOffGUI is a graphical user interface to HDOff 1.38 or newer. HDOff 1.38 is a hard disk power/noise saver for hard disks connected to the internal A600/A1200/A4000 IDE host. HDOffGUI is written by Gideon Zenz.

HDOffGUI uses triton 1.4 by Stefan Zeiger.

HDOffGUI features:

- * Installs itself as Commodity, can be controlled by commodities exchange
- * Configuration via tool types and environmental variables
- * Can start HDOff asynchronously if it is not already active when HDOffGUI is started
- * Documentation in DVI and AmigaGuide format(1)

----- Footnotes -----

(1) the master document is written in Texinfo format and thus can easily be converted into these formats

1.4 HDOffGUI_39.guide/Requirements

Requirements

In order to be able to use HDOffGUI, you need:

- * Amiga 600HD/1200HD/4000(T) with at least one IDE hard drive connected to the internal IDE host
- * Kickstart/AmigaOS 2.04
- * Triton 1.4 by Stefan Zeiger (minimal version(1) is included)
- * HDOff 1.38 by Gideon Zenz (not included!)

You can obtain HDOff 1.38 from either:

- * Aminet: disk/misc/HDOff_1.38.lha
- * <http://ernie.mi.uni-koeln.de/~gzenz/hdoff.html>

----- Footnotes -----

(1) full version can be obtained from Aminet: util/libs/tril4usr.lha, a copy is on Aminet 8

1.5 HDOffGUI_39.guide/Installation

Installation

There is no Installer script. You do not really need one either, installation is quite easy from Workbench. To install HDOffGUI, follow these steps:

1. If you have PGP and MD5SUM: Check distribution integrity.
 - * Add my PGP key to your key ring by typing PGP -ka HDOffGUI_34.guide
 - * Check the signature of MD5.ASC by typing PGP MD5.ASC
 - * Check the files by typing MD5SUM -vc MD5

Alternatively, you can use the Check script that has come along with HDOffGUI for convenience if you trust it that far. Open a shell, CD to the directory you have HDOffGUI unpacked to and type Check.

2. Install HDOff.
3. Install Triton. Double-click on the Triton drawer icon, then double-click the Install icon
4. Drag the HDOffGUI icon anywhere you want, maybe the WBStartup drawer of your boot partition if you want HDOffGUI to be activated on start-up of your computer. HDOffGUI will automatically start HDOff if it is not active, which means HDOff must reside in C: in order to be found.
5. Configure HDOffGUI. See Using, for details.

1.6 HDOffGUI_39.guide/Using

Configuring and Using HDOffGUI

Starting HDOffGUI

=====

HDOffGUI can be started both from WorkBench and from Shell. The way it reads its configuration depends on the way it is started, though.

HDOffGUI cannot be started twice. The first copy will pop up its window as soon as you started the second one. The second one leaves immediately.

Starting from Workbench

Double-click the HDOffGUI icon or put HDOffGUI along with its icon in the WBStartup drawer of your boot partition. The configuration is read from tool types.

Starting from Shell

You can just type HDOffGUI and add tool types as command line arguments. Preferably, you would type RUN <>NIL: HDOffGUI, eventually followed by tool types as options on the same line. The tool type options set in the icon are ignored, they must be specified on the command line.

Although the compiler(1) that I have used allows generation of self-detaching programs (these do not require writing RUN before their names), I have chosen NOT to do so, but instead I recommend starting HDOffGUI from WorkBench(2). You could place this line in your s:user-startup if you wanted. If you do so, you should not place HDOffGUI in WBStartup, as it would pop up its window.

Configuring

=====

HDOffGUI can be fully configured via tool types. In addition, the delay time before shutting down the drives can be configured by an environmental variable UNLESS any of TIMEMASTER and TIMESLAVE are set. See HDOFFGUIPREFS for details.

Nota bene: The tool types are only taken into regard if HDOffGUI is started from WorkBench! You need to specify the tool types as arguments if you start HDOffGUI from Shell.

To set Tooltypes, click on the icon and choose Information... from the Icons menu. You can "comment out" tool types you want to be ignored by enclosing them in parentheses, (and), example: (TIMESLAVE=10).

Configuration via tool types

Attention: the quote marks around this are not to be included in any option.

- CX_POPKEY specifies the hotkey that pops up the window if it's hidden. Defaults to CONTROL LALT H.
- CX_POPUP specifies if you want the window shown yes or hidden no when HDOffGUI is started. Default: yes (shown).
- CX_PRIORITY specifies in which order to start commodities. Valid values are -128 to 127, higher priority commodities are started earlier.
- STOPDRIVES specifies the hotkey to stop both drives at once(3). Defaults to CONTROL RALT H.
- STOPMASTER is basically the same as STOPDRIVES, except that it stops the master drive only (unit 0).
- STOPSLAVE is basically the same as STOPDRIVES, except that it stops the slave drive only (unit 1). This is ignored if there is only one drive, of course.
- TIMEMASTER specifies the time(4) in minutes that the master drive must be unused before it is switched to standby mode(5), set to 0 if you do not want the master drive to be shut down at all. If this tool type is specified, the environmental variable is completely ignored.
- TIMESLAVE is basically the same as TIMEMASTER, but applies to the slave drive. Ignored if only one drive is present.

TIMEMASTER and TIMESLAVE are only implemented, because Gideon demanded them. I prefer HDOFFGUI_PREFS as the time can be saved to this variable, but not to TIMEMASTER and TIMESLAVE.

Configuring via environmental variable

Nota bene: The environmental variable is ignored if TIMEMASTER or

TIMESLAVE is specified. It is also ignored if HDOff is already running when HDOffGUI is started.

The environmental variable is called HDOFFGUI_PREFS and must contain two positive, integer numbers, separated by white space, they and have the same meaning as TIMEMASTER and TIMESLAVE (in that order).

Example: saying SETENV HDOFFGUI_PREFS 45 60 before starting HDOff and HDOffGUI would spin down the master drive after 45 minutes being unused, the slave drive after 60 minutes.

The time preferences are saved temporarily(6) -- in ENV: -- when you quit the GUI, you can save them permanently using Save preferences from the Project menu.

Using the GUI

=====

The GUI window can be (un)zipped by pressing DELETE or by pressing the ZIP gadget (second right in the title bar).

The GUI window can be hidden by Commodities Exchange, selecting Hide window from the Project menu, by pressing RCOMMAND H. It can be made appear again by Commodities Exchange or by the CX_POPKEY, if specified.

The standby buttons set the corresponding drive to standby mode immediately. They will spin up again automatically if accessed, even if HDOff is no longer active(7). The key you can press to take the same action is underlined.

The Time set sliders allow you to change the time the drives need to be unused before they are shut down. A count down is displayed in the Time left column. The key you can press to take the same action is the underlined letter from the Drive column. If the time is set to zero, HDOff will not shut down the drive at all unless you press the Standby button (or its corresponding key).

The other buttons are self-explanatory as are the menu options not explained here. See HDOFFGUI_PREFS, for more detailed information on the Save preferences menu item.

----- Footnotes -----

(1) SAS/C 6.57

(2) Starting a GUI from Shell is somewhat contradictory anyway.

(3) There is actually a short delay between shutting down the master and the slave drive, this is normal

(4) IBM says that one spin down/spin up cycle is approximately equivalent to 7 hours of use.

(5) The drive will automatically spin up again if accessed

(6) to the next reboot

(7) General comment: This is different from SCSI drives which can not automatically spin up again themselves.

1.7 HDOffGUI_39.guide/News

News

1.4 (first public release)

1.5 (second public release)

minor bugfixes, check script to check for integrity

1.6 (third public release)

slave recognition

1.7 (fourth public release)

cleaned up internal GUI management, does not ghost Commodity

Information menu item any more if HDOff is not present.

window close button now hides window instead of quitting program

1.8 HDOffGUI_39.guide/Bugs

Known Bugs, Restrictions and Incompabitilities

HDOffGUI has been developped and tested on an Amiga 4000 with CyberStorm 68060/50, 24 MB FastrAM, OS 3.0, Conner CFA340A, Western Digital Caviar AC31200F,

GCC 2.7.2(1), SAS/C 6.57, GoldEd 3.1...4.7.2 PRO, Triton 1.4, Triton 2.0 beta, CyberGuard, MungWall, TexInfo 3.9, PasTeX 1.4.

If you encounter any bugs or misspellings in this document, please contact the author, See Author.

Known Bugs

=====

* Triton 1.4 has some bugs. If you encounter strange enforcer hits, try Triton 2.0+

Restrictions

=====

Slave recognition

Slave recognition is not yet implemented in HDOff, it is instead done by just trying to open scsi.device unit 1. If this fails, HDOffGUI

assumes you have only one IDE drive.

Disabling

There is no way to determine if a drive is in standby or running mode if HDOff is disabled for that drive. Thus, the standby button is always available so you can spin down the drive manually at any time.

Incompatibilites

=====

- * If HDEnv is installed, it can cause a drive to spin up again if you quit the GUI or hide it. This is caused by the triton GUI system which saves some parameters when closing a window. I recommend that you use HappyENV instead which is also available from Aminet.

----- Footnotes -----

- (1) untested the last weeks

1.9 HDOffGUI_39.guide/Author

Author

If you want to contact the author, be it that you want to send money (cash (only bills), eurocheques and German "Verrechnungsschecks" accepted), bug reports, inquiries, enhancement requests, whatsoever(1), here is the address:

Matthias Andree
 Stormstraße 14
 58099 Hagen
 Federal Republic of Germany

Do not expect replies unless you provide me with a self-addressed, stamped envelope (for Germany) or an International Reply Coupon. E-Mail is the preferred way of contact, but if you send letters/postcards stating your E-Mail address, this will be fine, too.

E-Mail (use either one, but not two or more at the same time):
 HDOffGUI@emma.line.org
 m_andree@line.org
 mandree@sxl.hrz.uni-dortmund.de

If you are using E-Mail, may I ask you to use PGP if you have installed it. Say PGP -ka HDOffGUI_34.guide to extract the PGP key and add it to your key ring.

Type	Bits/KeyID	Date	User ID
pub	1024/26BF5CA9	1996/01/18	Matthias Andree <M_Andree@tribal.line.org> m_andree@tribal.anubis.sub.de: obsolete.

Matthias Andree <M_Andree@emma.line.org>
Matthias Andree <M_Andree@line.org>
Matthias Andree <mandree@sxl.hrz.uni-dortmund.de>

-----BEGIN PGP PUBLIC KEY BLOCK-----

Version: 2.6.3ia

Comment: PGP v2.6.3ia, Amiga version. Protect your privacy.

mQCNAjD+tKUAEEEEAM1ocq/XlauJ7ymbEODhTGeUcd7U54Uk9ra+tKfaEXuop8fh
vwhki jhfJXK9avo7/0624RqkF5GEqrAWkLBFrJYdtKOQOPS32vpim3Dv5nIByXuT
YUejG0tG/6Ho2+GXRJ1CVYdT95HdSN7iJ1tLx8A4gXM/Wu6xvydEoB0mvlYPAAUR
tCpNYXR0aGlhcyBBmRyZWUgPE1fQW5kcmVlQHRyaWJhbC5saW5lLm9yZz6JAJUD
BRA1DGua04CVHmhlGJ0BAanHBACiyxol+ISDD/5lDj1/hQs6cw0Mzt9cb39ultfq
U0/Douyn4Ky06qktWncH4lWaJq+jopffrXUb6FaktPMSgucnMgRd7ZiEqSb8JKBb
AL7OgNVcHJ0KiuSO0z3blQ2W6HXJ2v5k4+vzPfaMzbOyMVDAvupMH+mY8tRqk5+m
KFfaIs4kAlQIFEDSzrXIZnmX2b0kyOQEBlC4D/io5MfyPnywE7JU1ILjILUDpzZ/v
viV/owvGDiVO+LwB3IDz83eK2H1ZZGtBfg6gm03Tngtanmxf8s3bB0VmoRzVc2rR
gi978NWGGX9i9tAUfGk2QDyWdb4gUHVHTZYLNZ1YDE5mWAWhpDretsVnXd1gQGn
8kuAO0UF+sgPULJFjQCVAwUQNF0hiJNOoiGv5+/BAQGmYQP9Fs01oML60U1CSOxm
IH45jJSc63vinilsxygdoyj5LXXR969ISSedf/ctvxXUdYgviGj7Rt2jTk3A00DT
xWxw/iLpd34L3Ha+1Hxr8joop2GjCeuz5+AEjarWpAUMKTWx6mFvHMHVH14yv+/14
T0Wf0LOPGT4A8XfiOyXFoVBAK4WJAJUDBRA0U8U6eRaPkdpiClUBAS6+A/9BjGrb
R3hRVKcrIzXg4PWzDsgyoXe9x2wCoM92xOf82VkyLTZ+id1bkLX2on2g+2kIbpq
ouDkvY9onKS1pwzvyJhly0lwqfVUM8d+TREj+HaGHLMOEGkhhtAK0hk6o2NrmCA7
gBYxQuzHuKW46WtsA7cXnI+p6+RF50lvIosaqIkBFQMFEDNQB+AwMtIx+MbNoQEB
ppIH/i8hvnEkBrt3kqvoQx8Vs2rHSjQ7hfO9bWfIUqA8HK8FEEHKiEMrgCwnEY7A
10jollPFm+geKsYbAvSn3zKYwwCbK8WM3zd7a96hJEMAZC59ITeBe0cgUGI7/nCu
r+9NynTYXrDbQPbdJ0parOCs73qdpmXnCGPHVucGMNLmrlvKPepp2pvjjaaa0jBw
ItFVUU/0nOV3LUIYITo5JYSV9VX8RFZ6x2YmjfhQjs3G3nmzrUycDm7AvtHXN9EES
1YTfaWm8nfcWBSzOG+moLLaNo6an046C0DAPLRC/Nisqsjqz109jE8iKX0C0haJ4
tDqF8m4+opj4InGDEVcSC6na7u+JAFUDBRAzEEqPR6RsBCMIhvUBAQ/QAf4swmIa
zeb5Vk/kd9qpG8L5HfTRW9cG4xwm3Vuq3H0MxhVwp8zBO/yQjmb2CpdJeTFiFFL7
ykDNbvS2IxEzgaBhiQBVAguQMXef+tVOBfUDnGw9AQF4/gH/QqO6zWqD4mp9tSVo
XWNZxJGBxw1E/HpMyE9vvZi2k3OYTWYG1AQkGy8/1WkxPwnnn8YD/xLOSn2WmzZi
k815PYkaLQMFEDFPvTSRfPmDuD0iUQEB9d8D/jBzcW9o2nWZJntZ2RGbHcXdIUL+
IOpmvACTj2/1s/8gADq6fQzN/7zXTicw5aojYqXok/bzPJQdFoVYCzjwUXPFJYR
VmDarg2ZexJQZ68vwfTAH+p8HZuyLD8EuuMRBmi6lNywRUor4Tk6fpL/zoh1O6Ic
UL0xAH549Kc057NuiQCVAguQMVaIDzBusiHRAJp1AQGs+AP/RKkFyZccaJI0Fk33
4rO/MNKUyQU+uamSSXX6mKiv+SKEqyfh1N8XICJL6ySTPi04xo6WwBopYd4CSoko
jXkWTR8q5cXiPShq7kVkpE/xBYXQjPXLKhlahilSsm0rB4dc8sf4nZDtIgrN+prn
7GRsnkk18I4YmjrDzjvT9L2dJoAJAJUDBRAxSwZeN4eBK1x3sE0BAQziBADA37Lz
ALwHb3wryqyfTvUk0sXCj4cfya629SEYlhVUD0Zr6vR42myJm+X5ObIOmx+TA++t
E7qzz/CCNDv1h4wZiT1V/dfLd1R+s0qhRFznwg6ulmCD4ZR/dGM583wU1zRyzu4
uWqjJmQuNgp3F4Yf8H2Tr1vRWDik4zOIRSxRYkaLQMFEDehI4gnRKAdJr9cqQEB
Ld8D/juVv36WkFU6HTVjHk6k+4lnfoE+a4lDDY/7/r4iFrWaiXF18ZEbtNjHeLcf
jhnn/RNSFvgjwQJ3XMhNY2iqqGtM1G3zC1jFj4bL/tB1XAgXSm67tk0YBV8haNKL
BL14X3kJK4hbURIV8+TiPnvEsGNu0weCJGj5f3uzNxSDHbk9tChtX2FuZHJ1ZUB0
cmliYWwuYW51YmlzLnN1Yi5kZTogb2Jzb2xldGUuiQCVAwUQMqX2ASdeO0mvlYP
AQEIkqQAwCJEQf+vV7KqO3fVNLupg6cYz4RA/S/1K1zT8Jgf2W42bdVKqC60pcq6
w4jzR6aQ58OBH2HYeGiAMsnL1PqN46Em8AB/ExhPWGQi1iuZ/NXksj6LpUTtWcHB
G6uSG49Djvf5jPsvCdegxZeh3PFuKmf45NTzaJm8Zn1rRubLx00KE1hdHRoawFz
IEFuZHJ1ZSA8TV9BmRyZWVhZlZlYS5saW5lLm9yZz6JARUDBRAzUAXwMDLSmfjG
zaEBAEDDCACy4mJjUrCa6yqdv/DdPZL7TykZ2B8kqEfn3IciXrI+/R34Gvc5rS
ULSwabnVYk5ap9UR1xTE4lMmV8TTB0qCCNaLhkoQ/nUmUTRZ5xqlAW+AoIwAubP
36sveSk5LnFMFKW8yqFMA28MS7bFXfsvro0uYz1fPh8E7qgjrQaQIiIRa/vi/Zag
CDpkeayZk20c/ievapiich2AEUCYqO6tBjkCoqyTPul6vFnFrPm29uQ8i/bBWIJo
/5Sm0/T18TSHm4GeqhCwJp0huEwinjo+r+GSRkqMLXsj65jUqx/MJAIPxet7tIPZ

```

Kz/uKqXABWAcW680+EzrL92wx4y8SQTxiQCVAwUMiClzCdEoB0mv1ypAQF80gP/
cQCfJttIB+rAqLCZwLpip8Fsrfnjn9SQY3sbpCrAvPIbDcBWYoUBgmoKYMINoKyz
cgGafj4iqAqy936RKN3zWBtGBJu0M9OxahKr2uzIBUWrmhK9RyLGfolslW/TJgEP
mSPsC93jtRS5sZqIH/jfxk3640qyOrD112LEW5Sb5EK0I01hdHRoaWFzIEFuZHJl
ZSA8TV9BbmRyZWVAbGluZS5vcmc+iQEVAwUM1AMOTAy0jH4xs2hAQGXGQf8CNG+
PNOPv61BSSYCW9u8lSMMfvCml/ppXJJ2+g0YF1ZBalzRoPO61suMAyG+bnzVDprl
SuvUIWNbnMO4P1Vx0Fd1P9Bf5Wmt9IPTINAvxDeW2IdF9lGkhLOVnlKyG0Ak2Nct
3sN5iEpduaHuayjamXvupmXKb6mtm23ludtKmfXZjEE65fqJPCZ0MMN37kgQt/H
Y2op9P7f35p7RKTjERich8GyH1rrsRHqEjLEizSIplBnTwg4CyMA3vPKN2frDpev
e9Mvdh/+dB7oIYtBpazzVYk2EctvtysNjiTyWPZVczUv2vV4x0EUjyGvBrHjlbif
0ipsTEN471ZryRH5MYkaLQMFEDGqGgcnrKAdJr9cqqEBPq8D/2m4wtLGliGGiL96
tpAN40o5iohy+hLImZqxFOrrw2nt8fOI1v3ClCwaP2ptsfqFPaz1QuWuq++uBKH7
K4+UCqlbGuLN34h9LkJZyno//X72JQuZByJW9wfl1dvTemgWj/7VAvRBKavIoWDK0
XRudxeJA/m5sPnwGYStc8y7UN3ustDFNYXR0aG1hcyBBbmRyZWUgPG1hbmRyZWVA
c3gxLmhyei5lbnktZG9ydG11bmQuZGU+iQCVAwUQNF0lC5N0oiGv5+/BAQE1mAQA
nqBmdyZqWQXt8EMpIQY2Fgb0BqznYGDYUaouexlQfVp/n2qKAhrOsXyd2Wiud2l
tnrZUnV/OUgODEKx41QEXxN12ksi/lXN1REXmqrKQOhvtBtGER9+lonkbdXUGZ4i
Fdti8Z+fEO2SmlnzwrJHf4zr/zZH0U/T3Kr8oUyLs2JARUDBRAzUAxhMDLSmfjG
zaEBATseB/9cUwfYuirwv4bFSaQIf6zxVe8KfvHJQHjWp1DYYBxoED330mE1Tv4q
ue2s0VLwx7FAqQQxADjqasXMcBA18XWcPrHH9tklUy3zuHgmXjIH3ChefjD6qBL+
xmOsr8Gg8rrQXFYEiSv+4AMVvNYNK8qukZSxuJnUXOUOcAlNvU7ZfOgchnu1QObN
XC0RDPYiuNNd288ziIefvpfUlsitUKHL7D05nfgjj4RdUTuMOGwc05KI4hmxy4D/
YyoTmBz54nNmuMK4JAqcd2g/izeK8nchoRNG4IY/FYuEivk1Qu9Z2k31im+7djB4
W7Po74Rv40HNoc80z76FW4j5rEQEideE3iQCVAwUMU213ssm5csbCe7RAQEatgP/
f5JWn411LIa07V7BERv9rQgQdsNo97r/2iUKPeO+RKRZKmR+pSv1KRDSrVa4pcJ
M+19M3gWwuS7Dvaiix8g/FD9gh55tfw0OrNPNh3nDZ4/7iomwQiq9uZdXwvQNRNh
cuAMfTUOGTOMeMwCVDRwTNBmlWUJWwqo89DUB94VaGKJAJUDBRAxkFkfqJ0SgHsa/
XKkBARZSBADMi80wzZokX8Tr/+rNusZ3Q71kIHbGwpw1/90w0dzxfyTuV8LLaYob
KwtG4YdUHczYaxHmkfT8IbXN1Xipcl68X9IpWjHwRFf5kqNSbvEkYL3N6We2VORT
UTOJ4zpZlMZmLDeOho0Ggjk44gSVH1YvJaS2TU3AUhLzFfCGq2Utew==
=W62H
-----END PGP PUBLIC KEY BLOCK-----

```

Before you send bug reports, make sure you have read and understood this document entirely. It may cover certain aspects you have missed so far and solve your problem, thus eliminating the need to contact the author.

If you send bug reports, do state program and triton version, maybe include Segtracker, TNT or Enforcer information, your hardware configuration, what tools, patches and hacks you are using.

----- Footnotes -----

(1) do not send mail bombs :-)

1.10 HDOffGUI_39.guide/Credits

Credit where Credit is due.

Friends

Marc-Oliver Bönig

When's the next BBQ party?

Ingo 'Inge' Dahm

Good friend. Has not got much time, but if he has, it's fun.

Heiko 'Ewald Zappenduster' Damerau

Entertainment in the 'numerical mathematics for physicists and engineers' lectures. Also called „der Funker“.

Andreas 'Daffy' Dzierma

Never let him know what his nick name is. Kellerkind. Goes 150 km/h with a 54 HP Golf II 1.6 Diesel.

Frank Egger

Mails, IRC, parties. Beta testing.

Simon Ferber

I owe you a pizza still.

Stefan Forelle

#AmIRC, Tribal

Tini Garske

"Go to sleep? It's dawning, let's go outside and watch the sun rise." (4 a. m. at parties.)

Senta Kallenbach

Is Scandinavia gonna get us some time?

Peter 'PIK' Kasel

Many amazing Titan and Siedler games.

Kaz a. k. a. Thomas 'Tiger-Tom' Kedzior

„Heute ziehen wir uns richtig einen.“ - Good ride to Texel.
Thanks.

Marcus 'Käpt'n' Kruse

For being a good friend.

Barbara Kussel

Short but nice talk.

Steffi Möller

We've never played Titan, have we? Let's do so.

Robert Nöker

Weird statements, always fun.

Torsten Ohm

Wanna borrow some CD's? Ask him... Kellerkind.

Daniel Reymann

total eclipse of the sun, moon; kiting, telescopes, photography.
Kellerkind. „Das hackt.“ LASER fun-atic.

Heike 'Heinz' Schenk

Kukuck!

Matthias 'Schmaußbär' Schmauß
seeing the midnight sun in Bodø, Norway

Nicholas 'Yagger' Stallard
many IRC chats

Gordon 'Jeppe' Storkmann
Keep repulsing!

Andre 'Bimbam' Tselekidis
He knows every card game.

Frauke Weiper
Sorry that I did come to hike this year. Maybe some other time.

Silke Wietz
dancing(1), kiting(2), pictures & slides, nice tea afternoons &
nights, being a very good friend(3), ... and hey, the tea is
waiting. Also called „Laufender Meter“.

Ina Wohlgemuth
Don't forget your gear.

Other Credits (Contributors, Supporters, ...)

Ralph Babel
The Amiga Guru Book (indispensable)

Olaf 'Olsen' Barthel
Amiga Developer CD, Term

Dietmar Eilert
GoldEd

Ralf 'Snoopy' Imhäuser
Tribal BBS, support

Volker Remuß
Torsten Spicker
Tribal BBS, special support

Reinhard Spisser
MakeInfo

Volker Stolz
MicroDot tools/FAQ, support

Johnny Teveßen
support, AnUUCP, Tribal BBS

Sebastiano Vigna
MakeInfo

Oliver Wagner
"OlliWare crashes best." [TM]

Gideon Zenz

HDOff, the idea for HDOffGUI, beta testing

----- Footnotes -----

(1) You did not guess it would turn out to be THAT good, did you? You're addicted to it.

(2) infects everybody, Daniel first, then me, then...

(3) „Nein, das sage ich einfach nur so.“

1.11 HDOffGUI_39.guide/Index

Index

Bugs	Bugs
Configuring	Using
Configuring, via tool types	Using
Copying	Copying
CX_POPKEY	Using
CX_POPUP	Using
CX_PRIORITY	Using
DELETE	Using
Disabling	Bugs
Distribution	Copying
Environmental variables	Using
GUI	Using
HDOFFGUI_PREFS	Using
History	News
Incompatibilites	Bugs
Installation	Installation
Introduction	Overview
Known Bugs	Bugs
Licence	Copying
News	News
Overview	Overview
RAMIGA H	Using
RCOMMAND H	Using
Requirements	Requirements
Restrictions	Bugs
Shell start	Using
Slave recognition	Bugs
Starting	Using
Starting, from Shell	Using
Starting, from WorkBench	Using
STOPDRIVES	Using
STOPMASTER	Using
STOPSLAVE	Using
TIMEMASTER	Using
TIMESLAVE	Using
Tool Types	Using

Using the GUI
variables
Workbench start

Using
Using
Using
