

002ecb10-0

Steffen Frank

| |
|----------------------|
| COLLABORATORS |
|----------------------|

| | | | |
|---------------|------------------------------|-----------------|------------------|
| | <i>TITLE :</i> 002ecb10-0 | | |
| <i>ACTION</i> | <i>NAME</i> | <i>DATE</i> | <i>SIGNATURE</i> |
| WRITTEN BY | Steffen Frank | August 22, 2024 | |

| |
|-------------------------|
| REVISION HISTORY |
|-------------------------|

| NUMBER | DATE | DESCRIPTION | NAME |
|--------|------|-------------|------|
| | | | |

Contents

| | | |
|----------|-----------------------------------|----------|
| 1 | 002ecb10-0 | 1 |
| 1.1 | Main | 1 |
| 1.2 | Information | 1 |
| 1.3 | Requirements | 2 |
| 1.4 | Installation | 2 |
| 1.5 | Menus | 2 |
| 1.6 | Gadgets | 3 |
| 1.7 | History | 3 |
| 1.8 | Information | 6 |
| 1.9 | Sleep | 6 |
| 1.10 | Help | 6 |
| 1.11 | Beenden | 6 |
| 1.12 | Pack | 6 |
| 1.13 | Unpack | 7 |
| 1.14 | Insert File into Archiv | 7 |
| 1.15 | Del File out Archive | 7 |
| 1.16 | Del Archiv | 7 |
| 1.17 | Content as file | 7 |
| 1.18 | Internal | 8 |
| 1.19 | External | 8 |
| 1.20 | External 0-5 | 8 |
| 1.21 | File | 8 |
| 1.22 | Test | 9 |
| 1.23 | Content | 9 |
| 1.24 | Packer | 9 |
| 1.25 | Disk Pack Options | 9 |
| 1.26 | Setup save | 9 |
| 1.27 | Setup load | 9 |
| 1.28 | Kodieren | 10 |
| 1.29 | Dekodieren | 10 |

| | | |
|------|---|----|
| 1.30 | Datei unterschreiben | 10 |
| 1.31 | Inhalt anzeigen | 10 |
| 1.32 | Schlüssel generieren | 10 |
| 1.33 | Schlüssel editieren | 10 |
| 1.34 | Schlüssel unterschreiben | 10 |
| 1.35 | Schlüssel hinzufügen | 10 |
| 1.36 | Schlüssel herauskopieren | 10 |
| 1.37 | Schlüssel löschen | 10 |
| 1.38 | Schlüsselunterschrift löschen | 10 |
| 1.39 | Fingerabdruck anzeigen | 10 |
| 1.40 | Benutzer-ID | 10 |
| 1.41 | File out archiv decrunching | 10 |
| 1.42 | Archiv copy | 11 |
| 1.43 | Tooltypes | 11 |
| 1.44 | Shortcuts | 11 |
| 1.45 | Copy File | 12 |

Chapter 1

002ecb10-0

1.1 Main

Packmaster Help V 1.6

Main

Information
Requirements
Installation
Menus
Gadgets
Shortcuts
Tooltypes
History

1.2 Information

Information

I have Packmaster programmed, because I the Shell something overlaborate found. Packmaster supports the Packer LHA, LZX, DMS, LHASFX, UNZIP, ZIP and the encryptprogram PGP.

Packmaster is Cardware and was written in Blitzbasic V 2.1.

By favour send me please a Postcard.

It can but also E-Mails be.

Sorry my English is not good !!!

Autor : Steffen Frank
von-Stauffenberg-Str.34
19061 Schwerin

E-mail: SteffenFrank@t-online.de

1.3 Requirements

Requirements

- Amiga with 68xxx CPU
- System-software ex V 2.1
- The Packprograms LHA,LHASFX,LZX,ZIP,UNZIP,UNARJ and DMS
 - o DMS ex V1.51 about amiga HD diskettes pack and decrunching to can
 - o DMS ex V1.70 about msdos diskettes pack and decrunching to can
- The encryptprogram PGP
- Regtools.library
- Multiview or another Guidereader
- CrossDos (about with DMS msdos diskettes pack and decrunching to can)

1.4 Installation

Installation

The Installation configures himself easy.Start the Installprogram or install with Hand.

With Hand:

Copy Packmaster into a dir youre choice.The File Packmaster.guide copy she into Dir Locale:Help/english.
 The Packer LHA,LHASFX,LZX,ZIP,UNZIP,UNARJ and DMS must be in c:.
 The Regtools.library copy into Libs.
 The File Packmastercat.english is only needs,when Packmaster english speak.This File is after Locale:Catalogs/English copies.
 Rename Packmastercat.englisch to Packmaster.catalog.
 Into Packmaster exits a configure,so that by first start no prefsfile needed.She can but the Packmaster via Menus set.The placements werel after to ENV-Dir into Prefs-Dir written.

1.5 Menus

Menus

Project

Information
 Sleep
 Help
 Quit

Funktionen

Pack

Unpack
Unpack~File~out~Archiv
Insert~File~into~Archive
Del~File~out~Archive
Copy~File
Del~Archive
Copy~Archive
Content~as~File
Content
Testing

PGP

This informations take you please from
youre PGP Doc !

Setup

Internal
External
Setup~save
Setup~load

External Programs

External~0
External~1
External~2
External~3
External~4

1.6 Gadgets

Gadgets

Packer
Pack
Unpack
Content
FEpack
Add
FDel
Test
File
Disk~Pack~Options

1.7 History

History

- Middle 1995 Plan of Packmaster
 - Oct 1995/March 1996 create Packmaster V 1.0
 - LHA,LZX,DMS support
 - Write Packmaster.guide V 1.0
 - external programs
 - March 1996 - August 1996 create Packmaster V 1.1
 - PGP support
 - Menu-item Setup load added
 - mistake redresses
 - Sept 1996 create Packmaster V1.11
 - menu item File out archive decrunching added
 - gadget FEpack added
 - written Packmaster.guide V 1.11
 - Dec 1996 create Packmaster V1.12
 - Shellwindow placement reforms
 - gadget source into Internalconfigurer added
 - mistake into internal/AppIcon configurer redresses
 - written Packmaster.guide V 1.12
 - Feb 1997 create Packmaster V1.13
 - Menu item archive copy added
 - Gadget archive into Intern configurer added
 - Multifileselect by functions archive del and archive copy
 - written Packmaster.guide V 1.13
 - March 1997 create Packmaster V1.14
 - mistake into Menu item content as File redresses
 - into delrequest gadget all intercalary
 - Tooltype support
 - written Packmaster.guide V 1.14
 - April 1997 create Packmaster V1.15
 - Information window with new adresses and fonnumber
 - Shortcutlist into Packmaster.guide intercalary
 - small changes at Packmaster Program window
 - Tooltype APPMENU intercalary
 - written Packmaster.guide V 1.15
 - Mai 1997 create Packmaster V1.16
 - LHASFX support
 - Menu item testing,content in Funktions menu intercalary
 - Listview support by LHA,LHASFX,LZX and PGP
 - by Menu PGP Menu item key ascii save added
 - Tooltype PGPTMP intercalary
 - written Packmaster.guide V 1.16
-

- Mai/June 1997 create Packmaster V1.16a,b and c
 - Temporary path for PGP on T: altered
 - by Menu item PGP encrypt Stringgadget thru Listviewgadget replaces (had i alas into V1.16 forgotten)
 - by Menu PGP Menu item key backtrack added
 - mistake into PGP key del and PGP key add redresses (aktuality of Listview window by activate Tooltype PGPTMP)
 - supportt from msdos diskettes by DMS via Crossdos
 - Sourcecode from other fluid lines liberates
 - Device names pc1,pc2,pc3 out Listviewgadget again removes, there DMS ever the internal disk unit pc0 (DF0) read,why that so is white i alas not
 - mistake into PGP Menu item key add redresses
 - June 1997 create Packmaster V1.17
 - mistake into PGP Menu item key ascii save redresses
 - mistake by read of content of LZX Archivs into Listviewgadget for the functions File out archive decrunching and File out archive del redresses
 - Zip,Unzip support
 - written Packmaster.guide V1.17
 - July 1997 create Packmaster V1.18
 - Packmaster speaks now also english
 - funktion file add overwork
 - written Packmaster.guide V1.18
 - written Packmaster.guide (english) V1.0
 - August 1997 create Packmaster V1.19
 - Packmaster recognizes archive files
 - Installation now with Program
 - written Packmaster.guide V1.19
 - written Packmaster.guide (english) V1.1
 - September 1997 create Packmaster V1.20
 - Menus fontsensitiv
 - mistake into the presentation of windows redresses (windows there was to small,when system font to large been is)
 - Output window with closegadget
 - written Packmaster.guide V1.20
 - written Packmaster.guide (english) V1.2
 - Oktober 1997 create Packmaster V1.21
 - UNARJ support
 - Archiver via stringgadget under listviewgadget Packer select
 - written Packmaster.guide V1.21
 - written Packmaster.guide (english) V1.3
 - November 1997 create Packmaster V1.22
-

- archive surrender at Packmaster via cli or workbench
- lessened cli version written V1.0 (Decruncher)
- written Packmaster.guide V1.22
- written Packmaster.guide.(english) V1.4
- Januar 1998 create Packmaster V1.23
 - menu item File copy added
 - france catalogfile,thanks Didier Giron
 - rename Packmasterenglish.cat in Packmaster.catalog
 - add internal/setup arcpath
 - written Packmaster.guide V1.23
 - written Packmaster.guide (english) V1.5
- Feb/March create Packmaster V1.24
 - GNUTAR support
 - mistake under PGP Key read redressed
 - Recursic select for File add (LHA,LZX,ZIP) and for Setup/Internal (LHA,LZX)
 - Appwindow under 68000 disabled (Guru 8000003)
 - written Packmaster.guide V1.24
 - written Packmaster.guide (english) V1.6

1.8 Information

Here maintain you more Informations other Packmaster.

1.9 Sleep

Here send you the Packmaster to sleep.The Packmaster goes Hide and an AppIcon appears upon the workbench.Per doubleclick of Appicon appears again the Packmaster window.

1.10 Help

With this menu item call you these help.

1.11 Beenden

Here will the Packmaster finished.

1.12 Pack

Here can you make an archiv file (LHA,LHASFX,LZX,DMS,ZIP).Originally appears a Filerequest.Yon select you the path and retchers the file-name uni.These setting definit the archive name and whereto save it. Thereafter unbolts Himself a pathrequest.In this request select you the files to pack.
About by DMS msdos diskettes to pack select you pc0 into driveslistview. CrossDos must installed be.
LHASFX make LHA archiv to RUN Archiv.A Run File is a File,that himself decrunching without LHA to avall.

1.13 Unpack

Herewith decrunching you a archivfile.Originally should along File that archive picked wich be.The identical decrunched dates become after to the direktory written,that by the outputpath predefined is.This can per menu option intern selected will.Defaults is Ram:.
About a msdos Dms file to decrunching,select you pc0 into driveslistview. Crossdos must installed be.

1.14 Insert File into Archiv

Here can you an archive a File insert.Originally should along File the archive picked which be.It appears a Filerequester.In this request select you that File,that insert will.

1.15 Del File out Archive

Here can you a File out an archive eliminate.Originally with File that archive picked which be.It appears a listview window.Yon select you a File out.The selected file appears into stringgadget under to the list-viewgadget.When the selected finished is click you that gadget wider at and the function File out archive deleting will execute.Before deleting answer the security question.

1.16 Del Archiv

Here can you with a filerequest a archive deleting.Before deleting answer the security question.

1.17 Content as file

Here can you the content of archivs as File save.

1.18 Internal

| | |
|----------|--|
| Font | Here can you an font fory Packmaster select. |
| Output | Here puts you durably a,wherto the archives decrunched will. |
| AppIcon | Here select you the icon,that appears,when the menu item sleep selected is. |
| Text | Here select you the textreader with to the these help showed is.He must amigaguide compatbile be. |
| Shell | Here can you the size and site of the output window selected. |
| PGP | Here select you the path of PGP. |
| Source | Here select you the dir,into to the himself your LHA-,LZX-,ZIP and DMS files be found.The filerequest the with File called is outclasses then on these drawer calibrated.This is practical when telesoftware evers into the same drawer sucked is. |
| Archive | Here select you their dir into to-the you your archives copy copy (archiving) want. |
| ArcPath | Here can you select the path of the packer |
| Recursiv | Here can you select with Path packed |

1.19 External

| | |
|--------------|---|
| Menuitem 0-4 | Here can you register which name into menu external~programs stands is. |
| Program 0-4 | Here can you the programs selected. |

1.20 External 0-5

In this menu appear the title the into external menu-item 0-4 selected was.

1.21 File

Here select you a archivfile (LHA,LHASFX,LZX,DMS,ZIP).This selected file pulls himself on the functions Unpack,Insert~File,Del~File,Testing,Content,Unpack~File~out~archive and Content~as~file.

1.22 Test

With this function an archivfile on errors reviewed will.
Originally should along file a archive picked which be.

1.23 Content

Here can you see the content of the archivfile.Originally should with
file a archive picked which be.

1.24 Packer

Here select you the packprogram(LHA,LHASFX,LZX,DMS,ZIP) .

1.25 Disk Pack Options

These placements be valied for the Diskpacker DMS.

| | |
|--------|--|
| LO | Beginblock,there are gives at unsolder what block of the disk packed will. |
| HI | Endblock,there gives at in addition to what block of the disk packed will. |
| Mode | Packmodus,there are gives at along that potency packed become will. |
| Disk | Here locations you a wether a DD or a HD disk packed were will. |
| Drives | Here locations you the drive a,from where out packed were will. |

1.26 Setup save

With this function can you all placements,the you under menuitems
internal,external and into main window selected have,save.

1.27 Setup load

Here can you all placements the under internal,external and into main
window mutates was,afresh on the old values reset.The new values dare but
not saved !

1.28 Kodieren

Hier erscheint ein Filerequester in dem das zu kodierende File auszuwählen ist .Danach erscheint ein Stringrequester in dem die Benutzer-ID einzutragen ist.

1.29 Dekodieren

1.30 Datei unterschreiben

1.31 Inhalt anzeigen

1.32 Schlüssel generieren

1.33 Schlüssel editieren

1.34 Schlüssel unterschreiben

1.35 Schlüssel hinzufügen

1.36 Schlüssel herauskopieren

1.37 Schlüssel löschen

1.38 Schlüsselunterschrift löschen

1.39 Fingerabdruck anzeigen

1.40 Benutzer-ID

Dies ist der öffentliche Schlüssel einer Person.Nur der Besitzer dieses Schlüssels kann das mit seinem Schlüssel kodierte File dekodieren.

1.41 File out archiv decrunching

Here can you a file out an archive decrunching.Originally should with File the archive picked which may have been his.It appears a listview-window.Yon select you a File out.ye.That selected file appears into Stringgadget under to the listviewgadget.When the selected done is click you the gadget wider at and the function File out archive decrunching is executed.That decrunched file is write on outputpath.Desires you no File decrunching click you the gadget cancel to be at.

1.42 Archiv copy

Herewith copy you your archive into dir what in internal selected was.
I take these function about sucked archives fast on my archivdisk to archiving.

1.43 Tooltypes

Tooltypes

- DONOTWAIT

will utilized about Packmaster into the wbstartup to starts

- APPICON=(ja|nein)

| | |
|------|---|
| ja | Packmaster starts as AppIcon (icon on workbench) |
| nein | Packmaster starts with main window (Appmenu=nein) |

- APPMENU=(ja|nein)

| | |
|------|--|
| ja | Packmaster starts as AppMenu (Menuitem into toolsmenu) |
| nein | Packmaster starts with main window (Appicon=nein) |

APPICON and APPMENU there are also combined (both=ja)

- PGPTMP=(ja|nein)

| | |
|------|--|
| ja | saved keyfilecontent temp ex (speedup by one read by some PGP functions) |
| | Here must APPICON=nein and APPMENU=nein ! |
| nein | keyfilecontent is no temp saved |

1.44 Shortcuts

Shortcuts

RA = right Amiga Button

| | |
|------|------------------------------------|
| RA A | = Del Archive |
| RA B | = Quit |
| RA C | = Testing |
| RA D | = External |
| RA E | = Unpack |
| RA F | = Insert File into Archive |
| RA G | = Content |
| RA H | = Help (also with Help accessable) |
| RA I | = Information |
| RA K | = Copy Archive |
| RA L | = Del File out Archive |

```
RA M = Sleep
RA O = File Copy
RA P = Pack
RA S = Setup save
RA U = Content as File
RA V = Unpack File out Archive
RA W = Internal
RA Y = Setup load
RA 1 = Encrypt (PGP)
RA 2 = Decode (PGP)
RA 3 = Database sign (PGP)
RA 4 = Content dump (PGP)
RA 5 = Make key (PGP)
RA 6 = Edit Key (PGP)
RA 7 = Sign Key (PGP)
RA 8 = Add Key (PGP)
RA 9 = Copy Key Out Keyfile (PGP)
RA 0 = Del Key (PGP)
RA # = Del Key Sign (PGP)
RA * = Dump Fingerprint (PGP)
RA + = Save Key ASCII (PGP)
RA - = Backtrack Key (PGP)
```

1.45 Copy File

File copy

Here can you copy the unpack files in a another drawer.