

MEEexchange

COLLABORATORS

	TITLE : MEEExchange		
ACTION	NAME	DATE	SIGNATURE
WRITTEN BY		August 22, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	MEEExchange	1
1.1	Main	1
1.2	Disclaimer/Autor	1
1.3	MEEExchange needs	1
1.4	What do MEEExchange?	2
1.5	Installation	2
1.6	Start	2
1.7	Using	2
1.8	Using Hauptfenster	3
1.9	Using Liste	3
1.10	ARexx	4
1.11	Version/Future	5
1.12	Credis	5
1.13	Interna	5

Chapter 1

MEEExchange

1.1 Main

Guide to MEEExchange V1.1 (19.04.1998)

- Disclaimer/Autor
- Requirement
- What do MEEExchange?
- ARexx-Port
- Installation
- Start
- Using
- Version/Future
- Credits
- Interna

MEEExchange (c) by Malte Eller, 1998

1.2 Disclaimer/Autor

MEEExchange is Freeware.
ALL Rights reserved by Malte Eller.
You use the program on your own risk.

MEEExchange © Malte Eller, 1998

Malte Eller
Moislinger Allee 99
23558 Luebeck
GERMANY

EMail: eller@informatik.mu-luebeck.de
WWW: <http://www.informatik.mu-luebeck.de/~eller>

1.3 MEEExchange needs

MEEExchange needs:

- OS 3.0+
- the WBStart.library ((c) by Stefan Becker)
in the Aminet under: util/libs/

MEGuru only testet on a AMIGA 500 (OS3.0, 9MB Ram, 68020, 520MD HD).

1.4 What do MEEExchange?

MEEExchange is a replacement for the org. Exchange-Prg.,
but with some new functions:

- a small commodity-managmet-function
- the possibility to de/aktiv it and quit the Commodties
- ARexx-Port

1.5 Installation

The installaion is easy, you must only use the
Installer-Script.

1.6 Start

The start from the Workbench:
Dopple-Click on the programm-icon.
The standart tooltypes are supportet:
CX_POPKEY, CX_POPUP, CX_PRIORITY,
Standart is:
lalt control help, NO, 0

At the start from the CLU/Shell you can give the same
Parameter, like that:

```
MEEExchange H="alt e" P R=1
```

with:
H=Hotkey: Hotkey/Popkey-combination
P=Popup: if it there themainwindow will open
R=Priority: say with which Priority MEEExchange runs

If there no parameter the icon will read.

1.7 Using

The using of MEEExchange is easy and self explained, but:

- Mainwindow
- Listwindow

Both windows can open and use to the same time, you can switch between them with the TAB-Key.

1.8 Using Hauptfenster

Commodities:

list all running commoditie, on a double-click on the commoditie MEEExchange will open the window of this commoditir (if the commoditie have one)

Deaktiviere all:

deaktiviere all running commoditie

Aktiviere all:

aktiviere all running commoditie

Remove all:

remove all running commoditie (but MEEExchange ask >Really?< befor)

Remove:

remove the selectet commoditie

Aktiv:

aktiviere/deaktiviere the selectet commoditie

Show:

show the window from the selectet window (if the commoditie have one)

Hide:

close from the selectet commoditie the window (if it was open)

1.9 Using Liste

List:

all (with new) createt commoditie, with an double-click you select/deselect the entry, it will marked with the # at the begin

Remove:

remove the selected entry

New:

create a new entry in the list

Sort:
sort the List

Start:
start the select commoditie

Start all:
start all commodities in the list

Start sel.:
start all with # markt entrys

Save:
save the list and close the window

Use:
use the list and close the window

Cancel:
remove the changes in thne list and close the window

1.10 ARexx

MEExchange has a ARexx-Port with name "MEEXCHANGE.REXX",
you can use this commands:

- QUIT
Quit MEExchange
 - ENABLE <BrokerName> <ALL>
aktivare the commodity, if you use the option all then
you aktivare all commoditys
 - DISABLE <BrokerName> <ALL>
deaktivare one (or all) commoditys
 - REMOVE <BrokerName> <ALL>
remove one (or all) commoditys
 - HIDE <BrokerName> <ALL>
close the (or all) commodity-window
 - SHOW <BrokerName>
shows the (or all) commodity-window
 - LIST
list all running commodity
 - LISTC
list all commoditys from the managment-list
 - START <Name> <ALL> <SEL>
start the (or the select or all) commodity form
the managment-list
-

If you give no Brokername by Hide, Show, Enabele, Disable and Remove the program use as Brokername his Brokername (Exchange).

1.11 Version/Future

Version 1.0:

- The program works

Version 1.1:

- The bug in the GUI is fixed
- The bug in message-handlinh is fixed
- the CLI/Shell-start can now handel parameters
- Asynchron Window-Handling
- More AREXX-Commads
- A better Guide

Future:

- Onlinehelp
- better commodity-managment-functions

1.12 Credis

Thanks to:

- Stefan Becker for the WBStart.library
- To all who send my an bug-report

1.13 Interna

Here some fakts about MEEExchange:

program-language: Assembler (MaxonASM)
Size of the sourcecode: ca. 100 KB
lines of the sourcecode: ca. 7000 Lines
used programs: MaxonASM, GadToolsBox, MEMake
used computer (to test and develop):
 AMIGA 500, OS3.0, 68020 28Mhz, 9MB Ram, 520MB AT-Bus HD