

makeaguideindex.doc

COLLABORATORS

	<i>TITLE :</i> makeaguideindex.doc		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		August 9, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	makeaguideindex.doc	1
1.1	makeaguideindex.doc	1

Chapter 1

makeaguideindex.doc

1.1 makeaguideindex.doc

XRef-Tools/MakeAGuideIndex

XRef-Tools/MakeAGuideIndex

\$VER: makeaguideindex.doc 1.3 (13.09.94)

NAME

MakeAGuideIndex - generates an index file for some given AmigaGuide files

TEMPLATE

FILES/M/A, INDEXFILE/K, INCLINKS/S, FILEPART/S, NOLETTERS/S

FORMAT

MakeAGuideIndex [FILES] file [file2 [..]] [INDEXFILE idxfile] [INCLINKS]
[FILEPART] [NOLETTERS]

FUNCTION

this command generates a index file or node for the given AmigaGuide files. If no INDEXFILE is specified the index is appended to the first AmigaGuide file.

INPUTS

FILES (STRINGS) - AmigaGuide files to create index for. If no INDEXFILE is specified the generated index is append to the first file specified here

INDEXFILE (STRING) - indexfile to create.

INCLINKS (BOOLEAN) - if this switch is set, all links in the specified AmigaGuide files are included in the index.

FILEPART (BOOLEAN) - if this switch is set, the index name is a part of the title of a node, which is calculated via FilePart() call. For example the title of a node is given as "XRef/My Title", a index is generated with the name "My Title".

NOLETTERS (BOOLEAN) - if this switch is set, don't generate a initial letter line.

EXAMPLE

```
MakeAGuideIndex myapp.guide INCLINKS FILEPART
```

or

```
MakeAGuideIndex myapp.guide INDEXFILE myapp.index INCLINKS FILEPART
```

SEE ALSO

XRefConvert

COPYRIGHT

(C) 1994 by Stefan Ruppert

HISTORY

MakeAGuideIndex 1.3 (13.9.94) :
- workbench support added

MakeAGuideIndex 1.2 (3.9.94) :
- ctrl-c support added

MakeAGuideIndex 1.1 (17.7.94) :
- created
