

Sheet1

SET,C,10	SORT(TYFITEM,C,15	BARPARENT,C,15	PROMPT,C,80
DESIGNER	7 O _MFILE		
DESIGNER	8 O EDIT		
DESIGNER	9 O PAGE		
DESIGNER	10 O OBJECT		
DESIGNER	11 O GRID		
DESIGNER	12 O HELP		
DESIGNER	17 B	1 EDIT	Cu\<t
DESIGNER	18 B	2 EDIT	\<Copy
DESIGNER	19 B	3 EDIT	\<Paste
DESIGNER	20 B	4 EDIT	Cl\<ear
DESIGNER	21 B	5 EDIT	\-
DESIGNER	22 B	6 EDIT	Select \<All
DESIGNER	35 B	1 GRID	Show \<Grid
DESIGNER	36 B	2 GRID	\<Snap to Grid
DESIGNER	37 B	3 GRID	\-
DESIGNER	38 B	4 GRID	Grid Si\<ze...
DESIGNER	39 B	1 HELP	\<Help
DESIGNER	40 B	2 HELP	Help \<Index
DESIGNER	41 B	3 HELP	\-
DESIGNER	42 B	4 HELP	\<About TeleMagic
DESIGNER	29 B	1 OBJECT	\<Properties...
DESIGNER	30 B	2 OBJECT	\-
DESIGNER	31 B	3 OBJECT	Bring to \<Front
DESIGNER	32 B	4 OBJECT	Send to \<Back
DESIGNER	33 B	5 OBJECT	\-
DESIGNER	34 B	6 OBJECT	\<Center
DESIGNER	44 B	8 OBJECT	Align Centers Vertically
DESIGNER	45 B	9 OBJECT	Align Centers Horizontally
DESIGNER	46 B	10 OBJECT	Align Left Edges
DESIGNER	47 B	11 OBJECT	Align Right Edges
DESIGNER	48 B	12 OBJECT	Align Top Edges
DESIGNER	49 B	13 OBJECT	Align Bottom Edges
DESIGNER	50 B	14 OBJECT	Same Size
DESIGNER	51 B	15 OBJECT	Same Width
DESIGNER	52 B	16 OBJECT	Same Height
DESIGNER	23 B	1 PAGE	\<Properties...
DESIGNER	24 B	2 PAGE	\-
DESIGNER	25 B	3 PAGE	\<Add
DESIGNER	26 B	4 PAGE	Cop\<y
DESIGNER	27 B	5 PAGE	\<Edit
DESIGNER	28 B	6 PAGE	\<Delete
DESIGNER	29 B	7 PAGE	\-
DESIGNER	30 B	8 PAGE	Se\<t Page Order...
DESIGNER	31 B	9 PAGE	\-
DESIGNER	32 B	10 PAGE	Set \<Input Order...
DESIGNER	33 B	11 PAGE	Show Input \<Order
DESIGNER	13 B	1 _MFILE	\<Backup
DESIGNER	14 B	2 _MFILE	\<Restore

Sheet1

DESIGNER	15 B	3 _MFILE	\-
DESIGNER	16 B	4 _MFILE	\<Close
DESIGNER	1 P	_MSM_FILE	_MSYSMENU \<File
DESIGNER	2 P	EDIT	_MSYSMENU \<Edit
DESIGNER	3 P	PAGE	_MSYSMENU \<Page
DESIGNER	4 P	OBJECT	_MSYSMENU \<Object
DESIGNER	5 P	GRID	_MSYSMENU \<Grid
DESIGNER	6 P	HELP	_MSYSMENU \<Help
RPTGEN	1 M	_MSYSMENU	
RPTGEN	100 O	_MFILE	
RPTGEN	105 O	_MEDIT	
RPTGEN	200 S	_med_undo	0 _MEDIT \<Undo
RPTGEN	205 S	_med_redo	0 _MEDIT \<Redo
RPTGEN	209 S	_med_sp100	0 _MEDIT \-
RPTGEN	210 S	_med_cut	0 _MEDIT Cu\<t
RPTGEN	215 S	_med_copy	0 _MEDIT \<Copy
RPTGEN	220 S	_med_paste	0 _MEDIT \<Paste
RPTGEN	225 S	_med_clear	0 _MEDIT Cl\<ear
RPTGEN	227 S	_med_sp200	0 _MEDIT \-
RPTGEN	233 S	_med_slcta	0 _MEDIT Select \<All
RPTGEN	150 S	_mfi_save	0 _MFILE \<Save
RPTGEN	155 S	_mfi_revrt	0 _MFILE \<Revert
RPTGEN	160 S	_mfi_sp100	0 _MFILE \-
RPTGEN	165 S	_mfi_close	0 _MFILE \<Close
RPTGEN	5 P	_MSM_FILE	_MSYSMENU \<File
RPTGEN	10 P	_MSM_EDIT	_MSYSMENU \<Edit
STARTUP	5 M	_MSYSMENU	0
STARTUP	60 O	_MFILE	0
STARTUP	65 O	_MEDIT	0
STARTUP	70 O	OPTIONS	0
STARTUP	75 O	ACTIVITY	0
STARTUP	80 O	CONTACT	0
STARTUP	85 O	OFFICE	0
STARTUP	90 O	WRITE	0
STARTUP	95 O	REPORTS	0
STARTUP	100 O	HELP	0
STARTUP	105 O	SYSRPTPOP	0
STARTUP	110 O	TAGPOP	0
STARTUP	115 O	UTILPOP	0
STARTUP	120 O	ACTRPTPOP	0
STARTUP	125 O	CNTRPTPOP	0
STARTUP	130 O	LBLRPTPOP	0
STARTUP	135 O	ACTUPOP	0
STARTUP	140 O	TIMESLIPS	0
STARTUP	145 O	MAINTPOP	0
STARTUP	150 O	VIEWPOP	0
STARTUP	155 O	LEVELPOP	0
STARTUP	160 O	ROLLPOP	0
STARTUP	165 O	CONTREC	0

Sheet1

STARTUP	170 O	FILTERPOP	0	
STARTUP	175 O	INDEXPOP	0	
STARTUP	180 O	PAGEPOP	0	
STARTUP	185 O	CMVIEWPOP	0	
STARTUP	390 B		1 ACTIVITY	\<Add an Activity...
STARTUP	395 B		2 ACTIVITY	Add a \<To-Do...
STARTUP	400 B		3 ACTIVITY	\-
STARTUP	405 B		4 ACTIVITY	\<View Activities
STARTUP	410 B		5 ACTIVITY	\-
STARTUP	415 B		6 ACTIVITY	View Assigned Tas\<ks...
STARTUP	440 B		7 ACTIVITY	\-
STARTUP	445 B		8 ACTIVITY	\<User Permissions...
STARTUP	450 B		9 ACTIVITY	\-
STARTUP	455 B		10 ACTIVITY	\<Browse
STARTUP	460 B		11 ACTIVITY	\-
STARTUP	465 B		12 ACTIVITY	R\<ollover...
STARTUP	470 B		13 ACTIVITY	\<Reassign...
STARTUP	475 B		14 ACTIVITY	Ar\<hive...
STARTUP	480 B		15 ACTIVITY	\-
STARTUP	485 B		16 ACTIVITY	Set Reca\<ll...
STARTUP	490 B		17 ACTIVITY	\<Set Multiple Recalls (Activities)...
STARTUP	495 B		18 ACTIVITY	\<Pending Activity List...
STARTUP	1055 B		1 ACTRPTPOP	\<Day at a Time...
STARTUP	1060 B		2 ACTRPTPOP	\<Week at a Time...
STARTUP	1065 B		3 ACTRPTPOP	\<Month at a Time...
STARTUP	1070 B		4 ACTRPTPOP	\<Activity History...
STARTUP	1075 B		5 ACTRPTPOP	Daily \<Schedule...
STARTUP	1080 B		6 ACTRPTPOP	\<Pending Activities...
STARTUP	1045 B		1 CNTRPTPOP	\<Address\Phone List...
STARTUP	1050 B		2 CNTRPTPOP	\<Contact List...
STARTUP	500 B		1 CONTACT	\<Level
STARTUP	505 B		2 CONTACT	\<Views
STARTUP	510 B		3 CONTACT	\<Pages
STARTUP	515 B		4 CONTACT	\<Filters
STARTUP	520 B		5 CONTACT	In\<dexes
STARTUP	525 B		6 CONTACT	See Only Level \<2 Records for Current Level 1
STARTUP	530 B		7 CONTACT	See Only Level \<3 Records for Current Level 2
STARTUP	535 B		8 CONTACT	\<Browse
STARTUP	540 B		10 CONTACT	\-
STARTUP	545 B		11 CONTACT	\<Goto
STARTUP	550 B		12 CONTACT	Prev\<ious Page
STARTUP	555 B		13 CONTACT	\<Next Page
STARTUP	560 B		14 CONTACT	Pr\<evious Record
STARTUP	565 B		15 CONTACT	Ne\<xt Record
STARTUP	570 B		16 CONTACT	First \<Record In Filter
STARTUP	575 B		17 CONTACT	L\<ast Record In Filter
STARTUP	580 B		18 CONTACT	\-
STARTUP	585 B		19 CONTACT	Contact \<Utilities
STARTUP	590 B		20 CONTACT	\-

Sheet1

STARTUP	595 B	21 CONTACT	Open \<Contact Manager
STARTUP	600 B	1 CONTREC	\<Quick Add...
STARTUP	605 B	2 CONTREC	\<Add
STARTUP	610 B	3 CONTREC	\<Copy
STARTUP	615 B	4 CONTREC	\<Edit
STARTUP	620 B	5 CONTREC	\<Delete
STARTUP	625 B	6 CONTREC	\-
STARTUP	630 B	7 CONTREC	Add N\<ote
STARTUP	635 B	8 CONTREC	\<Notepad
STARTUP	640 B	9 CONTREC	\<Rollups
STARTUP	645 B	10 CONTREC	\-
STARTUP	650 B	11 CONTREC	\<Mark
STARTUP	655 B	12 CONTREC	\<Tags
STARTUP	660 B	13 CONTREC	\-
STARTUP	665 B	14 CONTREC	\<Paste Contact Info to Clipboard
STARTUP	670 B	15 CONTREC	\<Zip Code Entry...
STARTUP	770 B	1 HELP	\<Help...
STARTUP	775 B	2 HELP	Help \<Index...
STARTUP	785 B	4 HELP	\-
STARTUP	790 B	5 HELP	\<Log the System Status...
STARTUP	795 B	6 HELP	\<View System Log...
STARTUP	800 B	7 HELP	\-
STARTUP	805 B	8 HELP	\<User Monitor
STARTUP	810 B	9 HELP	\-
STARTUP	815 S _mst_calcu	0 HELP	\<Calculator
STARTUP	820 B	10 HELP	\-
STARTUP	825 B	11 HELP	\<System Information...
STARTUP	830 B	12 HELP	\-
STARTUP	835 B	13 HELP	\<About...
STARTUP	1085 B	1 LBLRPTPOP	\<Address Labels...
STARTUP	1090 B	2 LBLRPTPOP	\<Shipping Labels...
STARTUP	1095 B	3 LBLRPTPOP	\<Rotary Cards...
STARTUP	1100 B	4 LBLRPTPOP	\<Name Tags...
STARTUP	1105 B	5 LBLRPTPOP	\<Metric Labels...
STARTUP	1110 B	6 LBLRPTPOP	Mis\<cellaneous...
STARTUP	1150 B	1 LEVELPOP	Level \<1
STARTUP	1155 B	2 LEVELPOP	Level \<2
STARTUP	1160 B	3 LEVELPOP	Level \<3
STARTUP	355 B	1 MAINTPOP	\<Faxes...
STARTUP	360 B	2 MAINTPOP	\<Wireless Messages...
STARTUP	365 B	3 MAINTPOP	\<NANP...
STARTUP	370 B	4 MAINTPOP	Spell Checker \<Preferences...
STARTUP	375 B	5 MAINTPOP	Spell Checker \<Dictionary...
STARTUP	380 B	6 MAINTPOP	\<Resources...
STARTUP	385 B	7 MAINTPOP	\<Holidays...
STARTUP	835 B	1 OFFICE	\<TeleMagic E-mail...
STARTUP	840 B	2 OFFICE	\<Branch Scripting...
STARTUP	845 B	3 OFFICE	\<Sales Forecasting...
STARTUP	850 B	4 OFFICE	Spell \<Check...

Sheet1

STARTUP	855 B	5 OFFICE	\-
STARTUP	860 B	6 OFFICE	\<Add Tack-It
STARTUP	865 B	7 OFFICE	M\<essage Taker
STARTUP	870 B	8 OFFICE	B\<ulletin Board
STARTUP	875 B	9 OFFICE	\-
STARTUP	880 B	10 OFFICE	\<Notebook
STARTUP	885 B	11 OFFICE	\-
STARTUP	890 B	12 OFFICE	Send Wireless \<Message...
STARTUP	1165 B	13 OFFICE	\-
STARTUP	1170 B	14 OFFICE	\<Dial
STARTUP	320 B	1 OPTIONS	Save Settings on E\<xit
STARTUP	325 B	2 OPTIONS	\-
STARTUP	330 B	3 OPTIONS	\<Change Password...
STARTUP	335 B	4 OPTIONS	\<Preferences...
STARTUP	340 B	5 OPTIONS	\<Security...
STARTUP	345 B	6 OPTIONS	\<User Groups...
STARTUP	350 B	7 OPTIONS	\<Maintenance
STARTUP	710 B	1 REPORTS	\<Activity Reports
STARTUP	715 B	2 REPORTS	\<Contact Reports
STARTUP	720 B	3 REPORTS	\<Envelopes...
STARTUP	725 B	4 REPORTS	\<Labels
STARTUP	730 B	5 REPORTS	List \<Box Report...
STARTUP	735 B	6 REPORTS	\-
STARTUP	740 B	7 REPORTS	\<Fax Reports...
STARTUP	745 B	8 REPORTS	\-
STARTUP	750 B	9 REPORTS	\<Quick Lists...
STARTUP	755 B	10 REPORTS	C\<ustom Reports...
STARTUP	760 B	11 REPORTS	\<System Reports
STARTUP	765 B	12 REPORTS	C\<onfiguration...
STARTUP	675 B	1 ROLLPOP	\<Activities
STARTUP	680 B	2 ROLLPOP	\<Letters
STARTUP	685 B	3 ROLLPOP	TeleMagic \<E-mail
STARTUP	690 B	4 ROLLPOP	\<Sales Forecasting
STARTUP	895 B	1 SYSRPTPOP	\<Database Structure Report...
STARTUP	900 B	2 SYSRPTPOP	\-
STARTUP	905 B	3 SYSRPTPOP	\<Group Security Report...
STARTUP	910 B	4 SYSRPTPOP	\<User Security Report...
STARTUP	915 B	5 SYSRPTPOP	\-
STARTUP	920 B	6 SYSRPTPOP	\<System/Database Preference Report...
STARTUP	925 B	7 SYSRPTPOP	User \<Preference Report...
STARTUP	930 B	8 SYSRPTPOP	\-
STARTUP	935 B	9 SYSRPTPOP	\<Error Report
STARTUP	940 B	10 SYSRPTPOP	\-
STARTUP	945 B	11 SYSRPTPOP	\<User List
STARTUP	940 B	1 TAGPOP	\<Tagged
STARTUP	945 B	2 TAGPOP	\-
STARTUP	950 B	3 TAGPOP	Tag \<All
STARTUP	955 B	4 TAGPOP	Tag All in \<Filter
STARTUP	960 B	5 TAGPOP	\<Invert All

Sheet1

STARTUP	965 B	6 TAGPOP	I\<nvert All in Filter
STARTUP	970 B	7 TAGPOP	\<Clear All
STARTUP	975 B	8 TAGPOP	C\<lear All in Filter
STARTUP	980 B	9 TAGPOP	Tag \<Marked
STARTUP	1115 B	1 TIMESLIPS	Link \<Database...
STARTUP	1120 B	2 TIMESLIPS	\<Change User...
STARTUP	1125 B	3 TIMESLIPS	\<Preferences...
STARTUP	1130 B	4 TIMESLIPS	\-
STARTUP	1135 B	5 TIMESLIPS	\<Link Current Record...
STARTUP	1140 B	6 TIMESLIPS	\-
STARTUP	1145 B	7 TIMESLIPS	\<Synchronize Changes...
STARTUP	990 B	3 UTILPOP	Edit \<Indexes
STARTUP	985 B	4 UTILPOP	Edit \<Filters
STARTUP	1000 B	5 UTILPOP	\-
STARTUP	1005 B	6 UTILPOP	\<Group Replace...
STARTUP	1010 B	7 UTILPOP	Group Delete / Reco\<ver...
STARTUP	1015 B	8 UTILPOP	Gr\<oup Duplicate Checking...
STARTUP	1020 B	9 UTILPOP	\-
STARTUP	1025 B	10 UTILPOP	Reset \<Unique Numbers...
STARTUP	1030 B	11 UTILPOP	\<Reassign Records...
STARTUP	1035 B	12 UTILPOP	R\<ecord Initialization...
STARTUP	1040 B	2 UTILPOP	\-
STARTUP	1045 B	1 UTILPOP	Screen \<Designer...
STARTUP	1050 B	13 UTILPOP	\-
STARTUP	1060 B	16 UTILPOP	D\<atabase Usage
STARTUP	420 B	1 VIEWPOP	\<All Assigned Tasks...
STARTUP	425 B	2 VIEWPOP	\<Rejected Assignments...
STARTUP	430 B	3 VIEWPOP	\<Pending Assigned to You...
STARTUP	425 B	1 WRITE	\<Quick Letter...
STARTUP	426 B	2 WRITE	\<Word Processing...
STARTUP	427 B	3 WRITE	\-
STARTUP	429 B	5 WRITE	Send \<Fax...
STARTUP	270 S	0 _MEDIT	Cu\<t
STARTUP	275 S	0 _MEDIT	\<Copy
STARTUP	280 S	0 _MEDIT	\<Paste
STARTUP	285 S	0 _MEDIT	Select \<All
STARTUP	290 S	0 _MEDIT	C\<ear
STARTUP	295 B	1 _MEDIT	\-
STARTUP	300 S	0 _MEDIT	Paste \<Special
STARTUP	305 S	0 _MEDIT	\<Insert Object...
STARTUP	310 S	0 _MEDIT	\<Object...
STARTUP	315 S	0 _MEDIT	Change Lin\<k...
STARTUP	190 B	1 _MFILE	\<Change User...
STARTUP	195 B	2 _MFILE	\<Select Database...
STARTUP	200 B	3 _MFILE	\-
STARTUP	205 B	6 _MFILE	\<Add / Edit Fields...
STARTUP	210 B	7 _MFILE	\<Import...
STARTUP	215 B	8 _MFILE	\<Export...
STARTUP	220 B	9 _MFILE	\<Rebuild...

Sheet1

STARTUP	225 B	10 _MFILE	\-
STARTUP	230 B	11 _MFILE	\<Timeslips Link
STARTUP	235 B	12 _MFILE	Accounting \<Link...
STARTUP	240 B	13 _MFILE	\-
STARTUP	245 B	14 _MFILE	\<Workstation Setup...
STARTUP	250 B	15 _MFILE	\-
STARTUP	251 B	16 _MFILE	Rel\<gister...
STARTUP	260 B	19 _MFILE	\-
STARTUP	265 B	20 _MFILE	E\<xit
STARTUP	10 P _MSM_FILE	0 _MSYSMENU	\<File
STARTUP	15 P _MSM_EDIT	0 _MSYSMENU	\<Edit
STARTUP	20 P OPTIONS	0 _MSYSMENU	\<Options
STARTUP	25 P ACTIVITY	0 _MSYSMENU	Acti\<vity
STARTUP	30 P CONTACT	0 _MSYSMENU	\<Contact Manager
STARTUP	35 P CONTREC	0 _MSYSMENU	C\<urrent Record
STARTUP	40 P OFFICE	0 _MSYSMENU	Off\<ice
STARTUP	45 P WRITE	0 _MSYSMENU	\<Write
STARTUP	50 P REPORTS	0 _MSYSMENU	\<Reports
STARTUP	55 P HELP	0 _MSYSMENU	\<Help
STARTUP	780 B	3 HELP	\<TeleMagic Tutorial

ACACTNAME,C,15 MODULE,C,12 PARAM,C,40

LOCTYPE,C,1LOCATION,C,

OBJCUT		
OBJCOPY		
PASTE		
ZAPFIELD		
SELECTALL		
TOGGLEGRID		.t.
TOGGLESNAP		.t.
GRIDSIZE.PRG		
TMHELP		
TMHELP		"IDH_CONTENTS"
UTILITY.APP		"ABOUT1.PRG"
SHOWPROPS		
SHUFFLE	r	.t.
SHUFFLE		.f.
CENTOBJ		
ALIGN		"VCENTER"
ALIGN		"HCENTER"
ALIGN		"LEFT"
ALIGN		"RIGHT"
ALIGN		"TOP"
ALIGN		"BOTTOM"
ALIGN		"SIZE"
ALIGN		"WIDTH"
ALIGN		"HEIGHT"
PROPSCR		
HOTBUTTON		"A"
HOTBUTTON		"Y"
HOTBUTTON		"E"
HOTBUTTON		"T"
HOTBUTTON		"D"
ORDER		
TOGGLETAG		
MAKEBACK		
RESTBACK		



I STOPPER  
P \_MFILE  
P EDIT  
P PAGE  
P OBJECT  
P GRID  
P HELP

P \_MFILE  
P \_MEDIT

# Sheet1

I	AMDSPTCH	"NEW_ACTIVITY"
I	AMDSPTCH	"NEW_TODO"
I	AMDSPTCH	"VIEW_ACTIVITIES"
P	VIEWPOP	
I	AMDSPTCH	"USER_PERMISSIONS"
I	AMDSPTCH	"BROWSE"
I	AMDSPTCH	"ROLLOVER"
I	AMDSPTCH	"REASSIGN"
I	AMDSPTCH	"ARCHIVE"
I	SetRecall	
I	CONTACT.APP	"MULTRCLL.PRG"
I	CONTACT.APP	"actbrow.prg"
I	AMDSPTCH	"ACTIVITY_REPORTS Day at a Time"
I	AMDSPTCH	"ACTIVITY_REPORTS Week at a Time"
I	AMDSPTCH	"ACTIVITY_REPORTS Month at a Time"
I	AMDSPTCH	"ACTIVITY_HISTORY"
I	AMDSPTCH	"DAILY_SCHEDULE_REPORT"
I	AMDSPTCH	"PENDING_ACTIVITY_REPORT"
I	REPORTS.APP	"CONTRPTS.PRG Address/Phone List"
I	REPORTS.APP	"CONTRPTS.PRG Contact List"
P	LEVELPOP	
P	CMVIEWPOP	
P	PAGEPOP	
P	FILTERPOP	
P	INDEXPOP	
I	SEALEVEL	"1"
I	SEALEVEL	"2"
I	CONTACT.APP	"CONTBRWM"
I	GotoValid	
I	PageUpOrDown	.t.
I	PageUpOrDown	.f.
I	PreviousRecord	
I	NextRecord	
I	GoTop	
I	GoBottom	
P	UTILPOP	

# Sheet1

I	TOGGLECM	
I	QUICKADD	
I	AddBar	
I	CopyBar	
I	EditBar	
I	DelBar	
N	CtrlValFront	1
I	CtrlValFront	2
P	RollPop	
I	MarkValid	.t.
P	TagPop	
I	CLIPADDR	
N	ZIPINFO.PRG	
I	TMHELP	
I	TMHELP	"IDH_CONTENTS"
I	ERRCALL	
I	UTILITY.APP	"ERRVIEW"
A	UTILITY.APP	"MONITOR"
I	UTILITY.APP	"SYSINFO.PRG"
I	UTILITY.APP	"ABOUT1.PRG"
I	REPORTS.APP	"LABELS.PRG Address Labels"
I	REPORTS.APP	"LABELS.PRG Shipping Labels"
I	REPORTS.APP	"LABELS.PRG Rotary Cards"
I	REPORTS.APP	"LABELS.PRG Name Tags"
I	REPORTS.APP	"LABELS.PRG Metric Labels"
I	REPORTS.APP	"LABELS.PRG Miscellaneous"
I	LevelValid	1
I	LevelValid	2
I	LevelValid	3
I	OFFICE.APP	"FAXMNT.PRG"
I	PAGEMNT.PRG	
I	UTILITY.APP	"NANP.PRG"
I	SPELLCFG.PRG	
A	UTILITY.APP	"DICTEDIT.PRG"
I	UTILITY.APP	"RESOURCE.PRG .F."
I	UTILITY.APP	"HOLIDAY.PRG"
I	STRMAIL	"EXECUTE"
I	OFFICE.APP	"BRANCH.PRG"
I	OFFICE.APP	"SFMAIN.PRG"
N	FS_SPELL	

Sheet1

I NEWNOTE	
I OFFICE.APP	"MTAKER.PRG"
I OFFICE.APP	"BBOARD.PRG"
I CONTACT.APP	"nponly.prg"
I PAGER.PRG	
I DIALTOOL	
I SAVESET	(! m.ISAVESETTINGS)
I UTILITY.APP	"USERPASS.PRG"
A OPTIONS.APP	
A UTILITY.APP	"SECURE1.PRG"
A UTILITY.APP	"GROUP.PRG"
P MAINTPOP	
P ACTRPTPOP	
P CNTRPTPOP	
I REPORTS.APP	"LABELS.PRG Envelopes"
P LBLRPTPOP	
I REPORTS.APP	"LSTBXRPT.PRG"
I REPORTS.APP	"FAXREPT.PRG"
I REPORTS.APP	"QGEN"
I REPORTS.APP	"RPTGEN"
P SYSRPTPOP	
I REPORTS.APP	"MENUCFG.PRG"
I CtrlValFront	3
I CtrlValFront	4
I CONTACT.APP	"mailroll.prg"
I OFFICE.APP	"saleroll.prg"
I REPORTS.APP	"DBSCHEMA.PRG"
I REPORTS.APP	"GRPSCRPT.PRG"
I REPORTS.APP	"USRSCRPT.PRG"
I REPORTS.APP	"SYSPFRPT.PRG"
I REPORTS.APP	"USRPFRT.PRG"
I UTILITY.APP	"ERRORRPT.PRG"
I REPORTS.APP	"allusers.prg"
I TAGBAR	
I TagAll	
I TagAll	.t.
I InvertTagAll	

Sheet1

I InvertTagAll	.t.
I UnTagAll	
I UnTagAll	.t.
I TagMarked	
I TSFUNC.PRG	"LINK"
I TSFUNC.PRG	"USER"
I TSPREF.PRG	
I TSFUNC.PRG	"HOOK"
I TSFUNC.PRG	"SYNC"
A CONTACT.APP	"INDEXES"
A CONTACT.APP	"FILTERS"
A CONTACT.APP	"GRPREPL.PRG"
A CONTACT.APP	"GRPDELE.PRG"
I GRPDUPE.PRG	
A CONTACT.APP	"RESETUNQ.PRG"
I COPYMOVE.PRG	
I Reclnit	
A DESIGNER.APP	"DESIGN"
I CONTACT.APP	"DBUSAGE.PRG"
I AMDSPTCH	"VIEW_TASKS"
I AMDSPTCH	"REJECTED_ASSIGNMENTS"
I AMDSPTCH	"PENDING_ASSIGNMENTS"
I OFFICE.APP	"WP.PRG 'QA'"
I OFFICE.APP	"WP.PRG .F."
I OFFICE.APP	"WP.PRG .T."

U USERLOAD  
A SELDB

A DESIGNER.APP	"EDITFLD.PRG"
I UTILITY.APP	"IMPMAIN.PRG"
A UTILITY.APP	"EXPORT.PRG"
A INTERNAL	REBUILD.EXE

P TIMESLIPS	
I ACCOUNTS.APP	"LINKDBF.PRG"
TIMESLIPS	
A WSSetup	
A BUMP.PRG	
A REGISTER.APP	
U TMQUIT	
P _MFILE	
P _MEDIT	
P OPTIONS	
P ACTIVITY	
P CONTACT	
P CONTREC	
P OFFICE	
P WRITE	
P REPORTS	
P HELP	
I TUTOR	

HOTKEY,C,15 HOTKEYLABEL,C

alt+f

alt+e

alt+p

alt+o

alt+g

alt+h

CTRL+X

Ctrl+X

CTRL+C

Ctrl+C

CTRL+V

Ctrl+V

CTRL+A

Ctrl+A

ALT+R

Alt+R

ALT+N

Alt+N

F1

F1

CTRL+G

Ctrl+G

CTRL+J

Ctrl+J

ALT+A

Alt+A

ALT+Y

Alt+Y

ALT+E

Alt+E

Ctrl+Del

Ctrl+Del

ALT+D

Alt+D

ALT+C

Alt+C

alt+f

alt+e

ctrl+z

ctrl+r

Ctrl+Z

Ctrl+R

ctrl+x

ctrl+c

ctrl+v

Ctrl+X

Ctrl+C

Ctrl+V

ctrl+a

Ctrl+A

alt+f

alt+e

alt+o

alt+v

alt+c

alt+i

alt+w

alt+r

alt+h

alt+u



Alt+G

Alt+G

Alt+LeftArrow  
Alt+RightArrow

Alt+LeftArrow  
Alt+RightArrow

## Sheet1

Ctrl+Q	Ctrl+Q
Alt+A	Alt+A
Alt+Y	Alt+Y
Alt+E	Alt+E

Alt+N	Alt+N
Alt+P	Alt+P

Alt+M	Alt+M
-------	-------

Ctrl+P	Ctrl+P
Ctrl+Z	Ctrl+Z
F1	F1

Alt+1	Alt+1
Alt+2	Alt+2
Alt+2	Alt+3

Alt+L

Alt+L

Alt+T

Alt+T

CTRL+X	Ctrl+X
CTRL+C	Ctrl+C
CTRL+V	Ctrl+V
CTRL+A	Ctrl+A

ALT+F4

Alt+F4

MESSAGE,C,80

Cut the currently selected Objects to the clipboard  
Copy the currently selected Objects to the clipboard  
Paste the contents of the clipboard onto the Form  
Delete the currently selected Objects

Select all objects on the screen

Help for the current dialog or screen  
View the help index and choose topics to view

View general information on TeleMagic for Windows

Bring the selected objects 'forward' so that they display on top  
Send the selected objects 'back' so that they display under others

Add a view or page  
Copy this page  
Edit this page  
Delete the current page

Set the page order for this view

Rearrange the input order of fields and lists

Undo the most recent change

Redo the most recent 'Undo'

Cut the currently selected item(s) to the clipboard

Copy the currently selected item(s) to the clipboard

Paste the clipboard into the report

Delete the currently selected item

Select all text in the current field

Save the current report format

Revert the report format to an earlier version (before the last 'Save')

Close the report format - prompt for save

Add an Activity

Add a To-Do

View activities and To-Do's one day at a time

View assigned activities and To-Do's

Change security access to your schedule

Browse all activities

Rollover your incomplete activities to another day

Assign a user's activities to another user

Archive old activities

Set a new activity for the current contact

Set a new activity for the current contact

Set activities/recalls for multiple contacts

View a list of pending activities

View/print Day at a Time report

View/print Week at a Time report

View/print Month at a Time report

View/print Activity History report

View/print Daily Schedule report

View/print Pending Activities report

View/print Address/Phone List report

View/print Contact List report

Add a new record to the current level

Change to a different View of the database

Change to a different Page of the database

Select a filter

Select an Index

Limit the level 2 records that you see

Limit the level 3 records that you see

View/Edit contacts at the current level in spreadsheet mode

Open Goto dialog

Go to the previous page of the current view

Go to the next page of the current view

Go to the previous record in the current contact table

Go to the next record in the current contact table

Go to the first record in this filter

Go to the last record in this filter

Screen Designer, Filters, Indexes, Reassign Records, and Group functions



## Sheet1

Manage Contacts in the current database  
Add a new record to the current level  
Add a new record to the current level  
Copy current record to a new record

Add a new note to the current record  
View/edit the notepad for the current record  
View rollups for the current record  
View/edit the notepad for the current record  
Mark the current record  
Tag or Untag groups of contacts

Pastes address information about the current record to the clipboard  
Look up City/State/Area Code by Zip Code  
Help for the current dialog or screen  
View the help index and choose topics to view

Create an entry in the System Log file  
View the log of errors that occurred during TeleMagic

View users currently logged into TeleMagic

Access the calculator

View system information

View general information on TeleMagic for Windows  
View/print address labels  
View/print shipping labels  
View/print rotary cards  
View/print name tags  
View/print metric labels  
View/print miscellaneous labels  
Change to Level 1  
Change to Level 2  
Change to Level 3  
Maintain/resend faxes sent locally  
Maintain list of Wireless Messages sent locally  
North American Numbering Plan Maintenance  
Set options for spell checking  
Add, change, delete words from dictionary  
Add, change, delete resources  
Add, Change, and Delete holidays  
Launch TeleMagic Internet Mail  
Access scripts that can be used for phone calls, procedures, and more.  
Track a sale from the forecast to the close  
Check Spelling in current field

Create a new Tack-It  
Create/View Messages For You  
View the Bulletin Board

Browse through the notebook for the current database

Access Wireless Messaging to send a message

Dial

Save the open windows, database, etc... and restore next time you login

Change your user password  
Change your setup, the database setup, or the system setup  
Edit Group Security  
Create or edit groups of users  
Maintain Lists  
Select activity report for viewing/printing  
Select contact report for viewing/printing  
Print/view envelopes for selected contacts  
Select label type for viewing/printing  
Print/view List Box Report

View/print Fax Report

Create quick, 'no frills' listings of contact or activity data  
Create detailed, multi-level and cross-tab reports  
Report on the configuration of your TeleMagic for Windows system  
Configure the 'Write' and 'Report' pulldowns  
View/edit the notepad for the current record  
View/edit the notepad for the current record  
View Linked TeleMagic E-mail Messages  
View/edit Sales Forecasting Records  
Print the field structure of selected contact databases

Print the security setup for selected groups  
Print the security access for selected users

Print preference configuration for selected databases  
Print preference configuration for selected users

Print the error log (each error may be 30 to 50 pages)

User List Report  
Tag the current contact record

Tag all contact records in the database  
Tag all contact records in the current filter  
Toggle the 'tagged' status of all contact records

## Sheet1

Toggle the 'tagged' status of contact records in the current filter  
Clear all tags in the current contact database  
Clear all tags for the current filter  
Tags all marked records  
Link to Timeslips database  
Change user in Timeslips  
Set Timeslips link preferences

Link the current record to Timeslips

Synchronize changes from Timeslips  
Add, Change, Delete, and Copy filters for the current database.  
Add, Change, Delete, and Copy indexes for the current database.

Replace contents of chosen fields on multiple records with data you give.  
Delete or Recover groups of records.  
Group Duplicate Record Checking

Reset Unique Numbers  
Reassign Records to another parent record.  
Initialize Records

Design the Views used by the Contact Manager in the current database.

Database Usage Description  
View tasks you've assigned to other users or other users have assigned to you  
Check for activities assigned by you and rejected by others  
Check for pending activities assigned to you by others  
Quick Add  
Manage print merge documents

Access Fax feature to send a fax  
Cut the currently selected text to the clipboard  
Copy the currently selected text to the clipboard  
Paste the contents of the clipboard at the cursor  
Select all text in the current field  
Delete the currently selected text

Paste the OLE object in the clipboard into the current OLE field  
Insert a new OLE object into the current OLE field  
Edit or Run the OLE object in the current OLE field  
Change the link of the current OLE field from Embedded to Linked, or vice versa  
Change the currently logged in user  
Change to a new contact database

Change the structure of the current contact database  
Import new data into TeleMagic  
Export TeleMagic data into some other format  
Reindex and/or remove deleted records from TeleMagic databases

Go to the Timeslips Link  
Go to the Accounting Link

Setup a workstation version of TeleMagic

Increase maximum concurrent users in TeleMagic

Exit TeleMagic for Windows

Launch the TeleMagic Tutorial Help file

SKIPEXPR,C,120

```
type("frmdesign.mover") # "O"
type("frmdesign.mover") # "O"
type("m.ocopyobject") # "O"
type("frmdesign.mover") # "O"
```

DesignFormCheck() and frmdesign.controlcount < 2

ldisable

ldisable

ldisable

```
type("frmdesign.mover") # "O"
```

```
type("frmdesign.mover") # "O"
```

```
type("frmdesign.mover") # "O"
```

```
type("frmdesign.mover") # "O"
```

```
type("frmdesign.mover") # "O"
```

```
type("frmdesign.mover") # "O"
```

```
type("frmdesign.mover") # "O"
```

```
type("frmdesign.mover") # "O"
```

```
type("frmdesign.mover") # "O"
```

```
type("frmdesign.mover") # "O"
```

```
type("frmdesign.mover") # "O"
```

```
type("frmdesign.mover") # "O"
```

```
type("frmdesign.mover") # "O"
```

ldisable

ldisable

ldisable

ldisable

ldisable

ldisable

ldisable

ldisable

!DesignFormCheck()

!DesignFormCheck()

empty( m.cuserid )

wread("dayview") or wread("weekview") or wread("mnthview")  
wread("dayview") or wread("weekview") or wread("mnthview")

wread("dayview")

wread("dayview") or wread("weekview") or wread("mnthview")

!IsCMLoaded()  
!IsCMLoaded()  
!IsCMLoaded()  
!IsCMLoaded()

!IsCMLoaded()  
!IsCMLoaded()  
!IsCMLoaded()  
!IsCMLoaded()  
!IsCMLoaded()  
!IsCMLoaded() or (m.nNUMLVLS < 2)  
!IsCMLoaded() or (m.nNUMLVLS < 3)

!IsCMLoaded()  
!IsCMLoaded()  
!IsCMLoaded()  
!IsCMLoaded()  
!IsCMLoaded()  
!IsCMLoaded()  
!IsCMLoaded()

(!IsCMLoaded() or empty(m.ccurdb) ) and !asecurity[16]

## Sheet1

```
empty( m.ccurdb )
!IsCMLoaded() or m.oGlobal.oContact.IEditOn or !(aSecurity[19] or aSecurity[18])
!IsCMLoaded() or m.oGlobal.oContact.IEditOn or !(aSecurity[19] or aSecurity[18])
!IsCMLoaded() or m.oGlobal.oContact.IEditOn or !(aSecurity[19] or aSecurity[18])
!IsCMLoaded()
!IsCMLoaded()
!IsCMLoaded()
!IsCMLoaded()
!IsCMLoaded()
!IsCMLoaded()
!IsCMLoaded()
!IsCMLoaded()
!IsCMLoaded()
!IsCMLoaded()
!IsCMLoaded()
!IsCMLoaded()
!IsCMLoaded()
```

!asecurity [18]

```
!IsCMLoaded() or m.nnumlvls < 1
!IsCMLoaded() or m.nnumlvls < 2
!IsCMLoaded() or m.nnumlvls < 3
!iscmloaded()
```

```
!asecurity[18]
empty(cuserid)
empty(cUserID)
```

```
empty( m.cuserid )
!IsCMLoaded()
empty( m.ccurdb ) or (asecurity[17] = " " and !asecurity[18]) or (type("oSFApp") = "O" and !IsNull(oSFApp))
```



empty( m.ccurdb )

empty( m.cuserid ) or !IsCMLoaded()

!asecurity[2]  
! asecurity [18]  
!asecurity [18]

empty(m.ccurdb)

empty( m.ccurdb )  
empty( m.ccurdb )

empty( m.ccurdb )  
!IsCMLoaded()  
!IsCMLoaded()  
!IsCMLoaded()  
!IsCMLoaded()  
!asecurity [18]

!asecurity [18]  
!asecurity [18]

!asecurity [18]

!asecurity [18]

empty(m.ccurdb) or !asecurity[18]

!m.ltsopen

!m.ltsopen

!m.ltsopen or !IsCMLoaded() or m.ccurlevel # "1"

!m.ltsopen

!IsCMLoaded()

!IsCMLoaded()

!iscmloaded() or !asecurity [15]

!iscmloaded() or !asecurity [15]

!IsCMLoaded() or !asecurity [15]

!IsCMLoaded() or !asecurity[18]

!IsCMLoaded()

!IsCMLoaded()

empty( m.ccurdb ) or !asecurity [16]

!IsCMLoaded()

!IsCMLoaded()

empty( m.ccurdb )

!IsCMLoaded()

empty( m.cuserid )

empty( m.ccurdb ) or ! asecurity [16]

empty( m.ccurdb ) or ! asecurity [12]

empty( m.ccurdb ) or ! asecurity [13]

empty( m.cuserid ) or ! asecurity[11]

.t.  
!asecurity[18] or m.Idisableaccounts or !IsCMLoaded()

! toolrefrsh()  
empty( m.cuserid )  
empty( m.cuserid )  
empty( m.cuserid )  
empty( m.ccurdb )  
empty( m.ccurdb )  
empty( m.cuserid )  
empty( m.cuserid )  
empty( m.cuserid )