

Sheet1

FIMF	SOURCE,C,254	FRULE,N,2,0	FIELD_NAME,C,19	FIELD_TYPE,FIEFIEFLAG,L
()-	source1.noemp		contact1.noemp	0 0
()-	source1.noloc		contact1.noloc	0 0
()-	source1.noout		contact1.noout	0 0
()-	source1.pcprint		contact1.pcprint	0 0
()-	source1.arphone		contact2.arphone	0 0
()-	source1.aradd1		contact2.aradd1	0 0
()-	source1.arcon		contact2.arcon	0 0
()-	source1.arfax		contact2.arfax	0 0
()-	source1.arstate		contact2.arstate	0 0
()-	source1.arzip		contact2.arzip	0 0
()-	source1.arcity		contact2.arcity	0 0
()-	source1.acctrep		contact2.acctrep	0 0
()-	source1.acctstatus		contact1.acctstatus	0 0
()-	source1.accttype		contact1.accttype	0 0
()-	source1.acct1		contact1.acct1	0 0
()-	source1.acct2		contact1.acct2	0 0
()-	source1.add1		contact1.add1	0 0
()-	source1.add2		contact1.add2	0 0
()-	source1.altcon		contact2.altcon	0 0
()-	source1.parev		contact1.parev	0 0
()-	source1.appdate		contact1.appdate	0 0
()-	source1.appby		contact1.appby	0 0
()-	source1.aradd2		contact2.aradd2	0 0
()-	source1.authdate		contact3.authdate	0 0
()-	source1.mgrauth		contact3.mgrauth	0 0
()-	source1.brofax		contact2.brofax	0 0
()-	source1.brosent		contact2.brosent	0 0
()-	source1.bustype		contact1.bustype	0 0
()-	source1.ceo		contact1.ceo	0 0
()-	source1.cod		contact1.cod	0 0
()-	source1.cellular		contact2.cellular	0 0
()-	source1.city		contact1.city	0 0
()-	source1.closeiss		contact3.closeiss	0 0
()-	source1.company		contact1.company	0 0
()-	source1.compdate		contact2.compdate	0 0
()-	source1.contactid		contact1.contactid	0 0
()-	source1.contactid2		contact2.contactid	0 0
()-	source1.contactid3		contact3.contactid	0 0
()-	source1.contact		contact2.contact	0 0
()-	source1.contitle		contact2.contitle	0 0
()-	source1.condate		contact3.condate	0 0
()-	source1.conno		contact3.conno	0 0
()-	source1.country		contact1.country	0 0
()-	source1.crdlim		contact1.crdlim	0 0
()-	source1.creditstat		contact1.creditstat	0 0
()-	source1.custid		contact2.custid	0 0
()-	source1.dear		contact2.dear	0 0
()-	source1.dunsno		contact1.dunsno	0 0

Sheet1

(()- source1.fyend	contact1.fyend	0 0
(()- source1.usfax	contact2.usfax	0 0
(()- source1.rating	contact1.rating	0 0
(()- source1.forward	contact2.forward	0 0
(()- source1.founded	contact1.founded	0 0
(()- source1.hqloc	contact1.hqloc	0 0
(()- source1.usphone	contact2.usphone	0 0
(()- source1.indust	contact1.indust	0 0
(()- source1.industry	contact1.industry	0 0
(()- source1.infover	contact2.infover	0 0
(()- source1.investors	contact1.investors	0 0
(()- source1.tmlastrev	contact1.tmlastrev	0 0
(()- source1.tmlastrev2	contact2.tmlastrev	0 0
(()- source1.tmlastrev3	contact3.tmlastrev	0 0
(()- source1.leadsource	contact1.leadsource	0 0
(()- source1.location	contact2.location	0 0
(()- source1.mainfax	contact1.mainfax	0 0
(()- source1.eurmphone	contact1.eurmphone	0 0
(()- source1.usmphone	contact1.usmphone	0 0
(()- source1.credit10	contact1.credit10	0 0
(()- source1.credit30	contact1.credit30	0 0
(()- source1.notepad	contact2.notepad	0 0
(()- source1.euphone	contact2.euphone	0 0
(()- source1.usphone	contact2.usphone	0 0
(()- source1.off1title	contact1.off1title	0 0
(()- source1.off1	contact1.off1	0 0
(()- source1.off2title	contact1.off2title	0 0
(()- source1.off2	contact1.off2	0 0
(()- source1.off3title	contact1.off3title	0 0
(()- source1.off3	contact1.off3	0 0
(()- source1.amtorder	contact3.amtorder	0 0
(()- source1.othercred	contact1.othercred	0 0
(()- source1.parentco	contact1.parentco	0 0
(()- source1.bank	contact1.bank	0 0
(()- source1.psic	contact1.psic	0 0
(()- source1.prod	contact1.prod	0 0
(()- source1.product	contact3.product	0 0
(()- source1.propdate	contact3.propdate	0 0
(()- source1.quote	contact3.quote	0 0
(()- source1.reference	contact1.reference	0 0
(()- source1.reqdate	contact3.reqdate	0 0
(()- source1.salesrep	contact1.salesrep	0 0
(()- source1.bank2	contact1.bank2	0 0
(()- source1.secsic	contact1.secsic	0 0
(()- source1.appbox	contact2.appbox	0 0
(()- source1.setrec	contact2.setrec	0 0
(()- source1.shipdate	contact3.shipdate	0 0
(()- source1.shipmeth	contact3.shipmeth	0 0
(()- source1.tmstart	contact1.tmstart	0 0

Sheet1

(()- source1.tmstart2	contact2.tmstart	0 0
(()- source1.tmstart3	contact3.tmstart	0 0
(()- source1.state	contact1.state	0 0
(()- source1.tmrep	contact1.tmrep	0 0
(()- source1.transit	contact3.transit	0 0
(()- source1.typebus	contact1.typebus	0 0
(()- source1.vmail	contact2.vmail	0 0
(()- source1.zip	contact1.zip	0 0
((). source1.noemp	contact1.noemp	0 0
((). source1.noloc	contact1.noloc	0 0
((). source1.noout	contact1.noout	0 0
((). source1.pcprint	contact1.pcprint	0 0
((). source1.acctstatus	contact1.acctstatus	0 0
((). source1.accttype	contact1.accttype	0 0
((). source1.acct1	contact1.acct1	0 0
((). source1.acct2	contact1.acct2	0 0
((). source1.add1	contact1.add1	0 0
((). source1.add2	contact1.add2	0 0
((). source1.parev	contact1.parev	0 0
((). source1.appdate	contact1.appdate	0 0
((). source1.appby	contact1.appby	0 0
((). source1.bustype	contact1.bustype	0 0
((). source1.ceo	contact1.ceo	0 0
((). source1.cod	contact1.cod	0 0
((). source1.city	contact1.city	0 0
((). source1.company	contact1.company	0 0
((). source1.country	contact1.country	0 0
((). source1.crdlim	contact1.crdlim	0 0
((). source1.creditstat	contact1.creditstat	0 0
((). source1.dunsno	contact1.dunsno	0 0
((). source1.fyend	contact1.fyend	0 0
((). source1.rating	contact1.rating	0 0
((). source1.founded	contact1.founded	0 0
((). source1.hqloc	contact1.hqloc	0 0
((). source1.industry	contact1.industry	0 0
((). source1.indust	contact1.indust	0 0
((). source1.investors	contact1.investors	0 0
((). source1.tmlastrev		0 0
((). source1.leadsource	contact1.leadsource	0 0
((). source1.mainfax	contact1.mainfax	0 0
((). source1.eurmphone	contact1.eurmphone	0 0
((). source1.usmphone	contact1.usmphone	0 0
((). source1.credit10	contact1.credit10	0 0
((). source1.credit30	contact1.credit30	0 0
((). source1.off1	contact1.off1	0 0
((). source1.off1title	contact1.off1title	0 0
((). source1.off2	contact1.off2	0 0
((). source1.off2title	contact1.off2title	0 0
((). source1.off3	contact1.off3	0 0

Sheet1

((). source1.off3title	contact1.off3title	0	0
((). source1.othercred	contact1.othercred	0	0
((). source1.parentco	contact1.parentco	0	0
((). source1.bank	contact1.bank	0	0
((). source1.psic	contact1.psic	0	0
((). source1.prod	contact1.prod	0	0
((). source1.reference	contact1.reference	0	0
((). source1.salesrep	contact1.salesrep	0	0
((). source1.bank2	contact1.bank2	0	0
((). source1.secsic	contact1.secsic	0	0
((). source1.tmstart		0	0
((). source1.state	contact1.state	0	0
((). source1.tmrep	contact1.tmrep	0	0
((). source1.typebus	contact1.typebus	0	0
((). source1.zip	contact1.zip	0	0
((). source2.arphone	contact2.arphone	0	0
((). source2.aradd1	contact2.aradd1	0	0
((). source2.arcon	contact2.arcon	0	0
((). source2.arfax	contact2.arfax	0	0
((). source2.arstate	contact2.arstate	0	0
((). source2.arzip	contact2.arzip	0	0
((). source2.arcity	contact2.arcity	0	0
((). source2.acctrep	contact2.acctrep	0	0
((). source2.altcon	contact2.altcon	0	0
((). source2.aradd2	contact2.aradd2	0	0
((). source2.brofax	contact2.brofax	0	0
((). source2.brosent	contact2.brosent	0	0
((). source2.cellular	contact2.cellular	0	0
((). source2.compdate	contact2.compdate	0	0
((). source2.contact	contact2.contact	0	0
((). source2.contitle	contact2.contitle	0	0
((). source2.custid		0	0
((). source2.dear	contact2.dear	0	0
((). source2.usfax	contact2.usfax	0	0
((). source2.forward	contact2.forward	0	0
((). source2.usphone	contact2.usphone	0	0
((). source2.infover	contact2.infover	0	0
((). source2.tmlastrev		0	0
((). source2.location	contact2.location	0	0
((). source2.notepad	contact2.notepad	0	0
((). source2.euphone	contact2.euphone	0	0
((). source2.usphone	contact2.usphone	0	0
((). source2.appbox	contact2.appbox	0	0
((). source2.setrec	contact2.setrec	0	0
((). source2.tmstart		0	0
((). source2.vmail	contact2.vmail	0	0
((). source3.authdate	contact3.authdate	0	0
((). source3.mgrauth	contact3.mgrauth	0	0
((). source3.closeiss	contact3.closeiss	0	0

Sheet1

((). source3.condate	contact3.condate	0 0
((). source3.conno		0 0
((). source3.tmlastrev		0 0
((). source3.amtorder	contact3.amtorder	0 0
((). source3.product	contact3.product	0 0
((). source3.propdate	contact3.propdate	0 0
((). source3.quote	contact3.quote	0 0
((). source3.reqdate	contact3.reqdate	0 0
((). source3.shipdate	contact3.shipdate	0 0
((). source3.shipmeth	contact3.shipmeth	0 0
((). source3.tmstart		0 0
((). source3.transit	contact3.transit	0 0
(()0 source1.NOEMP	contact1.noemp	0 0
(()0 source1.NOLOC	contact1.noloc	0 0
(()0 source1.NOOUT	contact1.noout	0 0
(()0 source1.PCPRINT	contact1.pcprint	0 0
(()0 source1.ARPHONE	contact2.arphone	0 0
(()0 source1.ARADD1	contact2.aradd1	0 0
(()0 source1.ARCON	contact2.arcon	0 0
(()0 source1.ARFAX	contact2.arfax	0 0
(()0 source1.ARSTATE	contact2.arstate	0 0
(()0 source1.ARZIP	contact2.arzip	0 0
(()0 source1.ARCITY	contact2.arcity	0 0
(()0 source1.ACCTREP	contact2.acctrep	0 0
(()0 source1.ACCTSTATUS	contact1.acctstatus	0 0
(()0 source1.ACCTTYPE	contact1.accttype	0 0
(()0 source1.ACCT1	contact1.acct1	0 0
(()0 source1.ACCT2	contact1.acct2	0 0
(()0 source1.ADD1	contact1.add1	0 0
(()0 source1.ADD2	contact1.add2	0 0
(()0 source1.ALTCON	contact2.altcon	0 0
(()0 source1.PAREV	contact1.parev	0 0
(()0 source1.APPDATE	contact1.appdate	0 0
(()0 source1.APPBY	contact1.appby	0 0
(()0 source1.ARADD2	contact2.aradd2	0 0
(()0 source1.AUTHDATE	contact3.authdate	0 0
(()0 source1.MGRAUTH	contact3.mgrauth	0 0
(()0 source1.BROFAX	contact2.brofax	0 0
(()0 source1.BROSENT	contact2.brosent	0 0
(()0 source1.BUSTYPE	contact1.bustype	0 0
(()0 source1.CEO	contact1.ceo	0 0
(()0 source1.COD	contact1.cod	0 0
(()0 source1.CELLULAR	contact2.cellular	0 0
(()0 source1.CITY	contact1.city	0 0
(()0 source1.CLOSEISS	contact3.closeiss	0 0
(()0 source1.COMPANY	contact1.company	0 0
(()0 source1.COMPDATE	contact2.compdate	0 0
(()0 source1.CONTACTID		0 0
(()0 source1.CONTACTID2		0 0

Sheet1

(()0 source1.CONTACTID3		0 0
(()0 source1.CONTACT	contact2.contact	0 0
(()0 source1.CONTITLE	contact2.contitle	0 0
(()0 source1.CONDATE	contact3.condate	0 0
(()0 source1.CONNO		0 0
(()0 source1.COUNTRY	contact1.country	0 0
(()0 source1.CRDLIM	contact1.crdlim	0 0
(()0 source1.CREDITSTAT	contact1.creditstat	0 0
(()0 source1.CUSTID		0 0
(()0 source1.DEAR	contact2.dear	0 0
(()0 source1.DUNSNO	contact1.dunsno	0 0
(()0 source1.FYEND	contact1.fyend	0 0
(()0 source1.USFAX	contact2.usfax	0 0
(()0 source1.RATING	contact1.rating	0 0
(()0 source1.FORWARD	contact2.forward	0 0
(()0 source1.FOUNDED	contact1.founded	0 0
(()0 source1.HQLOC	contact1.hqloc	0 0
(()0 source1.USHPHONE	contact2.usphone	0 0
(()0 source1.INDUST	contact1.indust	0 0
(()0 source1.INDUSTRY	contact1.industry	0 0
(()0 source1.INFOVER	contact2.infover	0 0
(()0 source1.INVESTORS	contact1.investors	0 0
(()0 source1.TMLASTREV		0 0
(()0 source1.TMLASTREV2		0 0
(()0 source1.TMLASTREV3		0 0
(()0 source1.LEADSOURCE	contact1.leadsource	0 0
(()0 source1.LOCATION	contact2.location	0 0
(()0 source1.MAINFAX	contact1.mainfax	0 0
(()0 source1.EURMPHONE	contact1.eurmphone	0 0
(()0 source1.USMPHONE	contact1.usmphone	0 0
(()0 source1.CREDIT10	contact1.credit10	0 0
(()0 source1.CREDIT30	contact1.credit30	0 0
(()0 source1.NOTEPAD	contact2.notepad	0 0
(()0 source1.EUPHONE	contact2.euphone	0 0
(()0 source1.USPHONE	contact2.usphone	0 0
(()0 source1.OFF1TITLE	contact1.off1title	0 0
(()0 source1.OFF1	contact1.off1	0 0
(()0 source1.OFF2TITLE	contact1.off2title	0 0
(()0 source1.OFF2	contact1.off2	0 0
(()0 source1.OFF3TITLE	contact1.off3title	0 0
(()0 source1.OFF3	contact1.off3	0 0
(()0 source1.AMTORDER	contact3.amtorder	0 0
(()0 source1.OTHERCREDIT	contact1.othercredit	0 0
(()0 source1.PARENTCO	contact1.parentco	0 0
(()0 source1.BANK	contact1.bank	0 0
(()0 source1.PSIC	contact1.psic	0 0
(()0 source1.PROD	contact1.prod	0 0
(()0 source1.PRODUCT	contact3.product	0 0
(()0 source1.PROPDATE	contact3.propdate	0 0

Sheet1

(()0 source1.QUOTE	contact3.quote	0 0
(()0 source1.REFERENCE	contact1.reference	0 0
(()0 source1.REQDATE	contact3.reqdate	0 0
(()0 source1.SALESREP	contact1.salesrep	0 0
(()0 source1.BANK2	contact1.bank2	0 0
(()0 source1.SECNIC	contact1.secsic	0 0
(()0 source1.APPBOX	contact2.appbox	0 0
(()0 source1.SETREC	contact2.setrec	0 0
(()0 source1.SHIPDATE	contact3.shipdate	0 0
(()0 source1.SHIPMETH	contact3.shipmeth	0 0
(()0 source1.TMSTART		0 0
(()0 source1.TMSTART2		0 0
(()0 source1.TMSTART3		0 0
(()0 source1.STATE	contact1.state	0 0
(()0 source1.TMREP	contact1.tmrep	0 0
(()0 source1.TRANSIT	contact3.transit	0 0
(()0 source1.TYPEBUS	contact1.typebus	0 0
(()0 source1.VMAIL	contact2.vmail	0 0
(()0 source1.ZIP	contact1.zip	0 0