

MetaView

COLLABORATORS

	<i>TITLE :</i> MetaView		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		January 23, 2025	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	MetaView	1
1.1	main	1
1.2	requirement	1
1.3	installation	2
1.4	what is it	2
1.5	shareware	2
1.6	bugs	3
1.7	errors	3
1.8	start	3
1.9	pic_index	5
1.10	batch	5
1.11	arexx	6
1.12	menu	7
1.13	requesters	8
1.14	main_window	9
1.15	print_requester	9
1.16	plot_requester	9
1.17	ps_requester	9
1.18	ilbm_requester	9
1.19	font_requester	10
1.20	preferences	10
1.21	formate	11
1.22	ps_import	12
1.23	author	13
1.24	thanks	14
1.25	index_e	14

Chapter 1

MetaView

1.1 main

M E T A V I E W 2 . 9

Requirement
Installation
What is it?
Shareware
Bugs
Errormsg.

Start
MainWindow
ARexx
Menu
Requesters
Printer
Plotter
PS-Printer
Settings
PS-Import
converting more then one
Picture-Index

History
Author
Thanks
Index

1.2 requirement

- any Amiga
 - OS 3.x (tested with 3.0, 3.1 and 3.5)
 - 1 MB RAM or better (more than 0.5 MB free ChipMem)
 - for Kick 3.x, the 'tabs.gadget' (included)
 - for Kick 3.1, maybe the new 'SetPatch' (included)
-

1.3 installation

```
- doubleclick the install-icon.
or
- copy the 'libs/amigametaformat.library' to 'libs:'
- create the drawer 'libs:AMF/'
- copy all files from 'libs/AMF/' to 'libs:AMF/'
- copy from 'libs/gadgets/tabs.gadget' to 'sys:classes/gadgets/'
- copy the executable "MetaView", where ever you want
- remark the path to MetaView in 'envarc:MetaView.path', with 'echo "(MetaView ←
  path)/MetaView" >envarc:MetaView.path'
and if you have it:
- copy the keyfile "keyfile.metaview" to the same directory like the executable
```

1.4 what is it

```
Programm to view and convert
* AMF files
* CGM files
* CMX files (work in progress)
* DR2D files
* DSDR files
* DXF files
* GEM files
* HPGL files (work in progress)
* WMF files (also embeded in Windows(tm) CLP files)
* WPG files (version 1.0, version 2.0 work in progress)
* XFIG files (version 3.0 or 3.1)
* EPS/AI file (in connection with GhostScript and PsToEdit)
to
* AI
* AMF
* CGM
* DR2D
* EPS (with TIFF preview)
* GEM
* HPGL
* ILBM
* JMF
* WMF
* XFIG
* BMP und TIFF
```

The CMX import replace the the CDR import. Still work in progress.

1.5 shareware

SHAREWARE:

MetaView is shareware. If you use this program regularly you must pay 30,- DM (20 \$) to me. After this you get the newest version from MetaView and the keyfile. Without the keyfile you can't save your pictures with ARExx.

Additional you can order a CD with MetaView, Ghostscript and PsToEdit for 40,- DM (25 \$).

For bank account and my address, please look at the end of file.
The executable are freely distributable, only the keyfile "keyfile.metaview" are not freely distributable without permission from me.
To get the newer versions from MetaView, bugfixes etc. please look at "Aminet:gfx/conv/" or you send me a empty disk and a franked and filled return envelop.

1.6 bugs

- Not all WMF-codes are supported, but the most WMF-files should work.
- In this version MetaView can display and convert only BitMaps, which are included in WMF, DSDR and AMF.
- If you find a bug on startup and own Kick 3.1, please install the new SetPatch 43.6 (included) and try again.
- If you find any other bug please feel free to send me a mail with the following dates:
 - your configuration
 - in which cases the bug appears
 - if there only appears on some gfx files, then please send me also the gfx files

I TAKE NO WARRANTLY FOR ANY DAMAGES ON YOUR SYSTEM!

1.7 errors

- Warning in the metafiles are mostly harmless. Please look in AmigaMetaFormat-description for the exact cause.

Errors are:

0	no errors
1	not enough memory
2	not supported
3	wrong arguments
4	other

ex. Functions are:

11	polygons
15	splines
16	filled polygons
21	filled splines

1.8 start

This program is startable from Workbench or CLI and shows you the MainWindow.

For starting from Workbench just doubleclick the icon.

For starting from CLI just type in the consolewindow 'MetaView'. You can give some options:

- LOADNAME the gfx-file to view
- SAVENAME the gfx-file to save, for converting, if you have give a SAVENAME, then the program will not open the window to show the gfx-file.
You can also give only the path for saveing, then the savename will be build from loadname plus new extension for filetype
- LOAD/K force to load the gfx-file as AMF,WMF,CMX,DXF,DR2D,WPG,CLP,GEM,CGM,DSDR,HPGL,EPS, if you dont use this option, the program looks ↔ for the filetype alone.
- SAVE/K save the gfx-file as AMF,EPS,CGM,GEM,WW,ILBM,AMF2,JMF,WMF or PRT
AMF - AmigaMetaFileFormat
AMF2 - AMF with previewpicture (* not yet *)
DR2D - Drawing 2D
JMF - Java Metafile
WMF - Windows Metafile
CGM - Computer Graphics Metafile
GEM - GEM Metafile
WW - WordWorth-ARexx-script
EPS - Encapsulated PostScript
AI - Adobe Illustrator
ILBM - Interleaved Bitmap
HPGL - HP Graphics Language
PRT - Printer
CLIP - copy to ClipBoard unit 0
PLOT - send HPGL to Plotter
POST - send PS to PostScriptPrinter

if you dont use this option, then you get AMF-files

- WIDTH/K/N for ILBM, CLIP and PRT the WIDTH of output (ILBM, CLIP - pixels, PRT, PLOT, POST - mm)
- HEIGHT/K/N for ILBM, CLIP, PRT, PLOT and POST the HEIGHT
- XOFF/K/N for PRT, POST and PLOT the x-position in mm
- YOFF/K/N for PRT, POST and PLOT the y-position in mm
- DEPTH/K/N Depth for ILBM, CLIP and PRT output
- ERRORS/S writeout debug informations, make a big decrease of the speed of fileparsing
- NOPROP/S no preserve picture-aspect
- TRANSPARENT/S no drawing in background and set color 0 as transparent for

ILBM and CLIP output

- NODISPLAY/S MetaView will not open a screen but only create a ARexxPort for background operations

the default options are:

```
SAVE    = AMF
WIDTH   = 640 (ILBM,CLIP) or 50 (PRT,POST,PLOT)
HEIGHT  = 400 (ILBM,CLIP) or 50 (PRT,POST,PLOT)
XOFF     = 0
YOFF     = 0
DEPTH   = 4
```

1.9 pic_index

By means of the menu item "Picture-Index/New" you can select several pictures which are loaded and drawn on one page like an index print.

With the help of the preference window several settings can be done. The size of the pictures is adjustable. The pictures can be stored with or without included metafile. Without included metafile the amount of needed FastRam is reduced but the access of a single frame takes slightly longer. If the small pictures shall be stored as Bitmaps (planar) or chunky buffer can be selected as well.

In addition the ARexx script can be selected which is used for sending certain pictures to other applications. The picture format which shall be used can be choosed too.

This index can be saved. With help of the right mouse button you get a context menu over each picture. There it is possible

- * to "view" the picture enlarged
- * to "save" the picture
- * to "print" the picture
- * to "remove" it
- * to "send" it to another application
- * to show "infos" about it

1.10 batch

For converting a whole directory of cliparts you can use the shellscript "s:spat". How to use:

1. go to the CLI

2. write down the following command in one line

```
"s:spat <MetaView-path>/MetaView <Source-path>/<Source-pattern>
<Destination-path>/ SAVE <Saveformat>"
```

substitute <MetaView-path>	with the path to MetaView
substitute <Source-path>	with the path to the source directory
substitute <Source-pattern>	with the pattern for the Sourcefiles, look at the DOS manual

substitute <Destination-path> with the path to the destination directory,
must exist
substitute <Saveformat> with the format, you want to convert to

Example: "s:spat work:MetaView/MetaView cd0:clips/#?.wmf Cliparts: SAVE DR2D"

1.11 arexx

MetaView opens a ARexxPort based on the name "METAVIEW" a point "." and a number starting at 0. So if you start MetaView once the ARexxPort name are "METAVIEW.0".

Commands:

- LOAD load a gfx-file
 - LOADNAME/A name of gfx-file
 - AS/K force to load gfx-file as AMF,WMF,...
- SAVE save a gfx-file
 - SAVENAME/A name of gfx-file
 - AS/K save the gfx-file as AMF,EPS,GEM,CGM,HPGL,DR2D,WW,ILBM,JMF, ↵
 - WMF,XFIG
 - WIDTH/K/N pixel width for ILBM output
 - HEIGHT/K/N pixel height for ILBM output
 - DEPTH/K/N depth for ILBM output
- PRINT print a gfx-file
 - XOFF/K/N left offset in mm
 - YOFF/K/N right offset in mm
 - WIDTH/K/N width in mm
 - HEIGHT/K/N height in mm
 - DEPTH/K/N depth of printing
- COPY copy a gfx-file to clipboard (unit 0)
 - WIDTH/K/N pixel width
 - HEIGHT/K/N pixel height
 - DEPTH/K/N depth
- CROP stretch the contents of picture to fit
(not working yet)
- SET set some attributes
 - PROP/S preserve picture-aspect
 - NOPROP/S no preserve picture-aspect
 - TRANSPARENT/S background transparent
 - NOTTRANSPARENT/S no transparent
- REQUESTFILE ask for a filename (in "result")
 - PATH initial filepath and -name
 - TITLE/K title of requester
 - OK/K string for ok-button
 - PATTERN/K string for pattern
- REQUESTCHOICE ask for options (in "rc")
 - TITLE/K title of requester
 - BODY/K string for question
 - BUTTONS/K string for buttons (separate with "|")
- REQUEST inform the user
 - BODY/F information string
- REQUESTSTRINGS ask for several strings at ones (in "result" separated with ↵
"|")
 - COLUMNS columns to draw
 - LINES lines to draw
 - TITLE/K window title

```

    HEADERS          column headers (separated with "|")
- ASKFONT           ask the user for unknown fonts
    NO/S            or use the default font
- NEWPIC            starts a new picture, clear the old one
    XSIZE/A/N        width of the new picture
    YSIZE/A/N        height of the new picture
    UNIT/A/N         unit for height and width (0 mm, 1 milli inch)
    TITLE/F          picture title
- AMF_DRAWLINE      draws a line
    X1/A/N
    Y1/A/N
    X2/A/N
    Y2/A/N
- AMF_DRAWTEXT      draws a text string
    X1/A/N
    Y1/A/N
    ANGLE/A/N
    TEXT/F
- AMF_LINETYPE      set the line type
    TYPE/A/N
- AMF_SETFGPEN      set the foreground color
    RED/A/N
    GREEN/A/N
    BLUE/A/N
- AMF_SETBGPEN      set the background color
    RED/A/N
    GREEN/A/N
    BLUE/A/N
- AMF_SETFONT       set a new font
    SIZE/A/N
    STYLE/A/N
    NAME/F
- QUIT              quit MetaView

```

There exist some ARexx-Scripts in the drawer "ARexx-Examples".

The Arexx-Script to "send" a picture from an indexfile to another application has the following structure (please look in example file as well):

```

PARSE ARG FILE file      /* MV starts the script with the Template "FILE filename"
ADDRESS application      /* address the other application
open_command file        /* check the application documentation how to load a ↵
    picture

```

An error-log can be found in "t:" directory.

1.12 menu

```

- Project
  - Open      (look here for formate)
  - Open as
    - AMF
    - WMF
    - CLP
    - DR2D

```

- WPG
- DXF
- FIG
- CMX
- DSDR
- CGM
- GEM
- HPGL
- EPS
- Save as (look here for formate)
 - AMF
 - ILBM opens a requester
 - EPS
 - GEM
 - CGM
 - DR2D
 - HPGL
 - WW
 - AI
 - WMF
 - JMF
 - FIG
- PRINT opens a requester
- Plot opens a requester
- PostScript opens a requester
- About
- Quit
- Other
 - Logo - draw the start picture again
 - Info - show some picture infos (type, size, version)
 - Copy - copy to clipboard (unit 0)
 - Crop to fit - stretch the contents of picture to fit (not working yet)
 - Picture-Index
 - New - create an index of the selected pictures
 - Load - load a saved index
- View
 - All - display whole picture
 - Region - define a part of picture to display
- Settings
 - Aspect - preserves picture aspect (proportions) or not
 - Transparent - makes background white or not (important for ILBM brush)
 - Ask for Font - allows or suppresses the requester for replacing of fonts
 - Change... - change screentype, -mode, -depth and defaultfonts

1.13 requesters

- Print
 - you can set the print dimension either by numbers (mm) or by drawing a rectangle with the mouse (press leftmousebutton and drag)
 - you can set the depth of printing (from black and white to 256 colors)
 - you can suppress the paper ejecting
 - you can switch on a frame outside of picture
 - Save ILBM
 - you can set the picture dimension and the depth
-

- the switch strip means, that the picture will be render in 9 stripes and saved to one ILBM to save ChipMem and allow big ILBM-Pictures
- Change Settings...
 - you can set either custom- or publicscreen
 - change the name of publicscreen
 - change the screenmode and -depth
 - set the defaultfonts (for serif, sans serif, deco, typewriter, script)
 - allow the progressbar
 - select the EPS preview size
 - change printer.device and unit
 - select plotter.device and postscript.device
- Substitute FONT
 - substitute the not existing font either with defaultfonts (serif, sans serif, ...) or a special font, selected now
 - press "USE" for using now or "INCLUDE" for including by save as other formats
- Plot
 - select plotter device or file
 - set papersize
- PostScript
 - select postscript device or file
 - set papersize

1.14 main_window

Show Picture

1.15 print_requester

Show Picture

1.16 plot_requester

Show Picture

1.17 ps_requester

Show Picture

1.18 ilbm_requester

Show Picture

1.19 font_requester

Show Picture

1.20 preferences

Settings are changeable by means of the settings window.

Parts are:

- Display
 - choose between custom or public screen
 - select screenmode for custom screen
 - select screenname for public screen
 - choose the preferred measuring unit (metric or imperial)
- Fonts
 - choose fonts for 5 different font families
- Output
 - select size of EPS preview in pixels (or none for no preview)
 - select printer device (one of DEVS:*.device, default is printer.device) ←
and unit (default is 0)
 - select plotter device (one AmigaDOS device, i.e. PLT: or SER:)
 - select postscript device (one AmigaDOS device, i.e. PSPRT: or PAR:)
- PS-Import
 - select the GhostScript executable
 - select the file "pstoedit.pro" from PSToEdit package
 - select the file "makeedit" from the PSToEdit package
 - choose if text should be convert as bezier-curves or as text
- Index
 - choose size of pictures
 - select ARexx script for "send" command
 - select picture format for "send" command
 - choose if metafile shall be stored
 - choose if fastmem or chipmem shall be used
- Misc
 - select in which case the progressbar is shown
 - select the default import and export path
 - choose if the window position shall be saved or not on exit
- Settings saved in env:MetaView.prefs and envarc:MetaView.prefs as ASCII
and can also be edit separately

Defaults:

```
SCREENMODE=$8004
SCREENWIDTH=-1
SCREENHEIGHT=-1
SCREENDDEPTH=4
CUSTOMSCREEN=TRUE
PUBLICSCREEN=Workbench
SERIF_FONT=Times.font
SANS_FONT=Helvetica.font
TYPE_FONT=Courier.font
SCRIPT_FONT=Times.font
DECO_FONT=Times.font
PRINT_DEVICE=printer.device
PRINT_UNIT=0
```

```

PLOTTER=PLT:
POSTSCRIPT=PSPRT:
PROGRESS=0      -> 0 - none; 1 - only I/O; 2 - I/O and refresh
EPS_PREVIEW=0   -> 0 - no preview; 32/64/128/256 the max. size of preview
PROFILE=libx11:pstoedit.pro
MAKEEDIT=pstoedit:makeedit
GHOSTSCRIPT=ghostscript:gs
PS_TEXT2POLY=FALSE
IMPORTPATH=
EXPORTPATH=
INDEX_STOREMF=FALSE
INDEX_USEFAST=FALSE
INDEX_HSIZE=96
INDEX_VSIZE=96
SENDFILE=rexx:send-to-application.rexx
SENDFORMAT=0    -> 0 - the current picture format

```

1.21 formate

Format Description

Save:

AMF	Amiga MetaFile my own format, deviceindependent, fast and based on AmigaMetaFormat.library
CGM	ComputerGraphicMetafile uses on Amiga (WordWorth, with colors), PC or UNIX
GEM	uses on Amiga (WordWorth, no colors), PC or Atari
EPS	Encapsulated PostScript uses on all Computersystems, can also printed on PSPrinters, TIFF preview is possible
HPGL	Hewlett-Packard Graphics Language uses for Plotters
DR2D	Drawing 2D uses on Amiga (PageStream, DrawStudio, ProVector etc.)
ILBM	Interleaved BitMap uses on Amiga (DPaint etc.) but lost quality on sizeing
AI	Adobe Illustrator
WMF	Windows MetaFile uses on PC (many Clipart-CDs)
JMF	Java MetaFile uses on the WWW, please look at my HomePage for more informations
FIG	uses on Amiga (AmiFIG or XFig) and UNIX (XFig)

Load:

AMF

CLP Clipboard
 uses for ClipBoard on PC (Windows)

WMF

WPG Wordperfect Graphic
 uses on PC (WordPerfect), (some Clipart-CDs)

CMX uses on PC and also Macintosh (CorelDraw),

DR2D

DXF Drawing Exchange File
 uses on PC and UNIX (AutoCAD), (mostly CAD files)

DSDR DrawStudio Drawing
 uses on Amiga (DrawStudio)

FIG

GEM

CGM

HPGL

EPS/AI

1.22 ps_import

For working Postscript import you have to install GhostScript and PStoEdit on your computer. Both packages can be found in Aminet. The last versions are:

GhostScript: AMINET21:Aminet/gfx/show/gs503_000.lha

PStoEdit: AMINET11:Aminet/gfx/edit/pstoedit2.lha

After installing both programs, it is necessary to tell metaview, where the programs can be found. Use the settings requester for that. The page "PS-Import" of the settings requester allows to set the path and filenames for the GhostScript's executable file and two files of the PStoEdit package. Use the "?"-Buttons to search for them.

The check-button "Text to Bezier" determines, if text parts in PostScript files shall be convert to bezier curves or not. The advantages of converting text to bezier curves are the higher chance to preserve the text in other graphic formats and the independence of the result from the installed fonts on the target system. The disadvantages are the longer conversion time and the bigger file size on the end.

1.23 author

Henk Jonas
Zionskirchstrasse 28
10119 Berlin
Germany

email: subvcbhd@datttel.zrz.tu-berlin.de
tel.: +49 (0)30 4492199

WWW: <http://user.cs.tu-berlin.de/~jonash>

bank account:

Name: Henk Jonas
Name of bank: Berliner Sparkasse (Berlin, Germany)
Number of bank: 100 500 00
Number of account: 1744 037 104

Please fill out the following form and send it to me:

----- cut here -----

Name: _____

Address: _____

Hometown: _____

Country: _____

E-Mail: _____

Payment: I pay

- o 30 DM (15,00 EUR) or 20 US-\$ for MetaView without full ↵
Indexcreation
- o 40 DM (20,00 EUR) or 25 US-\$ for MetaView with full Indexcreation

- o I add 10 DM (5,11 Euro) or 5 US-\$ to get MetaView on CD
together with Ghostscript and PSToEdit.

I only want to get an update to the full Indexcreation,
so I pay

when I've registered directly by the Author

- o nothing (= 0 US-\$) to get the new keyfile by EMail
- o 5 DM (2,50 EUR) or 5 US-\$ to get it by Mail

when I've got my keyfile together with DrawStudio

- o 20 DM (10,00 EUR) or 10 US-\$

- o Banktransfer (preferred)
 - o Money (on your own risk!)
 - o Check (payable to me)
-

Comment: _____

Where did I find MetaView:

----- cut here -----

1.24 thanks

- to all peoples, that support the AMIGA
- to all peoples, that understand my bad english ;-)
- to my girlfriend and my rat ;-)
- to all peoples that mail or write me
- and last but not least to all peoples, that have register, thanx

1.25 index_e

A
AMF ARexx Arguments

B
Batchconverting Bugs

C
CGM CLI
CMX

D
DR2D DSDR

E
EPS Errors
- preview
- Import

F
FIG

G
GEM Gadgets

H
History HPGL

I
ILBM

M
Menuitems Mainwindow

P
Picture-Index
Preferences
 - change - file
Print Plotter
PostScript
 - Printer - Import

R
Register Requesters

W
WMF Workbench