

WBStartup

| |
|----------------------|
| COLLABORATORS |
|----------------------|

| | | | |
|---------------|-----------------------------|------------------|------------------|
| | <i>TITLE :</i> WBStartup | | |
| <i>ACTION</i> | <i>NAME</i> | <i>DATE</i> | <i>SIGNATURE</i> |
| WRITTEN BY | | February 8, 2025 | |

| |
|-------------------------|
| REVISION HISTORY |
|-------------------------|

| NUMBER | DATE | DESCRIPTION | NAME |
|--------|------|-------------|------|
| | | | |

Contents

| | | |
|----------|---------------------------|----------|
| 1 | WBStartup | 1 |
| 1.1 | WBStartup V1.00 | 1 |
| 1.2 | wbstartup | 1 |

Chapter 1

WBStartup

1.1 WBStartup V1.00

PureBasic WBStartup library V1.01

This library is a bit special as it contain only one command. This is designed to allow program to be start from an icon from the workbench. Because the workbench need a special procedure to know which program are launched and to do some special operations if need (like dropping an icon over another...)

Command summary:

WBStartup

1.2 wbstartup

SYNTAX

StartMode.l = WBStartup()

COMMAND

WBStartup() adds the required code to allow your program to be launched from a Workbench icon. It returns a value that indicates whether the program was launched from CLI or from Workbench.

If StartMode <> 0, program is launched from Workbench, else from CLI.

Note for advanced programmers :

NWbStartup return the pointer to the WBMessage structure. You can use it to get your needed info...