

PUTWS(3S) UNIX¥é¥¥¥Ö¥é¥ê    PUTWS(3S)

[ì¾Á°]  
putws, fputws - wchar\_t ·¿Ê,»úîó¤ò¥¹¥Ê¥ê¿¼¥à¤ËÁ÷¤ë¿£

[·Á¼°]  
#include <stdio.h>  
#include <nje/nje.h>

int putws(s)  
wchar\_t \*s;  
  
int fputws(s, stream)  
wchar\_t \*s;  
FILE \*stream;

[µ¿½ÀâÀ]  
putws¤ìs¤¿¼¨¤µ¤¿¿wchar\_t·¿¥ì¥ëÊ,»ú¤¿½ªî»¤¹¤ëwchar\_t·¿Ê,»úîó¤ò¿EUC¤î¥Ð¥¤  
¥Êîó¤ËÊÑ´¹¤·Éüµ¢²p¹ÔÊ,»ú¤ò,å¤Ë¤Ä¤±¤ÆÉ,½à½Ðî¤Ë½ñ¤¹¤³¤¤¹¿£

fputwsaİsaÇ¼"µµàµçwchar\_t·ç¥ì¥ëÊ,»úµÇ½ªî»µ¹µëwchar\_t·çÊ,»úîóµòEUCaİ¥Ð¥µ  
¥ÈîóµËÊÑ´¹µ·µÆ¡¢»ØÄêµµàµç½Ðî¥¹¥È¥ê¡¼¥àµË½ñµ¹µ³µ³µ¹¡£  
µµµºµàµî´Øçôµâ½ªî»µîwchar\_t·ç¥ì¥ëÊ,»úµî½ñµ¹µ³µ³µµ»µó¡£

[Ãí°Õ»ö¹à]

putwsaİÉüµ¢²µ¹ÔÊ,»úµòÊ,»úîóµî,åµËÄÉ²Ãµ·µ³µ¹µ¬¡¢fputwsaİÄÉ²Ãµ·µ³µµ»µó¡£

[Øï¢¹àìÜ]

putwc(3s)  
3.3J ¥ê¥ê¡¼¥¹¥î¡¼¥È UNIX ¥³¥µ¥ó¥É ¥é¥µ¥Ö¥é¥ê

[çÇÃÇ]

µµµºµàµî´ØçôµâÊÑ´¹µ·µÆ½ñµ¹µ³µóµÀwchar\_t·çÊ,»úµîÊ,»úçôµòÊÖµ·µ³µ¹¡£¡£µ  
çµÀµ·¡¢fputwsaİ¾¼¹çÉüµ¢²µ¹ÔÊ,»úµî´µ³µ³µµ»µó¡£¡£Ë°Û¾¼¹½ªî»µî»µîEOFµòÊÖµ·µ³µ¹¡£