

NXIO(1)

UNIX

NXIO(1)

iÎ¾¼Á°jİ

NXPutwc, NXPutws, NXGetwc, NXGetws, NXUngetwc
wchar_t·¿Ê,»úıĲÆp½Đİİ

iÎ·Á¼°jİ

#include <streams/streams.h>
#include <stdio.h>
#include <nje/nje.h>

int NXPutwc(NXStream *stream, int c)
int NXPutmbc(NXStream *stream, int c)
int NXPutws(NXStream *stream, wchar_t *s)
int NXGetwc(NXStream *stream)
int NXGetmbc(NXStream *stream)
wchar_t *NXGetws(NXStream *stream, wchar_t *s, int n)
void NXUngetwc(NXStream *stream)

iÎµjÇ½ÀâİÀjİ

NXPutwcıİj¢wchar_t·¿ıÊ,»ú c ıòÄ¾¼ÄÜ¥¹¥È¥êj¼¥àNXStreamıÊ½ñı¹pıßıPı¹j£
NXPutmbcıİj¢wchar_t·¿ıÊ,»ú c ıòNJE¥³j¼¥ÉıÊÊÑ´¹ı·ıÆ¥¹¥È¥êj¼¥àNXStreamıÊ½ñı¹-
ı¹pıßıPı¹j£

NXPutwscāīꝥsāÇ»ØÄêαμαια
 ζwchar_t·ζ¥ì¥ëÊ,»úαÇ½²âī»α¹αëwchar_t·ζÊ,»úíóαòNJE¥³;¼¥ÉαËÊÑ´¹α·αÆjꝥ»ØÄêαμαια
 ζNXStreamαË½²ñα¹þαßαþα¹j£½²âī»αîwchar_t·ζ¥ì¥ëÊ,»úαî½²ñα¹þαßαþα»αój£
 NXGetwcāīꝥ»ØÄê¥¹¥Ë¥êj¼¥àαî¼jαîwchar_t·ζÊ,»úαòÀ°ζôÃíαÈα·αÆÊÖα·αþα¹
 NXGetmbcāīꝥ»ØÄê¥¹¥Ë¥êj¼¥àαî¼jαîÊ,»újÊNJE¥³;¼¥ÉjËαòwchar_t·ζÊ,»úαËÊÑ´¹α·À°
 ζôÃíαÈα·αÆÊÖα·αþα¹j£
 NXGetwscāī¥¹¥Ë¥êj¼¥àα«αéÊ,»úαòÆÉαßαÈαÃαÆwchar_t·ζÊ,»úαËÊÑ
 ´¹α·jꝥsα¬¼´α¹wchar_t·ζÇÛíóαËÆþαìαþα¹j£n-1Ê,»úαîwchar_t·ζÊ,»úαòsαËÆþαìαëα«Éüμꝥ²þ¹
 ÔαòÆÉαß¼⁄⁴èαÃαÆsαËÆþαìαëα«αꝥαëααîEOF¾⁄⁴ôÂÖα¬jÃíαμαιαëαþαÇÆÉαß¼⁄⁴èαêαòÂ³α±
 αþα¹j£wchar_t·ζαîÊ,»úíóαîwchar_t·ζ¥ì¥ëÊ,»úαÇ½²âī»α·αþα¹j£
 NXUungetwcāīꝥNXGetmbcαÇ°Ç,åαËÆÉαß¹þαóαÀNJE¥³;¼¥ÉÊ,»úαò¥¹¥Ë¥êj¼¥àαË½²ñα-
 ìáα·αþα¹j£ungetc¥é¥α¥Ö¥é¥é´ØζôαÈαî°úζôα¬°ÛαÊαêαþα¹αîαÇÃí°Õα·αÆα¬αÀαμαιαj£

īζÇÃÇjī

NXPutwcāī½²ñα¹þαóαÀÊ,»úαòÊÖα·αþα¹j£
 NXPutwscāīÊ,»úíóαîα¹αÁ°Ç,åαË½²ñα¹þαóαÀÊ,»úαòÊÖα·αþα¹j£
 NXGetwscāīꝥn-1,Ãαîwchar_t·ζÊ,»úαò½²ñαααζ»þËôαîÉüμꝥ²þ¹ÔαÇ½²âī»α·α
 ζ»þαîsαòjꝥEOFα¬j½²Ðαμαιαζ»þαþαζαî1Ê,»úαâ½²ñα«α°αË½²âī»α·αζ»þαî¥ì¥ëαòÊÖα·αþα¹j£

ī´Øīꝥ¹àìÜjī

putc(3s), getc(3s), ungetc(3s)
 3.3J ¥ê¥êj¼¥¹¥î¼¥Ë UNIX ¥³¥þ¥ó¥É ¥é¥α¥Ö¥é¥é