

<code>(BOOL)isEditable</code>	Returns whether the NSTextField's text is editable.
<code>(BOOL)isSelectable</code>	Returns whether the NSTextField's text is selectable.
<code>(void)setEditable:(BOOL)flag</code>	Sets whether the NSTextField's text is editable.
<code>(void)setSelectable:(BOOL)flag</code>	Sets whether the NSTextField's text is selectable.
<code>(void)selectText:(id)sender</code>	Selects all of the text if it's selectable or editable.
<code>nextText</code>	Gets the object selected when the user presses Tab.
<code>previousText</code>	Gets the object selected when the user presses Shift-Tab.
<code>(id)setNextText:(id)anObject</code>	Sets the object selected when the user presses Tab.
<code>(id)setPreviousText:(id)anObject</code>	Sets the object selected when the user presses Shift-Tab.
<code>(id)setDelegate:(id)anObject</code>	Sets the delegate for messages from the field editor to anObject.
<code>delegate</code>	Returns the delegate for messages from the field editor.
<code>(NSColor *)backgroundColor</code>	Returns the color of the background.
<code>(BOOL)drawsBackground</code>	Returns whether the NSTextField draws its own background.
<code>(BOOL)isBezeled</code>	Returns whether the NSTextField has a bezeled border.
<code>(BOOL)isBordered</code>	Returns whether the NSTextField has a plain border.
<code>(id)setBackgroundColor:(NSColor *)aColor</code>	Sets the color of the background to aColor.
<code>(id)setBezeled:(BOOL)flag</code>	Sets whether the NSTextField has a bezeled border.
<code>(id)setBordered:(BOOL)flag</code>	Sets whether the NSTextField has a plain border.
<code>(id)setDrawsBackground:(BOOL)flag</code>	Sets whether the NSTextField draws its own background color.
<code>(id)setTextColor:(NSColor *)aColor</code>	Sets the color of the NSTextField's text to aColor.
<code>(NSColor *)textColor</code>	Returns the color of the NSTextField's text.
<code>(SEL)errorAction</code>	Returns the action method sent for an invalid value.

	posting the notification NSControlTextDidEndEditing with the receiving object and, in the notification's dictionary, the key NSFieldEditor) to the default notification center.
id)textDidChange:(NSNotification *)notification	Invoked upon a key-down event or paste operation that changes the contents. The default behavior is to pass this message on to the text delegate by posting the NSControlTextDidChangeNotification with the receiving object and, in the notification's dictionary, the key NSFieldEditor) to the default notification center.
id)textDidEndEditing:(NSNotification *)notification	Invoked when text editing ends. The default behavior is to pass this message on to the text delegate by posting the notification NSControlTextDidEndEditingNotification with the receiving object and, in the notification's dictionary, the text object (with the key NSFieldEditor) to the default notification center.
BOOL)textShouldBeginEditing:(NSText *)textObject	Invoked to let the NSTextField respond to impending changes. The default behavior is to forward the message to the text delegate.
BOOL)textShouldEndEditing:(NSText *)textObject	Invoked to let the NSTextField respond to impending loss of focus. The default behavior is to forward the message to the text delegate.