| | |
|---|---|
| NSSize)contentSize | Gets the content view's size. |
| SRect)documentVisibleRect | Gets the visible portion of the document view. |

| | |
|---|---|
| id)setHasHorizontalScroller:(BOOL)flag | Instructs the NSScrollView whether to create and use a horizontal scroller. |
| OOL)hasHorizontalScroller | Returns YES if the NSScrollView object has a horizontal scroller. |
| id)setHasVerticalScroller:(BOOL)flag | Instructs the NSScrollView whether to create and use a vertical scroller. |
| OOL)hasVerticalScroller | Returns YES if the NSScrollView object has a vertical scroller. |
| id)tile | Retiles the scrollers and content view. |
| id)toggleRuler:(id)sender | Makes the ruler visible or invisible, whichever is the opposite of its current state. |
| OOL)isRulerVisible | Returns whether the ruler is visible in the NSScrollView. |

| | |
|---|---|
| id)setDocumentView:(NSView *)aView | Makes aView the NSScrollView's document view. |
| )documentView | Returns the current document view. |
| id)setHorizontalScroller:(NSScroller *)anObject | Sets the horizontal NSScroller object. |
| SScroller *)horizontalScroller | Returns the horizontal NSScroller object. |
| id)setVerticalScroller:(NSScroller *)anObject | Sets the vertical NSScroller object. |
| SScroller *)verticalScroller | Returns the vertical NSScroller object. |
| id)reflectScrolledClipView:(NSClipView *)cView | Moves the scrollers to reflect change in the coordinates of the clip view. |

| | |
|---|---|
| id)setBorderType:(NSBorderType)aType | Sets the border type of the NSScrollView. |

| | |
|---|---|
| (float)pageScroll | Returns the amount scrolled when scrolling a page. (The r in units of the NSScrollView's coordinate system.) |
| (void)setScrollsDynamically:(BOOL)flag | Sets how the document view is displayed during scrolling. |
| (BOOL)scrollsDynamically | Returns whether the NSScrollView scrolls dynamically. |
| (void)setLineScroll:(float)value | Sets the amount to scroll when scrolling a line. |
| (void)setPageScroll:(float)value | Sets the amount of overlap for a page scroll. |
| | |
| (void)setDocumentCursor:(NSCursor *)anObject | Sets the cursor for the document view. |