




















# Overview

## Find, track and organize your downloaded files...fast!



**Download Wonder™** works seamlessly with Microsoft Internet Explorer and Netscape Navigator to organize files as you download them from the Internet. With the **Download Wonder™** running in the [System Tray](#), as soon as your browser begins a download of any [file type](#) or [extension](#) you define, **Download Wonder™** will immediately spring into action, controlling the download and prompting you so it can store, track, and organize everything you'll want to know about the file and more...

- File name
- Description
- Notes
- Up to 3 keywords you specify to help you remember the file
- Category, such as *Game Software*
- Folder to store it in
- Web site where you found it
- File link [URL](#) where you downloaded it from
- Download date and time
- Size
- Modified date and time

Once stored in the **Download Wonder** [database](#), you can easily ...

-  Resume downloading a partially downloaded file
-  Find a file by using the Find feature to search for any word or keyword you previously entered in the File Download Information form
-  View all files at once in Table View
-  View all information about an individual file in Form View
-  Filter file information by matching categories, name patterns, or keywords
-  Revisit the web site from which you downloaded the file
-  Download the file again with one mouse click
-  Run or execute the downloaded file
-  Open or UnZIP the downloaded file
-  Virus scan the downloaded file
-  Print a Table View or Form View *Quick List* of your files
-  Print a Custom Report of your files
-  Launch Windows Explorer and jump to the folder in which you've stored the downloaded file
-  Define the file types or extensions you want recognized
-  Define the protocols you want recognized
-  Export the list of files to a comma-delimited or fixed column width file
-  Edit any information about a file
-  Move a file to a folder associated with a different category
-  Delete a file from the database, your hard drive, or both

## Related Topics

-  Registration/Purchase Information
-  Technical Support

**File type** or **extension** refers to the 3 characters following the period at the end of a file name. For example, for the file named **sample.doc**, **doc** represents the file type or extension.

**Database** refers to the Microsoft FoxPro compatible files where all information related to the downloaded file is stored.

**Resume** refers to the ability of a server to transmit a file starting from a point other than the beginning. It's like reading a book and picking up from the point where you left off.

# System Requirements

**Download Wonder™** requires the following:

- x86-based personal computer with 8Mb RAM, 2Mb free hard disk space, and modem
- Microsoft Windows 95, Windows 98 or Windows NT 4.0 and above
- Internet connection (to intercept browser downloads)
- Microsoft Internet Explorer, Netscape Navigator, or other Mosaic based browser

# License Agreement

**Download Wonder™** Copyright © 1998-99 by Forty Software, L.L.C. All rights reserved.

**CAREFULLY READ THE FOLLOWING LICENSE AGREEMENT BEFORE YOU USE THIS SOFTWARE. BY USING THIS SOFTWARE, YOU ACCEPT AND AGREE TO BE BOUND BY THIS LICENSE AGREEMENT.**

## **LICENSE GRANT**

"You" means the person or company who is being licensed to use the Software or Documentation.  
"We," "us" and "our" means Forty Software, L.L.C.

"Registered Copy" or "Registered Version" means a copy of the Software for which a registration fee has been paid.

We hereby grant you a nonexclusive license to use one Registered Copy of the Software on any single computer, provided the Registered Copy is in use on only one computer at any time. The Software is "in use" on a computer when it is loaded into temporary memory (RAM) or installed into the permanent memory of a computer—for example, a hard disk, CD-ROM or other storage device.

You may access the Registered Version of the Software through a network, provided that you have obtained individual licenses for the Software, covering all workstations that will access the Software through the network.

If the Software is permanently installed on the hard disk or other storage device of a computer (other than a network service) and one person uses that computer more than 80% of the time, then that person may also use the Software on a portable or home computer.

## **TITLE**

We remain the owner of all right, title and interest in the Software and related explanatory written materials ("Documentation").

## **ARCHIVAL OR BACKUP COPIES**

You may copy the Software for back-up and archival purposes, provided that the original and each copy is kept in your possession and that your installation and use of the Software does not exceed that allowed in the "License Grant" section above.

## **THINGS YOU MAY NOT DO**

The Software and Documentation are protected by United States copyright laws and international treaties. You must treat the Software and Documentation like any other copyrighted material—for example a book. You may not:

- copy the Documentation
- copy the Registered Version of the Software except to make archival or backup copies as provided above
- modify or adapt the Software or merge it into another program
- reverse engineer, disassemble, decompile or make any attempt to discover the source code of the Software,

- place the Registered Version of the Software onto a server so that it is accessible via a public network such as the Internet, or
- sublicense, rent, lease or lend any portion of the Software or Documentation.

## **TRANSFERS**

You may transfer all your rights to use the Software and Documentation to another person or legal entity provided you transfer this Agreement, the Software and Documentation, including all copies, update and prior versions to such person or entity and that you retain no copies, including copies stored on computer.

## **LIMITED WARRANTY**

We warrant that for a period of 90 of days after delivery of this copy of the Software to you:

- the media on which this copy of the Software is provided to you will be free from defects in materials and workmanship under normal use, and
- the Software will perform in substantial accordance with the Documentation.

To the extent permitted by applicable law, THE FOREGOING LIMITED WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, AND WE DISCLAIM ANY AND ALL IMPLIED WARRANTIES OR CONDITIONS, INCLUDING ANY IMPLIED WARRANTY OF TITLE, NONINFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, regardless of whether we know or had reason to know of your particular needs. No employee, agent, dealer or distributor of ours is authorized to modify this limited warranty, nor to make any additional warranties.

SOME STATES DO NOT ALLOW THE LIMITATION OR EXCLUSION OF LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

## **LIMITED REMEDY**

Our entire liability and your exclusive remedy for breach of the foregoing warranty shall be, at our option, to either:

- return the price you paid, or
- repair or replace the Software or media that does not meet the foregoing warranty if it is returned to us with a copy of your receipt.

IN NO EVENT WILL WE BE LIABLE TO YOU FOR ANY DAMAGES, INCLUDING ANY LOST PROFITS, LOST SAVINGS, OR OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM THE USE OR THE INABILITY TO USE THE SOFTWARE (EVEN IF WE OR AN AUTHORIZED DEALER OR DISTRIBUTOR HAS BEEN ADVISED OF THE POSSIBILITY OF THESE DAMAGES) OR FOR ANY CLAIM BY ANY OTHER PARTY.

SOME STATES DO NOT ALLOW THE LIMITATION OR EXCLUSION OF LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

## **TERM AND TERMINATION**

This license agreement takes effect upon your use of the software and remains effective until terminated. You may terminate it at any time by destroying all copies of the Software and Documentation in your possession. It will also automatically terminate if you fail to comply with any term or condition of this license agreement. You agree on termination of this license to destroy all copies of the Software and Documentation in your possession.

## **CONFIDENTIALITY**

The Software contains trade secrets and proprietary know-how that belong to us and it is being made available to you in strict confidence. ANY USE OR DISCLOSURE OF THE SOFTWARE, OR OF ITS ALGORITHMS, PROTOCOLS OR INTERFACES, OTHER THAN IN STRICT ACCORDANCE WITH THIS LICENSE AGREEMENT, MAY BE ACTIONABLE AS A VIOLATION OF OUR TRADE SECRET RIGHTS.

## **U.S. GOVERNMENT RESTRICTED RIGHTS**

The Software and Documentation are provided with Restricted Rights. Use, duplication, or disclosure by the Government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013, or subparagraphs (c)(1) and (2) of the Commercial Computer Software-Restricted Rights at 48 CFR 52.227-19, as applicable. Manufacturer is Forty Software, L.L.C. at 14 Bond Street, Suite 250, Great Neck, NY 11021-2045.

## **GENERAL PROVISIONS**

1. This written license agreement is the exclusive agreement between you and us concerning the Software and Documentation and supersedes any prior purchase order, communication, advertising or representation concerning the Software.
2. This license agreement may be modified only by a writing signed by you and us.
3. In the event of litigation between you and us concerning the Software or Documentation, the prevailing party in the litigation will be entitled to recover attorney fees and expenses from the other party.
4. This license agreement is governed by the laws of the state of New York.
5. You agree that the Software will not be shipped, transferred or exported into any country or used in any manner prohibited by the United States Export Administration Act or any other export laws, restrictions or regulations.

# Freeware License Agreement

**Download Wonder™** Copyright © 1998-99 by Forty Software, L.L.C. All rights reserved.

**CAREFULLY READ THE FOLLOWING LICENSE AGREEMENT BEFORE YOU USE THIS SOFTWARE. BY USING THIS SOFTWARE, YOU ACCEPT AND AGREE TO BE BOUND BY THIS LICENSE AGREEMENT.**

## LICENSE GRANT

"You" means the person or company who is being licensed to use the Software or Documentation.  
"We," "us" and "our" means Forty Software, L.L.C.

"Sponsored Version" means Software which displays rotating banner advertising.

The Sponsored Version of **Download Wonder™** is free software. We hereby grant you a nonexclusive license to use the Sponsored Version as long as rotating banner advertising displays within the Software while you are online.

## TITLE

We remain the owner of all right, title and interest in the Software and related explanatory written materials ("Documentation").

## THINGS YOU MAY NOT DO

The Software and Documentation are protected by United States copyright laws and international treaties. You must treat the Software and Documentation like any other copyrighted material—for example a book. You may not:

- copy the Documentation
- modify or adapt the Software or merge it into another program
- reverse engineer, disassemble, decompile or make any attempt to discover the source code of the Software
- sublicense, rent, lease or lend any portion of the Software or Documentation.

## DISTRIBUTION

We hereby grant you a nonexclusive license to make unmodified copies of the Sponsored Version of the Software and Documentation for the purpose of distributing it via electronic means: World Wide Web, Online Services such as CompuServe, America Online, etc., FTP, Bulletin Board Systems. You are specifically prohibited from charging or requesting donations for any such copies, however made. You are also prohibited from distributing the Software and/or Documentation with other products or services (commercial or otherwise) without obtaining prior written permission from us.

## LIMITED WARRANTY

We warrant that for a period of 90 of days after delivery of this copy of the Software to you:

- the media on which this copy of the Software is provided to you will be free from defects in materials and workmanship under normal use, and

- the Software will perform in substantial accordance with the Documentation.

To the extent permitted by applicable law, THE FOREGOING LIMITED WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, AND WE DISCLAIM ANY AND ALL IMPLIED WARRANTIES OR CONDITIONS, INCLUDING ANY IMPLIED WARRANTY OF TITLE, NONINFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, regardless of whether we know or had reason to know of your particular needs. No employee, agent, dealer or distributor of ours is authorized to modify this limited warranty, nor to make any additional warranties.

SOME STATES DO NOT ALLOW THE LIMITATION OR EXCLUSION OF LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

### **LIMITED REMEDY**

Our entire liability and your exclusive remedy for breach of the foregoing warranty shall be, at our option, to either:

- return the price you paid, or
- repair or replace the Software or media that does not meet the foregoing warranty if it is returned to us with a copy of your receipt.

IN NO EVENT WILL WE BE LIABLE TO YOU FOR ANY DAMAGES, INCLUDING ANY LOST PROFITS, LOST SAVINGS, OR OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM THE USE OR THE INABILITY TO USE THE SOFTWARE (EVEN IF WE OR AN AUTHORIZED DEALER OR DISTRIBUTOR HAS BEEN ADVISED OF THE POSSIBILITY OF THESE DAMAGES) OR FOR ANY CLAIM BY ANY OTHER PARTY.

SOME STATES DO NOT ALLOW THE LIMITATION OR EXCLUSION OF LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

### **TERM AND TERMINATION**

This license agreement takes effect upon your use of the software and remains effective until terminated. You may terminate it at any time by destroying all copies of the Software and Documentation in your possession. It will also automatically terminate if you fail to comply with any term or condition of this license agreement. You agree on termination of this license to destroy all copies of the Software and Documentation in your possession.

### **CONFIDENTIALITY**

The Software contains trade secrets and proprietary know-how that belong to us and it is being made available to you in strict confidence. ANY USE OR DISCLOSURE OF THE SOFTWARE, OR OF ITS ALGORITHMS, PROTOCOLS OR INTERFACES, OTHER THAN IN STRICT ACCORDANCE WITH THIS LICENSE AGREEMENT, MAY BE ACTIONABLE AS A VIOLATION OF OUR TRADE SECRET RIGHTS.

### **U.S. GOVERNMENT RESTRICTED RIGHTS**

The Software and Documentation are provided with Restricted Rights. Use, duplication, or disclosure by the Government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013, or subparagraphs (c)(1) and (2) of the Commercial Computer Software-Restricted Rights at 48 CFR 52.227-19, as applicable.

Manufacturer is Forty Software, L.L.C. at 14 Bond Street, Suite 250, Great Neck, NY 11021-2045.

#### **GENERAL PROVISIONS**

1. This written license agreement is the exclusive agreement between you and us concerning the Software and Documentation and supersedes any prior purchase order, communication, advertising or representation concerning the Software.
2. This license agreement may be modified only by a writing signed by you and us.
3. In the event of litigation between you and us concerning the Software or Documentation, the prevailing party in the litigation will be entitled to recover attorney fees and expenses from the other party.
4. This license agreement is governed by the laws of the state of New York.
5. You agree that the Software will not be shipped, transferred or exported into any country or used in any manner prohibited by the United States Export Administration Act or any other export laws, restrictions or regulations.

# Registration/Purchase Information

The [Freeware License Agreement](#) allows you to use the sponsored version of the Software as long as rotating banner advertising displays within the Software while you are online. If you wish to use the non-sponsored version of the Software, you must [purchase the Registered Version](#).

We keep all customer information confidential and will not share or distribute it to any third party.

All orders are subject to the [License Agreement](#).

## Registration Benefits

Registered users receive the following benefits:

- **Non-sponsored, ad-free** version of the Software
- **Priority** technical support
- **Free** minor version upgrades
- **Discounts** on additional software purchases

## Pricing

The price of a single user license for **Download Wonder™** is **US\$29.77**. Site licenses and volume discounts are available as described on the [Order Form](#).

## Immediate Online Purchasing

Immediate **secure** online purchasing/registration of **Download Wonder™** is available for credit card orders placed via the **Buy Now Online!...** option of the [Purchase](#) menu or [purchase directly from our web site](#).

## Ordering by Check

To order by check, send the [Order Form](#) and a check made payable to **Forty Software, L.L.C., 14 Bond Street, Suite 250, Great Neck, NY 11021-2045 USA**. Payments must be in US dollars drawn on a US bank, or you can send international postal money orders in US dollars.

## Credit Card Orders

**Online:** Place your **secure**, online credit card order using the **Buy Now Online!...** option of the [Purchase](#) menu or [purchase directly from our web site](#).

**Telephone:** Call our **toll free** order line at **1-877-386-8833** from 9:30AM - 6:30PM EST, Monday through Friday.

**Fax:** Fax the completed [Order Form](#) to **516-773-4141**.

**Snail Mail:** Mail the completed [Order Form](#) to **Forty Software, L.L.C., 14 Bond Street, Suite 250, Great Neck, NY 11021-2045 USA**.

## Site licenses

A site license for **Download Wonder™** entitles an organization to receive one copy of the distribution package and to duplicate the distribution disk for the specified number of copies. See the table below for site license pricing.

4	-	24	computers: \$24 each
25	-	99	computers: \$21 each
100	-	249	computers: \$18 each
250	-	499	computers: \$16 each
500	-	999	computers: \$12 each
1,000	-	2,499	computers: \$9 each
2,500	-	4,999	computers: \$7 each
5,000+			computers: \$5 each

New York residents please add 8.5% sales tax.

# Registration/Order Form

To print this **Registration/Order Form**, click on **File ▶ Print Topic...** on the Help main menu.

All orders are subject to the [License Agreement](#). Prices guaranteed through February 2000.

1. Current version number of **Download Wonder™**: **1.55**
2. Shipping Information (Please TYPE or PRINT):

Name: \_\_\_\_\_  
Company: \_\_\_\_\_  
Address: \_\_\_\_\_  
\_\_\_\_\_  
City/State: \_\_\_\_\_ ZIP: \_\_\_\_\_  
Country: \_\_\_\_\_  
Phone: \_\_\_\_\_ E-mail: \_\_\_\_\_

3. Download Wonder™ **Single Copy**\_\_\_\_\_ at \$29.77 each = \_\_\_\_\_

Download Wonder™ **Site Licenses:**

4	to	24 computers:	_____ at	\$24 each =	_____
25	to	99 computers:	_____ at	\$21 each =	_____
100	to	249 computers:	_____ at	\$18 each =	_____
250	to	499 computers:	_____ at	\$16 each =	_____
500	to	999 computers:	_____ at	\$12 each =	_____
1,000	to	2,499 computers:	_____ at	\$9 each =	_____
2,500	to	4,999 computers:	_____ at	\$7 each =	_____
5,000+		computers:	_____ at	\$5 each =	_____

Send me a floppy disk (USPS **within** United States) at **\$3.95**: \_\_\_\_\_

Send me a floppy disk (USPS **outside** United States) at **\$9.95**: \_\_\_\_\_

New York Residents add 8.5% sales tax: \_\_\_\_\_

Total payment: \_\_\_\_\_

4. Select payment option:

\_\_\_ Enclosed check or money order, number: \_\_\_\_\_

\_\_\_ Credit card: ( ) VISA ( ) MasterCard ( ) Discover ( ) American Express

Cardholder name: \_\_\_\_\_

Card number: \_\_\_\_\_

Expiration date (MM/YY): \_\_\_\_\_

Cardholder signature: \_\_\_\_\_

# Technical Support

We take technical support very seriously and provide it in a variety of formats. However, before you contact us, please review the [Troubleshooting](#) and [Frequently Asked Questions](#) sections of this help file.

If you're still having problems after reviewing the sections mentioned above, you can contact us via:

**Web site:** <http://www.forty.com>

**Fax:** (516) 773-4141

**Voice:** (516) 829-7333

**Snail mail:** Forty Software, L.L.C.  
Attn: **Download Wonder™** Support  
14 Bond Street, Suite 250  
Great Neck, NY 11021-2045

# Troubleshooting

1. Download Wonder™ appeared to install fine, but when I go to run it I get an Invalid Page Fault error. What should I do?
2. Download Wonder™ freezes at its splash screen when the program starts. I have to either close the program from the Task Manager or re-boot my machine. How can I fix this?
3. When I start to download a file, Download Wonder™ doesn't automatically pop up. Why?
4. I use AOL as my Internet Service Provider. Although I've followed your instructions, I can't properly download from www.hotfiles.com. How can I download from this site?
5. Sometimes I'm browsing and click on a button or hyperlink which has nothing to do with downloading a file, yet the Download Wonder - File Download Information dialog box pops up anyway. How can I stop this from happening?
6. Download Wonder™ pops up whenever I click on a button on www.eBay.com. How can I prevent this?
7. Whenever I run Print Preview, the on-screen report or listing is garbled and unreadable. How can I correct this?
8. I know I assigned a specific keyword to multiple downloads in my Download Wonder™ database, but the Find... command can't locate any of them. What could be the problem?
9. When I double-click on the Download Wonder™ icon in the System Tray, the main program window doesn't appear? What could be wrong?
10. I was downloading a file from the Internet when my telephone connection went down. When I tried to resume the download, I only saw the "Restart Download" option on the right-click and Actions menu. What's going on here?

## Related Topics



Frequently Asked Questions

# Frequently Asked Questions

For the most up-to-date list, please check the **Download Wonder™** [Frequently Asked Questions](#) page on our web site.

- [What is Download Wonder™ and why do I need it?](#)
- [How do I install Download Wonder™?](#)
- [How do I start Download Wonder™?](#)
- [How do I set Download Wonder™ to automatically run when Windows starts?](#)
- [How do I use Download Wonder™ with Microsoft Internet Explorer?](#)
- [How do I use Download Wonder™ with Netscape Navigator?](#)
- [How do I use Download Wonder™ with AOL's browser, Neoplanet, or Opera?](#)
- [How does the program know where to store my downloaded files?](#)
- [How do I install a downloaded file once it's stored in the Download Wonder™ database?](#)
- [Do I have to specify a different folder for every download category I create?](#)
- [How can I create sub-categories?](#)
- [What information can I enter about the file I am downloading?](#)
- [How do I add a file to the Download Wonder™ database that I downloaded before I started using the program?](#)
- [What is the difference between \*Delete\*, \*Delete Info\*, and \*Delete File\* on the Toolbar?](#)
- [How do I switch between Table View and Form View?](#)
- [How do I change the order in which the columns appear in Table View?](#)
- [How do I control which columns will display in Table View?](#)
- [What does the !\[\]\(bd416a8536ad6d035be85a90bc470d6b\_img.jpg\) in the first column of some entries in Table View mean?](#)
- [What does the !\[\]\(3415704c65ffa3ec278c40a7001e091c\_img.jpg\) in the first column of some entries in Table View mean?](#)
- [How do I set Table View to only display certain categories?](#)
- [How do I download a file without adding it to the Download Wonder™ database?](#)
- [What's the difference between the printouts produced by \*Print...\* and \*Reports\* on the File Menu?](#)
- [How do I configure Download Wonder™ to work with a proxy server?](#)
- [What's new in Download Wonder™ 1.5?](#)
- [How do I stop downloading a file so I can resume downloading it later?](#)






- [How do I resume downloading a partially downloaded file?](#)
- [What is the difference between Resume Download, Restart Download, and Download Again?](#)

## **Related Topics**



Troubleshooting


# What's new in Download Wonder™ 1.5?

- Full support to [resume interrupted downloads](#), either at the time of the interruption or at any time in the future, from both HTTP and FTP servers which support [resume](#).
- Maintenance of partially downloaded files in the database, i.e., partial downloads appear in [Table View](#) with a  icon in the left-most column.
- [Keep-Alive](#) feature simulates Internet browsing activity at user-specified random intervals to prevent your ISP, including AOL and NetZero, from disconnecting you during lengthy downloads or after extended periods of non-use.
  - Automatic [database backup](#) at user specified intervals.
  - Configure the [Action](#) performed when you double-click on a highlighted entry in [Table View](#).
  - Sound has been added at the beginning and end of a download, and when a download error occurs.
  - Configure your proxy server using the new [Proxy tab](#) under **View**  **Preferences...** on the [Main menu](#).
  - The [Download Wonder - File Download Information dialog box](#) has been enhanced to [show whether or not a download can be resumed](#), the % of download completed, and the estimated time to completion for the download.
  - A [checkbox](#) has been added to the [Download Wonder - File Download Information dialog box](#) which allows the user to specify if they want to disconnect from the Internet when the download completes. The state of this [checkbox](#) will be inherited by all concurrent downloads, i.e., when checked, the [checkbox](#) will be checked on all concurrent downloads and disconnection will occur when the last download completes.
  - The new [Download Options tab](#) under **View**  **Preferences...** on the [Main menu](#) allows users to configure many download related options including number of times to automatically retry a failed or interrupted download.
- When switching from [Form View](#) to [Table View](#), the last record displayed in [Form View](#) is now the highlighted record in [Table View](#).
  - You can now **bypass** [Intercept Browser Downloads](#) for a [hyperlink](#) by using the **<Alt> + left-click** key/mouse combination, instead of unchecking [Intercept Browser Downloads](#). This is very useful if you've checked the [.exe extension](#) on the [File Types tab](#) under **View**  **Preferences...** on the [Main menu](#) and **Download Wonder™** has unexpectedly popped up when you've clicked on a *Submit*, *Search*, or similar [pushbutton](#) on a web page.
  - You can now **force** **Download Wonder™** to [Intercept Browser Downloads](#) for a [hyperlink](#) by using the **<Ctrl> + <Alt> + left-click** key/mouse combination.
  - The [Download Wonder - File Download Information dialog box](#) Taskbar button now includes the  icon and displays the % of download completed.
- The [toolbar](#) now uses flat, browser-style buttons.

- In [Table View](#), the current sort column and direction are now indicated by an indented arrowhead in the column heading.
- Server-side error messages have been translated into plain English where possible.

# Installing a Downloaded File


## Installing A File With a ".exe" Extension

To install a downloaded file which has been stored in the **Download Wonder™** [database](#) and has a [.exe extension](#), highlight the entry in [Table View](#), then either select **Actions**  **Run** from the [Main menu](#), click



on the [Toolbar](#), choose **Run** from the [right-click pop-up menu](#), or press the **<Ctrl + R>** key combination on your keyboard.

## Installing A File With a ".zip" Extension




To install a downloaded file which has been stored in the **Download Wonder™** [database](#) and has a [.zip extension](#), highlight the entry in [Table View](#), then either select **Actions**  **Open** from the [Main menu](#), click



on the [Toolbar](#), choose **Open** from the [right-click pop-up menu](#), or pressing the **<Ctrl + O>** key combination on your keyboard. This will launch the external [ZIP Viewer](#) configured in the [External Apps tab](#) under **View Preferences...**

**Note:** Most of these [ZIP Viewer](#) programs have a method of directly installing the program stored within the [ZIP](#) file.

## Related Topics

-  [Run \(Actions Menu\)](#)
-  [Open \(Actions Menu\)](#)
-  [External Apps \(Preferences...\)](#)

# Resume vs. Restart vs. Download Again

## Resume Download

Resume Download means you can continue downloading a **partially** downloaded file from the point of interruption, i.e., "pick up the download where you left off".

## Restart Download

Restart Download means you can start downloading a **partially** downloaded file from the beginning of the file, i.e., "start downloading all over again".

## Download Again

Download Again means you can start downloading a **completely** downloaded file from the beginning of the file, i.e., "start downloading all over again".

# Stop Downloading to Resume Later

## How do I stop a download so I can resume it later?

You can only resume a partial download if the server from which you are downloading supports [resume](#). The [Download Wonder - File Download Information dialog box](#) will display

>>> This download can be resumed <<<

during a file download which can be resumed.

### Method 1: Pause and Save

With the [Download Wonder - File Download Information dialog box](#) displayed while a file download is progressing, first click the **Pause** [pushbutton](#) and then the **Save** [pushbutton](#) to terminate the download and **Save** the partial download to the **Download Wonder™** [database](#).

### Method 2: Cancel and Yes

With the [Download Wonder - File Download Information dialog box](#) displayed while a file download is progressing, click the **Cancel** [pushbutton](#). When the [dialog box](#) appears which notifies you that you have decided to **Cancel** the download, click the **Yes** [pushbutton](#) to save the partial download to the **Download Wonder™** [database](#).

**Note:** Partial downloads have a  in the left column of [Table View](#).

## Related Topics



Resume Download (Actions Menu)



Restart Download (Actions Menu)








# Invalid Page Fault

## Corrupted Registry Entries

A corrupted Windows 95, Windows 98, or NT Registry entry related to **Download Wonder™** can cause this.

**PLEASE BE VERY CAREFUL WHEN EDITING YOUR SYSTEM REGISTRY. ALTHOUGH PART OF THE PROCEDURE DESCRIBED BELOW WILL MAKE A BACKUP COPY OF YOUR REGISTRY, IMPROPERLY FOLLOWING THE DIRECTIONS CAN RENDER YOUR COMPUTER UNBOOTABLE!**

To correct a corrupted Registry:

- Click on 
-  **Run...**
  - Enter **Regedit** in the entry field, then click **OK**.
  - Click on and highlight  **My Computer**
  - Select **Registry**  **Export Registry File...** from the main Regedit menu
  - Enter *MyComputer* in the **File name:** entry field, then click the **Save** pushbutton.
  - Click on the  to the left of
    -  **HKEY\_CURRENT\_USER**
  - Click on the  to the left of
    -  **Software**
  - Click on the  to the left of
    -  **Forty Software**
  - Click on the  to the left of
    -  **Download Wonder**
      - Click on the  to the left of
        -  **Appearance**
    - Delete every Registry key beginning with  **MainFrame-Bar** by right-clicking on each **MainFrame-Bar** folder icon, then left-clicking on **Delete** in the pop-up menu which appears.
  - Close the Registry and restart **Download Wonder™**

## Program Freezes at Splash Screen on Startup

This problem is caused by other applications that do not properly close themselves down when exited.

Once this occurs, run **Download Wonder™** again to initiate its "*auto-heal*" technology, where **Download Wonder™** will automatically configure itself to eliminate this problem. The only thing you need to remember to do in the future is to always run **Download Wonder™** **before** you start your browser. The best way to do this is to [automatically start Download Wonder with Windows](#) and set it to [return to the System Tray on close](#).

# Main Program Window Doesn't Appear

## Invalid Registry Entries

An invalid Windows 95, Windows 98, or NT Registry entry related to **Download Wonder™** can cause this.

**PLEASE BE VERY CAREFUL WHEN EDITING YOUR SYSTEM REGISTRY. ALTHOUGH PART OF THE PROCEDURE DESCRIBED BELOW WILL MAKE A BACKUP COPY OF YOUR REGISTRY, IMPROPERLY FOLLOWING THE DIRECTIONS CAN RENDER YOUR COMPUTER UNBOOTABLE!**


To correct invalid Registry entries:

- Close **Download Wonder™**.

- Click on 

 **Run...**



- Enter **Regedit** in the entry field, then click **OK**.

- Click on and highlight 

- Select **Registry**  **Export Registry File...** from the main Regedit menu

- Enter *MyComputer* in the **File name:** entry field, then click the **Save** pushbutton.

- Click on the  to the left of


  HKEY\_CURRENT\_USER



- Click on the  to the left of





- Click on the  to the left of




- Click on the  to the left of


  Download Wonder

- Click on the  to the left of

  Appearance

- In the right-hand window, check the entries in parentheses to the right of  FormViewX and

 FormViewY . If they are larger than 1,000, double left-click on

 FormViewX or

 FormViewY and change the **Value data:** entry field to 10, then click **OK**.

- Close the Registry and restart **Download Wonder™**

# Problem with AOL and www.hotfiles.com

## Using AOL's Browser to Download from www.hotfiles.com

- Go to the page for the file you wish to download.
- **Left**-click the **Download Now** button.
- When the blue download page appears, immediately **right**-click the "Click here" [hyperlink](#) and **left**-click *Copy Shortcut* before the automatic download starts.
- **Download Wonder™** should pop up and control the download.


## Related Topics


 Using AOL, Neoplanet, or Opera

# Pops Up Unexpectedly on www.eBay.com

**Download Wonder™** sometimes pops up unexpectedly on www.eBay.com because eBay's pushbuttons reference files with a ".dll" extension which **Download Wonder™** is configured to intercept by default.

## Configuring Download Wonder™ to Ignore ".dll" Files

- Go to the [File Types tab](#) under **View**  **Preferences...** on the [Main menu](#).
- Click the [checkbox](#) to the left of **.dll** so that the check mark is erased.
- Click **OK**.

**Note:** If you want **Download Wonder™** to control the download of a file with a ".dll" extension in the future, you can either re-check the **.dll** checkbox on the [File Types tab](#) under **View**  **Preferences...** on the [Main menu](#) or you can [force](#) **Download Wonder™** to pop up.

# Doesn't Resume Interrupted Download

**Download Wonder™** can restart a download from the point of interruption as long as the server you are downloading from supports a feature known as [resume](#). If the server doesn't support **resume**, you can only **restart** a download from the beginning.

**Note:** During a file download, the [Download Wonder - File Download Information dialog box](#) will display either

>>> This download can be resumed <<<  
or

>>> This download cannot be resumed <<<.

## Related Topics




Resume Download (Actions Menu)



Restart Download (Actions Menu)

# Configuring A Proxy Server

## If You're Using Microsoft Internet Explorer...

If you're already using Microsoft Internet Explorer, you can configure **Download Wonder™** to use the same proxy settings as those set up on the **Connection** tab of the **Internet Properties dialog box** in Microsoft Internet Explorer by selecting the *Use Control Panel proxy server settings* [radio button](#) on the [Proxy tab](#) under **View**  **Preferences...** on the [Main menu](#).

## If You're Using Netscape Navigator...

### Method 1: Set Internet Options in Windows Control Panel



- Make sure you are using a **CERN compatible** proxy server.

- Click on 


 **Settings**

 **Control Panel**



- Click on 
- Click on the **Connection** tab of the **Internet Properties dialog box** which appears.
- Check the *Access the Internet using a proxy server* [checkbox](#)
- Enter **http://name of the proxy server** in the *Address* [entry field](#) and enter the rest of the information to match your proxy server settings.
- Click the **OK** [pushbutton](#).
- Click on the [Proxy tab](#) under **View**  **Preferences...** on the **Download Wonder™** [Main menu](#).
- Select the *Use Control Panel proxy server settings* [radio button](#).
- Click the **OK** [pushbutton](#).

### Method 2: Configure Download Wonder Proxy tab

- Click on the [Proxy tab](#) under **View**  **Preferences...** on the **Download Wonder™** [Main menu](#).
- Select the *Use proxy server settings specified below* [radio button](#).
- Enter the name or IP address and corresponding port that your proxy server uses for each of the applicable [protocols](#).
- Enter Web addresses that do not need to be accessed through your proxy server, separated by spaces, into the *Do not use proxy server for addresses beginning with* [entry field](#). You may use [wildcards](#) here.

- Click the **OK** [pushbutton](#).

## Related Topics



Proxy (Preferences...)

A **protocol** is a technique or set of rules, often referred to as handshaking, used by two computers to exchange information over the Internet. Common Internet protocols are **http**, **https**, and **ftp**.

A **hyperlink** is a pointer from a page on the World Wide Web to another page, file, or program on the World Wide Web.

# Program Doesn't Automatically Pop Up

The following reasons explain why **Download Wonder™** may not pop up when you click on a download [hyperlink](#) in your browser.

## Reason #1: Program not running

In order for the [Download Wonder - File Download Information](#) dialog box to automatically pop up when you begin a [download with Microsoft Internet Explorer](#), **Download Wonder™ must be running**. (For [Netscape Navigator](#), starting a download will automatically launch **Download Wonder™**.)




To check, look for the  icon in the [System Tray](#), or the  icon on either the Taskbar or when using **<Alt + Tab>** to cycle through the currently running programs. If you don't see either icon, **Download Wonder™** isn't running, so click on




 **Programs**

 **Download Wonder**

 **Download Wonder** to run it, then reattempt the download.

## Reason #2: Intercept Browser Downloads toggled Off

In order for the [Download Wonder - File Download Information](#) dialog box to automatically pop up when you begin a download with either Microsoft Internet Explorer or Netscape Navigator, **Intercept Browser Downloads** must be toggled **On**.

Either select **Actions**  **Intercept Browser Downloads** on the [Main menu](#) or **Intercept Browser Downloads** on the [right-click Tray Icon menu](#), and make sure there is a check mark in the left-hand margin next to the text.

**Note:** If you start **Download Wonder™** after Netscape Navigator and change the **Intercept Browser Downloads** setting, you will need to close and restart Netscape Navigator before the new setting takes effect.

## Reason #3: Download Wonder™ is not set up to download this File Type

If **Download Wonder™** isn't configured to handle the [file type](#) or [extension](#) of the file you are downloading, it won't pop up when you begin your download.

Select **View**  **Preferences...** on the [Main menu](#) or click



on the [Toolbar](#), then click on the [File Types tab](#) to set the [file types](#) or [extensions](#) of any file you want **Download Wonder™** to help download and store in its [database](#).

To determine the [file type](#) of a file you are trying to [download using Microsoft Internet Explorer](#), use the [extension](#) of the file name displayed on the line after "You have chosen to download a file from this location" in the **File Download** dialog box.

To determine the [file type](#) of a file you are trying to [download using Netscape Navigator](#), use the [extension](#) of the file name displayed next to *Location:* in the **Viewing Location** dialog box.

## Reason #4: Download Wonder™ is not set up to handle this Protocol

If **Download Wonder™** isn't configured to handle the [protocol](#) associated with the file you are downloading, it won't pop up when you begin your download. To determine the protocol required to download a specific file, examine the first part of the [URL](#) to which the [hyperlink](#) to the download points. The part to the left of the colon is the [protocol](#), i.e., to get to the URL <http://www.forty.com>, your web browser would need to use the **http** protocol.

Select **View**  **Preferences...** on the [Main menu](#) or click




on the [Toolbar](#), then click on the [Protocols tab](#) and check or uncheck the [checkboxes](#) next to the [protocols](#) you want **Download Wonder™** to work or not work with respectively.

## Reason #5: Windows 98 and Windows NT 5.0 Considerations

When using either Windows 98 or Windows NT 5.0, **Download Wonder™** may appear not to pop up when, in fact, it has. If some other application appears on your screen *on top of* **Download Wonder™** (e.g., if your browser screen is covering **Download Wonder™**), then clicking on a download [hyperlink](#) will start **Download Wonder's** [File Download Information dialog](#), but the [dialog box](#) will not *pop up* to the foreground on your screen. Instead, the **Download Wonder - File Download** button on the task bar will flash a few times and remain highlighted. Pressing that button on the task bar will then bring the **Download Wonder™** screen to the foreground.

## Reason #6: Other

If, after checking Reasons 1-5 above, **Download Wonder™** still doesn't automatically pop-up, try either of the following:

- Hold down the **<Ctrl> + <Alt>** keys on your keyboard, then left-click on the download [hyperlink](#) to force **Download Wonder™** to pop-up and handle the download. This will also enable **Download Wonder™'s** unique *Learn Mode* so it will know how to handle this type of [hyperlink](#) in the future.
- Right-click on the  icon in the [System Tray](#) and left-click on [Monitor Clipboard](#). Now right-click on the download [hyperlink](#). If you're using Microsoft Internet Explorer, AOL's browser, or Neoplanet left-click on *Copy Shortcut*; for Netscape Navigator left-click on *Copy Link Location*; for Opera left-click on *Copy Link Address*.

If you're still having difficulty, contact Forty Software [technical support](#).

## Related Topics



Program Pops Up When It Shouldn't

# Installation

## Installing Download Wonder™ is Easy!

We distribute **Download Wonder™** in 3 different formats; one for floppy disk and two for online downloading.

### If you received the program on a floppy disk...

- Put the floppy into your **A:** drive

- Click on 

 **Run...**

- Type **A:Setup** where prompted and click **OK**.
- Follow the installation instructions. We recommend using the **defaults**.

### If you have downloaded the program and it has an extension of .EXE...

- Click on 

 **Find**

 **Files or Folders...**

- Type **DLWonder.exe** in the *Named:* [entry field](#)
- Click on the arrowhead pointing down at the end of the *Look in:* [entry field](#) and click on **My Computer**
- Check the *Include subfolders* [check box](#)
- Click on **Find Now**
- Double-click on **DLWonder.exe** where it appears in the column under *Name*
- Follow the installation instructions. We recommend using the **defaults**.

### If you have downloaded the program and it has an extension of .ZIP...

- Make sure you have a [ZIP file extraction program](#) installed on your computer

- Click on 

 **Find**

 **Files or Folders...**

- Type **DLWnd\*.zip** in the *Named:* [entry field](#)
- Click on the arrowhead pointing down at the end of the *Look in:* [entry field](#) and click on **My Computer**
- Check the *Include subfolders* [check box](#)

- Click on ***Find Now***
- Right-click on ***DLWndxxx.zip*** (**xxx** represents the version number) where it appears in the column under *Name*
- In the menu which appears, click on ***Open***
- If WinZIP is launched, click on the ***Install*** button on the Toolbar
- If another .ZIP file extraction program is launched, extract all files to a temporary directory and run **Setup.exe**
- Follow the installation instructions. We recommend using the **defaults**.


An **entry field** is a control that users type information into.

A **check box** is a control consisting of a square box and related text. An "**X**" appears in the square box to show a choice is selected. It acts like a switch in that clicking a blank **check box** selects it, while clicking a selected **check box** (with an "**X**") unselects it.

A **.ZIP** file is a file which contains one or more **compressed** files inside it. Since you can often compress file sizes by 50% or more in a **.ZIP** file, creating one is an excellent way to retrieve scarce hard drive space or reduce download time. A program which restores the compressed files to their original size is known as a **.ZIP file extraction program**. PKUnZIP and WinZIP are two of the more popular extraction programs.


# Starting and Running

## General Information

If you didn't instruct the installation program to immediately start **Download Wonder™** upon the completion of installation, just click on 





 **Programs**

 **Download Wonder**

 **Download Wonder** to start and run it.

In order to get the full benefit of **Download Wonder™**, we recommend you set it to [automatically run](#) in the [System Tray](#) when Windows starts.

## Related Topics

-  Automatically Running When Windows Starts
-  Using Microsoft Internet Explorer
-  Using Netscape Navigator
-  Using AOL's browser, Opera, or Neoplanet

The **System Tray**, **Tray** or **System Notification Area** is the indented area on the far right side of your taskbar where the clock runs. Usually, double-clicking an icon in the **Tray** will restore the program window. Right-clicking will usually bring up an options menu.

# Using Microsoft Internet Explorer

When using Microsoft Internet Explorer, **Download Wonder™** must be running, either maximized, minimized to the Taskbar, or minimized in the [System Tray](#) before you begin a download. It doesn't matter whether you start it before or after Microsoft Internet Explorer is running, as long as it's running **before you start your download**.

## Related Topics



Starting and Running

# Using Netscape Navigator

Netscape Navigator will automatically launch **Download Wonder™** when a download starts, therefore, **Download Wonder™** doesn't have to be running beforehand. However, if you run **Download Wonder™** after Netscape Navigator has started and change either the ***Intercept Browser Downloads*** or ***Monitor Clipboard*** setting, you will need to close and restart Netscape Navigator before the new setting takes effect.

**Note:** If you prefer, you can run **Download Wonder™** before running Netscape Navigator, without any ill effects.

## Related Topics




Starting and Running

## Using AOL, Neoplanet, or Opera

When using AOL's browser, Neoplanet, or Opera, **Download Wonder™** must be running, either maximized, minimized to the Taskbar, or minimized in the [System Tray](#) before you begin a download.

Once minimized, use the following method:

- Right-click on the **Download Wonder™** [System Tray](#) icon  and left-click to check the [Monitor Clipboard](#) option.
- Now, **right**-click on the download [hyperlink](#), and **left**-click on *Copy Shortcut* if you're using AOL's browser or Neoplanet, or *Copy Link Address* if you're using Opera.

**Download Wonder™** should now pop up and download the file for you. When the download completes, you will see a message saying "*There are open modem connections. Would you like to close them?*". Just answer **No** unless you want to disconnect from the Internet at that time.

### Related Topics



Starting and Running

# Automatically Running When Windows Starts

## The Easiest Way

When the installation program asks if you want **Download Wonder™** to automatically run when Windows starts, just answer **Yes**. That's it! Now every time you start Windows, **Download Wonder™** will also run.

## The User Adjustable Way

Under **View**  **Preferences...** on the Main menu or



on the Toolbar, click on the *tab* relating to the **General** section. Now, check the *Start Download Wonder when Windows starts* checkbox. You can also select whether or not it should *Run in the* System Tray.


## The Windows Way

As with most Windows programs, you can create a shortcut to **Download Wonder™**, then *copy* or *move* that shortcut to the **C:\Windows\Start Menu\Programs\StartUp** folder. The next time Windows starts, so will **Download Wonder™**.

# Where Downloaded Files are Stored

## Dependencies

The disk drive and folder in which **Download Wonder™** stores your downloaded files depends on two things:

- the category you assign to the downloaded file;
- whether or not you have checked the [Always download to default folder for selected category checkbox](#) on the [General tab](#) of the **Download Wonder Preferences dialog box** under **View**  **Preferences...** on the [Main menu](#) or




on the [Toolbar](#).

## Categories

Whenever you [create a category](#) to associate with downloaded files, **Download Wonder™** prompts you to assign a folder to that category. Then, when you select a category for a file you are in the process of downloading, **Download Wonder™** will automatically save the file to the folder you assigned to that category.

For example, if you assigned a single category such as **Utility software**, or multiple categories such as **Utility software**, **Anti-virus software**, and **Backup software**, to the folder **C:\Utilities**, whenever you selected one of these categories for a downloaded file, the download would be saved in the folder **C:\Utilities**.

## Always download to default folder for selected category

If you check this [checkbox](#) on the [General tab](#) of the **Download Wonder Preferences dialog box** under **View**  **Preferences...** on the [Main menu](#) or



on the [Toolbar](#), **Download Wonder™** will automatically save the file to the folder assigned to the category you choose for the file.

If you [don't check](#) this [checkbox](#), you can select the folder in which you want to store the downloaded file, regardless of the category you choose for the file.

## Related Topics



- Categories and Folders
- Creating Categories
- General (Preferences...)
- The Default Download Folder

# File Download Information Dialog Box

## What happens when I start to download a file?

If you have configured **Download Wonder™** to recognize the [file types](#) and [protocols](#) of the files you usually download, as soon as you click on a download [hyperlink](#) from within your browser, the **Download Wonder - File Download Information dialog box** will pop-up. There, while your file downloads, you can enter the following information:

- **File Name:** **Download Wonder™** will automatically fill in the name of the file you are currently downloading. You may change this name, but doing so will change the name under which it is stored on your hard disk or other storage location.
  - **Category:** The [category](#) to which you want this file assigned. You can select an existing category by clicking on  at the end of the [entry field](#), or you can [create a new category](#) by clicking on the **New...** [pushbutton](#).
  - **Save In:** Displays the folder associated with the category selected above. If you have checked the [Always download to default folder for selected category checkbox](#) on the [General tab](#) of the **Download Wonder Preferences dialog box**, the *Save In* setting cannot be changed.
  - **Description:** The actual file or program title, e.g., **Download Wonder 1.53**, **Note Wonder 1.16**, **Backup Wonder 2.02**, **Desktop Wonder 1.76**, **Desktop Pal 2.90**, or your own description of the file.
  - **Notes:** Use this to jog your memory and help you recall why you downloaded the file in the first place, or for any other information you want to keep about the file.
  - **Keywords 1, 2, and 3:** Associate up to 3 keywords with your file to simplify finding it in the **Download Wonder™ database**. You can either select from existing keywords by clicking on  at the end of each [entry field](#), or you can enter a new keyword directly into the [entry field](#). Use the [Find... \(Edit Menu\)](#) feature to easily locate a file by keyword or any word you've entered into any of the [entry fields](#).
- Note:** Keywords are not case sensitive. This means *Download Wonder* is the same as *download wonder*, *DOWNLOAD WONDER*, *dOWnload woNDeR*, etc. when sorting columns or using [Display Filters](#). Only [Find...](#) with its [Match Case checkbox](#), allows you to specify whether or not you wish to perform a case sensitive search.
- **Web Site:** The web site or [URL](#) displayed by your browser when the download begins.

This is automatically filled in and can only be changed if you've checked the *'Allow editing of "File Link" and "Web Site" for downloaded files'* checkbox on the [General tab](#) of the **Download Wonder Preferences dialog box**.

**Note:** If you manually type a file download [URL](#) into your browser or click on a [URL](#) in an e-mail as opposed to clicking on a [hyperlink](#) to the file, the *Web Site entry field* will contain the [URL](#) of the page currently displayed in your browser. In this

case, selecting [Go to Web Site](#) will take you to the page you were viewing when you downloaded the file.

- **File Link:** The [URL](#) of the file or actual location from which the download is occurring.

This is automatically filled in and can only be changed if you've checked the *Allow editing of "File Link" and "Web Site" for downloaded files* checkbox on the [General tab](#) of the **Download Wonder Preferences dialog box**.

- **File Size:** The size of the file in bytes. This is automatically filled in and cannot be changed.
- **Date/Time:** The date and time stamp of the file which indicates when it was created, not the date and time you *downloaded the file*. This is automatically filled in and cannot be changed.

- **Download Status:** This information will vary depending upon whether the download is progressing, has been paused, or an error condition has been detected.

- ◇ While the file download progresses, the total number of bytes which have been downloaded for this file and the download speed in bytes/second displays.
- ◇ If you have **paused** the download by clicking the **Pause pushbutton**, the word *Paused* displays.
- ◇ If an error condition has been detected, an error message will display. In some cases, a [pushbutton](#) labelled **Info** will appear, which when pressed will display a [dialog box](#) describing the error condition in greater detail.

- **Progress:** The % of the file download completed so far, displayed both numerically and graphically.

- **Est. Time Remaining:** The estimated time remaining until the file download completes. This value is displayed in *hours:minutes:seconds* format and is constantly updated based upon the rate at which your computer receives the file.

- **Automatically close dialog when download completes** If you check this [checkbox](#), the [dialog box](#) will automatically close upon completion of the download. If you don't check it, the dialog box will remain open until you manually close it by clicking either **OK** or **Cancel**. In either case, an audio prompt will alert you when the download completes.

**Note:** You can set the default state for this [checkbox](#) using the *By default, automatically close download dialog when download is done* [checkbox](#) on the [Download Options tab](#) of the **Download Wonder Preferences dialog box**.

- **Disconnect from Internet when download**

**completes** If you check this [checkbox](#), your Internet connection will automatically close upon completion of the download. If you are downloading multiple files simultaneously, the state of this checkbox is inherited by all of the download windows and your Internet connection will close when the last download completes.


During a file download, one of the following messages will display beneath the **Date/Time** [entry field](#), indicating whether or not the server from which you are downloading supports [resume](#):

>>> This download can be resumed <<<




>>> This download cannot be resumed <<<

# Creating Categories


## When Adding or Downloading a File

- Click the **New** [pushbutton](#) to the right of the *Category* [entry field](#).
- In the **Add New Category** [dialog box](#) which appears, enter the name of the *Category* you wish to add.
- Enter the *Download Folder* in which you want to store the files assigned to this category, i.e., the *default folder* for this category. If you enter a folder name which doesn't exist, a [dialog box](#) will appear asking if you wish to create it. If you're not sure of an existing folder's name, or want to create a sub-folder of an existing folder, click the **Browse...** [pushbutton](#) and either select an existing folder or create a new one by clicking the  in the **Select Default Folder for:** [dialog box](#). When you're finished, click **OK**.


## By Using View Preferences... on the Main Menu

- Click on **View**  **Preferences...** on the [Main menu](#) or  on the [Toolbar](#).
- Click the [Categories tab](#) on the **Download Wonder Preferences** [dialog box](#) which appears.
- Click the **Add...** [pushbutton](#).
- In the **Add New Category** [dialog box](#) which appears, enter the name of the *Category* you wish to add.
- Enter the *Download Folder* in which you want to store the files assigned to this category, i.e., the *default folder* for this category. If you enter a folder name which doesn't exist, a [dialog box](#) will appear asking if you wish to create it. If you're not sure of an existing folder's name, or want to create a sub-folder of an existing folder, click the **Browse...** [pushbutton](#) and either select an existing folder or create a new one by clicking the  in the **Select Default Folder for:** [dialog box](#). When you're finished, click **OK**.

## When Running the Setup Wizard

- In the **Add New Category** [dialog box](#) which appears, enter the name of the *Category* you wish to add.
- Enter the *Download Folder* in which you want to store the files assigned to this category, i.e., the *default folder* for this category. If you enter a folder name which doesn't exist, a [dialog box](#) will appear asking if you wish to create it. If you're not sure of an existing folder's name, or want to create a sub-folder of an existing folder, click the **Browse...** [pushbutton](#) and either select an existing folder or create a new one by clicking the  in the **Select Default Folder for:** [dialog box](#). When you're finished, click **OK**.

## Related Topics

-  [Categories \(Preferences...\)](#)

## The Default Download Folder

## Default Download Folder

The *Default Download Folder* is the folder name which will initially appear in the *Download Folder entry field* on the **Add New Category** [dialog box](#), whenever you [create a new category](#). You enter it on the [General tab](#) of the **Download Wonder Preferences** [dialog box](#). You can change the *Default Download Folder* by either typing in a new folder name or clicking the **Browse...** [pushbutton](#) and selecting a new folder.

### Related Topics



General (Preferences...)

A **dialog box** is a movable window, fixed in size, in which users use controls such as **check boxes**, **radio buttons**, and **entry fields** to provide information that is required by a program so it can continue a user request.

# Categories and Folders

## What are Categories and why do I need them?

Webster's New Collegiate Dictionary defines a category as "A division within a system of classification." By associating every downloaded file with a *division*, *main heading*, or *major topic*, you allow **Download Wonder™** to organize your files so you can find them quickly and easily.

For example, let's say you share your computer with your wife *Kate*, and 2 children *Max* and *Rebecca*. You all fight for computer time and love to download programs and games from the Internet, but everyone either mixes up their downloads or always forgets what they downloaded and where they put it. By creating the categories **Kate's stuff**, **Max's stuff**, **Rebecca's stuff**, and **Dad's stuff** within **Download Wonder™**, you can easily differentiate everyone's programs.

## How are Categories associated with Folders?

When you create a category, you must associate it with a folder. You can associate each category with its own unique folder, or you can associate multiple categories with the same folder. There is no restriction as to how many categories can be associated with a specific folder; however, you cannot associate more than 1 folder with a specific category.

### Examples:

<u>Category</u>		<u>Folder</u>
Communications	----->	C:\Downloaded Software
Web Utilities	----->	C:\Downloaded Software
Spreadsheets	----->	C:\Downloaded Software\Spreadsheets

OR

Communications	----->	C:\Communications
Web Utilities	----->	C:\Web Utilities
Spreadsheets	----->	C:\Spreadsheets

**BUT NOT**


Communications	----->	C:\Communications
Communications	----->	C:\Downloaded Software

### Related Topics



Creating Categories

# Adding Existing Files to the Database

To add a file already stored on your hard disk to the **Download Wonder™** [database](#), you can either select **File**  **Add File...** from the [Main menu](#), click



on the [Toolbar](#), choose **Add File...** from the [right-click pop-up menu](#), or press the <Insert> key on the keyboard. The [Add File... \(File Menu\)](#) section describes this in detail.

**Note:** In order to use the [Go to Web Site](#) and [Download Again](#) features of **Download Wonder™** to revisit a web site and/or redownload a file respectively, you must enter the exact [URLs](#) for the *Web Site* and *File Link* [entry fields](#).


## Related Topics




File Download Information Dialog Box

# Delete (Edit Menu)

## Delete Info and File

*Edit*  **Delete Info and File** on the Main menu, **Delete Info and File** on the [right-click pop-up menu](#), and the <Delete> key on the keyboard will delete both the entry for the file in the **Download Wonder™** [database](#) and the actual file from your hard disk or other storage location.

## Delete Info Only

*Edit*  **Delete Info Only** on the Main menu, **Delete Info Only** on the [right-click pop-up menu](#), and the <Ctrl> + <Delete> key combination on the keyboard will only delete the entry for the file from the **Download Wonder™** [database](#).


You might use this if you no longer wish to keep track of information about a specific, downloaded file, although you still wish to keep the file on your hard disk or other storage location.

## Delete File Only

*Edit*  **Delete File Only** on the Main menu,



on the Toolbar, **Delete File Only** on the [right-click pop-up menu](#), and the <Alt> + <Delete> key combination on the keyboard will only delete the actual file from your hard disk or wherever it may be stored. In this case, a

 will display in the first column in [Table View](#), indicating the file in that row has been deleted from your hard disk or other storage location.

You might use this option if you wish to keep track of all the files you have downloaded, regardless of whether or not you decide to keep them on your hard disk or other storage location.

## Related Topics



Main Menu



Toolbar



Edit Menu

**Tool tips**, also called **bubble help** or **quick help**, are the little captions which appear below a Toolbar icon when you rest the mouse cursor over it.

# Switching Between Table and Form View

To switch between [Table View](#) and [Form View](#), click either **View**  **Table** or **View**  **Form** on the Main menu, or click



or



on the Toolbar.

## Related Topics







Table View





Form View



## Changing Column Order in Table View

- Select **View**  **Preferences...** from the Main menu or click  on the Toolbar.
- Click the [Columns](#) [tab](#) on the **Download Wonder Preferences** [dialog box](#) which appears.
- Click and highlight the text associated with the column you want to move.
- Click on the  or  mover buttons.
- Click **OK** when done.

### Related Topics

-  [Columns \(Preferences...\)](#)
-  [Table View](#)

# Control the Columns Displayed in Table View

- Select **View**  **Preferences...** from the [Main menu](#) or click  on the [Toolbar](#).
- Click the [Columns tab](#) on the **Download Wonder Preferences dialog box** which appears.
- Click and either *check* or *uncheck* the [check box](#) to the left of the column you want to display or hide respectively.
- Click **OK** when done.

## Related Topics




Columns (Preferences...)



Table View

## Red Symbol in the First Column in Table View

A  in the first column in [Table View](#), indicates the file in that row has been deleted from your hard disk or other storage location.

Since the information related to the deleted file is still stored in the **Download Wonder™** [database](#), you can use both the [Go to Web Site](#) and [Download Again](#) options, from either the [Actions menu](#) or the [right-click pop-up menu](#), to revisit the site and/or re-download the file respectively.

### Related Topics



Delete (Edit Menu)

## Eaten Floppy Disk in the First Column in Table View

A  in the first column in [Table View](#) indicates the file in that row is a partial download.

You can use either [Resume Download](#) or [Restart Download](#), from either the [Actions menu](#) or the [right-click pop-up menu](#), to resume or restart downloading the file respectively. **Only one of these options will be available depending upon whether or not the file was downloaded from a server which supports [resume](#).**

# Downloading a File Without Adding It to the Database

## Microsoft Internet Explorer

### Method 1 (IE): Bypass Interception of Browser Downloads



- Hold down the <Alt> key on the keyboard while left-clicking the download [hyperlink](#).

### Method 2 (IE): Disable Interception of Browser Downloads

- Right-click on the **Download Wonder™** icon in the [System Tray](#).
- On the pop-up menu which appears, left-click to *unchecked* **Intercept Browser Downloads**.



\* Remember to *re-check* **Intercept Browser Downloads** when you are done downloading the file.

### Method 3 (IE): Disable Handling of File Type

- Select the [File Types tab](#) under **View**  **Preferences...** on the [Main menu](#) or  on the [Toolbar](#).
- Left-click the **Uncheck All** [pushbutton](#) or press the <Alt + U> key combination on your keyboard, then left-click OK.

\* Remember to **Check All** when you are done downloading the file.

### Method 4 (IE): Disable Handling of Protocol

- Select the [Protocols tab](#) under **View**  **Preferences...** on the [Main menu](#) or  on the [Toolbar](#).
- Click the **Uncheck All** [pushbutton](#) or press the <Alt + U> key combination on your keyboard, then click OK.


\* Remember to **Check All** when you are done downloading the file.

### Method 5 (IE): Use Save Target As...

- Right-click on the [hyperlink](#) to the file download instead of left-clicking as you usually would.
- Left-click the **Save Target As...** option on the *pop-up* menu.
- Select a *File name:* and folder in the **Save As** [dialog box](#) and click the **Save** [pushbutton](#) to download the file.

### Method 6 (IE): Close Download Wonder™

- Close **Download Wonder™** by right-clicking its icon in the [System Tray](#) and then left-clicking the **Quit Download Wonder** option on the *pop-up* menu.

- \* Remember, unlike Netscape Navigator, Microsoft Internet Explorer will not automatically launch **Download Wonder™** the next time you attempt to download a file. Therefore, if you want to use **Download Wonder™** after you've closed it, you'll need to manually run it from .

-  **Programs**
-  **Download Wonder**
-  **Download Wonder.**

## Netscape Navigator

### Method 1 (NN): Bypass Interception of Browser Downloads



- Hold down the <Alt> key on the keyboard while left-clicking the download [hyperlink](#).

### Method 2 (NN): Disable Interception of Browser Downloads

- Right-click on the **Download Wonder™** icon in the [System Tray](#).
- On the pop-up menu which appears, left-click to *uncheck* **Intercept Browser Downloads**.



- \* Remember to *re-check* **Intercept Browser Downloads** when you are done downloading the file.

### Method 3 (NN): Disable Handling of File Type

- Select the [File Types tab](#) under **View**  **Preferences...** on the [Main menu](#) or  on the [Toolbar](#).
- Left-click the **Uncheck All** [pushbutton](#) or press the <Alt + U> key combination on your keyboard, then left-click OK.
- Copy the [URL](#) of the current page containing the download link to your Windows clipboard.
- Close Netscape Navigator, then restart it.
- Paste the [URL](#) from your Windows clipboard back into Netscape Navigator.

- \* Remember to **Check All** when you are done downloading the file.

### Method 4 (NN): Disable Handling of Protocol

- Select the [Protocols tab](#) under **View**  **Preferences...** on the [Main menu](#) or  on the [Toolbar](#).
- Click the **Uncheck All** [pushbutton](#) or press the <Alt + U> key combination on your keyboard, then click OK.
- Copy the [URL](#) of the current page containing the download link to your Windows clipboard.
- Close Netscape Navigator, then restart it.
- Paste the [URL](#) from your Windows clipboard back into Netscape Navigator.

\* Remember to **Check All** when you are done downloading the file.

## Related Topics



Using Microsoft Internet Explorer



Using Netscape Navigator

# Using Table and Form Views

**Download Wonder™** displays the information in its [database](#) in two different manners or *views*: **Table View** and **Form View**.

## Table View

In this *spreadsheet-like* view, where each downloaded file occupies a row, and the columns represent each [entry field](#) of information associated with the downloaded file, you can view multiple [database](#) entries at one time. You can sort and resize the columns, scroll the table both horizontally and vertically, and right-click to pop up a menu for additional options.

## Form View

This *page-like* view displays all of the [entry field](#) information associated with an individual download. The current [display order](#) in [Table View](#) determines the [navigation order](#) in [Form View](#), i.e., if you sort the Table View data by **Web Site**, the data will appear in order by **Web Site** in Form View. To navigate, use the [VCR controls](#) on the right-hand side of the form.

## Related Topics


-  [Table View](#)
-  [Form View](#)
-  [Switching Between Table and Form View](#)

**Display order** or **sort order** is the sequence in which the rows are sorted and displayed in Table View. If you click on a **column heading** or **title**, the rows will display in order based on that column. A single click will sort the rows ascending, while two clicks will sort them descending.







**Navigation order** is the sequence in which the next or previous database entry displays in Form View when using the VCR controls. This order is controlled by the **display order** or **sort order** selected in Table View.

**VCR controls** are the arrows or arrowheads on the right-hand side of the Form View, which when clicked advance the view to the first, next, previous, or last entry in the database.

# Main Menu

The **Main menu** or  appears directly below the title bar and above the [Toolbar](#) in the main program window. Clicking on any of the options or holding down the **<Alt>** key while pressing an underlined letter, will display a *pop-up* menu with additional program options.

## Related Topics

-  File Menu
-  Edit Menu
-  View Menu
-  Actions Menu
-  Purchase Menu
-  Toolbar

**Dockable** toolbars can be moved or **docked** at different locations within the program window. To move the toolbar, position the mouse cursor over an area of the toolbar without a button, e.g., under a button or between groups of buttons, then left-click and drag the toolbar to your desired location.

# Toolbar



The [dockable Toolbar](#) provides direct, one-click mouse access to the most commonly used program options. Holding the mouse pointer over one of the icons for a few seconds will display a [tool tip](#) describing the action associated with the icon.

Click on any of the Toolbar icons above to jump to the related topic.

## Related Topics



Main Menu

A **Quick List** is a pre-defined report based on the currently selected view, i.e., **Form View** or **Table View**. The Form View Quick List will contain all of the information associated with the downloaded files currently displayed in Table View (unfiltered or filtered), one file per page. The Table View Quick List will look like a printed version of Table View, but will include all the columns checked on the **Columns** tab of the **Download Wonder Preferences** dialog box, and will be scaled to fit the page orientation (portrait or landscape) selected.

**Scaling** refers to adjusting the width of each **Quick List** or **Custom Report** column in proportion to the total report width. For example, let's say the maximum report width is 10 inches, the total of all column widths is 15 inches, and the Description column width is 7.5 inches which equals 50% of the total of all column widths. When the report prints, the Description column width will be **scaled** to 5 inches to maintain the 50% ratio.

**Cropping** refers to cutting or truncating the number of characters displayed in each **Quick List** or **Custom Report** column.

# File Menu

## General

The **File Menu** provides access to the printing functions, along with creating external file from and adding files to the **Download Wonder™ database**.

## File Menu options...

### Export...

Create a comma delimited or fixed width ASCII file from the **Download Wonder™ database**.

### Add File...

Add a file already stored on your hard disk to the **Download Wonder™ database**. This option can also move that file to the default folder for the category you will assign to this file.

### Default Page Setup...

Set the default margins, page orientation, and font for Quick Lists and Custom Reports.

### Print Preview

Preview the Table or Form View Quick List on your monitor.

### Print...

Print a Table View or Form View Quick List.

### Reports

Define and/or print up to 3 custom reports from the **Download Wonder™ database**.

Close to Tray Close and minimize the **Download Wonder™** program to the System Tray.

### Quit


Quit and exit the **Download Wonder™** program.



# Export... (File Menu)

## Why would I want to Export?

*Exporting or creating a text file* from the information stored in the **Download Wonder™** [database](#), allows you display and/or manipulate the data using another application such as a spreadsheet, word processing program, database manager, e-mail program, etc. If you wanted to e-mail someone a list of all the neat files you've downloaded from the Internet, just **Export** the data to a text file, then attach that text file to your e-mail.

## How do I Export?

Select **File**  **Export...** from the [Main menu](#) to display the **Export to ASCII file** [dialog box](#) where you can enter the following information:

- **Export to:** Specify the name and folder of the [ASCII](#) text file to create from your **Download Wonder™** [database](#).
- **Column** Check the box next to the columns (data fields) you wish to include in the text file.
- **Width** Specify the maximum number of characters to use for each column (data field) in the text file. To change this value, single-click on the number to highlight it, then single-click again. When the rectangular box appears around the number, enter your new value.
- **Move** Highlight a column name, then click the  or  to change the order the columns or data fields will appear in the text file you create.
- **Output style** Select whether you want to create a [Comma delimited](#) or [Fixed width columns](#) text file.
- **Output column headings** Check this [checkbox](#) to include the column headings in the [ASCII](#) text file you create. For example, if you want to create a spreadsheet from your **Download Wonder™** [database](#), by including column headings in your export file, the spreadsheet column headings will match those in **Download Wonder™** [Table View](#).

When you're ready to create the file, the available [pushbuttons](#) are:



- **OK** Create the [ASCII](#) text file and also save your **Export** settings.
- **Apply** Without creating the [ASCII](#) text file, save your **Export** settings so they're available the next time you decide to **Export**.
- **Cancel** Neither create the [ASCII](#) text file nor save your **Export** settings.


# Add File... (File Menu)

## Why would I want to Add?


What better way to organize and keep track of the files you've downloaded before you started using **Download Wonder™**, than to **Add** them to the **Download Wonder™** database.

## How do I Add?

Select **File**  **Add File...** from the Main menu, click  on the Toolbar, select **Add File...** from the right-click pop-up menu, or press the <Insert> key on the keyboard to display the **Select File to Add to Download Wonder Database** dialog box. Once you've located the file you wish to **Add** to the database and clicked **OK**, the **Add Download Information** dialog box will display where you can enter the following information:

- **File Name:** The name of the file you want to add to the **Download Wonder™** database.
- **Category:** The category to which you want to assign this file. You can either select an existing category by clicking  at the end of the entry field, or you can create a new category by clicking on the **New...** pushbutton.
- **Location:** Displays the folder in which the file is currently stored. You cannot edit this information.
- **Move To:** Displays the folder associated with the category you have assigned to this file. You can edit this entry field directly; however, if you subsequently change the category, the folder associated with the new category will overwrite the value you entered.

If the *Move File* checkbox is checked either manually, or automatically if you have checked the Always download to default folder for selected category checkbox on the General tab of the **Download Wonder Preferences** dialog box, the file will be moved to this folder when you save the file information to the **Download Wonder™** database.

- **Description:** The actual file or program title, e.g., **Download Wonder 1.54**, **Note Wonder 1.20**, **Backup Wonder 2.02**, **Desktop Wonder 1.76**, **Desktop Pal 2.90**, or your own description of the file.
- **Notes:** Use this to jog your memory and help you recall why you downloaded the file in the first place, or for any other information you want to keep about the file.
- **Keywords 1, 2, and 3:** Associate up to 3 keywords with your file to simplify finding it in the **Download Wonder™** database. You can either select from existing keywords by clicking  at the end of each entry field, or you can enter a new keyword directly into the entry field. Use the Find... (Edit Menu) feature to easily locate a file by keyword or any word you've entered into any of the entry fields.

**Note:** Keywords are not case sensitive. This means *Download Wonder* is the same as *download wonder*, *DOWNLOAD WONDER*, *dOWNload woNDeR*, etc. when sorting columns or using Display Filters. Only Find... with its *Match Case*

[checkbox](#), allows you to specify whether or not you wish to perform a case sensitive search.

- **Web Site:** The web site or [URL](#) from which you downloaded the file. If you enter valid information here, you can use the [Go to Web Site \(Actions Menu\)](#) feature to revisit the site to check for new files by the same company or author, or updates to files you've previously downloaded.
- **File Link:** The [URL](#) of the file or actual location from which the file download occurred. Files intended for downloading are usually stored on computers located at a different [URL](#) from the one you would have entered in the *Web Site:* field above. Although you probably don't have this information, entering it will allow you to use the [Download Again \(Actions Menu\)](#) feature to re-download a corrupted or accidentally deleted file.
- **Date/Time:** The date and time the file was created, often referred to as the *modified date*. **This is automatically filled in and cannot be changed.**
- **File Size:** The size of the file in bytes. **This is automatically filled in and cannot be changed.**

## Default Page Setup... (File Menu)

### What is the Default Page Setup?

This represents the printer and page settings which will be used for all **Download Wonder™** reports and listings, unless you select *report-specific* settings by clicking the **Page Setup...** [pushbutton](#) in the **Print Custom Report** [dialog box](#).

All the settings you adjust here such as page margins, page orientation, font, and printer will only be the *defaults* for **Download Wonder™** reports and listings. They will not affect the page or printer settings of any other Windows programs you may use.

### Related Topics



Print... (File Menu)



Print Preview (File Menu)

# Print... (File Menu)

## What does Print... do?

The [Quick List](#) produced by selecting **File**  **Print...** from the [Main menu](#), clicking



on the [Toolbar](#), or pressing the <Ctrl + P> key combination on the keyboard, will vary depending on whether you are in [Table View](#) or [Form View](#).

From Table View, the printed output will include all columns checked on the [Columns tab](#) of the **Download Wonder Preferences dialog box**, in sequence by the current [display order](#), then proportionally [scaled](#) and [cropped](#) based on the width of each column. From Form View, the printed output will include all of the information associated with the downloaded files currently displayed in Table View (unfiltered or filtered), one file per page.

## Related Topics





Default Page Setup... (File Menu)



Print Preview (File Menu)

# Print Preview (File Menu)

## What does Print Preview do?

Selecting **File**  **Print Preview** from the [Main menu](#), will display an *on-screen version* or *preview* of the [Quick List](#) produced by the [File](#)  [Print...](#) option. When the list or report displays, the mouse cursor will change to a magnifying glass, indicating that either left-clicking the mouse or selecting the **Zoom In** [pushbutton](#) will progressively magnify the image.

**Note:** For the most readable results, we recommend using *Courier New* as the font in your [Default Page Setup](#).

## Related Topics

-  Default Page Setup... (File Menu)
-  Print... (File Menu)

# Reports (File Menu)




## General

**Download Wonder™** allows you to configure and print 3 Custom Reports based on the [Table View](#) format.

## How do I configure my Custom Reports?

Select **File**  **Reports**

 **Custom Report x** to display the **Print Custom Report** [dialog box](#) where you can enter the following information:


- **Report**  
**Name:** The name by which you wish to access the report. It will appear on the [Main menu](#) under **File**  **Reports**, replacing **Custom Report x**.
- **Report Title:** The title to appear on the printed report.
- **Column:** Check the [checkboxes](#) next to the name of the columns you wish to include on your printed report.
- **Width**  
**(inches):** Specify the width in inches for each column on your report. The total report width, which includes the *Column Spacing*, will display in the *Report Width* field. If the *Report Width* is larger than the *Page Width*, **Download Wonder™** will [scale](#) and [crop](#) the printed report in proportion to the column widths specified.
- **Move** Click on the  or  mover buttons to change the order in which the columns will appear on the printed report.
- **Lines Per Item (1-9):** Specify the maximum number of print lines to use for each [database](#) entry. If you want to include a long *Description* or *Notes*, or the entire *Web Site* or *File Link URL* in your printed report, you'll need to increase this from the default value of 1. In cases where **Download Wonder™** would usually scale and crop the printed report in proportion to the column widths specified, selecting a higher *Lines Per Item* value will force the program to print the information over multiple lines, thereby reducing or eliminating the cropping entirely.
- **Column Spacing**  
**(inches):** The amount of space between each column of information on the printed report. This value is included in the *Report Width* display field.
- **Line Spacing**  
**(inches):** The amount of space between each line of information on the printed report. A value of **0** would represent the default line spacing for the font you select for your report.


- **Report Width (inches)** The width in [Portrait orientation](#), or length in [Landscape orientation](#), required for a piece of paper to accommodate the *Column Widths* specified. This is a *display only* field calculated by totaling the *Column Widths* displayed along with their associated *Column Spacing*.
- **Page Width (inches)** The width in [Portrait orientation](#), or length in [Landscape orientation](#), available for printing. This is a *display only* field calculated by subtracting the *Left* and *Right Margins* from the width of the paper.
- **Include page numbers in heading** Indicate whether or not to print page numbers on the report.
- **Include date/time in heading** Indicate whether or not to print the date and time on your report.
- **Use default page setup** Indicate whether to use the [default page setup](#) or the report-specific settings for the report.

When you're ready to print the report, the available [pushbuttons](#) are:

- **Print** Print the **Custom Report x** and also save your **Custom Report x** settings to use the next time you print this **Custom Report x**.
- **Page Setup...** Assign the paper size, paper source, page orientation, page margins, font, and printer to use for this **Custom Report x**. The initial [entry field](#) values will be the same as those found in the [default page setup](#). If you don't assign new values, these values will be used regardless of whether or not the *Use default page setup* [checkbox](#) is checked.
- **Preview** Displays an *on-screen version* or *preview* of the **Custom Report x** and also saves your report settings to use the next time you print or preview this **Custom Report x**. When the report displays, the mouse cursor will change to a magnifying glass, indicating that either left-clicking the mouse or selecting the **Zoom In** [pushbutton](#) will progressively magnify the image.
- **Apply** Without printing the **Custom Report x**, save your **Custom Report x** settings so they're available the next time you decide to print this **Custom Report x**.
- **Close** Neither print this **Custom Report x** nor save your **Custom Report x** settings.


## Close to Tray (File Menu)



Select **File**  **Close to Tray** from the [Main menu](#) or press the <Alt + F4> key combination on the keyboard to **Close** and minimize the **Download Wonder™** program to the [System Tray](#).

**Note:** This option is only available If you have checked the *Return to System Tray on "Close"* [checkbox](#) on the [General tab](#) of the **Download Wonder Preferences dialog box** under **View**  **Preferences...** on the [Main menu](#).

## Quit (File Menu)

Select **File**  **Quit** from the [Main menu](#), **Quit Download Wonder** from the *right-click* [System Tray](#) icon

 *pop-up* menu, or press the <Ctrl + Q> key combination on the keyboard to **Quit** and exit the **Download Wonder™** program.

**Note:** If the **Download Wonder™** program icon  is visible on the Taskbar, the **Quit Download Wonder** option on the *right-click* [System Tray](#) icon  *pop-up* menu will be disabled.

**Portrait orientation** is a font property which corresponds with lengthwise (standard) printing on a page, i.e., left to right across the shorter page dimension.

**Landscape orientation** is a font property which corresponds with widthwise printing on a page, i.e., left to right across the longer page dimension.

A **pushbutton** is a rounded corner rectangle with text inside which is used in a dialog box, and when pushed, clicked, or selected will immediately initiate an action.

A **Comma delimited file** has all columns or fields of data separated by commas. If a comma is part of the data in a column or field, the column or field is enclosed in quotation marks. The following illustrates how a row of data might appear in this type of file:

"Dnldwndr.exe","Download Wonder v1.50","I've cured my download amnesia","01/19/95"

"Notewndr.exe","Note Wonder v1.00","Sticky notes and more!","05/13/98"

A **Fixed width column file** reserves a fixed amount of space per column or field of data, regardless of the actual space used by that data. The following illustrates how rows of data might appear in this type of file:

Dnldwndr.exe	Download Wonder v1.40	I've cured my download amnesia!	01/19/95
Dsktpal.exe	Desktop PAL v1.00	What an invaluable program!	05/13/98

**URL** is an acronym for **U**niform **R**esource **L**ocator. It represents the location of a file on the World Wide Web, along with the method or protocol necessary to retrieve and/or display the file. For example, **http://www.forty.com** is the URL for Forty Software, L.L.C.

**ASCII** is an acronym for the **A**merican **S**tandard **C**ode for **I**nformation **I**nterchange. It is an international standard for representing characters in most computers.

# Edit Menu

## General

The **Edit Menu** provides different ways in which you can interact with the data in the **Download Wonder™ database**.

## Edit Menu options...


<u>Edit Info...</u>	Modify the highlighted entry in the <b>Download Wonder™ database</b> .
<u>Rename File...</u>	Change the name of a file stored in the <b>Download Wonder™ database</b> .
<u>Delete Info and File</u>	Delete a file from both the <b>Download Wonder™ database</b> and your hard disk.
<u>Delete Info Only</u>	Only delete the <b>Download Wonder™ database</b> entry for a file.
<u>Delete File Only</u>	Delete a file from your hard disk, but leave the <b>Download Wonder™ database</b> entry for it.
<u>Select All</u>	Select or highlight all entries in <u>Table View</u> .
<u>Find...</u>	Locate an entry in the <b>Download Wonder™ database</b> by searching for text or keywords.
<u>Find Next</u>	Locate the next matching entry in the <b>Download Wonder™ database</b> . Use after <b>Find...</b>


## Edit Info... (Edit Menu)

### Why would I want to Edit Info?


Perhaps you want to change the [category](#) to which you originally assigned a file, thought of some better keywords to associate with it, realized your original description is somewhat inaccurate, or just want to change its name, then use **Edit Info**.

### How do I Edit Info?

While in [Table View](#), select **Edit**  **Edit Info...** from the [Main menu](#), select **Edit Info...** from the [right-click pop-up menu](#), or press the <Enter> key on the keyboard to display the **Edit Download Information dialog box** where you can edit the following information for the currently highlighted file:

- **File Name:** The name of the file in the **Download Wonder™ database**. Changing its name here will also change the name under which it is stored on your hard disk or other storage location.
- **Category:** The [category](#) to which this file is currently assigned. You can change this to another, existing category by clicking  at the end of the [entry field](#), or you can [create a new category](#) by clicking on the **New...** [pushbutton](#).
- **Location:** *Displays* the folder in which the file is currently stored. You cannot edit this information directly, but may change it using *Move To:* below.
- **Move To:** Displays the folder associated with the category you have assigned to this file. You can edit this [entry field](#) directly, however, if you subsequently change the category, the folder associated with the new category will overwrite the folder you entered.

If the *Move File* [checkbox](#) is checked either manually, or automatically if you have checked the [Always download to default folder for selected category checkbox](#) on the [General tab](#) of the **Download Wonder Preferences dialog box**, the file will be moved to this folder when you save the file information to the **Download Wonder™ database**.

- **Description:** The actual file or program title, e.g., **Download Wonder 1.54**, **Note Wonder 1.20**, **Backup Wonder 2.02**, **Desktop Wonder 1.76**, **Desktop Pal 2.90**, or your own description of the file.
- **Notes:** Use this to jog your memory and help you recall why you downloaded the file in the first place, or for any other information you wish to keep about the file.
- **Keywords 1, 2, and 3:** Associate up to 3 keywords with your file to simplify finding it in the **Download Wonder™ database**. You can either select from existing keywords by clicking  at the end of each [entry field](#), or you can enter a new keyword directly into the [entry field](#). Use the [Find... \(Edit Menu\)](#) feature to easily locate a file by keyword or any word you've entered into any of the [entry fields](#).


**Note:** Keywords are not case sensitive. This means *Download Wonder* is the same as *download wonder*, *DOWNLOAD WONDER*, *dOWNload woNDeR*, etc. when sorting columns or using [Display Filters](#). Only

Find... with its *Match Case* checkbox, allows you to specify whether or not you wish to perform a case sensitive search.

- **Web Site:** The web site or URL from which you downloaded the file.  
  
You can only edit this information if it has been entered using Add File... (File Menu) or if the *Allow editing of "File Link" and "Web Site" for downloaded files* checkbox on the General tab of the **Download Wonder Preferences** dialog box has been checked.
- **File Link:** The URL of the file or actual location from which the file download occurred.  
  
You can only edit this information if it has been entered using Add File... (File Menu) or if the *Allow editing of "File Link" and "Web Site" for downloaded files* checkbox on the General tab of the **Download Wonder Preferences** dialog box has been checked.
- **Date/Time:** The date and time you *downloaded the file*, not the date and time stamp of the file which often indicates a program version. **You cannot edit this information.**
- **File Size:** The size of the file in bytes. **You cannot edit this information.**

## Rename File... (Edit Menu)

### How do I Rename File?

While in [Table View](#), select **Edit**  **Rename File...** from the [Main menu](#), choose **Rename File...** from the [right-click pop-up menu](#), or press the <Ctrl + N> key combination on the keyboard to display the **Download Wonder - Rename File** [dialog box](#) where you can rename the currently highlighted file.


**Note:** This will rename the file in both the **Download Wonder™** [database](#) and on your hard disk or other storage location.

## Select All (Edit Menu)

### Why would I use Select All?

**Select All** highlights all rows currently displayed in [Table View](#). You can use **Select All** with [Delete](#) to delete all files, all information, or both, either filtered or unfiltered, from the **Download Wonder™ database**.

### How do I Select All?

While in [Table View](#), choose **Edit**  **Select All** from the [Main menu](#), or press the <Ctrl + A> key combination on the keyboard to select or highlight all the entries in the **Download Wonder™ database**.

### Related Topics





Delete (Edit Menu)

# Find... (Edit Menu)





## Why would I use Find?


So, you downloaded a program last week or maybe the week before, and never got a chance to install it. Now, you really need it, but don't remember the program's name. If you can remember *any* of the words you used in the **Download Wonder™** [entry fields](#) for the program, you can **Find...** it in a flash.

## Is there anything I need to do before I start using Find?

Since **Find...** only searches the columns you have checked on the [Columns tab](#) under **View**  **Preferences...** on the [Main menu](#) or  on the [Toolbar](#), to guarantee a thorough search of the **Download Wonder™** [database](#), make sure you check all the columns.

## How do I Find?

First, go to [Table View](#) by selecting either **View**  **Table** from the [Main menu](#) or  on the [Toolbar](#). Now, select **Edit**  **Find...** from the Main menu, click  on the Toolbar, or press the **<Ctrl + F>** key combination on the keyboard, to display the **Find dialog box** where you can enter the following information:

- **Find what:** Enter the *word* or *phrase* for which you wish to search. You can also click the  to select a *word* or *phrase* you previously searched for.
- **Match whole word only** Check this [checkbox](#) to search for an *exact* match, exclusive of *case*. For example, if you were searching for the word *download*, neither the word *downloads* nor *downloading* would be found; however, unchecking the [checkbox](#) would find both words.
- **Match case** Check this [checkbox](#) to make *case*, i.e., *upper*, *lower*, or a *combination*, part of your search criteria. For example, if you were searching for the word *Download*, neither the word *download* nor *downLoad* would be found; however, unchecking the [checkbox](#) would find both words.
- **Direction** The search will begin from the currently highlighted row in [Table View](#). You decide whether you want to search **Up** or **Down**. If you want to start your search from the first row, while in [Table View](#), press the **<Home>** key on your keyboard and select *down*.
- **Search** Do you want to search through the **Keywords only** you've entered, or **All columns** in [Table View](#) in the **Download Wonder™** [database](#)? For example, let's say you entered *Ariel*, *Sebastian*, and *Flounder* as your *Keywords 1*, *2*, and *3* respectively, and *The story of Ariel, the Little Mermaid*. as your *Description*. If you then searched for *Mermaid*, but limited your search to **Keywords only**, the information would not be found since *Mermaid* is not a *Keyword*. If you searched **All columns**, however, *Mermaid*, *Ariel*, *Sebastian*, and *Flounder* would all be found.

## Related Topics



Find Next (Edit Menu)




Controlling Columns Displayed

# Find Next (Edit Menu)

## Why would I use Find Next?

When trying to locate multiple instances of a keyword or text, [Find...](#) will only search for the first occurrence. To locate subsequent occurrences, use **Find Next**.

## How do I Find Next?

While in [Table View](#), select **Edit**  **Find Next** from the [Main menu](#), or press the <F3> key on the keyboard to locate the next occurrence of the last keyword or text you tried to [Find...](#) during your current **Download Wonder™** session.

**Note:** **Find Next** cycles in [Table View](#), i.e., if the highlighted row contains the last occurrence of a keyword or text, **Find Next** will start at the top and search for the next occurrence.

## Related Topics



Find... (Edit Menu)

# View Menu

## General

The **View Menu** controls the look of the main program window, in addition to how and what information is displayed from the **Download Wonder™** [database](#).

## View Menu options...

### Toolbar

Display or hide the [dockable](#) Toolbar.

### Status Bar

Display or hide the Status Bar at the bottom of the **Download Wonder™** program window.

### Table

Display the **Download Wonder™** [database](#) in a spreadsheet-like table view.

### Form

Display the **Download Wonder™** [database](#) in a page-like form view. This will display all the information for a single [database](#) entry on a form, with options to advance to the next, previous, first or last item.

### All Items

Display all items in the **Download Wonder™** [database](#).

### Filtered Items

Display only those items in the **Download Wonder™** [database](#) which match the current filter.

### Display Filters...

Specify *display* and *report* filters to apply to the **Download Wonder™** [database](#).

### Preferences...

Customize **Download Wonder™** to work the way you want.

## **Toolbar (View Menu)**

Depending on whether it is checked or unchecked, this option will either *display* or *hide* the dockable Toolbar beneath the Main menu.

## Status Bar (View Menu)

Depending on whether it is checked or unchecked, this option will either *display* or *hide* the Status Bar at the bottom of the **Download Wonder™** program window.

### How does the Status Bar work?

As you highlight the options on the Main menu *pop-up menus*, or pass your mouse cursor over the Toolbar buttons, the lower left-hand corner of the Status Bar will display a description of the option.

The three, short, indented areas in the lower right-hand corner will display whether or not the **<Caps Lock>**, **<Num Lock>**, or **<Scroll Lock>** keys are currently active.


## Table (View Menu)


### Why would I display my data in Table view?

If you would like a large-scale overview of *all the files* stored in your **Download Wonder™** [database](#), want to sort your data in a particular order, or are trying to find a specific file, **Table View** is the answer.

### What can I do from Table view?

This is the most commonly used method of displaying your **Download Wonder™** [database](#).

Selecting **View**  **Table** from the [Main menu](#) or clicking

 on the [Toolbar](#), displays multiple [database](#) entries on screen in a row and column format similar to a spreadsheet. You can sort and/or resize the columns, scroll the table horizontally and vertically, and display [all entries](#) or just [filtered entries](#). Using the [right-click pop-up menu](#), you can [add](#) a file, [edit](#) the information related to a file, [rename](#) a file, [delete](#) a file and/or its [database](#) information, [go to the web site](#) from which you originally downloaded the file, [download](#) the file again, [resume](#) or [restart](#) an interrupted download, [run](#) an .exe type file, [open](#) a file with the associated program defined for that file type in Windows Explorer, and [virus](#) scan a file.

### Related Topics



 [Form View](#)

## Form (View Menu)




### Why would I display my data in Form view?

Use **Form View** to view or change the information related to a *specific file* stored in the **Download Wonder™** [database](#).

### What can I do from Form view?


Selecting **View**  **Form** from the [Main menu](#) or clicking  on the [Toolbar](#), displays all of the information associated with the currently highlighted [Table View](#) download, on one page or screen, similar to the [Add Download Information](#) or [Edit Download Information](#) dialog boxes. You can navigate from [database](#) entry to entry by using the [VCR controls](#) on the right-hand side of the form. The [navigation order](#) will be determined by the Table View [display order](#).

### Related Topics

-  Add File (File Menu)
-  Edit Info (Edit Menu)
-  Table View

## All Items (View Menu)

### What does selecting All Items do?

Selecting **View**  **All Items** from the [Main menu](#) or clicking



on the [Toolbar](#), displays all of the files stored in the **Download Wonder™** [database](#), regardless of any [filters](#) you may have defined.

### Related Topics



Display Filters (View Menu)



Filtered Items (View Menu)

## Filtered Items (View Menu)

### What does selecting Filtered Items do?

Selecting **View**  **Filtered Items** from the [Main menu](#) or clicking



on the [Toolbar](#), will only display the files stored in the **Download Wonder™** [database](#) which match **all** of the [filter](#) conditions you have defined.

### Related Topics



Display Filters (View Menu)



All Items (View Menu)

# Display Filters... (View Menu)

## What are Display Filters and why would I use them?

**Display Filters** are specific sets of properties or characteristics which you define in order to display a subset or portion of the **Download Wonder™ database**. For example, if you wish to only view the files associated with a specific category, you can set a filter for that category. Then, regardless of whether you are in Table View or Form View, or are printing a Custom Report, only the files associated with the category filter will display or print.


## How do I use Display Filters?

Selecting **View**  **Display Filters...** from the Main menu or clicking



on the Toolbar, will display the **Specify Display and Report Filters dialog box**, where you can define your filters by the criteria below. The more filter criteria you specify, the more refined or specific your filter will become, i.e., fewer entries in the **Download Wonder™ database** will display when Filtered Items is selected.

- **Matching Category(ies)** If you want to filter specific categories, check this checkbox, then check those to the left of the categories you want to include.

- **Matching File Name Pattern** If you want to include a partial file name with wildcards, or a full file name as part of your filter, check this checkbox and enter the file name pattern in the entry field below. Click on the  to select a previously used pattern.

For example, you can use a ? as a single character placeholder so that searching for *for?* would match on *fore*, *fork*, *form*, and *fort*, while searching for *for??* would match on *forge* and *forty*. You can use an \* as a multi-character placeholder. For example, searching for *for\**, would not only match on *fore*, *fork*, *form*, and *fort*, but also on *forge*, *forty*, *formal*, *formula*, *fortitude*, etc.

- **Matching Keywords** Specify the keywords you wish to include in your filter, then select from the *Ignore Keywords*, *Matching Any Keyword*, or *Matching All Keywords* radio buttons.

If you select *Matching Any Keyword*, a match will occur if *any* 1 of the 3 non-blank keywords in your filter match *any* of the 3 non-blank keywords associated with a **Download Wonder™ database** entry. For example, if you specify **Moe**, **Larry**, and **Curly** as the 3 keyword entries in the filter, an entry will match if it contains any of them, either **Moe** or **Larry** or **Curly**.

If you select *Matching All Keywords*, a match will occur if all of the non-blank keywords in your filter match all of the non-blank keywords associated with a **Download Wonder™ database** entry. For example, if you specify **Groucho**, **Harpo**, and **Chico** as the 3 keyword entries in the filter, an entry will match only if it contains all of them, **Groucho** and **Harpo** and **Chico**.

**Note:** If you leave the 3 **Matching Keywords** fields blank, it will be as if you

selected the *Ignore Keywords* radio button and the keywords filter will be ignored.

## Related Topics



All Items (View Menu)





Filtered Items (View Menu)

A **radio button** is a control consisting of a circle and choice text. They are combined to display a fixed set of choices which are mutually exclusive, one of which is selected or partially filled in.

A **wildcard** is a character such as **?** or **\***, which when used in a filename, can represent any other character. The **?** indicates that any single character can occupy its position. For example, searching for **stor?** would match on **store**, **stork**, or **storm**, while searching for **sta??** would match on **start**, **state**, **stall** or **stage**. The **\*** indicates that any single character can occupy its position and all the remaining positions. For example, limiting the search word length to 11 characters and searching for **stor\***, would not only match on **store**, **stork**, or **storm**, but also on **storage**, **storefront**, and **storyteller**.

# Preferences... (View Menu)

## General

Selecting **View**  **Preferences...** from the [Main menu](#) or clicking  on the [Toolbar](#) displays the **Download Wonder Preferences dialog box** which allows the user to customize various features of **Download Wonder™** according to the way he/she plans to use the program.

## Preferences tabs...

### Categories

Add or remove categories, change the folder associated with a category, or assign a default category.

### Columns

Select which columns will be displayed in Table View, and in which order they will appear.

### File Types

Add, delete, and/or select which file types **Download Wonder™** should download when you click on a file download hyperlink in your browser.

### Protocols

Add, delete, and/or select which Internet protocols **Download Wonder™** will handle when you click on a file hyperlink in your browser.

### General

Select startup options and the default download folder.

### External Apps

Configure the external .ZIP viewer and virus scanning programs.

### Keep-Alive

Enable or disable simulation of random browser activity to prevent ISP disconnection and configure related options.

### Download Options

Configure advanced options.

### Proxy

Configure proxy server related options.

## Categories (Preferences...)

From the *Categories* tab, you can:

- [Add new categories](#).
- Remove existing categories, which will make them unavailable when you download a new file, add a file, or edit file information.

**Note:** The category being deleted will still appear in [database](#) entries using that category.

- Change the [folder associated with a category](#).

**Note:** This will not change the folder or location of files currently in the [database](#).

- Assign a default [category](#), which will be the category which initially appears in the [Add Download Information](#) or [Edit Download Information](#) dialog boxes, by checking the [checkbox](#) to the left of the desired default category.


## Columns (Preferences...)

**From the *Columns* tab, you can:**

- Select which columns to display in Table View.
- Configure the order in which columns will display in Table View.

## Download Options (Preferences...)

### From the *Download Options* tab, you can:

- Specify the maximum amount of time **Download Wonder™** will spend trying to connect to an Internet download site to download a particular file before trying again.
- Specify the maximum number of times **Download Wonder™** will try to connect to an Internet download site to download a particular file.
- Specify the maximum amount of time **Download Wonder™** should wait for data from an Internet download site.
- Specify the number of times **Download Wonder™** should automatically retry to connect or receive data from an Internet download site after an existing connection fails.
- Specify the amount of time **Download Wonder™** should wait before retrying a failed connection or download from an Internet download site.
- Select the default value for the *Automatically close dialog when download completes* [checkbox](#) on the [Download Wonder - File Download Information](#) dialog box.
- Determine what **Download Wonder™** should do *When a duplicate file is downloaded*, whether initiated by clicking on a download [hyperlink](#), selecting **Download Again** from the [right-click pop-up menu](#), **Actions**  **Download Again** from the [Main menu](#), clicking



on the [Toolbar](#), or pressing the **<Ctrl + D>** key combination on your keyboard.

- ◇ *Replace current info* will overwrite both your file and the existing [database](#) entry.
- ◇ *Add new info item* will create an additional entry in the **Download Wonder™** [database](#) for the file being downloaded without saving another copy of the file on your hard disk or other storage device.

**Note:** In this case, the additional entries in the **Download Wonder™** [database](#) will point to the same file on your hard disk or other storage device.

- ◇ *Prompt you* instructs the program to ask you what to do every time a duplicate file is downloaded. This is the default.

## File Types (Preferences...)

### From the *File Types* tab, you can:

- Add the [file types](#) you want **Download Wonder™** to help download and store in its [database](#).
- Delete the [file types](#) you do not want **Download Wonder™** to help download and store in its [database](#). Although you can re-add a file type once it has been deleted, we recommend that instead of deleting a file type, you uncheck the [checkbox](#) to the left of the file type.
- Select or deselect the [file types](#) you want **Download Wonder™** to help download and store in its [database](#), by checking or unchecking the [checkbox](#) to the left of the file type.

**Note:** Occasionally, the [Download Wonder - File Download Information dialog box](#) will pop-up when you click on a [hyperlink](#) not related to downloading a file, but which instead unknown to you, executes a program on the host server. Here's what you can do if the [program pops up when it shouldn't](#).

## Keep-Alive (Preferences...)

### From the *Keep-Alive* tab, you can:

- Enable or disable the [Keep-Alive](#) feature.
- Determine whether to use [Keep-Alive](#) only during downloads or whenever you're connected to the Internet.
- Designate whether or not [Keep-Alive](#) should simulate random activity.

**Note:** Users of AOL and NetZero do not need to check this [checkbox](#).

- Add and delete [URLs](#) to which [Keep-Alive](#) should connect while simulating random activity.
- Specify the random time interval in which [Keep-Alive](#) should contact the [URLs](#).

### Related Topics



Keep-Alive (Actions Menu)

## Protocols (Preferences...)

### From the *Protocols* tab, you can:

Select or deselect the [protocols](#) you want **Download Wonder™** to recognize, by checking or unchecking the [checkbox](#) to the left of the protocol.



**Download Wonder™** supports the following protocols:

- **ftp** - file transfer protocol, used for transferring files
- **http** - hypertext transfer protocol, used for basic web communications
- **https** - hypertext transmission protocol - secure, used for making purchases online

## General (Preferences...)

### From the *General* tab, you can:

- Specify the [Default download folder](#);
- Decide whether or not you want to [Always download to default folder for selected category](#);
- Specify whether or not to [Start Download Wonder when Windows starts](#);
- Decide whether or not you want to run the program in the [System Tray](#);

• Choose whether or not you want **Download Wonder™** to *Return to System Tray on Close*. If you check this checkbox, selecting **File**  **Close** from the Main menu, clicking the  in the upper right-hand corner of the program window, or pressing the **<Alt + F4>** key combination on your keyboard will minimize the program to the System Tray. The only way to *Quit* the program would be to select **Quit Download Wonder** from the [right-click pop-up menu](#) which displays when you right-click on the **Download Wonder™** icon in the System Tray.

- Select the default [action](#) you want **Download Wonder™** to perform when you double-click on a highlighted entry in [Table View](#).

**Note:** If an [action](#) is unavailable for a highlighted entry, e.g., you have selected [Run](#) as your *Table View double-click action* and then you double-click on a file of type **.zip**, you will hear an error beep because the [action](#) cannot be performed on that entry.

- Specify how often you want **Download Wonder™** to automatically backup its [database](#) files. **Download Wonder™** utilizes a father, grandfather 2 backup set scheme where the most recent backup files have [extensions](#) of **.db1** and **.fp1**, while the oldest files have extensions of **.db2** and **.fp2**. The backup files are always located in the folder where the **Download Wonder™** [database](#) files are stored.
- Select whether or not you want to be able to **edit** the [File Link](#) and [Web Site entry fields](#) on the [Download Wonder - File Download Information](#) or [Edit Download Information](#) dialog boxes. you want the **modified** date and time associated with a downloaded file once it's stored on your hard disk to represent *when it was created*, i.e., the Internet date, or when you *downloaded the file*.
- Choose whether you want the **modified** date and time associated with a downloaded file once it's stored on your hard disk to represent *when it was created*, i.e., the Internet date, or when you *downloaded the file*.

## External Apps (Preferences...)

### From the *External Apps* tab, you can:

- Locate and specify the name of an external [.ZIP Viewer](#) program on your system;
- Locate and specify the name of an external *Virus Scanner* program on your system;
- Specify whether or not the *Virus Scanner* should automatically scan your downloaded files as soon as the download completes.

### Related Topics



Open (Actions Menu)



Virus Scan (Actions Menu)

# Proxy (Preferences...)

## From the *Proxy* tab, you can:

- Specify whether or not you are using a **proxy server** to connect to the Internet, and if so, whether to use the proxy server settings entered in 




**Settings**



**Control Panel**



 or those entered in the subsequent [entry fields](#).

- Specify the proxy server name or IP address, and associated port, used with the **HTTP**, **FTP**, and **SOCKS** [protocols](#).
- Specify Web addresses which don't need to be accessed by using your proxy server, e.g., those on an Intranet. These addresses can contain [wildcards](#), can be domain names or IP addresses, and should be separated by spaces.


## Related Topics



Configuring A Proxy Server

# Actions Menu

## Actions Menu options...

<a href="#"><u>Go to Web Site</u></a>	Revisit the site from which you downloaded a file.
<a href="#"><u>Download Again</u></a>	Begin a new download of a previously downloaded file.
<a href="#"><u>Resume Download</u></a>	Resume downloading a partially downloaded file from the point of interruption.
<a href="#"><u>Restart Download</u></a>	Restart downloading a partially downloaded file from the beginning.
<a href="#"><u>Run</u></a>	Run the file if it is an executable (.exe) program.
<a href="#"><u>Open</u></a>	Open the highlighted file with the associated program found in the <b>File Types</b> tab of Windows Explorer under <b>View</b>  <b>Options...</b> Self-extracting, <a href="#"><u>ZIP</u></a> compatible, executable (.exe) files will use the external <a href="#"><u>ZIP</u></a> Viewer you have designated.
<a href="#"><u>Virus Scan</u></a>	Scan the highlighted file for viruses with the external Virus Scanner you designated.
<a href="#"><u>Explore</u></a>	Launch Windows Explorer and open the folder where the highlighted file is stored.
<a href="#"><u>Intercept Browser Downloads</u></a>	Enable or disable our prompting you for information and controlling the download.
<a href="#"><u>Monitor Clipboard</u></a>	Enable or disable our checking the Windows Clipboard for the presence of a <a href="#"><u>URL</u></a> .
<a href="#"><u>Keep-Alive</u></a>	Enable or disable our connecting to random <a href="#"><u>URLs</u></a> to prevent your Internet Service Provider, including AOL and NetZero, from disconnecting you after periods of inactivity.

## Go to Web Site (Actions Menu)

### How do I Go to Web Site?

By selecting **Actions**  **Go to Web Site** from the [Main menu](#), clicking



on the [Toolbar](#), choosing **Go to Web Site** from the [right-click pop-up menu](#), or pressing the <Ctrl + G> key combination on your keyboard, a new instance of your default web browser will launch and take you directly to the site from which you downloaded the currently highlighted file.

**Note:** This option is not available if the **Web Site:** [entry field](#) is blank.

### Related Topics



Download Again (Actions Menu)

# Download Again (Actions Menu)

## Why would I use Download Again?

You might wish to use this option if you accidentally deleted a file, or the current version of a file you had previously downloaded has gotten corrupted.

## How do I Download Again?

Selecting **Actions**  **Download Again** from the [Main menu](#), clicking



on the [Toolbar](#), choosing **Download Again** from the [right-click pop-up menu](#), or pressing the <Ctrl + D> key combination on your keyboard, will automatically begin a new download of the currently highlighted file. **Download Wonder™** will perform the download for you without using your web browser.

**Note:** This option is not available if the **File Link:** [entry field](#) is blank.

## Related Topics



Resume Download (Actions Menu)



Restart Download (Actions Menu)



Go to Web Site (Actions Menu)


# Resume Download (Actions Menu)

## What does Resume Download mean?

This is the ability to continue downloading a partially downloaded file from the point of interruption, i.e., "pick up the download where you left off".

## When is Resume Download available?

This option is available when a partially downloaded file saved in the **Download Wonder™** [database](#) was downloaded from a server which supports [resume](#).

Although all partial downloads have a  in the left column of [Table View](#), **not all partial downloads may be resumed.**

## How do I Resume Download?

Selecting **Actions**  **Resume Download** from the [Main menu](#), clicking



on the [Toolbar](#), choosing **Resume Download** from the [right-click pop-up menu](#), or pressing the **<Ctrl + D>** key combination on your keyboard, will resume downloading the currently highlighted file. **Download Wonder™** will perform the download for you without using your web browser.

**Note:** This option is **not available** if the server from which you partially downloaded the file does not support [resume](#), or if the **File Link:** [entry field](#) is blank.

## Related Topics



Stop Downloading to Resume Later



Restart Download (Actions Menu)



Go to Web Site (Actions Menu)

# Restart Download (Actions Menu)



## What does Restart Download mean?

This is the ability to start downloading a partially downloaded file from the beginning of the file, i.e., "start downloading all over again".

## When is Restart Download available?

This option is available when a partially downloaded file saved in the **Download Wonder™** [database](#) was downloaded from a server which does not support [resume](#).

## How do I Restart Download?

Selecting **Actions**  **Restart Download** from the [Main menu](#), clicking  on the [Toolbar](#), choosing **Restart Download** from the [right-click pop-up menu](#), or pressing the <Ctrl + D> key combination on your keyboard, will resume downloading the currently highlighted file. **Download Wonder™** will perform the download for you without using your web browser.

**Note:** This option is not available if the **File Link:** [entry field](#) is blank.

## Related Topics





Resume Download (Actions Menu)



Go to Web Site (Actions Menu)


# Run (Actions Menu)

## What does Run do?

Selecting **Actions**  **Run** from the [Main menu](#), clicking  on the [Toolbar](#), choosing **Run** from the [right-click pop-up menu](#), or pressing the <Ctrl + R> key combination on your keyboard, will immediately execute or **Run** the currently highlighted file, without leaving the **Download Wonder™** program window.




**Note:** This option is only available for file type .exe.

## Related Topics



 Open (Actions Menu)

# Open (Actions Menu)

## What does Open do?

Selecting **Actions**  **Open** from the [Main menu](#), clicking  on the [Toolbar](#), choosing **Open** from the [right-click pop-up menu](#), or pressing the <Ctrl + O> key combination on your keyboard, will **Open** the currently highlighted file using the associated Windows program found in the **File Types** tab of Windows Explorer under **View**  **Options...** for that [file type](#). A .ZIP [file type](#) archive, whether or not self-extracting, will be **Opened** by executing the [.ZIP file viewer](#) specified on the [External Apps tab](#) of the **Download Wonder Preferences dialog box.**

## Related Topics

-  [External Apps \(Preferences...\)](#)
-  [Run \(Actions Menu\)](#)

# Virus Scan (Actions Menu)

## What does Virus Scan do?

Selecting **Actions**  **Virus Scan** from the [Main menu](#), clicking



on the [Toolbar](#), choosing **Virus Scan** from the [right-click pop-up menu](#), or pressing the <Ctrl + S> key combination on your keyboard, will scan the currently highlighted file for viruses by executing the **Virus Scan** program specified on the [External Apps tab](#) of the **Download Wonder Preferences dialog box**.


## Related Topics



External Apps (Preferences...)



## Explore (Actions Menu)

### What does Explore do?

Selecting **Actions**  **Explore** from the [Main menu](#), choosing **Explore** from the [right-click pop-up menu](#), or pressing the <Ctrl + E> key combination on your keyboard, will launch Windows Explorer and open the folder where the currently highlighted file is stored.

# Intercept Browser Downloads (Actions Menu)

## What does Intercept Browser Downloads do?



Selecting **Actions**  **Intercept Browser Downloads** from the [Main menu](#), choosing **Intercept Browser Downloads** from the *right-click* [System Tray](#) icon  *pop-up* menu, or pressing the **I** key on your keyboard while the [Actions Menu](#) is displayed, will toggle whether or not clicking on a download [hyperlink](#) from within your browser will display the [Download Wonder - File Download Information](#) dialog box and download the file.

## Related Topics

-  Program Pops Up When It Shouldn't
-  Program Doesn't Automatically Pop Up

# Monitor Clipboard (Actions Menu)

## What does Monitor Clipboard do?

Selecting **Actions**  **Monitor Clipboard** from the [Main menu](#), choosing **Monitor Clipboard** from the *right-click* [System Tray](#) icon  *pop-up* menu, or pressing the **M** key on your keyboard while the [Actions Menu](#) is displayed, will toggle whether or not copying a download [hyperlink](#) to the Windows Clipboard will display the [Download Wonder - File Download Information](#) dialog box and download the file.

**Note:** To copy a download [hyperlink](#) to the Windows Clipboard, first right-click on the [hyperlink](#) to display a pop-up menu. If you're using Microsoft Internet Explorer, AOL's browser, or Neoplanet, left-click on *Copy Shortcut*. If you're using Netscape Navigator, left-click on *Copy Link Location*. If you're using Opera, left-click on *Copy Link Address*.



## Related Topics





Program Doesn't Automatically Pop Up

# Keep-Alive (Actions Menu)

## What does Keep-Alive do?


Selecting **Actions**  **Keep-Alive** from the [Main menu](#), choosing **Keep-Alive** from the *right-click System Tray* icon  *pop-up* menu, or pressing the **K** key on your keyboard while the [Actions Menu](#) is displayed, will toggle whether or not **Download Wonder**™ should utilize its proprietary technology to prevent your Internet Service Provider, including AOL and NetZero, from disconnecting you during lengthy downloads or after periods of inactivity.

Checking the *Simulate activity randomly* [checkbox](#) on the [Keep-Alive tab](#) of the **Download Wonder Preferences dialog box** under **View**  **Preferences...** on the [Main menu](#) or  on the [Toolbar](#) will cause **Download Wonder**™ to randomly connect to the list of [URLs](#) specified between the minimum and maximum time intervals selected.

**Note:** Users of AOL and NetZero do not need to check this [checkbox](#).

Keep-Alive will work with AOL whether or not you are connected to the Internet. Its unique *auto-configuration* mode eliminates the need for user action and program maintenance to prevent AOL disconnection.

## Related Topics

 [Keep-Alive \(Preferences...\)](#)

# Purchase Menu

## Purchase Menu options...

### Buy Now Online!...

Buy **Download Wonder™** securely, online right now with your credit card.

### Other Purchase Options

Buy **Download Wonder™** toll-free by telephone, by fax, or by postal mail.

### Pricing Information

Displays single copy and site license pricing for **Download Wonder™**.

# Program Pops Up When It Shouldn't

Occasionally, the [Download Wonder - File Download Information dialog box](#) will pop-up when you click on a [hyperlink](#) not related to downloading a file, but which unknown to you executes a program on the host server.

If that happens, *Cancel* the download and then you can either:

- Press and hold down the **<Alt>** key on the keyboard while left-clicking on the [hyperlink](#) to temporarily bypass **Download Wonder™**'s ***Intercept Browser Downloads*** feature;

**OR**

- Right-click on the **Download Wonder™** icon in the [System Tray](#) and *uncheck* ***Intercept Browser Downloads*** on the *pop-up* menu which appears. (Remember to re-check ***Intercept Browser Downloads*** when you want download a file.)

**Note:** If you started **Download Wonder™** after Netscape Navigator, you will need to close and restart Netscape Navigator before the new setting takes effect.


## Related Topics



Program Doesn't Automatically Pop Up

# Unreadable Print Preview

How readable **File**  **Print Preview** appears on your screen depends on the following:

- The **Zoom** level you are using;
- The font you have selected in **File**  **Default Page Setup...**

If you have trouble reading the [Print Preview](#), try clicking the **Zoom In** [pushbutton](#) a few times or changing the font in [Default Page Setup...](#) *Courier New* is an excellent font choice.

## Related Topics






Default Page Setup... (File Menu)



Print Preview (File Menu)

## Print... vs. Reports on the File Menu

Selecting File  Print... from the Main menu, clicking  on the Toolbar, or pressing the <Ctrl + P> key combination on the keyboard produces a Quick List whose format is pre-defined and depends on whether you are currently in Table View or Form View.

Selecting File  Reports allows you to configure and print 3 *Custom Reports* based on the Table View format.

### Related Topics




Print... (File Menu)



Reports (File Menu)

## File Missing Dialog Box

Every time you start **Download Wonder™**, it checks the files in its [database](#) to make sure they're still stored in the location specified in the database. If it finds that a file is no longer where the database thinks it is, it prompts you with 3 [pushbuttons](#) to either:

- ***Search for the missing file:*** Displays a **Find File** [dialog box](#) and searches all of your hard drives for the "missing" file. If found, you have the option of selecting **Find Next** to find another copy of the file in a different location or **OK** to accept this as the new file location to store in the database.
- ***Delete the download information in the database:*** Removes the [database](#) entry entirely.
- ***Mark the file as having been deleted:*** This leaves the [database](#) entry intact, but marks it as deleted (with a ).

**Note:** If you have renamed the file via another program such as Windows Explorer and want to store the new file name in the **Download Wonder™** [database](#), you should first **Mark the file as having been deleted**, then [edit](#) the **Download Wonder™** database entry to rename the file. The next time you start the program, it will search for the file under the new name you entered.

## User Authentication Dialog Box

Some web sites require you to enter a ***User Name*** and ***Password*** before you can download a file. In that case, when **Download Wonder™** prompts you, just enter the information and click ***OK***.

## Creating Sub-categories

Although **Download Wonder™** doesn't provide a direct method for creating sub-categories, its flexibility and mechanism of keeping [categories](#) and [keywords](#) independent of folders makes simulating this a snap. Just select one of the [Keyword entry fields](#) to treat as your sub-category, then create a [display filter](#) to only match the specific category (**Category**) and sub-category (**Keyword**) you wish to view.

**For example:** Suppose you have a category entitled *Business Software*. To create the sub-category *Accounting* for a program you're currently downloading, you would enter *Accounting* as **Keyword 1**. To create another sub-category, *Marketing*, for a different program you're downloading, you would enter *Marketing* as that program's **Keyword 1**.

To view your *Business Software* category [sorted](#) by sub-category, create a [display filter](#) to only match the specific category *Business Software*, then sort [Table View](#) by the **Keyword 1** column.

To only view the *Marketing* sub-category of your *Business Software* category, create a [display filter](#) to only match the specific category *Business Software*, **Matching All Keywords** with *Marketing* as the lone **Keyword**.

**Note:** Although the example above uses **Keyword 1** for the sub-category, any **Keyword** can be used.

### Related Topics



Categories and Folders



Categories (Preferences...)

# Protocol Handler Conflict Dialog Box

## What does it mean?

**Download Wonder™** uses a proprietary *protocol handler* to seamlessly integrate with Netscape Navigator for the **ftp**, **http**, and **https** [protocols](#). Since various other communication programs may need to use their own *protocol handler* with Netscape Navigator and any or all of these protocols, **Download Wonder™** checks if any other program has registered a Netscape Navigator *protocol handler* for any of these protocols, and if so, gives you the option of registering **Download Wonder™** for the protocol.

**Note:** This setting has no effect on Microsoft Internet Explorer.



## What information does the dialog box provide?

The **Protocol Handler Conflict** [dialog box](#) displays the name of either the application or *protocol handler*, and the protocol for which it is registered.


## What if I don't register Download Wonder™ to handle the protocol?

If you are using Netscape Navigator, when you click on a download [hyperlink](#) which uses a [protocol](#) **Download Wonder™** is not registered to handle, **Download Wonder™** will ignore the download, i.e., the [Download Wonder - File Download Information](#) dialog will not pop-up. If you are using Microsoft Internet Explorer, this setting has no effect.


## Related Topics

-  Protocols (Preferences...)
-  Intercept Browser Downloads (Actions Menu)


# Duplicate Download Dialog Box

Whenever you download a file, **Download Wonder™** checks to see if a file exists in its [database](#) with the exact same filename, stored in the exact same folder on your hard drive or other storage location. If it finds a *duplicate file*, and you have specified *Prompt me* on the [General tab](#) of the **Download Wonder Preferences dialog box under **View**  **Preferences...** on the [Main menu](#) as the action to perform *When a duplicate file is downloaded*, the **Duplicate Download** dialog box will display.**

There, you can specify whether you would like to:


- **Add a new entry to the database:** Add another [database](#) entry for the downloaded file. Each database entry will point to the same file on your hard disk or other storage location.
- **Replace the existing entry:** Replace the current [database](#) entry for the downloaded file without affecting the file stored on your hard drive or other storage location.
- **Do not prompt me in the future:** Check this [checkbox](#) to prevent this dialog box from displaying again, and to change the *When a duplicate file is downloaded* setting on the [General tab](#) of the **Download Wonder Preferences dialog box** under **View**  **Preferences...** to the selection above.

## Related Topics

 [General \(Preferences...\)](#)

# Tray Icon Menu

## General

The **Tray Icon Menu** displays when you right-click your mouse on the **Download Wonder™** [System Tray](#) icon .

## Tray Icon Menu options...

### [Open Download Wonder](#)

Displays the main **Download Wonder™** program window.

### [Intercept Browser Downloads](#)

Toggles whether or not **Download Wonder™** will pop up when you click on a file [hyperlink](#) in your browser.

### [Monitor Clipboard](#)

Toggles whether or not **Download Wonder™** will pop up when you copy a download [hyperlink](#) to the Windows Clipboard.


### [Keep-Alive](#)

Toggles whether or not **Download Wonder™** will utilize proprietary technology to prevent your Internet Service Provider, including AOL and NetZero, from disconnecting you during lengthy downloads or after periods of inactivity.


### [Quit Download Wonder](#)

Exits the **Download Wonder™** program.

## Open Download Wonder (Tray Icon Menu)

Choosing **Open Download Wonder** from the *right-click* [System Tray](#) icon  *pop-up* menu will display the main **Download Wonder™** program window.

## Intercept Browser Downloads (Tray Icon Menu)

Choosing **Intercept Browser Downloads** from the *right-click* [System Tray](#) icon  *pop-up* menu will toggle whether or not clicking on a download [hyperlink](#) from within your browser will display the [Download Wonder - File Download Information](#) dialog box and download the file.

**Note:** If you start **Download Wonder™** after Netscape Navigator and change the **Intercept Browser Downloads** setting, you will need to close and restart Netscape Navigator before the new setting takes effect.

### Related Topics




Program Pops Up When It Shouldn't



Program Doesn't Automatically Pop Up

## Monitor Clipboard (Tray Icon Menu)

Choosing **Monitor Clipboard** from the *right-click* [System Tray](#) icon  *pop-up* menu will toggle whether or not copying a download [hyperlink](#) to the Windows Clipboard will display the [Download Wonder - File Download Information](#) dialog box and download the file.


**Note:** To copy a download [hyperlink](#) to the Windows Clipboard, first right-click on the [hyperlink](#) to display a pop-up menu. If you're using Microsoft Internet Explorer, left-click on *Copy Shortcut*. If you're using Netscape Navigator, left-click on *Copy Link Location*.

### Related Topics





Program Doesn't Automatically Pop Up

## Keep-Alive (Tray Icon Menu)



Choosing **Keep-Alive** from the *right-click* [System Tray](#) icon  *pop-up* menu will toggle whether or not **Download Wonder™** will utilize proprietary technology to prevent your Internet Service Provider, including AOL and NetZero, from disconnecting you during lengthy downloads or after periods of inactivity.

### Related Topics

-  Keep-Alive (Actions Menu)
-  Keep-Alive (Preferences...)

## Quit (Tray Icon Menu)

Selecting **Quit Download Wonder** from the *right-click* [System Tray](#) icon  *pop-up* menu will exit the **Download Wonder™** program.

**Note:** If the **Download Wonder™** program icon  is visible on the Taskbar, the **Quit Download Wonder** option on the *right-click* [System Tray](#) icon  *pop-up* menu will be disabled.


# Right-click Pop-up Menu

## General

The **Right-click Pop-up Menu** displays when you right-click your mouse on a highlighted or selected entry in [Table View](#). All of the menu options, except **Add File...**, apply to the currently highlighted entry.

Only one of the [Download Again](#), [Resume Download](#), and [Restart Download](#) options will be available for the currently highlighted file. This will depend on whether the highlighted file download was complete, partial and interrupted from a server which supports [resume](#), or partial and interrupted from a server which doesn't support [resume](#) respectively.

## Right-click Pop-up Menu options...

<a href="#">Add File...</a>	Add a file already stored on your hard disk to the <b>Download Wonder™</b> <a href="#">database</a> . This option can also move that file to the <a href="#">default folder</a> for the category you will assign to this file.
<a href="#">Edit Info...</a>	Modify the download information for the highlighted entry in the <b>Download Wonder™</b> <a href="#">database</a> .
<a href="#">Rename File...</a>	Change the name of the highlighted file in both the <b>Download Wonder™</b> <a href="#">database</a> and on your hard disk.
<a href="#">Delete Info and File</a>	Delete the highlighted file from both the <b>Download Wonder™</b> <a href="#">database</a> and your hard disk.
<a href="#">Delete Info Only</a>	Only delete the <b>Download Wonder™</b> <a href="#">database</a> entry for the highlighted file. The file will remain on your hard disk.
<a href="#">Delete File Only</a>	Delete the highlighted file from your hard disk, but leave the <b>Download Wonder™</b> <a href="#">database</a> entry for it.
<a href="#">Go to Web Site</a>	Revisit the site from which you downloaded the highlighted file.
<a href="#">Download Again</a>	Begin a new download of the highlighted file.
<a href="#">Resume Download</a>	Resume downloading a partially downloaded file from the point of interruption.
<a href="#">Restart Download</a>	Restart downloading a partially downloaded file from the beginning.
<a href="#">Run</a>	Run the highlighted file if it is an executable (.exe) program.
<a href="#">Open</a>	Open the highlighted file with the associated program found in the <b>File Types</b> tab of Windows Explorer under <b>View</b>  <b>Options...</b> Self-extracting <a href="#">ZIP</a> compatible, executable (.exe) files will use the external <a href="#">ZIP</a> Viewer you have designated.
<a href="#">Virus Scan</a>	Scan the highlighted file for viruses with the external Virus Scanner you designated.

Explore

Launch Windows Explorer and open the folder where the highlighted file is stored.

# Using the Help System

This Help System has been designed to accommodate the needs of many different types of users and actually encompasses 3 different types of help:

- **Standard** Help with **Table of Contents**, **Keyword Index**, and **Find** capabilities. Browse this Help in any order you like.
- **Context-sensitive** Help, where pressing the <F1> key on your keyboard or clicking the **Help** [pushbutton](#) on any [dialog box](#), will display Help specific to the dialog box.
- **What's this Help**, where *right-clicking* your mouse on the text describing any [entry field](#), or control such as a [pushbutton](#), [radio button](#), or [checkbox](#), or *left-clicking* on the ? in the upper right-hand corner of any dialog box and then *left-clicking* again in the [entry field](#) or on the control, will display Help specific to the entry field or control.

## Related Topics



Help Menu

# Help Menu

## Help Menu options...

<b>Help Topics</b>	Display the <b>Download Wonder™</b> Online Manual Table of Contents and Index.
<b>Forty Software on the Web</b>	Connect to the <b>Forty Software, L.L.C.</b> home page on the World Wide Web.
<b>Check for Newer Version</b>	Check the <b>Forty Software, L.L.C.</b> Internet site for a newer version of <b>Download Wonder™</b> . If a newer version exists, you will be given the option to download it.
<b><u>A</u>bout Download Wonder</b>	Display program information, version, and copyright.

## **Related Topics**



Using the Help System

## Add New Host to Keep-Alive

The **Add New Host** [dialog box](#) allows you to specify the [URL](#)s of additional hosts to which you would like [Keep-Alive](#) to connect, along with the [protocol](#) you want [Keep-Alive](#) to use.

**Note:** Download Wonder™ does not verify whether or not the [URL](#) is valid.

### Related Topics



Keep-Alive (Actions Menu)



Keep-Alive (Preferences...)

The name of the ASCII file in which you wish to store your exported Download Wonder database.

Browse to select the folder location and file name to assign to your ASCII Export file.

Check the box next to the columns or data fields you wish to include in the ASCII Export file.

Specify the maximum width to use for each column or data field in the ASCII Export file.

Highlight a column name, then click [here](#) to move that column higher so it displays closer to the beginning of the line in the ASCII Export file you create.

Highlight a column name, then click [here](#) to move that column lower so it displays closer to the end of the line in the ASCII Export file you create.

Create a comma delimited ASCII Export file where all the columns or fields of are data separated by commas.

Create a fixed column width ASCII Export file with a fixed amount of space per column or field of data, regardless of the actual space used by that data.

Check this box to include the column headings in the ASCII Export file.

Save your Export settings without creating the ASCII Export file.

The file name to be stored in the database and on your hard disk or other storage location. If you change it, you may not be able to use the "Download Again" feature for this file.

The category to which you want to assign this file.

Add a new category to associate with this file.

The folder in which the file is currently stored.

Check this box to move the file to the "Move To:" folder when you save the information to the database.

When the "Move File" box is unchecked, this displays the folder associated with the category you assigned to this file. When the "Move File" box is checked, the file will be moved to this folder when you save the file information to the database by pressing the OK button.

Browse to select the folder to which you want to move the file.

The actual file or program title, or your own description of the file.

Enter more information about the downloaded file such as why you downloaded it in the first place.

Enter a keyword to associate with your file to simplify finding it in the database, or use this as a "sub-category".


The web site address or URL you were visiting when you found the file to download.

The actual web location where the file is stored.

The date and time you downloaded the file.

The size of the file in bytes.

Select a font to use for your Quick List or Report.

The name by which you wish to access the report. It will appear on the Main Menu under **File  Reports**.

The title to appear on the printed report.

Check the box next to the columns or data fields you wish to include on your printed report.

Specify the width in inches for each column on your report. The total report width, which includes the "Column Spacing", will display in the "Report Width" field. If the "Report Width" is larger than the "Page Width", the program will scale and crop the printed report in proportion to the column widths specified.

Change the order in which columns display on the printed report. [Click here](#) to move the highlighted column so it displays closer to the left margin on the printed report.

Change the order in which columns display on the printed report. [Click here](#) to move the highlighted column so it displays closer to the right margin on the printed report.

Specify the maximum number of print lines to use per database entry. If you want to include a long "Description" or "Notes", or the entire "Web Site" or "File Link" URL in your printed report, you'll need to increase this from the default value of 1.

The amount of space between each column of information on the printed report. This value is included in the "Report Width" display field.

The amount of space between each line of information on the printed report. A value of **0** would represent the default line spacing for the font you select for your report.

The width in Portrait orientation or length in Landscape orientation, required for a piece of paper to accommodate the "Column Widths" specified. This "display only" field is calculated by totaling the "Column Widths" displayed along with their associated "Column Spacing".

The width in Portrait orientation or length in Landscape orientation available for printing. This "display only" field is calculated by subtracting the value of the left and right margins from the width of the paper.

Check this box if you wish to print page numbers on the report.

Check this box if you wish to print the current date and time on your report.

Check this box to use the default page setup, otherwise use the report-specific settings for this report.

Print the report and save your report-specific settings to use the next time you print this report.

Assign the paper size, paper source, page orientation, page margins, font, and printer to use for this report.

Displays an on-screen version or preview of the report and saves your report settings to use the next time you print or preview this report.

Save the report-specific settings without printing the report.

Close and exit the report dialog without printing the report or saving the report-specific settings.

Enter the word or phrase you want to search for. Click the down-arrow to select from a list of words and phrases you previously searched for.

Check this box to search for an exact match on the whole word. If unchecked, searching for "down" will match on "download".

Check this box to make your search case sensitive, i.e., matching on upper case, lower case, or a combination thereof.

Search in an upward direction from the currently highlighted Table View row. Once the search reaches the top row, it will cycle around to the bottom row and continue upward from there.

Search in a downward direction from the currently highlighted Table View row. Once the search reaches the bottom row, it will cycle around to the top row and continue downward from there.

Only search the "keyword" fields for the word or phrase you're looking for.

Search all columns including the "keyword" fields for the word or phrase you're looking for.

Find the next occurrence of the word or phrase you're looking for.

Enter a new name for the highlighted file.

Click on the spin control's up or down arrow to adjust the amount of space between each column of information on the printed report. This value is included in the "Report Width" display field.

Click on the spin control's up or down arrow to adjust the amount of space between each line of information on the printed report. A value of **0** would represent the default line spacing for the font you select for your report.

Click on the spin control's up or down arrow to adjust the maximum number of print lines to use per database entry. If you want to include a long "Description" or "Notes", or the entire "Web Site" or "File Link" URL in your printed report, you'll need to increase this from the default value of 1.

Browse to select the folder in which you want to save the file. This can be independent of the category selected.

Temporarily pause the file download.

Resume a "Paused" download where you left off.

Retry downloading a failed file download.

Automatically close the download dialog box without any user intervention when the download completes. If the download fails, the dialog box remains open and the "Retry" button is enabled.

Visual progress bar showing download activity.

Download communications messages, bytes transferred, and data transfer rate.

The date and time stamp of the file you are downloading.

Go to the first row or database entry defined by the current Table View.

Go to the previous row or database entry from the one currently highlighted in Table View.

Go to the next row or database entry from the one currently highlighted in Table View.

Go to the last row or database entry defined by the current Table View.

Add a file already stored on your hard disk to the database.

Delete only the download information from the database, the file from you hard drive, or both the information and file.

Save the changes you've made to the database.

Undo any changes you've made to this database entry since the last time you "Saved".

Although you deleted the file from your hard drive, the information related to the file still exists in the database.

Only delete the download information from the database.

Only delete the file from you hard drive.

Delete both the download information from the database and the file from you hard drive.

Check this box if you want to include specific categories as part of your filter.

Check the box on the left to include this category as part of your filter.

Check this box if you want to include a partial file name with wildcards or a full file name as part of your filter.

Enter the partial file name with wildcards or the full file name you wish to use as part of your filter.

Enter or select the keywords or sub-categories you wish to include as part of your filter.

Don't use the keywords listed above as part of the filter.

When the filter is applied, include a database entry when any of it's keywords match "any" of the non-blank keywords listed above.

When the filter is applied, include a database entry only when all of it's keywords match "all" of the non-blank keywords listed above; keyword order doesn't matter.

A list of the categories you've defined and the folders with which you've associated them. To assign a default category, check the box to the left of it.

Add a new category and assign a folder to it.

Delete or remove a category without affecting the database entries with which they are associated.

Change the folder associated with a category.

Enter the name of the new category you are adding.

Enter the folder in which you want to store the files you assign to this new category.

Browse your hard drive to select a default folder to associate with the new category.

Displays the folder currently selected as the default folder for the category.

Check the box to the left of the columns you wish to display in Table View.

Configure the order in which columns display in Table View. Highlight a column name, then click [here](#) to move the column higher so it displays further to the left in Table View.

Configure the order in which columns display in Table View. Highlight a column name, then click [here](#) to move the column lower so it displays further to the right in Table View.

Check the box to the left of the file types you want the program to help download and store in its database.

Add a new file type for the program to help download and store in its database.

Delete a file type you no longer want the program to help download and store in its database.

Reset to only handle the 12 "default" file types. Any types you have added will be deleted.

Check the boxes to the left of all the file types listed.

Uncheck the boxes to the left of all the file types listed.

Check the box to the left of the communication protocols you want Download Wonder to work with.

The initial folder name which appears whenever you create a new category.

Browse your hard drive to select a default download folder to initially associate with new categories.

Check this box to automatically save a file to the folder associated with the category you assign to it. Unchecking this box allows you to override the folder in which the file will be saved.

Check this box to create an additional "entry" in the database for the file being downloaded, without saving another "copy" of the file on your hard disk or other storage device.

Replace the current database information when you download a file that's already in the database.

Add an additional database entry when you download a file that's already in the database. Each database entry will point to the same file on your hard disk or other storage location.

Prompt you as to whether you want to replace the current database entry or add an additional entry when you download a file that's already in the database.

Check this box to automatically start Download Wonder when Windows starts.

Check this box to run Download Wonder in the System Tray (near the clock).

To prevent accidentally exiting Download Wonder, check this box to minimize it to the System Tray when you select "Close" or click the "x" in the upper right-hand corner of the program window.

Enter the command line needed to run your external .ZIP viewer program.

Browse your hard drive to locate your external .ZIP viewer.

Enter additional command line options you wish to pass to your external .ZIP viewer when the Download Wonder starts it.

Enter the command line needed to run your external virus scanner program.

Browse your hard drive to locate your external virus scanner program.

Enter additional command line options you wish to pass to your external virus scanner program when the Download Wonder starts it.

Check this box to have the virus scanner automatically scan downloaded files as soon as the download finishes.

Check this box to "save" the proportionally adjusted column widths with your report settings. Regardless of whether or not you check this box, the column widths will be scaled to fit your page.

Check this box prevent this dialog box from displaying again.

Enter the User Name which, when combined with the Password, will grant you access to the current URL or file you wish to download.

Enter the Password which, when combined with the User Name, will grant you access to the current URL or file you wish to download.

The currently assigned Netscape protocol handler for the protocol listed below.

The protocol currently assigned by Netscape to the protocol handler listed above.

A note to explain why this dialog box popped up.

Registering Download Wonder to handle this protocol when using Netscape Navigator will prevent the original application program from doing so.

Searches all of your hard drives for the "missing" file.

Delete the database entry for the file.

Leave the database entry intact, but mark the file as deleted by placing a  in the first column in Table View.

The name of the file which no longer resides in the location specified in the database.

The folder currently being searched for the "missing" file.

Stop the search for the "missing" file.

Continue searching for the "missing" file.

Search for another copy of the file in a different location.

Displays the results of the search for the "missing" file.

Use your current setting for all future "Duplicate Downloads", i.e., don't prompt you again. Setting may be changed in General Preferences dialog box.

Message indicating that a file with the same name already exists in the database.

The **URL** associated with the new host with which you would like Keep-Alive to randomly connect.

Configures Keep-Alive to use the **HTTP** protocol when connecting to hosts. **HTTP** is the preferred protocol to use.

Configures Keep-Alive to use the **FTP** protocol when connecting to hosts.

The protocol with which you want Keep-Alive to randomly connect to hosts.

**Continue** the Paused file download from the point where you left off.

Display additional information related to the error condition encountered.

Real-time display of the % of the file download completed so far, displayed both numerically and graphically.

**Resume** will continue downloading a partially downloaded file from the point of interruption, i.e., "it picks up the download where you left off". **Restart** will start downloading a partially downloaded file from the beginning of the file, i.e., "it starts downloading all over again".

Check this box to **automatically close** your Internet connection when the download finishes. If you are downloading multiple files simultaneously, your Internet connection will close when the last download completes.

This message indicates **whether** or **not** the server from which you are downloading supports resume.

The estimated time remaining until the file download finishes, constantly updated based upon the rate at which your computer receives the file.

The maximum number of times to try to connect to an Internet download site to download a particular file.

The maximum amount of time to try to connect to an Internet download site to download a particular file, before trying again.

The number of times to automatically retry to connect or receive data from an Internet download site after an existing connection fails.

The maximum amount of time to wait to receive data from an Internet download site.

The amount of time to wait before retrying a failed connection or download from an Internet download site.

Check this box if you want Download Wonder to automatically backup its database files. Download Wonder creates 2 backup sets where the most recent backup files have extensions of .db1 and .fp1, while the oldest files have extensions of .db2 and .fp2. The backup files are always located in the folder where database files are stored.

Specify how often you want Download Wonder to automatically backup its database files.

Check this box to allow the user to edit the "Web Site" and "File Link" entry fields. These fields are automatically filled in during a download, so editing them may cause certain functions such as **Go to Web Site** and **Resume Download** to function improperly.

Check this box to assign the "modified" date and time associated with a downloaded file to the date and time it was created, i.e., the Internet date. The "modified" date is the date displayed in Windows Explorer.

Add host **URLs** to which you would like **Keep-Alive** to connect, along with the protocol you want **Keep-Alive** to use.

Reset the entire list of **Keep-Alive** hosts to the list of pre-set hosts. Any hosts you have added will be automatically removed.

Delete host **URLs** to which you would no longer like **Keep-Alive** to connect.

Select this radio button to disable **Keep-Alive**. This will allow your Internet Service Provider to disconnect you during lengthy downloads or after extended periods of inactivity.

Select this radio button to enable **Keep-Alive** during the entire time you're connected to the Internet. This will prevent your Internet Service Provider from disconnecting you during lengthy downloads or after extended periods of Internet inactivity.

Select this radio button to run **Keep-Alive** only while downloading files, instead of during the entire time you're connected to the Internet.

Check this box if either **AOL** or **NetZero** is your Internet Service Provider.

Check this box to enable **Keep-Alive** to prevent your Internet Service Provider from disconnecting you during lengthy downloads or after extended periods of inactivity.

Check this box to run **Keep-Alive** only while downloading files, instead of during the entire time you're connected to the Internet.

Check this box to have **Keep-Alive** simulate random browser activity by connecting to the host **URLs**. If you are using AOL or NetZero, **do not** check this box.

The minimum time interval at which **Keep-Alive** should simulate browser activity.

The maximum time interval at which **Keep-Alive** should simulate browser activity.

The list of hosts to which **Keep-Alive** will randomly connect to simulate browser activity.

The list of hosts to which **Keep-Alive** will randomly connect when AOL is not your Internet Service Provider.

Select this option if you don't use a proxy server or don't want to use your proxy server to connect to the Internet.

Select this option if you wish to use the proxy server settings entered in the **Windows Control Panel**.

Select this option if you wish to use the proxy server settings entered below.

The name or IP address of the proxy server you want to use to access the Internet when using the **HTTP** protocol.

The name or IP address of the proxy server you want to use to access the Internet when using the **FTP** protocol.

The name or IP address of the proxy server you want to use to access the Internet when using the **SOCKS** protocol.

The port number used to communicate with the proxy server when you want to access the Internet using the **HTTP** protocol.

The port number used to communicate with the proxy server when you want to access the Internet using the **FTP** protocol.

The port number used to communicate with the proxy server when you want to access the Internet using the **SOCKS** protocol.

Enter Web addresses that do not need to be accessed through your proxy server, separated by spaces. You may use wildcards here, e.g., **www.for\***, **120.\***, **www.micro\*.\***, etc.

Check this box to create categories to assign to your downloads. You can also do this at any time by accessing the **Categories tab** on the **Preferences** dialog box.

Select the **action**, i.e., **Edit Info**, **Run**, **Open**, etc., to be performed when you double-click on a highlighted entry in **Table View**.

