



 QuarkXPress 4.1 日本語 Updater — 日本語	2
 QuarkXPress 4.1 English Updater — English	13

この ReadMe ファイルには、QuarkXPress™ 4.1 日本語版に関する最新情報を収めてあります。また、QuarkXPress 日本語版のバージョン 4.02 と 4.05 をアップデートする本 Updater についての説明も含まれています。

目次

- **Mac OS 環境でのアップデート方法**
- **Windows 環境でのアップデート方法**
- **本バージョンで解決された問題**
- **互換性について**
- **機能について**
- **マニュアル類の訂正**
- **Quark 連絡先**
- **法律上の注記**

Mac OS 環境でのアップデート方法

- 1 アップデートの前に、現在あなたのハードディスク上にある Quark XPress フォルダをコピーしてください。これによって、万が一アップデートがうまくいかなかった場合も、正しく動作するプログラムを確保しておくことができます。
- 2 ウィルス検出ソフトウェアをオフにします。コンピュータウィルスが心配な方は、インストールの前に CD-ROM またはダウンロードしたファイルをウィルス検出プログラムを使ってチェックすることをお勧めします。アップデートの前にウィルス検出ソフトウェアをオフにしてください。
- 3 機能拡張マネージャを使って、絶対必要なものを除いたシステム機能拡張をオフにします。CD-ROM ドライブへのアクセスに必要な機能拡張やコントロールパネルはオフにしないでください。
- 4 CD-ROM からアップデートを行なうときには、CD-ROM を挿入します（もしコンピュータに CD-ROM ドライブが接続されていなければ、ネットワーク上のドライブに CD-ROM を挿入して、ネットワーク経由で CD-ROM を利用することも可能です）。
- 5 Updater アイコンをダブルクリックします。「アップデートする Quark XPress™ の選択」ダイアログボックスが表示されます。
- 6 アップデートしたいアプリケーションを選択します。
- 7 [開く] ボタンをクリックして、アプリケーションのアップデートを開始します。

TIP Updater は、QuarkXPress フォルダ内の XTensions™ をすべてインストールします。アップデートした後でアップデートされた XTensions ソフトウェアの何本かを使用したくないと考えたときには、「XTensions マネージャー」（「補助」→「XTensions マネージャー」）を使って不要な XTensions をオフにしてください。

TIP Updater が XTensions ソフトウェアを置き換えた場合、古いバージョンのファイルは（アプリケーションフォルダの中の）「Old Items Folder」という名前のフォルダに移動されます。

Windows でのアップデート方法

- 1** アップデートの前に、現在あなたのハードディスク上にある Quark XPress フォルダをコピーしてください。これによって、万が一アップデートがうまくいかなかった場合も、正しく動作するプログラムを確保しておくことができます。
- 2** ウィルス検出ソフトウェアをオフにします。コンピュータウィルスが心配な方は、インストールの前に CD-ROM またはダウンロードしたファイルをウィルス検出プログラムを使ってチェックすることをお勧めします。アップデートの前にウィルス検出ソフトウェアをオフにしてください。
- 3** CD-ROM からアップデートを行なうときには、CD-ROM を挿入します（もしコンピュータに CD-ROM ドライブが接続されていない場合は、ネットワーク上のドライブに CD-ROM を挿入して、ネットワーク経由で CD-ROM を利用することも可能です）。
- 4** “Update.exe” ファイルをダブルクリックします。「アップデートする QuarkXPress™ の選択」ダイアログボックスが表示されます。
- 5** アップデートしたいアプリケーションを選択します。
- 6** [開く] ボタンをクリックして、アプリケーションのアップデートを開始します。

TIP いくつかの QuarkXTensions ソフトウェアと言語ファイルがアップデートされます。これらのアイテムがインストールされている場合、Updater が自動的にそれらをアップデートしたバージョンに置き換えます。

本バージョンで解決された問題

注意 出荷直前に、ここでリストする以外の修正が加えられる場合もあります。最終的なバグの修正情報については、以下の Quark™ 社ウェブサイトをご覧ください：www.quark.com/quarkxpress または www.quark.co.jp

- Kern/Track Editor QuarkXTensions ソフトウェアでは、キャラクタとスペースから構成されるカーニングペアを新規に追加できるようになりました。
- 「印刷」ダイアログボックスの「プリンタフォント」タブでアイテムの複数選択が可能になりました。
- 「EPS ファイルでページ保存」ダイアログボックスで**スプレッド**チェックボックスをオンにして縦組みレイアウトのドキュメントを EPS 保存したときに、指定とは異なるページが保存される問題が解決されました。
- 一行に二カ所以上のルビ指定を含む XPress タグファイルを取り込んだときにクラッシュする問題は解決されました。
- アップルスクリプトで、2 バイトのキャラクタのオフセットを正しく返すようになりました。
- アップルスクリプトでキャラクタのカウントを行なう際、コントロールキャラクタ（リターン、タブ、スペースなど）が正しくカウントされるようになりました。
- 縦組みレイアウト中の日本語約物（点、丸）が表示サイズにより正しく表示されない場合がありますでしたが、その問題は解決されました。
- 半角カタカナの名前が付けられ、EPS ファイル（QuarkXPress、Illustrator、または Photoshop duotone を使って作成されたもの）内に

保存されたカラーが、QuarkXPress 内に画像とともに取り込まれたとき、カラーパレットに追加されるようになりました。

- 「取り消し」コマンドが 1 バイトテキストにも正しく動作するようになりました。
- テキストパスのみを含むドキュメントでメジャーパレットの表示がおかしくなる問題は解決されました。
- ATOK12 の文字パレットを使って入力した文字が化ける問題は解決されました。
- 「使用状況」ダイアログボックスの「フォント」タブ（「補助」メニュー）で**詳細**チェックボックスをオンにしたときに表示されるポストスクリプトフォント情報が正しくなりました。
- 複数のトラップ関係を持つテキストを、グループとして別のトラップ関係に変更することが可能になりました。
- ローカルにドロップキャップスを適用したテキストに対してドロップキャップスが設定されていないスタイルシートを適用したときに段落が消える場合がありますでしたが、その問題は解決されました。
- 「使用状況」ダイアログボックスの「画像」タブ（「補助」メニュー）で「更新」をクリックすると、同一フォルダ内にある全画像が更新されるようになりました。
- 「設定」ダイアログボックス「クリッピング」タブにおける**種類**ポップアップメニューのデフォルトが“埋め込みパス”から“アイテム”に変更されました。これは、アプリケーションが TIFF 画像の埋め込みパスはクリッピングに使用されるものと推定しなくなったためです。しかし、TIFF 画像内のパスがクリッピングパスとして指定されている場合、アプ

リケーションはその画像のデフォルトとして“埋め込みパス”を種類ポップアップメニューに表示します。

- 異なるトラップ関係を持つテキストを編集集中にクラッシュする問題は解決されました。
- 画像ボックスのサイズ変更の際、本バージョンの QuarkXPress からはメジャーパレットの X（左肩の横座標）と Y（左肩の縦座標）を動的に更新するようになりました。
- 「出力ファイルの収集」（「ファイル」メニュー）のドキュメントレポートに、スタイルシートの文字属性と段落設定情報が含まれるようになりました。
- 「使用状況」ダイアログボックス（「補助」→「使用状況」→「画像」タブ）を使って、クリッピングパスを含む画像をクリッピングパスを含む別の画像に置き換えた場合に、古い画像のクリッピングパス情報が残らなくなりました。
- メジャーパレットに表示されるラインの矢印の先端位置は、ラインの始端や終端とは関係なくなり、右向きの矢印が選ばれているか左向きの矢印が選ばれているかによって決定されるようになりました。
- クリッピングパスを持つ画像が取り込まれたとき、そのクリッピングパスは QuarkXPress のスムーズネスフィールドとノイズフィールドのデフォルトである“2 pt”（旧バージョンでは、「アイテム」→「設定」→「クリッピング」タブに表示されたもの）に影響されることがなくなりました。
- OPI（Open Prepress Interface）を使用した場合に、ブラック版で画像がずれたり欠ける問題は解決されました。

- QuarkXPress のドキュメントが Mac OS から Windows または Windows から Mac OS へ移動されたとき、本バージョンからは QuarkXPress がユーロ・キャラクタを正しく認識するようになりました。
- 「印刷」ダイアログボックス（「ファイル」メニュー）のページフィールドに番号に続けてダッシュ（-）を入力した場合、旧バージョンでは「数字または単位が不適當です」という警告メッセージが表示されましたが、本バージョンでは正しくドキュメントの最終ページまでを印刷するようになりました。
- 保存後変更を加えていないドキュメントを印刷した後でそのドキュメントを閉じようとする、旧バージョンでは変更を保存するかどうかを尋ねるメッセージが出ましたが、本バージョンからはそのメッセージがなくなりました。
- 新規ドキュメントを「新規保存」ダイアログボックスで保存する際、**プレビューを含む**チェックボックスがデフォルトでオンになりました。このチェックボックスの状態はドキュメントとともに保存されます。
- バージョン 4.0 の QuarkXPress ドキュメントをバージョン 3.3 フォーマットで保存した後に、「使用状況」ダイアログボックス（「補助」→「使用状況」→「画像」タブ）で画像の状況が**変更**として表示されなくなりました。
- 2000 ページを含むドキュメント内でマスターページへのアクセスが可能になりました。
- 0.5 ポイント幅の垂直ラインを含むページを EPS として保存し、その後その EPS を取り込んだ場合でも、正しく表示／印刷されるようになりました。

- (Mac OS 環境のみ) Mac OS 8.5 以降のシステムでリストパレットをダブルクリックしたときに QuarkXPress がクラッシュする問題は解決されました。
- (Windows 環境のみ) QuarkXPress for Mac OS で作成したドキュメントを QuarkXPress for Windows で開く際に、正しいファイルバージョンが表示されるようになりました。
- (Windows 環境のみ) 旧バージョンでは、ベースラインシフト (「スタイル」メニュー) が適用され QuarkXPress からリッチ・テキスト・フォーマット (RTF) で書き出されたテキストを QuarkXPress (または別アプリケーション) に取り込んだときに不正確なベースラインシフト値になるという不具合がありましたが、この問題は解決されました。
- (Windows 環境のみ) サーバーの NTFS または Novell パーティションに保存されたドキュメントを編集して再保存した後でも、ドキュメントの変更日が正しく表示されるようになりました。
- (Windows 環境のみ) 新規ドキュメントを作成して閉じた後で、「ダッシュ&ストライプ」ダイアログボックス (「編集」メニュー) から出ると QuarkXPress がクラッシュする場合がありますが、本バージョンではこの問題は解決されています。
- (Windows 環境のみ) リッチ・テキスト・フォーマット (RTF) のファイルを取り込んだときに段落書式が失われる不具合は解決されました。
- (Windows 環境のみ) テキストボックスがいくつか重なっているときに、最背面にあるバックグラウンドが透明なテキストボックスを選択しても、正しくリドローが行なわれるようになりました。
- (Windows 環境のみ) Novell ネットワークに保存する際、ドキュメントをバージョン 4.0 フォーマットで保存し直しても「アクセスが拒否されました」というエラーが出なくなりました。
- (Mac OS 環境のみ) 「開く」ダイアログボックス (「ファイル」メニュー) で [キャンセル] をクリックしてからそのドキュメントを保存しようとしても、「要求されるボリュームまたはフォルダが見つかりません」というエラーメッセージは出なくなりました。
- (Windows 環境のみ) クリップングの種類として白以外の領域を使用した TIFF (「アイテム」→「設定」→「クリッピング」タブ) が EPS に更新された (「補助」→「使用状況」→「画像」タブ) ときに、クラッシュする問題は解決されました。
- (Windows 環境のみ) ページポップアップメニュードキュメントウィンドウ左下で漢数字のページ番号が文字が正しく表示されるようになりました。

互換性について

ATM (Adobe Type Manage) と CID フォント

日本語 ATM がアクティブな場合、特定の CID Type1 フォントを使用するとクラッシュすることがあります。とくに、文字が回転、傾斜、または変形されたときにこの問題が頻繁に起こります。Mac OS 環境では、ATM 4.5.1 にアップデートすることによってこの問題を回避できます。ATM 4.5.1 は、Adobe 社のウェブサイト www.adobe.com でダウンロードできます。

日本語フォントのマトリックス変更 (Mac OS 8.6 のみ)

Apple 日本語フォントの文字の高さが、Mac OS 8.5x と Mac OS 8.6 では異なります。このため、ドキュメントやメニューに表示されるテキストで問題が起こったり、テキストの編集や印刷時に問題が生じることがあります。この問題を解決するためには、Apple 社のウェブサイト asu.info.apple.com から Font Manager Updater 機能拡張をダウンロードしてインストールしてください。

検索開始 (Mac OS 環境のみ)

プリントサーバーによっては、[検索開始] ボタン (「ファイル」 → 「印刷」 → 「プリンタフォント」タブ) が正しく動作しないことがあります。

機能について

本バージョンから、ネットワークハードウェアキーの利用が可能になりました。このテクノロジーを利用すると、Multi-Pak と Lab-Pak ユーザーの方は個々のコンピュータにハードウェアキーを接続しなくても Quark XPress 4.1 日本語版を起動できるようになります。ネットワークハードウェアキーのテクノロジーは、Windows 95、Windows 98、Windows NT、ならびに Mac OS 環境でお使いいただけます。

Multi-Pak または Lab-Pak のユーザーでネットワークハードウェアキーについての詳細情報が必要な方は、Quark の現地オフィスにお問い合わせください（「Quark 連絡先」のページ参照）。

フォント置換について

QuarkXPress 4.05 日本語版の「フォント置換」ダイアログボックス（「補助」→「使用状況」→「フォント」タブ→〔置換〕ボタン）に、標準、ボールド、イタリックのボタンが追加されました。現在のフォントフィールドで選択したフォントを、置換フォントフィールドで選択したフォントの標準、ボールド、またはイタリックバージョンに置き換えるには、対応するボタンをクリックしてから〔OK〕をクリックします。ボールドとイタリックボタンを同時に選択することも可能です。

マニュアル類の訂正

- QuarkXPress ガイドマニュアルでは、画像の拡大／縮小率が 0% から 1000% と書かれていますが、正しくは 10% から 1000% です。
- QuarkXPress ガイドマニュアルでは、**オフスクリーンで描画**チェックボックス（「アプリケーション環境設定」ダイアログボックス「ディスプレイ」タブ）のデフォルトがオフだと書かれていますが、正しくはオンです。
- QuarkXPress ガイドマニュアルでは、ジャンプライン（ストーリーをあるページから別のページへ飛ばすときの、「××へ続く」とか「××ページから続く」といったテキスト）を作るときには、参照されるテキストボックスとジャンプラインが入ったテキストボックスがグループ化されていないと説明されていますが、ジャンプラインを含むテキストボックスが参照するテキストボックスに接しているだけでも問題ありません。
- QuarkXPress ガイドマニュアルでは、カラーとシェードの値はカラー画像のシャドウとミドルトーンに適用できると書かれていますが、カラーとシェードの値は白黒およびグレイスケール画像にのみ適用可能です。
- (Windows 95/95/NT 環境のみ) QuarkXPress ガイドマニュアルでは、QuarkXPress 4.0 が CGM ファイルと HPGL ファイルを取り込めると書いてありますが、これらのファイルのフィルタは QuarkXPress 4.0 以降のバージョンには含まれていません。

Quark 連絡先

日本国内から

QuarkXPress に関するテクニカルサポートは、クォークテクニカルサポート（電話：03-3476-9440）にお問い合わせください。受付時間は土日祝日をのぞく平日の午前9時から午後5時です。

製品およびテクニカルサポートの情報は、Quark 社のウェブサイト www.quark.co.jp をご覧ください。

米国内から

有償テクニカルサポートをお申し込みになっている方、またはテクニカルサポートプランのご購入を希望される方は、(303) 894-8899 の Quark テクニカルサポートに電話してください。受け付け時間は山地標準時で午前7時から午後6時までです。テクニカルサポートに関する追加情報は QuarkXPress CD-ROM のテクニカルサポートドキュメントをお読みください。

英文電子メールでのサポートは MacTech@quark.com または WinTech@quark.com で行なっています。

製品およびテクニカルサポートの情報は、Quark 社のウェブサイト www.quark.com をご覧ください。

その他の国から

有償テクニカルサポートをお申し込みになっている方、またはテクニカルサポートプランのご購入を希望される方は、Quark の現地オフィスか総販売代理店までご連絡ください。

Quark オフィスと Quark 社の総販売代理店のリストは、QuarkXPress CD-ROM のテクニカルサポートドキュメントをご覧ください。

Quark オフィスおよび総販売代理店の最新の住所と電話番号は、Quark のウェブサイト www.quark.co.uk をご覧ください。

製品およびテクニカルサポートの情報は、Quark 社のウェブサイト www.quark.co.uk をご覧ください。

英文電子メールでのサポートは techsupport@uk.quark.ch または MacTech@quark.com または WinTech@quark.com で行なっています。

法律上の注記

©1986-1999 by Quark Technology Partnership. All rights reserved.

このドキュメントに含まれる情報を、あらかじめ Quark Technology Partnership またはそのライセンシーである Quark, Inc. の書面による許可なく、紙媒体によってであれ電子媒体によってであれ、変更、配布、配信することを固く禁じます。

Quark、QuarkXPress、QuarkXTensions および XTensions は、米国ならびに各国で登録された Quark, Inc. と Quark 関連会社の商標です (Reg. U.S. Pat. & Tm. Off.)。Quark ロゴは、Quark, Inc. と Quark 関連会社の商標です。その他の商標はそれを保持する各社に帰属します。

カラーデータは大日本インキ化学工業株式会社のライセンスを受けて制作されました。

その他の商標はそれを保持する各社に帰属します。

This ReadMe contains last-minute information about QuarkXPress™ 4.1 Japanese. It also contains instructions for this Updater, which will update copies of QuarkXPress Japanese versions 4.02 and 4.05.

Topics

- **Update Instructions for Mac OS**
- **Update Instructions for Windows**
- **Problems Resolved in This Version**
- **Compatibility Issues**
- **Feature Information**
- **Documentation Errata**
- **Contacting Quark**
- **Legal Notices**

Update Instructions for Mac OS

- 1** Before updating, make a copy of the QuarkXPress folder currently on your hard drive. This ensures that you will have a working copy if the update is unsuccessful.
- 2** Disable any virus protection software before updating. If you are concerned about a virus infecting your computer, we recommend that you first run a virus check on the CD-ROM or the downloaded files. Then disable your virus detection before updating.
- 3** Use an extensions manager to disable non-essential system extensions. Do not disable system extensions or control panels required for accessing the CD-ROM drive.
- 4** If you are updating from a CD-ROM, insert the CD-ROM. (If your computer does not have a CD-ROM drive, you may use a networked CD-ROM drive and mount that drive over the network.)
- 5** Double-click the Updater icon. The **Select QuarkXPress™ to Update** dialog box displays.
- 6** Locate and select the copy of the application you want to update.
- 7** Click **Open** to update the application.

TIP The Updater installs XTensions™ in the “XTension” folder within the QuarkXPress application folder. If, after updating, you decide you do not want to use some of these XTensions, you can disable them with the XTensions Manager (**Utilities** → **XTensions Manager**).

TIP If the Updater replaces any QuarkXTensions™ software, it places the older versions of these files in a folder named “Old Items Folder” (in the application folder).

Update Instructions for Windows

- 1** Before updating, make a copy of the QuarkXPress folder currently on your hard drive. This ensures that you will have a working copy if the update is unsuccessful.
 - 2** Disable any virus protection software before updating. If you are concerned about a virus infecting your computer, we recommend that you first run a virus check on the CD-ROM or the downloaded files. Then disable your virus detection before updating.
 - 3** If you are updating from a CD-ROM, insert the CD-ROM. If your computer does not have a CD-ROM drive, you may use a networked CD-ROM drive and mount that drive over the network.
 - 4** Double-click the “Update.exe” file. The **Select QuarkXPress™ Drive & Directory** dialog box displays.
 - 5** Locate and select the copy of the application you want to update.
 - 6** Click **Update** to update the application.
- TIP** Some QuarkXTensions software and language files have been updated. If you have any of these items installed, the Updater will automatically replace them with updated versions.

Problems Resolved in This Version

NOTE Additional fixes may have been included at the last minute. For complete information on fixes contained in this version and for fixes incorporated from the 4.05 Updater, visit the Quark™ Web site at www.quark.com/quarkxpress or www.quark.co.jp.

- The Kern-Track Editor QuarkXTensions software now accepts new kerning pairs consisting of a character and a space.
- Items in the **Print** dialog box **Printer Fonts** tab can now be multiple-selected.
- Saving a vertical layout document as EPS with **Spread** checked no longer results in the wrong pages being saved.
- Importing an XPress Tags file that contains more than two rubi in a row no longer causes a crash.
- AppleScript now correctly returns the offset of 2-byte characters.
- AppleScript now counts control characters (return, tab, space, etc.) when counting characters.
- Japanese punctuation (tenmaru) now displays and prints correctly in vertical layout when character scaling is applied.
- Colors named with 1-byte katakana and saved in an EPS file (either from QuarkXPress, Illustrator, or a Photoshop duotone) are now added to the **Colors** palette when the picture is imported into QuarkXPress.

- The **Undo** command now works correctly with 1-byte text.
- **Measurements** palette display has been corrected for documents that only contain text on a path.
- Incorrect characters are no longer entered using the **Moji** palette in ATOK12.
- The correct Kanji characters now display in the **Page** pop-up menu.
- The **More Information** area of the **Usage** dialog box **Fonts** tab (**Utilities** menu) now displays information about PostScript fonts correctly.
- Text with multiple trap relationships can now be changed as a group to any other trap relationship.
- Applying a non-drop cap style to a paragraph with local drop cap formatting no longer causes the paragraph to disappear.
- Clicking **Update** in the **Usage** dialog box **Pictures** tab (**Utilities** menu) now updates all images located within the same folder.
- TIFFs with embedded paths now default to **Item** in the **Type** pop-up menu of the **Modify** dialog box **Clipping** tab, as the application no longer assumes embedded paths in TIFF images are to be used for clipping. However, if a path within a TIFF image is designated as a clipping path, the application will default to **Embedded Path** for that image.
- QuarkXPress no longer crashes when editing text with different trap relationships.

- QuarkXPress now dynamically updates the X and Y coordinates in the **Measurements** palette when resizing a picture box.
- **Collect for Output** (**File** menu) now includes Style Sheet Characters and Formats in the Document Report.
- When a picture containing a clipping path is replaced via **Usage** (**Utilities** → **Usage** → **Pictures** tab) with a new picture that also contains a clipping path, the old picture's clipping path information is no longer retained.
- The placement of a line arrowhead, as shown in the **Measurements** palette, is no longer dependent on where the line starts and ends, but rather whether the right arrowhead or left arrowhead is chosen.
- When an image with a clipping path is imported, the clipping path is no longer subject to the QuarkXPress **Smoothness** and **Noise** default of 2 points (formerly displayed in **Item** → **Modify** → **Clipping** tab).
- When using Open Prepress Interface (OPI), clipping and displacement of images on the black plate has been fixed.
- QuarkXPress now correctly recognizes the Euro character when a QuarkXPress document is moved from Mac OS to Windows, or vice versa.
- When entering a number followed by a dash (-) in the **Pages** field of the **Print** dialog box (**File** menu), QuarkXPress now prints to the end of the document instead of displaying the message, "Improper number or measurement."
- QuarkXPress no longer prompts for the document to be saved after it has been printed but not edited.
- For new documents, the **Include Preview** checkbox in the **Save As** dialog box is checked by default. The state of this checkbox is saved with the document.
- Pictures no longer display a status of **Modified** in the **Usage** dialog box (**Utilities** → **Usage** → **Pictures** tab) after saving a version 4.0 document as a version 3.3 document.
- You can now access a Master Page in documents containing 2,000 pages.
- Pages containing .5 point vertical lines that are saved as an EPS and then reimported now display and print correctly.
- (Mac OS only) High resolution, LZW compressed TIFFs now display and print correctly.
- (Mac OS only) QuarkXPress no longer crashes under Mac OS 8.5 or later when double-clicking the **Lists** palette.
- (Windows only) When opening a document created in QuarkXPress for Mac OS in QuarkXPress for Windows, the correct file version is now recognized.
- (Windows only) Text that has an applied Baseline Shift (**Style** menu) that was exported from QuarkXPress as Rich Text Format (RTF) no longer imports into QuarkXPress (or other applications) with an incorrect Baseline Shift amount.

- (Windows only) Modification dates are now displayed properly after you edit and re-save a document that has been saved to an NTFS or Novell partition on a server.
- (Windows only) After a new document is created and closed, QuarkXPress no longer crashes when exiting the **Dashes & Stripes** dialog box (**Edit** menu).
- (Windows only) Imported Rich Text Format (RTF) files no longer lose paragraph formats.
- (Windows only) When selecting the bottom text box in a stack of text boxes that contain a background color of **None**, QuarkXPress now redraws correctly.
- (Windows only) Re-saving a document in version 4.0 format no longer generates the “Access Denied” error when saving to a Novell network.
- (Mac OS only) The erroneous message “Can’t find required volume or folder” no longer displays after you click **Cancel** in the **Open** dialog box (**File** menu) and then attempt to save the current document.
- (Windows only) The application no longer crashes when a TIFF using **Non-White Areas** clipping (**Item** → **Modify** → **Clipping** tab) is updated to an EPS (**Utilities** → **Usage** → **Pictures** tab).

Compatibility Issues

Adobe Type Manager (ATM) and CID fonts

A crash can occur when using certain CID Type 1 fonts while ATM is active. This occurs most frequently when characters are rotated, skewed, or scaled. On Mac OS, this can be fixed by updating to ATM 4.5.1, which you can download from the Adobe Web site at www.adobe.com.

Japanese font metrics changes (Mac OS 8.6 only)

The height of characters in Apple's Japanese fonts is different in Mac OS 8.6 than it was in Mac OS 8.5x. This can cause problems displaying text in documents and menus, and editing or printing text. To resolve this problem, download and install the Font Manager Updater extension from the Apple Web site at asu.info.apple.com.

Scan Now (Mac OS only)

The Scan Now button (File -> Print -> Printer Fonts tab) does not work correctly with some print servers.

Feature Information

Network Hardware Key Technology

A network hardware key is now available. This technology allows Multi-Pak and Lab-Pak users to run QuarkXPress 4.1 Japanese without an individual hardware key on each computer. The network hardware key technology is currently designed to run on Windows 95, Windows 98, Windows NT, and Mac OS.

If you are a Multi-Pak or Lab-Pak user and need more information about the network hardware key technology, contact your local Quark office or Quark Full Service Distributor (see the "Contacting Quark" section of this document).

Replace Font

Plain, bold, and italic buttons were added to the **Replace Font** dialog box in QuarkXPress 4.05 Japanese (**Utilities** → **Usage** → **Fonts** tab → **Replace** button). To replace the font or fonts selected in the **Current Font** field list with a plain, bold, or italic version of the font selected in the **Replacement Font** field, click the appropriate button before clicking **OK**. You can simultaneously select the bold and italic buttons.

Documentation Errata

- *A Guide to QuarkXPress* incorrectly states that the picture scale range is 0% to 1000%. The picture scale range should be listed as 10% to 1000%.
- *A Guide to QuarkXPress* incorrectly states the default for **Off-screen Draw** is unchecked (**Application Preferences** dialog box **Display** tab). The default setting for **Off-screen Draw** is checked.
- *A Guide to QuarkXPress* incorrectly states that jump lines must be placed in text boxes that are grouped with the text box they reference. Text boxes containing jump lines only need to touch the text box they reference.
- *A Guide to QuarkXPress* incorrectly states that color and shade values can be applied to shadows and middle tones of color pictures. Color and shade values can be applied to black-and-white and grayscale pictures.
- (Windows 95/98/NT only) *A Guide to QuarkXPress* incorrectly states that QuarkXPress 4.0 can import CGM files and HPGL files. These filters were not updated for use with QuarkXPress 4.0 or later and QuarkXPress Passport 4.0 or later.

Contacting Quark

In Japan

For technical support of QuarkXPress in Japan, contact Quark Technical Support at 03-3476-9440 between the hours of 9:00 a.m. and 5:00 p.m.

For product and technical support information, visit the Quark Web site at www.quark.co.jp.

In the Americas

If you are under a technical support plan, or want to purchase a technical support plan, contact Quark Technical Support at 303.894.8899 between the hours of 7:00 a.m. and 6:00 p.m. Mountain Time. For additional information on technical support, see the technical support file on your QuarkXPress CD-ROM.

For e-mail support of QuarkXPress, send a message to MacTech@quark.com or WinTech@quark.com.

For product and technical support information, visit the Quark Web site at www.quark.com.

All Other Countries

If you are under a technical support plan, or want to purchase a technical support plan, contact your local Quark office or Quark Full Service Distributor.

For a list of Quark Offices and Quark Full Service Distributors, see the technical support file on your QuarkXPress CD-ROM.

For the most current list of Quark offices and Quark Full Service Distributors, click the “Contact Quark” link on the Quark Web site at www.quark.co.uk.

For product and technical support information, visit the Quark Web site at www.quark.co.uk.

For e-mail support of QuarkXPress, send a message to tech-support@uk.quark.ch or to MacTech@quark.com or WinTech@quark.com.

Legal Notices

©1986–1999 Quark Technology Partnership. All rights reserved.

The information in this document may not be modified, distributed, or disseminated in paper or electronic form without prior written consent of Quark Technology Partnership or its licensee, Quark, Inc.

Quark, QuarkXPress, QuarkXTensions, and XTensions are trademarks of Quark, Inc. and all applicable affiliated companies, Reg. U.S. Pat. & Tm. Off. and in many other countries. The Quark logo is a trademark of Quark, Inc. and all applicable affiliated companies.

Color Data is produced under license from Dainippon Ink and Chemicals, Inc.

All other trademarks are the properties of their respective owners.