

FOR SYSTEM ADMINISTRATORS:

Auto Attach for Windows allows the feature for saving passwords in the session file. This feature is activated by default. If you have no intention of allowing passwords to be saved, remove the following section from the ATTACHW.CFG file:

```
[ALLOW PASSWORDS]
BY DEFAULT=YES
;servername=YES|NO
```

Please contact NSNL, Inc. for information regarding the password exclude version, whereby the previous block of information will not override the password exclusion feature.

To deactivate (but not permanently remove) this feature globally, set BY DEFAULT=NO. You can set specific servers to accept or not accept passwords to be saved by typing the server name followed by yes for allow password saving or no for do not allow password saving.

For example, the following section sets password saving to deactivated, but allows passwords to be saved for the server UDWASH:

```
[ALLOW PASSWORDS]
BY DEFAULT=NO
UDWASH=YES
```

The following sample section sets password saving to activated, but does not allow passwords to be saved for the server ULWASH:

```
[ALLOW PASSWORDS]
BY DEFAULT=YES
ULWASH=NO
```

Passwords are saved under the [LOGIN DEFAULTS] section of the session file. For example, the following section shows how passwords are saved:

```
[LOGIN DEFAULTS]
UDWASH=SMITHJ PASSWORD
```

Passwords are "garbled" when saved to the session file to prevent casual or accidental discovery.

NOTE: Auto Attach for Windows will only "garble" saved passwords, it does not in any way encrypt passwords. NSNL, Inc. assumes no liability of any kind, expressed or implied, with regards to this feature.