

```

ROOT          dummy9      )
              dummy6      odummy7      +var-(

ROOTMENU Plot_search Under_relaxatiNewton's View Repeat
Search methodUnder relaxaticNewton's methView the graphRepeat the sam
{ESC 5} {wind{ESC 5} {WIN{ESC 5} {WIN{ESC 5} {if fla{ESC 5} {wind
{WINDOWSCO{menubbranch r{menubbranch r{menubbranch r{if flag4=2} {w
{menubbranch rootmenu} {menubbranch r

page Down Up Next Previous Graph
Move one cell Move one cell Next page Previous page View graph
{down} {up} {pgdn}~ {pgup}~ {ESC 5} {ERR
{menubbranch p{menubbranch p{menubbranch p{menubbranch p{menubbranch p

graf1 {ESC 5} {err1} {windowsoff} {esc 3} /reex1..ey8192~{goto}ew1~/grgofgl{
oTXVariable~TYFunction~TFFunction vs. Variable~ss
25
~
{esc}v{esc 3} {left} {windowson} {return}

SUCC {ESC 5} {WINDOWSOFF} {ERR1} /REEV1..EX20~
succ2 {ESC 5} {err1} {let ev3,"Function - "} {let ev8,Input2}~{goto}ev1~{hiding
{if ex3=""} {ESC 5} {branch succ4}
{if dummy6=1} {goto}ex4~{let ev8,Input3}~{LET EV4,"Derivative - "}~{
{if dummy6=1#and#ex4=""} {windowsoff} {paneloff} {unhiding} {branch s
{if dummy6=1} {LET EV8,""}~{WINDOWSOFF} {PANELOFF} {unhidir
{windowson} {let ev3,"Function - "} {let ev6,"Accuracy - "} {let ev8,"Initia
succ1 {ESC 5} {err1} {goto}ex6~{let eX12,0} {getnumber "Accuracy - ",dummy}
{goto}ex8~{getnumber "Initial value - ",dummy}~{if @string(dummy,0)<
{let var,ex8} {calc} {goto}ex10~{getnumber "Max. No. of iterations - ",dur
{if dummy6=0} {let ev14,"Relaxation factor (0<C<1)) - "}~{goto}ex14~{g
{if dummy6=1#and#ex6=""#and#ex8=""} {branch succ4}
{if dummy6=1#and#(ex6=""#or#ex8=""}) {branch succ1}
{if dummy6=0#and#ex6=""#and#ex8=""#and#ex14=""} {branch succ4}
{if dummy6=0#and#(ex6=""#or#ex8=""#or#ex14=""}) {branch succ1}
{goto}warn1~{windowson} {windowsoff}
{LET Ex12,Ex12+1}

```

```
{if @abs(var/Ev1-1)>Ex6#and#ex12<=ex10#and#dummy6=0} {let var,(1-1  
{if @abs(var/Ev1-1)>Ex6#and#ex12<=ex10#and#dummy6=1} {let var,ev1  
{let out,ev1} {goto}ev1~{windowson} {return}
```

dummy8 )/(

Edit Help

Edit the function on line help

```
{ESC 5} {IF D} {ESC 5} {err1} {mark} {windowsoff} {GOTO} HEP8~/REIV1..IV3000~/FIT {ESC  
{IF DUMMY6}{goback} {windowson} {menubrand rootmenu}  
{succ2} {menubrand rootmenu}
```

Save\_graph Help

Save graph as :On line help

```
{ESC 5} {err1} {ESC 5} {err1} {mark} {windowsoff} {GOTO} HEP8~/REIV1..IV3000~/FIT {ESC  
/GS {esc} {goback} {windowson} {menubrand rootmenu}
```

ggg

~rq {ESC 5} {menubrand page}

esc} {esc} tlx. {end} {down} ~a {left}. {end} {down} ~

```
1} {WINDOWSON} {goto} ex3~{PANELON} {EDIT} {?}~{ESC 5} {LET ev8,""}~{windowsoff
```

```
[HIDING2} {WINDOWSON} {PANELON} {let ew1,1} {EDIT} {?}~{ESC 5} {windowsoff} {pan  
ucc4}
```

```
ig2} {EDIT} {HOME}'~{let ev1,dummy7&ex3&dummy8&ex4&dummy9} {goto} ev1~{edit} {ho  
l value - "} {let ev10,"Max. iterations"} {let ev12,"Number of iterations - "}~{IF DUMMY6=0} {  
~{if @string(dummy,0)<>""} {let ex6,dummy}
```

```
>""} {let ex8,dummy}~
```

```
nmy}~{if @string(dummy,0)<>""} {let ex10,dummy}~
```

```
;etnumber "Relaxation factor (0<C<1) - ",dummy}~{if @string(dummy,0)<>""} {let ex14,dumm
```

EX14)\*ev1+EX14\*var}~{calc} {branch act}  
}~{calc} {branch act}

2}HELP8~{goto}hep8~{WINDOWSON} {menucall helpp}

2}HELP8~{goto}hep8a~{WINDOWSON} {menucall helpp}

{paneloff} {unhiding1} {EDIT} {HOME}'~/m~ex3~{esc 3}/cex3~ev1~

eloff}/m~ex4~

me} {del}~

GOTO}EV1~{EDIT} {HOME} {DEL}~

y}~