

- *---A MACRO MANAGER to activate any *.MLB library macro in the default directory
- *---Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Y name)
- *---Place the cell pointer at upper left cell of the range to be processed
- *---Hold the <ALT> key and press <Y> to activate the macro
 - *** See the README.PRN file for details ***
 - *** FOR VERSION 2.2/2.3/2.4 ***

```

!
\Y          {BREAKON}
SMALLMLB   {RESTART}{BRANCH SMALLNGR@248}
!
TRASH@248
!
ERRA@248   {onerror ERRB@248}
!
ERRB@248   {beep}INVALID MACRO NAME! PRESS ANY KEY TO CONTINUE
!
REMOVE@248 {IF @CELLPOINTER("TYPE")="b"}{GOTO}\Y~{left}{UP 10}
!          {windowson}{IF @CELLPOINTER("CONTENTS")="!"}{DOWN 10}
!          {LET RNGNAM1@248,@CELLPOINTER("CONTENTS")}~/rn
RNGNAM1@248 EXECUTE3@248
!          ~{DOWN}
!          {IF @CELLPOINTER("TYPE")="B"}{GOTO}\Y~{left}{UP 10}
!          {branch REMOVE@248}
!
SMALLNGR@248 {WINDOWSOFF}{PANELOFF}{LET BACK#1248,@CELLPOINTER("CONTENTS")}
!
BACK#248    {GOTO}
BACK#1248   $$S11
!          ~
!
RANGERASE@248 {WINDOWSOFF}{PANELOFF}{GOTO}EXECUTE3@248~{LEFT 10}
!          {BACK#248}
!
MENU#1248   Default-dir   Macro_run   Runkey           View
!          Set the default diShort cut to runExecute any routineView the macro
!          {WINDOWSON{MACRORUN{RUNKEY#1248} {goto}EXECUTE3@248}
!          {menubrand M{RESTART} }{menubrand MENU#1248}

```

```

!
ERR#1248      {ONERROR WARNING@248}
!
WARNING@248   {BEEP} {GETLABEL "MISSING FILE or FILE ALREADY IN M
!
FILENAME@248  dddd
!
DESCRIC@248   z1
!
RUNKEY#1248   {ERRA@248} {let BACK#1248,@cellpointer("address")}~{WINI
!
              {if KEYW@248="~"} {branch HHH#1248}
!
              {KEYW@248} {?}~{branch HHH#1248}
!
HHH#1248      ~{let ROUTIN#1248,@cellpointer("address")}~{BACK#248} {dis
!
ROUTIN#1248   $B$29
!
KEYW@248      E
!
VIEW1@248     Use ARROWS to move or <E>xecute or Press <RETURN> to fini
!
              {if KEYW@248="{right}"#or#KEYW@248="{left}"#or#KEYW
!
              {if @UPPER(KEYW@248)="E"} {MACRORUNE@248} {ONER
!
              {RANGERASE@248} {BACK#248} {windowson} {branch \y}
!
MACRORUNE@248 {windowsoff} {ERR#1248} {GOTO}EXECUTE3@248~{L} {D 12
!
              {ONERROR AGA@248} {ERR#1248}
!
              {BRANCH AGA@248}
!
MACRORUN@248  {windowsoff} {ERR#1248} {GOTO}NUM@248~/FCC{windowssc
!
              {ONERROR AGA@248}
AGA@248       {if @ISAPP("MACROMGR.ADM")=0}/AAMACROMGR~~Q
!
              {onerror WARNING@248}/ADMACROMGR~AMACROMGR~
NUM@248       NEGATIVE
!
              ~{ESC 3}Q{ESC}
BRNCH@248     {WINDOWSON}{PANELON}{NEGATIVE}{PANELOFF}{RETURN}
!
REMOVE1@248   {PANELOFF}/AIMACROMGR~R
REMOVEA@248   NEGATIVE
!
              ~{PANELON} {BRANCH \Y}
!

```

EXECUTE3@248

!

INUE ...{GET KEYW@248}{ESC}{BACK#248}{BRANCH \Y}}

/RND\Y~/RNDTRASH@248~/RNDERRA@248~/RNDERRB@248~/RNDREMO
N}{branch REMOVE@248}
d

/RND\Y~/RNDTRASH@248~/RNDERRA@248~/RNDERRB@248~/RNDREMO

INTER("ADDRESS"))~{RANGERASE@248}{MENUBRANCH MENU#1248}{B

EFT){DOWN 2}{IF @CELLPOINTER("TYPE")<>"B"){WINDOWSOFF}{PANE

List Erase_mgr Quit
Display names Remove the m:Quit the macro manager
/FLO{WINDO{goto}SMALL{Quit}
{menubrand MENU#1248}

MEMORY , Press <ENTER> to continue",TRASH@248}~{branch \Y}

DOWSOFF}{PANELOFF}{goto}{name}{WINDOWSON}{name}{get KEYW@24

patch ROUTIN#1248}~

sh {get KEYW@248}{ESC}
@248="{up}"#or#KEYW@248="{down}"#or#KEYW@248="{pgdn}"#or#KEYW
ROR REMOVE1@248}/FCCE@#@#@#~{restart}{branch \y}

}/C~NUM@248~/C~REMOVEA@248~{RANGERASE@248}{BACK#248}{RE

n}{panelon}NA11..A11~{NAME}{?}~{PANELOFF}/C~REMOVEA@248~{BA

~IMACROMGR~L

VE@248~/RNDRNGNAM1@248~/RNC!~/RND!~/RNDSMALLMLB~/RE.{END}{DOW

VE@248~/RNDRNGNAM1@248~/RE.{END}{DOWN}{RIGHT 7}~{QUIT}

!RANCH \Y}

!LOFF}/RE{END}{DOWN}{RIGHT 8}~

48} {if KEYW@248="{esc}" } {esc 8} {BACK#248} {branch \y}

@248="{pgup}" } {KEYW@248} {branch VIEW1@248}

∩ALC BRNCH@248}

∩K#248} {RECALC BRNCH@248} {WINDOWSOFF}

{N} {RIGHT 7}~{QUIT}