

Sheet1

PRG,C,10	VAR,C,10	HELPMEMO,M
1CHK_FIRST	M[1][7]	
1CORRECT	M[1][1]	
1DUPELAST	M[1][2]	
1LTRTEST	M[1][1]	
1NAM_DELE	INKEY	
1NAM_SRCH	M[1][1]	
1PCOMPRESS	INKEY	
1P_DEFAULT	M[1][1]	
1P_TYMARK	M[1][10]	
1SETPRN	M[1][1]	
1TEST_LBL	M[1][1]	
1VALCODE	M[1][3]	
1VALCODE	M[2][3]	
1V_AFTER	INKEY	
1V_BEFORE	INKEY	
2CODE_SRCH	M[1][1]	
2DUPELAST	M[1][1]	
2NAM_SRCH	M[1][1]	
2NAM_SRCH	M[1][2]	
2TEST_LBL	M[1][1]	
3NAM_SRCH	M[1][1]	
4NAM_SRCH	M[1][1]	
BCODE_ADD	ARRAY[2]	
BCODE_ADD	ARRAY[3]	
BROWSE_WINCODES_CAT		
BROWSE_WINCODES_CTP		
BROWSE_WINCODES_SRC		
BROWSE_WINCODES_STT		
BROWSE_WINLETTERS		
BROWSE_WINDUPEMASTNM		
CHEKLCODE	ALREADY	
CHEKLNAME	ALREADY	
ERRPRINT	LOGIC	
GETMEMO	LTREDIT	
GIFT_ADD	ARRAY[2]	
GIFT_ADD	ARRAY[3]	
GIFT_ADD	ARRAY[4]	
GIFT_ADD	ARRAY[6]	
LETTERS	CHOICE	
LTRADD	CLOGIC	
LTRADD	ETOP	
LTRADD	MLEFTMARG	
LTRADD	MRIGHTMARG	
LTRADD	NEWCODE	
LTRADD	NEWNAME	
LTRDELETE	RESERVED	
LTRSRCH	MSEARCH	
LTRSRCH	SRCHHOW	

Sheet1

MAIN	CHOICE
NAMES	CHOICE
NAM_ADD	ARRAY[10]
NAM_ADD	ARRAY[11]
NAM_ADD	ARRAY[12]
NAM_ADD	ARRAY[13]
NAM_ADD	ARRAY[14]
NAM_ADD	ARRAY[15]
NAM_ADD	ARRAY[2]
NAM_ADD	ARRAY[3]
NAM_ADD	ARRAY[4]
NAM_ADD	ARRAY[5]
NAM_ADD	ARRAY[6]
NAM_ADD	ARRAY[7]
NAM_ADD	ARRAY[8]
NAM_ADD	ARRAY[9]
NOTEMPTY	EMPTY
PRINTMENU	CHOICE
P_APP_LBL	LCONTINUE
P_APP_LTR	CLTRCODE
P_CODES	LOGIC
P_CODES	NEWPAGE
P_DEFAULTS	DEF_BEG
P_DEFAULTS	DEF_CAT
P_DEFAULTS	DEF_CC
P_DEFAULTS	DEF_END
P_DEFAULTS	DEF_GHI
P_DEFAULTS	DEF_GLO
P_DEFAULTS	NONAMES
P_DEFAULTS	SOMENAMES
P_DEPOSIT	MBEG
P_DEPOSIT	MEND
P_NAMES	MTYPE
P_TYLBL	NONE
P_TYLTR	LCONTINUE
P_TYLTR	NONE
P_TYLTR	PAUSE
REGISTER	CHOICE
VALCODE	NOWILDCAR
VALLEFT	ATLEAST
VALRIGHT	GREATER
VAL_LEFT	LEFTGTRITE
VCODE_ID	CODEFOUND
4NAM_SRCH	M[1][2]
4NAM_SRCH	M[1][3]
P_DEFAULTS	DEF_SRC
R_PRINT	REGNAME
1CHK_S_CIT	M[2][2]
1P_SELECT	M[1][1]

2P_DEFAULT M[1][1]
 2P_SELECT M[1][3]
 3P_SELECT M[1][3]
 3P_SELECT M[1][8]
 3P_SELECT M[1][9]
 3P_SELECT M[1][10]
 3P_SELECT M[1][11]
 3P_SELECT M[1][12]
 4P_SELECT M[1][1]
 5P_SELECT M[1][1]
 1R_PRINT INKEY
 R_PRINT YOURNAME
 R_PRINT ORGNAME
 R_PRINT ADD1
 R_PRINT ADD2
 R_PRINT ADD3
 R_PRINT WHEREPHONE
 R_PRINT PHONE
 R_PRINT DISKSIZE
 R_PRINT DISKDENSIT
 R_PRINT PAYHOW
 R_PRINT CCNR
 R_PRINT CCDATE
 R_PRINT TAXSTATUS
 R_PRINT CCNAME
 GETMEMO R_WHY
 R_COPIES MDRIVE
 R_COPIES ALLDONE
 DRIVEREADY DOOROPEN
 1FORMATDIS INKEY
 GETMEMO R_FUNDS
 LTRADD EPITCH
 GETMEMO LTRTEST
 BROWSE_WINGIFTS
 GETMEMO NAM_NOTES
 GETMEMO LETTERS
 6P_SELECT INKEY
 P_TYLBL ANY
 P_APP_LBL ANY
 1VAL_MAILN M[1][10]
 1OK_TY M[1][13]
 SETKOLOR COLORS
 R_ENTER MGET2
 R_ENTER MGET3
 2P_SELECT M[1][9]
 2P_TYLTR INKEY
 3TEST_LBL M[1][1]
 CUSTMENU CHOICE
 BROWSE_WINDATETYPE

Sheet1

SET_PHONE MGETVAR
1P_NAMES INKEY
1TYPE_ONE M[1][8]
1OPENHINT INKEY
1DUPEADDR M[1][2]
2DUPEADDR M[1][1]
BROWSE_WINDUPEMASTAD
BROWSE_WINMASTER
GETMEMO R_HOW
CONVERT INFILE
1CONVERT INKEY
IMPORT MINFILE
2CONVERT M[1][1]
2CONVERT INKEY
IMPORT MCONVERT
IMPORT MOUTFILE
SHOWREF MASTER
SHOWREF INFILE
IMPORTSELE MOUTFILE
6ASSIGNFLD M[1][8]
3ASSIGNFLD M[1][7]
4ASSIGNFLD M[1][9]
1ASSIGNFLD INKEY
7ASSIGNFLD INKEY
2ASSIGNFLD INKEY
5ASSIGNFLD INKEY
2CHKFILE INKEY
1BADASCII INKEY
1CHKFILE INKEY
3CONVERT INKEY
4CONVERT M[1][1]
BRINGIN RECAP
BRINGIN STDSALUT
BRINGIN AREACODE
BRINGIN CITYSTATE
1BRINGIN INKEY
2BRINGIN INKEY
SET_YEAR MBEG
SET_YEAR MEND
REGISTER WHY
REGISTER HOW
REGISTER SHARE
REGISTER ASP
REGISTER FAMILY
R_TEXT
REGISTER SUPPORT
REGISTER ADDONS
R_PRINT USCANADA
SET_DUPE CNAME

Sheet1

SET_DUPE	CADD
1CORRECT	C
EXPORT	EXPORTPATH
EXPORT	MSTYLE
EXPORT	EXPORTTYPE
2P_DEFAULT	USELAST
P_DEFAULTS	DEF_TYLO
P_DEFAULTS	DEF_TYHI
1P_DEFAULT	DEF_ORDER
1EXPORT	CPRINT
2P_NAMES	FNEWPAGE
P_DEPOSIT	MONESOURCE
2FILEM	MRUNREPAIR
3FILEM	INKEY