

## L \*L\*

- languages 17
- Last Error... menu item 31, 65, 122
- launching Prograph documents 25, 68
- Launch... menu item 39
- Launch... menu item (compiler) 448, 452
- "length" primitive 331
- level of indirection 380
- Library and Active List radio buttons 131
- Library file 449
- LineTo 388
- Link Inclusion List check box (compiler) 459
- link map file name (compiler) 461
- linking (compiler) 459
- Linking Options check boxes (compiler) 456
- List 19, 88, 89, 518, 595, 601, 623
- List menu item 19, 54, 443
- list multiplex 462
- List of Instances scrolling list 130
- List root 624
- list-average example XPrim 568
- list-to-list primitive 282
- list? primitive 360, 461
- ListDeleteSlot 543
- ListEmptySlot 544, 558
- ListGetSlot 544
- ListInsertSlot 545
- ListSetLength 545
- ListSetSlot 546
- ListStretch 546
- In primitive 306
- load 263
- Load button 35
- Load File at Start Up 67
- Load File on New 33, 67
- load primitive 271, 463-467
- Local 15, 86, 95, 603
  - creating 15
    - method 604
    - operation 620
    - components 604
- Local Heritage... menu item 70
- Local menu item 50, 440
- Local to Method... menu item 51
  - Cancel 51
  - Name 51
  - OK 51
- Locals 10, 90, 462
- LocalTalk 263
- LocalToGlobal 407
- locating
  - operations by name 44
  - strings 44

- Locator Applications check boxes (compiler) 453
- lock-block primitive 317, 379
- lock-string primitive 317
- log10 primitive 307
- Loop 19, 88, 89, 462, 601, 623
- Loop menu item 19, 54, 443
- loop multiplex 462
- Loop root 624

## M \*M\*

- Mac Address 18, 87, 96, 608
- Mac Address menu item 50, 441
- Mac Constant 17, 87, 96, 608, 621
- Mac Constant menu item 50, 440
- Mac Constants information dialog 61
- Mac Fields information dialog 63
- Mac Get Address 622
- Mac Get Field 18, 87, 96, 374, 379, 380, 608, 621
- Mac Get Field menu item 51, 441
- Mac Global 17, 87, 96, 608, 621
- Mac Global menu item 50, 440
- Mac Globals information dialog 62
- Mac Match 17, 87, 96, 608, 621
- Mac Match menu item 50, 440
- Mac Methods 17, 61, 169, 363, 379, 597
  - essential 381
  - icon 363
  - Inject 54
- Mac Methods Info 468
- Mac Methods information dialog 61
- Mac Set Field 18, 87, 96, 374, 376, 379, 380, 608, 622
- Mac Set Field menu item 441
- Mac Structs information dialog 63
- mac structure definition 27
- mac-type primitive 360
- macintosh 518
  - constant 621
  - methods 603
  - records 597
  - toolbox 598
  - value(s) 597
- Macintosh Classic 353
- Macintosh constant 163
- Macintosh data types
  - C\_ABlock 525
  - C\_EventRecord 525
  - C\_Handle 525
  - C\_Point 525
  - C\_Ptr 525
  - C\_Rect 534
- Macintosh Resource Types 269
- Macintosh structures 263, 468
- Macintosh Toolbox 17, 26, 276, 363
  - essential Mac Methods 381

- icon 12, 17, 437
- Macintosh types
  - Point 276
  - Rect 276
- MacsBug Symbols check box (compiler) 456
- main program method 47
- main routine 560
- Make Backups 35, 67
- Make Execute Only menu item 48
- make-direct primitive 317
- make-handle primitive 317
- make-list primitive 292
- make-pointer primitive 318
- MakeC\_boolean 547
- MakeC\_Handle 550
- MakeC\_integer 547
- MakeC\_list 548
- MakeC\_none 548
- MakeC\_Ptr 551
- MakeC\_real 548, 569, 571
- MakeC\_Rect 551
- MakeC\_RGBColor 552
- MakeC\_string 549
- Make\_instance 552
- mantissa 596
- Match 86, 95, 603, 621
  - components 607
- Match Arity 45
- Match operation 13, 462
  - execution 13
  - name 13
- Match operation menu item 49, 439
- Match Pattern 44
- max primitive 307
- Member 542, 553, 577
- Memory 314
- memory allocation 379
- Memory Manager 463
- Memory Status menu item 65
- Menu 156, 172
  - Balloon Help 156
  - Tools 47
  - update 172
- menu bar event 171
- Menu Click 171
- Menu editable-text field 133
- Menu editor 132-135
  - Balloon 134
  - Bold 135
  - Check 135
  - Control 135
  - Delete 134
  - Disable Item 134
  - Disable Menu 133
  - Insert After 134
  - Insert Before 134

- Instance 134
- invoking 132
- Italic 135
- Item 133
- Key 134
- Keys 135
- Menu 133
- Method 133
- Option 135
- Outline 135
- Shadow 135
- Shift 135
- Styles 135
- Underline 135
- Menu Item 156, 350, 352
  - About... 171
  - Balloon Help 156
  - Compact 47
  - Make Execute Only 47
  - Uncompact 47
- Menu Item ID 354
- Menu Item system class
  - active? 210
  - check? 211
  - key 210
  - method 211
  - name 210
  - owner 210
  - style 211
- menu key 171
- Menu system class
  - active? 207
  - balloon 209, 211
  - enabled? 208
  - item list 208
  - keys 208
  - menu record 208
  - name 207
  - owner 207
- Menu title selection 154
- MenuID 354
- menus 256
  - general features 31
- message 161, 608
- meth-com primitive 343
- meth-com-g primitive 344
- meth-com-s primitive 344
- Method
  - compact 47
- Method editable-text field 133
- method names 340
- method reference 437
- method selection 614
- method(s) 4, 6-9, 594, 599
  - arity 599
  - cases 8

- components 599
- execution functions 610
- message 610
  - Get 7, 599
    - arity 599
  - initialization 7, 13, 599
  - overshadowing 614
  - Plain 7
  - Set 7, 599
    - arity 599
  - Simple 599
- Methods 341, 342
- Methods information dialog 59
- methods primitive 344
- Methods to Load dialog 35
- Methods... menu item 70
- middle primitive 335
- min primitive 307
- Miscellaneous Standard Suite 123
- Miscellaneous Utilities, Mac Methods 419
- Modal check box 139
- ModalDialog 415
- Mode 601
- modifier keys 163
- modifiers 161, 162
- mouse clicks 256
- Mouse Down 171, 173, 174, 175
- Mouse Techniques 163
- mouseDown 161
- mouseUp 161
- Move 387
- MoveTo 387
- MPW 469
  - object files 449
- MPW C 469, 521
  - building compiled XPrims 567
  - building interpreted XPrims 564
  - building XCode 586
  - global data register 567
- main routine 566
- MultiFinder 158
  - using with compiler 448
- multiple executions 106
- multiplex 18, 53, 462, 601, 610, 623
- munge-string primitive 335

## N \*N\*

- Name 601
- Name editable-text field 130
- Name of Text Window dialog 36
- names 170
  - lower-case 170
- naming conventions
  - C code 522

- native 475
- natural 475
- natural languages 593
- NBP-Close primitive 254, 327, 495
- NBP-Confirm primitive 254
- NBP-Lookup primitive 254
- NBP-Open primitive 255
- NBP-Register primitive 255
- networkEvt 161
- New 553, 577
- New element 27
- New menu item 33
- New menu item (compiler) 450
- new Prograph element 67
- new Text window 36
- New Text... menu item 36
- new-block primitive 318, 379
- NewHandle 378
- NewN 554, 577
- NewPtr 378
- next case 21, 608
- Next Case menu item 21, 54, 442
- nil 608
- none 518, 595
- not primitive 297
- NOTE
- Naming convention 170
  - System Class methods 170
- NoteAlert 416
- Notify 158, 160, 171
- null 519, 595
- null event 171
- nullEvent 161
- number? primitive 361
- NumToStr 554

○ \*○\*

- object
  - copy 41
  - cut 41
  - de-select 27
  - delete 41
  - paste 41
  - replicate 41
  - specifier 124
- object C 521, 583
- object file name (compiler) 461
- object-oriented programming (OOP) 3
- object-to-address primitive 319
- ObscureCursor 382
- OffsetPoly 405
- OffsetRect 394
- online help
  - Attributes 60

- Classes 59
- Data Types 57
- Last Error... 65
- Mac Constants 61
- Mac Fields 63
- Mac Globals 62
- Mac Methods 61
- Mac Structs 63
- Methods 59
- Options... 66
- Persistents 60
- Primitives 57
- Universal Methods 58
- Open 173
  - database 504
- Open Application 123, 158
- Open button 270
- Open Document 123, 158
- Open Parent 97
- open primitive 272
- Open Text... menu item 36
- open-serial-port primitive 327
- opening files
  - selective vs. incremental load 33-35
- opening resource files, Mac Methods 408
- OpenPicture 402
- OpenPoly 404
- OpenResFile 408
- Open... menu item 33
- Open... menu item (compiler) 450
- operation 4, 601
  - comments 84
  - components 601
  - conditions 601
  - connecting/disconnecting 84
  - Constant 12, 49, 438
  - Continue 442
  - control 601
  - controls 53, 441
  - de-annotated 27
  - default control 602
  - deleting 83
  - dragging 84
  - error 20
  - Evaluate 16, 50, 440
  - execution sequence 610
  - Fail 443
  - failure 20
  - Finish 442
  - Get 14, 50, 439
  - Instance generator 13, 49, 439
  - Local 15, 50, 440
  - Local to Method... 51
  - Mac Address 50, 441
  - Mac Constant 50, 440
  - Mac Get Field 441

- Mac Global 50, 440
- Mac Match 50, 440
- Mac Set Field 51, 441
- Match 13, 49, 439
- mode 601
- name 601
- naming 83
- Next Case 442
- Opers to Local 51
- outarity 601
- Partition 19
- Persistent 13, 49, 439
- Repeat 18, 53, 442
- runtime name determination 614
- search origin 601
- Set 14, 50, 439
- Simple 49, 53, 438, 441
- strengths 610
- success 20
- Super 15, 53, 442
- system-supplied 4
- Terminate 442
- transformation 84
  - name change 85
  - user-defined 4
- operation calls
  - context-determined reference 615
  - data-determined reference 616
  - explicit reference 615
  - search origin
  - Super 616
  - simple operation 615
  - universal method vs. external 615
- operation icons 12, 436
  - annotations 438
- operation manipulation
  - key combinations 89
- operations 9-18, 594
  - annotating 86-88
  - click spots
  - left and right 93
  - connectors 10
  - datalinks 10
  - execution 9
  - general information 9, 612-614
  - input bar 10
  - inputs 9
  - manipulation of groups 90
  - names 9, 11
  - opening 93
  - output bar 10
  - outputs 9
  - plain mode 614-622
  - repeat mode 622, 625
  - roots 10
  - selection of groups 90



- side-effects 9
- terminal(s) 10
- use 9
- Opers 86
- Opers menu 48-52, 438-441
  - Constant 49, 438
  - Evaluate 50, 440
  - Get 50, 439
  - Instance 49, 439
  - Local 50, 440
  - Local to Method... 51
  - Mac Address 50, 441
  - Mac Constant 50, 440
  - Mac Get Field 51, 441
  - Mac Global 50, 440
  - Mac Match 50, 440
  - Mac Set Field 51, 441
  - Match 49, 439
  - Opers to Local 15, 51, 90
  - Persistent 49, 439
  - Set 50, 439
  - Simple 49, 438
- Opers to Local menu item 15, 51, 90
- Option check box 135
- Option key 163
- Option-click 97
- Option-Cmd-drag 67
- Option-zoom 29
- optionKey 163
- Options Dialog
  - Cmd-click 27
- Options... menu item 33, 35, 37, 66, 129
  - File Preferences 67
  - Initial File 33, 66
  - Load File on New 33
  - Make Backups 35
  - Save Settings 69
- Options... menu item (compiler) 448, 453-454
- or primitive 297
- order of execution 611
- origin 348
- osEvt 161, 162
- Other Locators check boxes (compiler) 453
- outarity 594, 598, 601
- Outline check box 135
- Output 601, 603, 620
  - components 607
- output bar 10, 54, 599, 600
- Output Link Map check box (compiler) 460
- Ovals, Mac Methods 398

## P \*P\*

- pack primitive 292, 461
- Page Setup... menu item 37

- Page Setup... menu item (compiler) 451
- PaintArc 400
- PaintOval 398
- PaintPoly 405
- PaintRect 397
- PaintRoundRect 399
- parameter block 378
- parameter passing 370
- parameters
  - value 371
  - VAR 371, 373
- ParamText 416
- parent class 4
  - icon 74
- Partition 19, 88, 89, 625
- Partition menu item 19, 54, 444
- Partition Size (compiler) 457
- Pascal 17, 26, 370, 376, 377, 378
  - array definitions 377
- Pascal code
  - writing 468
- Pascal Interface 521
- Paste menu item 40
- Paste menu item (compiler) 452
- paste object 91
- Paste Object menu item 41
- paste-text primitive 357
- Path ID
  - Invalid 494
- Pen and Line Drawing, Mac Methods 384
- PenMode 386
- PenNormal 367, 387
- PenPat 387
- PenSize 367, 386
- pers-com primitive 345
- Persistent operation menu item 49, 439
- persistent(s) 13, 23, 86, 95, 594, 598, 603
  - changing values 81
  - components 598, 604
  - creating 81
  - inputs 13
  - name 13, 81, 598
  - operation 619
  - outputs 13
  - value 598
- persistents 4
- Persistents information dialog 60
- persistents primitive 345
- Persistents window 81
- pi primitive 308
- PicComment 403
- PICT 35, 364
- Pict Specification editor 144
- Pict system class
  - active? 212
  - balloon 213

- click method 214
- grow? 213
- location 213
- move? 213
- name 212
- owner 212
- rsrc number 214
- rsrc record 214
- size 213
- visible? 212
- Pictures, Mac Methods 402
- pixel 29
- PixMap 381
- PixMapToRegion 381
- Plain 7
- plain method icon 7
- Plain radio button 138
- Plain w/Shadow radio button 138
- PlotIcon 419
- point 595
- point-in-rect? example XPrim 571
- point-to-ints primitive 278
- pointer 373, 374, 378
- pointer dereference 372
- pointer to a function 380
- pointers 525
- Points, Mac Methods 406
- points-to-rect primitive 279
- Polygons, Mac Methods 404
- Pop-up Menu 215
  - title 153
- Pop-up Menu editor 153
- Pop-up Menu system class
  - active? 215
  - balloon 216
  - click method 217
  - control record 217
  - fixed? 217
  - grow? 216
  - location 216
  - move? 216
  - name 215
  - owner 215
  - size 216
  - style 218
  - title? 218
  - value 218
  - value list 218
  - visible? 215
- popup-menu primitive 259
- port 348, 349
- power primitive 308
- prefix primitive 335
- presentation conventions 1
- primitive(s) 4, 11, 245, 615
  - (in) 288

(join) 288  
(length) 288, 461  
\* 300, 456, 461  
\*\* 300, 461  
+ 301, 456, 461  
++ 301, 461  
+1 301, 456, 461  
- 302, 456, 461  
-- 302, 461  
-1 302, 456, 461  
< 295  
<= 295  
= 295, 621  
> 296  
>= 296  
abs 303  
accept 284, 462  
acos 303  
address-to-object 313  
ancestors 339  
and 297  
annuity 303  
answer 284  
answer-v 285  
asin 304  
ask 285  
atan 304  
atan2 304  
ATP-Close 251  
ATP-Get-Request 252  
ATP-Get-Response 252  
ATP-Open 252  
ATP-Send-Request 253  
ATP-Send-Response 253  
attach-l 289  
attach-r 289  
attr-com 339  
attributes 340  
auto-text 356  
begin-drawing 366, 367  
bit-and 260, 461  
bit-not 260, 461  
bit-or 260, 461  
bit-shift-l 261, 461  
bit-shift-r 261, 461  
bit-xor 261, 461  
block-address 313, 379  
block-size 314  
boolean 359  
boolean? 461  
break-serial-port 324  
byte-length 331  
called-from-get 340  
called-from-meth 340  
called-from-set 341  
calls-to-get 341

- calls-to-meth 342
- calls-to-set 342
- categories
  - AppleTalk 250
  - Application 245, 256-259
  - Bit 245, 260-261
  - Byte Stream 245, 263
  - Data 245, 265
  - Database 245
  - Environment 246
  - File 246, 269
  - Graphics 246, 276-280
  - I/O 246, 284-287
  - Instances 246, 247, 281-282
  - Interpreter control 246, 283
  - Lists 246, 288-294
  - Logical/Relational 247, 295-296, 299
  - Math 247, 300-306, 312
  - Memory 247, 313-322
  - Serial Port 323
  - Strings 248, 330-338
  - System 248, 339-345, 346
  - System Class 248
  - Text 248, 356-358
  - Type 248, 359-362
- categoriesAppleTalk 245
- children 342
- choose 265
- class-com 343
- classes 343
- clear-bytes-map 263
- clear-text 356
- close 269
- close-serial-port 324
- compact-memory 314
- compiled? 283, 575
- compound 305
- configure-sport 325
- copy 265, 461
- copy-text 356
- cos 305
- count-sport-input 325
- create 269
- cut-text 357
- debug 283, 462
- delete 270
- descendants 343
- detach-l 289
- detach-nth 290
- detach-r 290
- display 286, 462
- div 305, 456, 461
- drag-rect 169, 276, 368
- draw-style-text 256
- end-drawing 366, 367
- evaluate 456

exp 306  
extract-text 357  
file-size 270  
find-bounds 276  
find-instance 281  
find-item 256  
find-menu 257  
find-menu-a 257  
find-sorted 290  
find-window 258  
find-window-a 258  
format 331  
from-ascii 334  
from-bytes 264  
from-handle 314, 380  
from-pointer 314  
from-string 334  
gestalt 267  
gestalt-attribute 268  
get-file 270  
get-integer 315  
get-nth 291, 461  
get-point 315  
get-position 271  
get-real 315  
get-rect 316  
get-sport-buffer 326  
get-sport-refs 326  
get-string 316, 380  
get-text 316  
grow-rect 277  
halt 283  
idiv 306, 461  
"in" 330  
insert-nth 291  
insert-text 357  
inst-to-list 281  
instance? 359  
integer-to-string 335  
integer? 360, 461  
ints-to-point 277  
ints-to-rect 278  
ints-to-rgb 278  
is-double? 258  
is-drag? 259  
"join" 330  
kill-serial-port 326  
"length" 331  
list-to-inst 282  
list? 360, 461  
ln 306  
load 271, 463-467  
lock-block 317, 379  
lock-string 317  
log10 307  
mac-type 360

make-direct 317  
make-handle 317  
make-list 292  
make-pointer 318  
max 307  
meth-com 343  
meth-com-g 344  
meth-com-s 344  
methods 344  
middle 335  
min 307  
munged-string 335  
NBP-Close 254, 495  
NBP-Confirm 254  
NBP-Lookup 254  
NBP-Open 255  
NBP-Register 255  
new-block 318, 379  
not 297  
number? 361  
object-to-address 319  
open 272  
open-serial-port 327  
or 297  
pack 292, 461  
paste-text 357  
pers-com 345  
persistents 345  
pi 308  
point-to-ints 278  
points-to-rect 279  
popup-menu 259  
power 308  
prefix 335  
print-text 358  
print-window 286  
prograph-file 272, 462  
put-file 272  
put-integer 319, 380  
put-point 319  
put-real 320  
put-rect 320  
put-string 320  
put-text 321  
rand 308  
read 273, 379  
read-line 273  
real? 361, 461  
receive-serial-port 327  
rect-to-ints 279  
rect-to-points 280  
rename 274  
reverse 292  
rgb-to-ints 280  
round 308  
round-down 309

round-up 309  
save 274, 464-467  
sc-activate-wind 346  
sc-aevent-begin 346  
sc-aevent-dispatch 347  
sc-aevent-end 347  
sc-background? 348  
sc-begin-drawing 348, 369  
sc-begin-update 348  
sc-click-witem 349  
sc-delete-item 350  
sc-draw-witem 350  
sc-end-drawing 350, 369  
sc-end-update 350  
sc-find-witem 351  
sc-get-wind 351  
sc-hilite-witem 351  
sc-idle-edit 352  
sc-insert-item 352  
sc-key-button 352  
sc-key-edit 353  
sc-key-list 353  
sc-key-menu 354  
sc-show-ballon 354  
sc-tab-witem 354  
sc-zoom-wind 355  
select 286  
send-serial-port 327  
send-sport-done 328  
set-dialog-font 287  
set-nth 293, 461  
set-nth! 293, 461  
set-position 275  
set-seed 310  
set-sport-buffer 328  
settable 345, 462  
shallow-copy 266  
show 287  
sign 310  
sign-extend 310  
sin 311  
sort 293  
split-nth 294  
sport-configuration 329  
sqrt 311  
string-address 321  
string-length 336  
string-to-integer 336  
string? 361, 461  
suffix 337  
switch 265  
tan 311  
test-all? 262  
test-bit? 262  
test-one? 262  
to-ascii 337



- to-bytes 264
- to-handle 321
- to-pointer 322, 380
- to-string 337
- tokenize 338
- trace 283, 462
- trap? 268
- trunc 311
- type 362
- unlock-block 322
- unlock-string 322
- unpack 294, 461
- wait-double? 259
- write 275
- write-line 275
- xor 298
- ≠ 298
- ≤ 299
- ≥ 299
- ÷ 312, 456, 461
- ÷÷ 312, 461
- primitives 597
  - data types 597
  - System Class 345
  - Types button 57
- primitives icon 12, 436
- primitives information dialog 57
- Primitives List
  - Byte Stream 245
  - Database 245
  - Environment 246
  - System Class 248
- primitives that compiler does not support 462
- primitives that generate inline code (compiler) 461
- Print Document 123, 158
- print-text primitive 358
- print-window primitive 286
- printing
  - Constants 37
  - Match values 37
- Print... menu item 37
  - any methods window 38
  - Attribute window 39
  - Case window 39
  - classes window 37
  - Persistents window 39
  - Text window 39
- Print... menu item (compiler) 451
- procedure 370, 371
- Prograph 263
  - annotation 53
  - as visual language 3, 425
  - C Interface 521
  - definitions 594-595
  - documents
    - launching 25, 68

- elements 594
  - nested sets 594
- environment
- initial file preferences 66
- message preferences 66
- options 66
  - interpreter 105
  - launch 68
  - notation 594
- object files 449
- program 597
  - components 597
- program elements 4
- program files 449
  - semantics 608
  - syntax 609
  - using Macintosh Toolbox 363
- Prograph 2.0 35
- Prograph Classic 462
  - compact code 46
  - Interpreter and Compiler 127
  - launching 26
  - make execute only 47
  - Toolbox support 468
- Prograph Compiler 462
- Prograph data types in C
  - C\_boolean 523
  - C\_instance 523
  - C\_integer 523
  - C\_list 523
  - C\_none 523
  - C\_object 524
  - C\_real 523
  - C\_string 523
  - C\_undefined 523
  - NULL 523
- Prograph editor 4
  - error prevention 31
  - general rules 25-31
  - shortcut key combinations 31
- Prograph Extensions folder 26, 68
- Prograph language
  - case sensitivity 3
  - overview 3
  - use of text 3
- Prograph menus 124
- Prograph objects 469
- Prograph splash screen 68
- Prograph vs. Macintosh
  - constants 608
  - Get, Set 608
- Prograph vs. other languages 606
  - case structure 600
  - class hierarchies 599
  - Constant 607
  - execution control 613

- externals 598
- Get 603
- injection 614
- instance generator 604
- Local method 605
- Match 607
- methods 599
- multiplexes 625
- persistent 604
- persistents 598
- Set 604
- Simple operations 603
- success, failure 613
- terminal, roots 602
- Prograph window 162
- prograph-file primitive 272, 462
- Project Info... menu item (compiler) 455
  - Compile Options 456
  - Linking Options 456
- Project menu (compiler) 454-460
  - Build Application... 459
  - Build Library... 459
  - Disassemble... 454
  - File Info... 455
- Project Info... 455
  - Run 460
  - Update 454
  - Update All 454
- Propagate Attribute menu item 42
- Propagate Comments menu item 64
- Pt2Rect 395
- PtInRect 169, 368, 395
- Ptr 378, 379
- PtToAngle 396
- put-file primitive 272
- put-integer primitive 319, 380
- put-point primitive 319
- put-real primitive 320
- put-rect primitive 320
- put-string primitive 320
- put-text primitive 321

## Q \*Q\*

- query 608
- question mark (?) as match pattern 44
- QuickDraw 364
- Quit Application 123, 158
- Quit menu item 40
- Quit menu item (compiler) 452
- quoted string 596