

Device Manager Slot Support Errors

-360 slotNumErr invalid slot # error
-400 gcrOnMFMErr gcr format on high density media error

Edition Manager Errors

-450 editionMgrInitErr Manager not initialized or could not load package
-451 badSectionErr Not a valid section type
-452 notRegisteredSectionErr Not registered
-454 badSubPartErr Bad edition container spec or invalid edition container
-460 multiplePublisherWrn Already is a publisher
-461 containerNotFoundWrn Alias was not resolved
-463 notThePublisherWrn Not the publisher

SCSI Manager Errors

-470 scsiBadPBErr invalid field(s) in the parameter block
-471 scsiOverrunErr attempted to transfer too many bytes
-472 scsiTransferErr write flag conflicts with data transfer phase
-473 scsiBusTOErr bus error during transfer
-474 scsiSelectTOErr scsiSelTO exceeded (selection failed)
-475 scsiTimeOutErr scsiReqTO exceeded
-476 scsiBusResetErr the bus was reset, so your request was aborted
-477 scsiBadStatus non-zero (not "Good") status returned
-478 scsiNoStatusErr device did not go through a status phase
-479 scsiLinkFailErr linked command never executed
-489 scsiUnimpVctErr unimplemented routine was called

SysErrs used instead of inline \$A9FF & \$ABFF

-490 userBreak user debugger break
-491 strUserBreak user debugger break - display string on stack
-492 exUserBreak user debugger break - execute commands on stack

QuickDraw Error

-500 rgnTooBigErr Bitmap would convert into a region greater than 64 KB

Text Edit Error

-501 teScrapSizeErr scrap item too big for text edit record

O/S Error

-502 hwParamrErr bad selector for _HWPriv

Processes Errors

-600 procNotFound No eligible process with specified process serial number
-601 memFragErr Not enough room to launch application with special requirements
-602 appModeErr Memory mode is 32-bit, but application is not 32-bit clean
-603 protocolErr app made module calls in improper order
-604 hardwareConfigErr hardware configuration not correct for call
-605 appMemFullErr Partition size specified in 'SIZE' resource is not big enough for launch
-606 applsDaemon Application is background-only
-607 bufferIsSmall Buffer is too small
-608 noOutstandingHLE No outstanding high-level event

-609 connectionInvalid Connection is invalid
-610 noUserInteractionAllowed Attempted PostHighLevelEvent from background and no session yet established

Memory Dispatch Errors

-620 notEnoughMemoryErr Insufficient physical memory
-621 notHeldErr Specified range of memory is not held
-622 cannotMakeContiguousErr Cannot make specified range contiguous
-623 notLockedErr Specified range of memory is not locked
-624 interruptsMaskedErr Called with interrupts masked
-625 cannotDeferErr Unable to defer additional user functions

DatabaseAccess (Pack 13) Errors

-800 rcDBNull The data item was NULL
-801 rcDBValue Data available or successfully retrieved
-802 rcDBError Error executing function
-803 rcDBBadType Next data item not of requested data type
-804 rcDBBreak Function timed out
-805 rcDBExec Query currently executing
-806 reDBBadSessID Session ID is invalid
-807 rcDBBadSessNum Invalid session number
-808 rcDBBadDDEV Couldn't find the specified database extension, or error occurred in opening database extension
-809 rcDBAsynchNotSupp The database extension does not support asynchronous calls
-810 rcDBBadAsynchPB Invalid parameter block specified
-811 rcDBNoHandler There is no handler for this data type installed for the current application
-812 rcDBWrongVersion Wrong version number
-813 rcDBPackNotInited The InitDBPack function has not yet been called

Help Manager Errors

-850 hmHelpDisabled Help balloons are not enabled
-851 hmResNotFound ????
-852 hmMemFullErr ????
-853 hmBalloonAborted Because of constant cursor movement, the help balloon wasn't displayed
-854 hmSameAsLastBalloon Menu and item are same as previous menu and item
-855 hmHelpManagerNotInited Help menu not set up
-856 hmBadSelector ????
-857 hmSkippedBalloon No balloon content to fill in
-858 hmWrongVersion Wrong version of Help Manager resource
-859 hmUnknownHelpType Help message record contained a bad type
-860 hmCouldNotLoadPackage ????
-861 hmOperationUnsupported Bad method parameter
-862 hmNoBalloonUp No balloon showing
-863 hmCloseViewActive User using Close View won't let you remove balloon

AppleTalk — PPC Toolbox Errors

-900 notInitErr PPC Toolbox has not been initialized yet
-902 nameTypeErr Invalid or inappropriate locationKindSelector in location name
-903 noPortErr Invalid port name; Unable to open port or bad port reference number
-904 noGlobalsErr System unable to allocate memory, critical error
-905 localOnlyErr Network activity is currently disabled
-906 destPortErr Port does not exist at destination

-907 sessTableErr PPC Toolbox is unable to create a session
 -908 noSessionErr Invalid session reference number
 -909 badReqErr Bad parameter or invalid state for this operation
 -910 portNameExistsErr Another port is already open with this name
 -911 noUserNameErr User name unknown on destination machine
 -912 userRejectErr Destination rejected the session request
 -915 noResponseErr Unable to contact application
 -916 portClosedErr The port was closed
 -917 sessClosedErr The session has closed
 -919 badPortNameErr PPC port record is invalid
 -922 noDefaultUserErr User has not specified owner name in Sharing Setup control panel
 -923 notLoggedInErr Default user reference number does not yet exist
 -924 noUserRefErr Unable to create a new user reference number
 -925 networkErr An error has occurred in the network
 -926 noInformErr PPCStart failed because target application did not have an inform pending
 -927 authFailErr User's password is wrong
 -928 noUserRecErr Invalid user reference number
 -930 badServiceMethodErr Service method is other than ppcServiceRealTime
 -931 badLocNameErr Location name is invalid
 -932 guestNotAllowedErr Destination port requires authentication

AppleTalk - NBP Errors

-1024 nbpBuffOvr Buffer overflow in LookupName
 -1025 nbpNoConfirm Name not confirmed on ConfirmName
 -1026 nbpConfDiff Name confirmed at different socket
 -1027 nbpDuplicate Duplicate name exists already
 -1028 nbpNotFound Name not found on remove
 -1029 nbpNISErr Error trying to open the NIS

ASP Errors (XPP driver)

-1066 aspBadVersNum Server cannot support this ASP version
 -1067 aspBufTooSmall Buffer too small
 -1068 aspNoMoreSess No more sessions on server
 -1069 aspNoServers No servers at that address
 -1070 aspParamErr Parameter error
 -1071 aspServerBusy Server cannot open another session
 -1072 aspSessClosed Session closed
 -1073 aspSizeErr Command block too big
 -1074 aspTooMany Too many clients (server error)
 -1075 aspNoAck No ack on attention request (server err)

AppleTalk - ATP Errors

-1096 reqFailed Request to contact router failed: retry count exceeded
 -1097 tooManyReqs Too many concurrent requests
 -1098 tooManySkts Too many concurrent responding-sockets
 -1099 badATPSkt Bad ATP-responding socket
 -1100 badBuffNum Bad response buffer number specified
 -1101 noRelErr No release received
 -1102 cbNotFound Control Block not found; no pending asynchronous calls
 -1103 noSendResp AddResponse issued without SendResponse
 -1104 noDataArea No data area for request to MPP
 -1105 reqAborted ERdCancel function called for this ERead [SendRequest aborted by RelTCB]

Data Stream Protocol - DSP driver Errors

-1273 errOpenDenied Open request denied by recipient

-1274 errDSPQueueSize *Send or receive queue is too small*
-1275 errFwdReset *Read terminated by forward reset*
-1276 errAttention *Attention message too long*
-1277 errOpening *Attempt to open connection failed*
-1278 errState *Bad connection state for this operation*
-1279 errAborted *Request aborted by dspRemove or dspClose function*
-1280 errRefNum *Bad connection reference number*

HFS Errors

-1300 fidNotFound *File ID not found [No file thread exists]*
-1301 fidExists *File id already exists*
-1302 notAFileErr *Specified file is a directory*
-1303 diffVolErr *Files on different volumes*
-1304 catChangedErr *Catalog has changed and CatPosition may be invalid*
-1305 desktopDamagedErr *The desktop database has become corrupted —
the Finder will fix this, but if your application is
not running with the Finder, use DTRreset or DTDelete*

AppleEvent Errors

-1700 errAECOercionFail *Data could not be coerced to the
requested descriptor type*
-1701 errAEDescNotFound *Descriptor record was not found*
-1702 errAECorruptData *Data in an Apple event could not be read*
-1703 errAEWrongDataType *Wrong descriptor type*
-1704 errAENotAEDesc *Not a valid descriptor record*
-1705 errAEBadListItem *Operation involving a list item failed*
-1706 errAENewerVersion *Need a newer version of the Apple Event Manager*
-1707 errAENotAppleEvent *Event is not an Apple event*
-1708 errAEEventNotHandled *Event wasn't handled by an Apple event handler*
-1709 errAEReplyNotValid *AEResetTimer was passed an invalid reply*
-1710 errAEUnknownSendMode *Invalid sending mode was passed*
-1711 errAEWaitCanceled *User canceled out of wait loop for reply
or receipt*
-1712 errAETimeout *Apple event timed out*
-1713 errAENoUserInteraction *No user interaction allowed*
-1714 errAENotASpecialFunction *Wrong keyword for a special function*
-1715 errAEParamMissed *Handler did not get all required paramters*
-1716 errAEUnknownAddressType *Unknown Apple event address type*
-1717 errAEHandlerNotFound *No handler found for an Apple event
or a coercion*
-1718 errAEReplyNotArrived *Reply has not yet arrived*
-1719 errAEIllegalIndex *Not a valid list index*

AppleTalk - ATP Errors

-3101 buf2SmallErr *Packet too large for buffer; partial data returned*
-3102 noMPPerr *No MPP error*
-3103 ckSumErr *Check sum error*
-3104 extractErr *Extraction error*
-3105 readQErr *Read queue error*
-3106 atpLenErr *ATP length error*
-3107 atpBadRsp *ATP bad response error*
-3108 recNotFnd *Record not found*
-3109 sktClosedErr *Socket closed error*

Print Manager w/LaserWriter

-4096 ??? *No free Connect Control Blocks available*
-4097 ??? *Bad connection reference number*

-4098 ??? Request already active
-4099 ??? Write request too big
-4100 ??? Connection just closed
-4101 ??? Printer not found, or closed

File Manager Extensions Errors

-5000 accessDenied Incorrect access for this file/folder
-5006 DenyConflict Permission/Deny mode conflicts with the current mode in which this fork is already open
-5015 NoMoreLocks Byte range locking failure from Server
-5020 RangeNotLocked Attempt to unlock an already unlocked range
-5021 RangeOverlap Attempt to lock some of an already locked range

AFP Errors (XPP driver)

-5000 afpAccessDenied AFP Access denied
-5001 afpAuthContinue AFP Authorization continue
-5002 afpBadUAM AFP Bad UAM
-5003 afpBadVersNum AFP Bad version number
-5004 afpBitmapErr AFP Bit map error
-5005 afpCantMove AFP Can't move error
-5006 afpDenyConflict AFP Deny conflict
-5007 afpDirNotEmpty AFP Dir not empty
-5008 afpDiskFull AFP Disk full
-5009 afpEofError AFP End-of-File error
-5010 afpFileBusy AFP File busy
-5011 afpFlatVo AFP Flat volume
-5012 afpItemNotFound AFP Information not found
-5013 afpLockErr AFP Lock error
-5014 afpMiscErr AFP Misc error
-5015 afpNoMoreLocks AFP No more locks
-5016 afpNoServer AFP No server
-5017 afpObjectExists AFP Object already exists
-5018 afpObjectNotFound AFP Object not found
-5019 afpParmErr AFP Parm error
-5020 afpRangeNotLocked AFP Range not locked
-5021 afpRangeOverlap AFP Range overlap
-5022 afpSessClosed AFP Session closed
-5023 afpUserNotAuth AFP User not authorized
-5024 afpCallNotSupported AFP Call not supported
-5025 afpObjectTypeErr AFP Object type error
-5026 afpTooManyFilesOpen AFP Too many files open
-5027 afpServerGoingDown AFP Server going down
-5028 afpCantRename AFP Can't rename
-5029 afpDirNotFound AFP Directory not found
-5030 afpIconTypeError Size of new icon and one it replaces don't match
-5031 afpVolLocked Volume is Read-Only
-5032 afpObjectLocked Object is M/R/D/W inhibited

SysEnviron Errors

-5500 envNotPresent SysEnviron trap not present - returned by glue.
-5501 envBadVers Version non-positive
-5502 envVersTooBig Version bigger than call can handle

Gestalt Errors

-5550 gestaltUnknownErr Could not obtain the response
-5551 gestaltUndefSelectorErr Undefined selector
-5552 gestaltDupSelectorErr Selector already exists
-5553 gestaltLocationErr Function not in system heap