

in

COLLABORATORS

| | | | |
|---------------|----------------------|----------------|------------------|
| | <i>TITLE :</i> in | | |
| <i>ACTION</i> | <i>NAME</i> | <i>DATE</i> | <i>SIGNATURE</i> |
| WRITTEN BY | | April 16, 2022 | |

REVISION HISTORY

| NUMBER | DATE | DESCRIPTION | NAME |
|--------|------|-------------|------|
| | | | |

Contents

| | | |
|----------|-----------------------------|----------|
| 1 | in | 1 |
| 1.1 | ModuleInformation | 1 |

Chapter 1

in

1.1 ModuleInformation

```
ShowModule v1.10 (c) 1992 $#%!
now showing: "powerpacker.m"
NOTE: don't use this output in your code, use the module instead.
```

```
LIBRARY ppbase                                /* informal notation */
  PpLoadData (A0,D0,D1,A1,A2,A3)             /* -30 (1E) */
  PpDecrunchBuffer (A0,A1,A2,D0)             /* -36 (24) */
  PpCalcChecksum (A0)                        /* -42 (2A) */
  PpCalcPasskey (A0)                         /* -48 (30) */
  PpDecrypt (A0,D0,D1)                       /* -54 (36) */
  PpGetPassword (A0,A1,D0,D1)                /* -60 (3C) */
  Dum ()                                      /* -66 (42) */
  Dum ()                                      /* -72 (48) */
  Dum ()                                      /* -78 (4E) */
  Dum ()                                      /* -84 (54) */
  Dum ()                                      /* -90 (5A) */
  PpAllocCrunchInfo (D0,D1,A0,A1)           /* -96 (60) */
  PpFreeCrunchInfo (A0)                     /* -102 (66) */
  PpCrunchBuffer (A0,A1,D0)                 /* -108 (6C) */
  PpWriteDataHeader (D0,D1,D2,D3)          /* -114 (72) */
  PpEnterPassword (A0,A1)                   /* -120 (78) */
  Dum ()                                    /* -126 (7E) */
  PpErrorMessage (D0)                       /* -132 (84) */
ENDLIBRARY
```