# **AmiCDFS**

Martin Berndt

AmiCDFS

COLLABORATORS					
	TITLE:				
	AmiCDFS				
ACTION	NAME	DATE	SIGNATURE		
WRITTEN BY	Martin Berndt	April 18, 2022			

REVISION HISTORY					
NUMBER	DATE	DESCRIPTION	NAME		

AmiCDFS

# **Contents**

L	Ami	CDFS
	1.1	AmiCDFS-Guide Main
	1.2	Introduction to AmiCDFS
	1.3	How to install AmiCDFS
	1.4	Disclaimer
	1.5	Details
	1.6	Important Changes
	1.7	The Mount File
	1.8	SetCDFS
	1.9	Audio Disks
	1.10	Hybrid Disks
	1.11	Benchmarks
	1.12	Technical Details
	1.13	Bugs & Quirks
	1.14	Legal
	1.15	Author
	1.16	History
	1.17	Credits

AmiCDFS 1/17

# **Chapter 1**

# **AmiCDFS**

# 1.1 AmiCDFS-Guide Main

AmiCDFS (AmiCDROM) 2.40 (14.12.97)

by Martin Berndt

The ultimate Amiga CD-ROM Filing System

This old goodie by Frank Munkert has been reworked to be the fastest and most compatible CD-ROM Filesystem for the Amiga!

Just give it a try, and you will never want to be without it again!

Introduction

How to install AmiCDFS

Details

Bugs & Quirks

Legal Stuff

Who did it?

History

Credits

Read old Manual

!!! AmiCDFS 2.40 is SHAREWARE !!!

-----

AmiCDFS 2/17

#### 1.2 Introduction to AmiCDFS

Introduction

\_\_\_\_\_

AmiCDFS 2.40 is a CD-ROM disk filing system for the Amiga. It supports the ISO-9660 standard (single and multiple sessions), the Rock Ridge Interchange Protocol and the Macintosh HFS format.

The old and obsolete HighSierra Protocol is NOT supported!

The CD-ROM drive is mounted as a DOS device (e.g. CD0:). You can access files and directories on a CD-ROM disk by the usual syntax, e.g. "type cd0:foo/readme.txt".

AmiCDFS 2.40 has been developed with kind permission of Frank Munkert using his old AmiCDROM 1.15 source files, and would have never been possible without his great work. Nevertheless it was a lot of hard work, and so I think it's fair enough to ask you for a small amount of money for MY work. If you agree pay the share, otherwise just let it be, but don't expect any support from me.

AmiCDFS 2.40 is more compatible and faster than any other CD-ROM filing system for the Amiga including commercial ones, so I really think it's worth this small amount of money...

\_\_\_\_\_

The future of this product depends on YOU !!!

\_\_\_\_\_

#### 1.3 How to install AmiCDFS

-----

How to install AmiCDFS 2.40

- Step 1: Copy the supplied Mount and SetPatch commands to C:.

  Read the

  Disclaimer

  notice!
- Step 2: Copy SetCDFS to your C: drawer.
- Step 3: Copy AmiCDFS to L:. If you own a 68020 or better copy AmiCDFS.030 instead and rename it.
- Step 4: Copy the CDO: mount entry file to DEVS:DOSDrivers/ and edit it as described in the next section.
- Step 5: Copy def\_CDDAdisk.info to ENVARC:sys/ if you wish to use CDDA disks. Set the Default Tool as described in a later section of this manual.

AmiCDFS 3 / 17

If you are still using Kickstart 2.x copy WBStart-Handler to L:, else copy wbstart.library to LIBS:.

Step 6: Copy MCDPlayer wherever you want.

Step 7: Reboot your machine.

-----

## 1.4 Disclaimer

-----

#### Disclaimer

-----

SetPatch 40.16 (c) Copyright 1990-1995, Escom AG. All Rights Reserved. Mount 40.4 (c) Copyright 1990-1995, Escom AG. All Rights Reserved.

Escom AG makes no warranties or representations, either express, or implied, with respect to the information set forth herein, which information is being supplied on an "AS IS" basis, expressly subject to change without notice. The entire risk as to the use of this information is assumed by the user.

IN NO EVENT WILL ESCOM AG BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES RESULTING FROM ANY CLAIM ARISING OUT OF THE INFORMATION PRESENTED HEREIN, EVEN IF IT HAS BEEN ADVISED OF THE POSSIBILITIES OF SUCH DAMAGES. SOME STATES DO NOT ALLOW THE LIMITATION OF IMPLIED WARRANTIES OR DAMAGES, SO THE ABOVE LIMITATIONS MAY NOT APPLY.

\_\_\_\_\_\_

#### 1.5 Details

Details

\_\_\_\_\_

Important Changes

Mount File

SetCDFS Command

Audio Disks (CDDA)

Hybrid Disks

Benchmarks

**AmiCDFS** 4/17

Some Technical Details

# 1.6 Important Changes

Important Changes

- "cdrom-handler" has been renamed to "AmiCDFS"

- Many obsolete features and parameters have been removed.

- The "Startup" field has been replaced by "Control" (needs Mount v39+).

New template: LC=LOWERCASE/S, CS=CASESENSE/S, HF=HFSFIRST/S, TD=TRACKDISK/S,

> BL=BUFFERLINES/K/N, FB=FILEBUFFERS/K/N, DC=DISKCHANGE/K/N, MT=MOTORTIME/K/N, SD=STARTDELAY/K/N, TDC=TDCHANGE/S,

TOSHIBA/S, OLDMODE/S

- The mount files have changed significantly, so it's better to delete the old ones before installing AmiCDFS 2.40.
- The code is fully reentrant now, and will only be loaded once as long as the DosType is the same.
- AmiCDFS has a real LRU-Cache now!

The standard buffers ("Buffers" entry in mount file) are split into BufferLines. One BufferLine will always be read completely (Prefetch). If you do not specify BufferLines or set it to 1 the Buffers are handled as before.

Example: Buffers = 64 and BufferLines = 8 results in 8 Caches with 8 Blocks (8\*2048 Bytes) each.

- CDControl will no longer work, replaced by SetCDFS command.
- DosPacket handling routines have been completely rewritten and should be much more compatible now.
- "AddBuffers" now returns the number of StdBuffers + FileBuffers.
- FileBuffer routines rewritten, should be much faster now with very large files.
- The FileBuffer is a Circular Cache now and though able holding more than one file at a time.
- Implemented motor control code for some bad device drivers.

AmiCDFS 5/17

- Diskchange polling is no longer needed with hostadaptors which support diskchange interrupts (like A3000, Mastercard MC702 etc.). If your hardware does not support these you should set DC=3.
- Diskchange polling may optionally be done using trackdisk commands.
- The CDDA icon is loaded as "ENV:sys/def\_CDDAdisk.info" now. Its Default Tool is the command to be executed if the user doubleclicks the CDDA icon. If you put a "#" in front of the command it will be executed as a WB application (WBStart-Handler).
- Added a nice 256 color icon for CDDA, normal and NewIcon type. Copy it to "ENVARC:sys/" and set your Default Tool.
- Improved handling of Audio/Data Hybrid CD's.
- Extension for HFS resource forks always is ".rs" now.
- Improved HFS character conversion.
- Holding the CONTROL key while inserting a medium temporary toggles the HFSFIRST option.
- Fixed Lock/Unlock routines and structures.
- DosList handling rewritten to prevent deadlocks.
- Implemented a special DOSPacket for remote control.
- Removed some obsolete vendor specific routines.
- Included a bugfixed version of MCDPlayer.
- Replaced some routines by fast assembler code.
- Created 68030/68060 versions.
- Recompiled with SAS/C 6.58.

\_\_\_\_\_\_

#### 1.7 The Mount File

The Mount File

Your CD-ROM Mount file (e.g. DEVS:DosDrivers/CD0) should look like this:

```
/* $VER: CD0 2.40 (14.12.97)

*

* CD-ROM filesystem mount entry

*/
```

AmiCDFS 6 / 17

```
Device
                      = scsi.device
                                                                 1)
        Unit
                       = 1
                                                                 2)
                      = L:AmiCDFS
        FileSystem
        Flags
                        = 0
        BlocksPerTrack = 32
        BlockSize
                        = 2048
                        = 0
        Reserved
                        = 0
        LowCyl
        HighCyl
                       = 11000
                       = 1
        Surface
                       = 64
                                                                 3)
        Buffers
        BufMemType
                       = 1
                                                                 4)
                        = 0x7fffffff
        Mask
                                                                 5)
                        = -1
        GlobVec
        Priority
                       = 10
                       = 0x43444653
        DosType
                       = 600
        StackSize
                        = 1
        Mount
                        = "LC BL=8 FB=32"
        Control
                                                                 6)
        /* Control field template:
         * LC=LOWERCASE/S, CS=CASESENSE/S,
         * LN=LONGNAMES/S, HF=HFSFIRST/S, TD=TRACKDISK/S,
         * BL=BUFFERLINES/K/N,FB=FILEBUFFERS/K/N,
         * DC=DISKCHANGE/K/N,MT=MOTORTIME/K/N,
         * SD=STARTDELAY/K/N, TDC=TDCHANGE/S,
         * TOSHIBA/S,OLDMODE/S
         */
        Insert your Device name here, e.g. "MASOBOSHI.device".
1)
2)
        Insert the Unit number of your CD-ROM drive here.
3)
        Number of Standard Buffers (LRU-Cache).
        Memory type for SCSI Transfers:
4)
        1
                        means all Public Memory
        3
                        means Public Chip Memory only
                        means Public Fast Memory only
        DO NOT USE ANY OTHER VALUES !!!
        Set the Mask to "Oxffffff" if your Device is only able to do
5)
        transfers to 24Bit DMA Memory. You needn't care about alignment,
        because all buffers are always Quad Longword aligned.
6)
        The following options may be used:
        T.C
                        Map ISO 9660 names to lower case.
        LOWERCASE
        CS
                        Handle RockRidge names case-sensitive.
```

AmiCDFS 7/17

CASESENSE

TRACKDISK

LN Allow longer filenames than 30 chars for

LONGNAMES RockRidge protocol

(AmigaDOS still only supports 30 chars!)

HF Mount HFS part when inserting a ISO/HFS hybrid,

HFSFIRST without this option the ISO part would be

mounted.

TD Use trackdisk commands instead of SCSI-direct

calls. Only needed for VERY bad device drivers and most often AmiCDFS 2.40 will detect these

automatically.

BL Sets the number of lines for the LRU-Cache.

BUFFERLINES The Standard Buffers are split into BufferLines,

and one line will always be read completely. This will speed up all operations significantly! If you don't specify a value or set it to 1 the

Buffers are handled as before.

Example:

Buffers = 64 and BL = 8 results in

8 caches with 8 blocks (8\*2048 Bytes) each.

FB Sets the number of buffers for file operations

FILEBUFFERS using the AmigaDOS Read() call.

DC Enables old diskchange polling, set it to 3 or

DISKCHANGE any other useful value if your device does not

recognize diskchange interrupts.

MT Sets MotorOff timeout in seconds for some rare

MOTORTIME drives which do not switch off their motors automatically. Default is 2 seconds, setting

this parameter to 0 switches off MotorControl.

SD Some devices need a short delay while mounting STARTDELAY the filesystem if a CD is already inserted.

Only try to use this option if you get "NDOS" disks when booting up with a disk in your drive.

Default value is 1 second.

TDC Use trackdisk instead of SCSI direct calls for TDCHANGE all diskchange scans. Some devices may work better

all diskchange scans. Some devices may work better using this option, but you should only try it

if you have weird problems with diskchanges.

TOSHIBA Some Toshiba drives have difficulties switching

between Data and XA-Mode. If you encounter any problems with PhotoCDs try setting this switch.

OLDMODE Some very old SCSI Host-Adaptors do not work

correctly with CMD\_READ and blocksizes above 512 bytes. If this option is set AmiCDFS does

AmiCDFS 8 / 17

all reading via SCSI-Direct calls, just like the old AmiCDROM. But this switch should only be used if nothing else works!

DO NOT TRY TO USE ANY OTHER OPTION !!!

\_\_\_\_\_

# 1.8 SetCDFS

\_\_\_\_\_\_

SetCDFS Command

-----

The supplied SetCDFS command enables you to change some of AmiCDFS' parameters while up and running.

\_\_\_\_\_\_

Syntax: SetCDFS DRIVE/A, LC=LOWERCASE/S, CS=CASESENSE/S, HF=HFSFIRST/S, LONGNAMES/S, QUIET/S, DEBUG/S

The parameters are:

DRIVE The drive which options shall be changed

LOWERCASE or LC Toggle LOWERCASE option

CASESENSE or CS Toggle CASESENSE option

 ${\tt HFSFIRST} \quad {\tt or} \ {\tt HF} \qquad {\tt Toggle} \ {\tt HFSFIRST} \ {\tt option}$ 

LONGNAMES or LN Toggle LONGNAMES option

QUIET Just change the options, no output

DEBUG Some special debug information, report them

if you have any trouble with AmiCDFS

Output format:

cd0: using AmiCDFS v2.40 <- just some infos

Current Protocol: RockRidge <- current protocol being used

LOWERCASE ON

CASESENSE OFF <- new settings AFTER SetCDFS

HFSFIRST OFF

LONGNAMES OFF

DEBUG: 01010100 <- debugging information

\_\_\_\_\_\_

AmiCDFS 9 / 17

## 1.9 Audio Disks

\_\_\_\_\_

#### Audio Disks (CDDA)

Whenever an audio disk is inserted in your CD-ROM drive, an AppIcon will be displayed on your Workbench screen. If it exists the iconfile ENV:sys/def\_CDDAdisk.info will be used.

If the Default Tool of the icon contains a command name, then AmiCDFS will try to start that program (which should be a CDDA Player) when double-clicking the AppIcon. Otherwise the disk simply starts playing from track 1.

If the first character of the Default Tool entry is a # (Hash) symbol, the according program will be started as a Workbench application using wbstart.library (OS 3.x) or L:WBStart-Handler (OS 2.x).

A bugfixed version of MCDPlayer by Boris Jakubaschk is included in the  $\mbox{AmiCDFS}\ 2.40$  distribution archive.

These features are not available if the  $$\operatorname{TRACKDISK}$$ 

option is selected or

the drive doesn't support the needed commands.

\_\_\_\_\_\_

# 1.10 Hybrid Disks

\_\_\_\_\_

Hybrid Disks

Sometimes disks are dual-format (ISO-9660 and HFS). In this case the ISO-9660 part will always be preferred. If you wish to force mounting the HFS part of such a disk, simply hold the CONTROL key pressed while inserting the disk in your CD-ROM drive or use the HFSFIRST option.

If a Sound & Data (ISO-9660 or HFS) hybrid disk is inserted, two icons will be placed on your Workbench. You can access the data part like usual while using the audio part with a CDDA Player program.

\_\_\_\_\_\_

#### 1.11 Benchmarks

\_\_\_\_\_

Benchmarks

AmiCDFS 10 / 17

The following benchmark script has been used to evaluate several Amiga CD-ROM filing systems:

c:makedir ram:tools

c:date

c:copy AMINET9:Tools ram:tools all quiet

c:date

c:delete ram:tools all quiet

The benchmark system configuration:

Amiga 2000 ECS, 68030-50, 68882-50 2 MB ChipRAM, 20 MB 32Bit FastRAM Masoboshi MC702 with SANYO CRD-254SH QuadSpeed CD-ROM AmigaOS 3.1, Kickstart 40.70, Workbench 40.42

Results:

AmiCDROM 1.15 AmiCDFS 2.40 AsimCDFS 3.8 CacheCDFS 2.6

72 sec 32 sec 56 sec 44 sec

\_\_\_\_\_\_

## 1.12 Technical Details

\_\_\_\_\_

#### Technical Details

\_\_\_\_\_

The whole code is fully reentrant now, so that it may be shared among multiple instances of the filing system as long as the  $$\operatorname{\mathtt{DosType}}$$ 

is

identical.

AmiCDFS 2.40 is now able to read any type of physical device, so it may be used to read Macintosh HFS floppy disks as well.

The drivers task stack is handled by the filing system code itself now to make sure that it is always big enough. So AmiCDFS 2.40 could even be installed as part of a Rigid Disk Block (RDB).

All DOS packet handling code has been rewritten in order to eleminate problems with unknown packet types and to allow implementation of some extra functions. Packets like ACTION\_MORE\_CACHE now return valid results even if they do nothing.

\_\_\_\_\_\_

AmiCDFS 11/17

-----

# 1.13 Bugs & Quirks

Bugs & Quirks

No real bugs are known, yet!

AmiCDFS 2.40 has been tested on many different hardware configurations, including IDE/ATAPI drives, PCMCIA adaptors and several SCSI drives.

If you encounter any difficulties, please check the following topics:

- Are you using a IDE/ATAPI CD-ROM drive?

\_\_\_\_\_

Every device has to emulate a SCSI-2 drive, so everything depends on how good this emulation is. Try setting "TD" in Control field if nothing seems to work.

- Diskchanges are not recognised properly?

It is possible that your device driver does not support diskchange interrupts. Report it to the manufacturer and try setting "DC=3" and/or "TDP" in Control field.

- PhotoCDs are not recognised properly on a Toshiba drive?

Try setting the "TOSHIBA" switch in Control field.

- All data CDs are "NDOS" and cannot be read?

If you are using a very old SCSI Host-Adaptor (HardFrame, Supra etc.) try setting the "OLDMODE" switch in Control field.

- CDs are "NDOS" when already inserted while booting your machine?

Try setting "SD=3" in Control field.

- Are you using any bad software?

If you're using very nasty hacks or programs like MCP, please don't report any bugs. It is useless to expect any program to work properly while trashing important functions of your Operating System!

- Anything else?

Send me a mail describing your problems and your configuration!

\_\_\_\_\_\_

# 1.14 Legal

AmiCDFS 12/17

#### Legal Stuff

\_\_\_\_\_\_

AmiCDFS 2.40 is SHAREWARE !!!

If you use it permanently please send me a donation of US\$ 15 (DM 20). Please add \$5\$ when you send me a cheque to cover clearing charges.

Bank Account for money transfer:

Martin Berndt Konto 4185180009 BLZ 35060386 Vereinsbank Duisburg

THANK YOU FOR YOUR SUPPORT!

\_\_\_\_\_

#### Copyright

\_\_\_\_\_

AmiCDFS 2.40 is written and copyright © 1997 by Martin Berndt

. No parts

of this program may be altered by any means (this includes editing, reprogramming, crunching, resourceing etc.), except archiving.

#### Disclaimer

\_\_\_\_\_

The author is in no way liable for any changes made to any part of the program, or consequences thereof as he is in no way liable for damages or loss of data directly or indirectly caused by this software.

#### Distribution

\_\_\_\_\_

Neither fees may be charged nor profits may be made by distributing this piece of software. Only a nominal fee for costs of magnetic media may be accepted, the amount of US \$5 shouldn't be exceeded for a disk containing AmiCDFS. CD Manufactures are specifically granted the right to include this program on CD collections, as long as they are for the Public Domain. But the user still has to pay the Shareware fee!

-----

## 1.15 Author

\_\_\_\_\_\_

Author

Version 1.15 03-Nov-94 (C) 1993,1994 by Frank Munkert

AmiCDFS 13/17

\_\_\_\_\_

Version 2.40 13-Dec-97 (C) 1997 by Martin Berndt

Martin Berndt

Fr.-Alfred-Str. 115 47226 Duisburg Germany

Phone: +49-2065-73904

E-Mail: m\_berndt@wanderer.gun.de

Support BBS: WANDERER +49-211-226223

Login: MBS

Use 'download <number>' to get the archive you want

AmiCDFS 2.40 was developed using SAS/C 6.58 by SAS Institute SetCDFS was developed using DevPac 3.14 by HiSoft

\_\_\_\_\_

SetPatch 40.16 (c) Copyright 1990-1995, Escom AG. All Rights Reserved.

Mount 40.4 (c) Copyright 1990-1995, Escom AG. All Rights Reserved.

WBStart-Handler 1.4 Copyright (C) 1993 Stefan Becker

wbstart.library 2.2 Copyright (C) 1996 Stefan Becker

\_\_\_\_\_

Have you tried MultiCX already ?

1.16 History

\_\_\_\_\_

# History 1.0 - 1.15 old AMICDROM versions by Frank Munkert 2.0 (14-Feb-96) first public release of new AmiCDFS 2.1 (01-Mar-96) - fixed serious bug in Prefetch code - fixed problems with uncleared buffers - fixed Control field template - implemented MOTORCONTROL - implemented TDPOLLING

AmiCDFS 14/17

```
- improved some routines
2.2 (04-Mar-96)
                        - fixed some small bugs in Cache handling code
                        - removed all old vendor specific routines
                        - fixed bug in SCSI classification code
2.3 (05-Mar-96)
                        - fixed potential problem with illegal sector
                          accesses
2.4 (10-Mar-96)
                        - fixed problems with CDDA AppIcon handling
2.5 (13-Mar-96)
                        - removed some more obsolete routines
                        - easier access to
                Support BBS
                2.6 (15-Mar-96)
                                       - added support for wbstart.library (OS 3. \leftarrow
                        - changed format of version string
                        - removed MOTORCONTROL flag, will be handled
2.7 (24-Mar-96)
                          automatically now
                        - added
                TOSHIBA
                 switch to avoid problems with
                          PhotoCDs on Toshiba drives
2.8 (27-Mar-96)
                        - fixed small bug in SCSI classification code
                        - the FileBuffer is a Circular Cache now
2.9
    (30-Mar-96)
                        - added
                OLDMODE
                 switch to support some very
                          old SCSI Host-Adaptors (HardFrame, Supra etc.)
2.10 (07-Apr-96)
                        - AmiCDFS now really works with HFS floppy disks
                          and HFS harddisk partitions
                        - included example mount file for MACO
                        - fixed some small bugs
2.11 (10-Apr-96)
                        - improved and bug-fixed HFS handling routines
                        - DosEnvec will now always have valid entries if
                          SCSI_ReadCapacity was successful
                        - LineCache will be switched off when mediumsize
                          cannot be determined or when using a SCSI
                          device in Trackdisk mode
2.12 (13-Apr-96)
                        - fixed bug in Symbolic link handling
                        - fixed bug in SCSI_ReadCapacity
2.13 (16-Apr-96)
                        - implemented support for Protection bits
                        - improved Symbolic link handling
2.14 (20-Apr-96)
                       - DosList handling completely rewritten in order
                          to prevent deadlock problems
                        - improved Diskchange routines
2.15 (24-Apr-96)
                        - replaced TDPOLLING switch by
                TDCHANGE
```

AmiCDFS 15/17

```
2.16 (25-Apr-96)
                                      - LineCache Prefetch will be switched off \leftarrow
                   on
                         Audio/Data hybrid disks now to avoid illegal
                          sector accesses
                        - improved LineCache efficiency
2.17 (05-May-96)
                        - hopefully fixed a problem with some device
                         drivers causing a disk to become NDOS when it
                          was already inserted while mounting
                       - improved and optimised Cache routines making
2.18 (27-May-96)
                          AmiCDFS another 10% faster
                        - added character conversion for RockRidge file
2.19 (29-May-96)
                         names containing colons
                        - small improvements in startup code
2.20 (30-May-96)
                       - fixed serious bug in DosList handling
2.21 (06-Jun-96)
                       - improved routine for initial media check
2.22 - 2.29
                       internal test versions
2.30 (15-Jul-96)
                       - implemented some Rockridge extensions
                        - implemented support for muFS Protection bits
                        - implemented
               MOTORTIME
                2.31 (16-Jul-96) - fixed bug in Protection bits handling
2.32 (20-Jul-96)
                       - fixed small bug in Rockridge extensions
2.33 - 2.34
                       internal test versions
2.35 (18-Aug-96)

    included new

                SetCDFS
                 command
                       - implemented
                CASESENSE
                                       - implemented
                HFSFIRST
                                        - implemented
                STARTDELAY
                2.36 (22-Aug-96)
                                       - fixed deadly bug in DosList handling
                 - improved
2.37 (06-Sep-96)
                SetCDFS
                 command
                        - improved Audio/Data hybrid handling
                        - removed some dead code
2.38 (13-Nov-96)
                        - some code cleanup
                        - recompiled with SAS/C 6.57
                        - changed
                account number
                 for money transfer
2.39 (20-Aug-97)
                       - optimised some routines
```

AmiCDFS 16/17

- included 68060 version

- recompiled with SAS/C 6.58

- changed

account number

for money transfer

2.40 (13-Dec-97)

- fixed bug in fib\_NumBlocks calculation

- implemented

LONGNAMES

for RockRidge

extended

SetCDFS

command

\_\_\_\_\_\_

#### IMPORTANT NOTICE !

SetPatch and Mount are missing in Aminet release due to some new upload restrictions. So please don't complain...

\_\_\_\_\_\_

## 1.17 Credits

\_\_\_\_\_

Credits

The following persons deserve special thanks from me as they made a significant contribution to the development of AmiCDFS 2.40:

- Frank Munkert for his wonderful AmiCDROM 1.15

- Nicola Salmoria for some good ideas in AmiCDFS v37

- Boris Jakubaschk for MCDPlayer 1.0

- Olaf "Olsen" Barthel for his good advice in many cases

- Angela Schmidt for some technical support

- Ralph Babel for the Amiga Guru Book

- Stefan Becker for WBStart-Handler and wbstart.library

- all my Beta-Testers for reports and constructive criticism

- Mike Oldfield for the best music on this little planet

- the TNG crew for the greatest adventures in universe

- my girlfriend Heike for everything and for just being there

- my sons Daryl and Joey for moral support

- my coffee machine for coffee support ;-)

AmiCDFS	17 / 17