

Sheet1

PRG,C,10	VAR,C,10	HELPMEMO,M
1CHK_FIRST	M[1][7]	
1CORRECT	M[1][1]	
1DUPELAST	M[1][2]	
1LTRTEST	M[1][1]	
1NAM_DELE	INKEY	
1NAM_SRCH	M[1][1]	
1PCOMPRESS	INKEY	
1P_DEFAULT	M[1][1]	
1P_TYMARK	M[1][10]	
1SETPRN	M[1][1]	
1TEST_LBL	M[1][1]	
1VALCODE	M[1][3]	
1VALCODE	M[2][3]	
1V_AFTER	INKEY	
1V_BEFORE	INKEY	
2CODE_SRCH	M[1][1]	
2DUPELAST	M[1][1]	
2NAM_SRCH	M[1][1]	
2NAM_SRCH	M[1][2]	
2TEST_LBL	M[1][1]	
3NAM_SRCH	M[1][1]	
4NAM_SRCH	M[1][1]	
BCODE_ADD	ARRAY[2]	
BCODE_ADD	ARRAY[3]	
BROWSE_WINCODES_CAT		
BROWSE_WINCODES_CTP		
BROWSE_WINCODES_SRC		
BROWSE_WINCODES_STT		
BROWSE_WINLETTERS		
BROWSE_WINDUPEMASTNM		
CHEKLCODE	ALREADY	
CHEKLNAME	ALREADY	
ERRPRINT	LOGIC	
GETMEMO	LTREDIT	
GIFT_ADD	ARRAY[2]	
GIFT_ADD	ARRAY[3]	
GIFT_ADD	ARRAY[4]	
GIFT_ADD	ARRAY[6]	
LETTERS	CHOICE	
LTRADD	CLOGIC	
LTRADD	ETOP	
LTRADD	MLEFTMARG	
LTRADD	MRIGHTMARG	
LTRADD	NEWCODE	
LTRADD	NEWNAME	
LTRDELETE	RESERVED	
LTRSRCH	MSEARCH	
LTRSRCH	SRCHHOW	

Sheet1

MAIN	CHOICE
NAMES	CHOICE
NAM_ADD	ARRAY[10]
NAM_ADD	ARRAY[11]
NAM_ADD	ARRAY[12]
NAM_ADD	ARRAY[13]
NAM_ADD	ARRAY[14]
NAM_ADD	ARRAY[15]
NAM_ADD	ARRAY[2]
NAM_ADD	ARRAY[3]
NAM_ADD	ARRAY[4]
NAM_ADD	ARRAY[5]
NAM_ADD	ARRAY[6]
NAM_ADD	ARRAY[7]
NAM_ADD	ARRAY[8]
NAM_ADD	ARRAY[9]
NOTEMPTY	EMPTY
PRINTMENU	CHOICE
P_APP_LBL	LCONTINUE
P_APP_LTR	CLTRCODE
P_CODES	LOGIC
P_CODES	NEWPAGE
P_DEFAULTS	DEF_BEG
P_DEFAULTS	DEF_CAT
P_DEFAULTS	DEF_CC
P_DEFAULTS	DEF_END
P_DEFAULTS	DEF_GHI
P_DEFAULTS	DEF_GLO
P_DEFAULTS	NONAMES
P_DEFAULTS	SOMENAMES
P_DEPOSIT	MBEG
P_DEPOSIT	MEND
P_NAMES	MTYPE
P_TYLBL	NONE
P_TYLTR	LCONTINUE
P_TYLTR	NONE
P_TYLTR	PAUSE
REGISTER	CHOICE
VALCODE	NOWILDCAR
VALLEFT	ATLEAST
VALRIGHT	GREATER
VAL_LEFT	LEFTGTRITE
VCODE_ID	CODEFOUND
4NAM_SRCH	M[1][2]
4NAM_SRCH	M[1][3]
P_DEFAULTS	DEF_SRC
R_PRINT	REGNAME
1CHK_S_CIT	M[2][2]
1P_SELECT	M[1][1]

2P\_DEFAULT M[1][1]  
 2P\_SELECT M[1][3]  
 3P\_SELECT M[1][3]  
 3P\_SELECT M[1][8]  
 3P\_SELECT M[1][9]  
 3P\_SELECT M[1][10]  
 3P\_SELECT M[1][11]  
 3P\_SELECT M[1][12]  
 4P\_SELECT M[1][1]  
 5P\_SELECT M[1][1]  
 1R\_PRINT INKEY  
 R\_PRINT YOURNAME  
 R\_PRINT ORGNAME  
 R\_PRINT ADD1  
 R\_PRINT ADD2  
 R\_PRINT ADD3  
 R\_PRINT WHEREPHONE  
 R\_PRINT PHONE  
 R\_PRINT DISKSIZE  
 R\_PRINT DISKDENSIT  
 R\_PRINT PAYHOW  
 R\_PRINT CCNR  
 R\_PRINT CCDATE  
 R\_PRINT TAXSTATUS  
 R\_PRINT CCNAME  
 GETMEMO R\_WHY  
 R\_COPIES MDRIVE  
 R\_COPIES ALLDONE  
 DRIVEREADY DOOROPEN  
 1FORMATDIS INKEY  
 GETMEMO R\_FUNDS  
 LTRADD EPITCH  
 GETMEMO LTRTEST  
 BROWSE\_WINGIFTS  
 GETMEMO NAM\_NOTES  
 GETMEMO LETTERS  
 6P\_SELECT INKEY  
 P\_TYLBL ANY  
 P\_APP\_LBL ANY  
 1VAL\_MAILN M[1][10]  
 1OK\_TY M[1][13]  
 SETKOLOR COLORS  
 R\_ENTER MGET2  
 R\_ENTER MGET3  
 2P\_SELECT M[1][9]  
 2P\_TYLTR INKEY  
 3TEST\_LBL M[1][1]  
 CUSTMENU CHOICE  
 BROWSE\_WINDATETYPE

Sheet1

SET\_PHONE MGETVAR  
1P\_NAMES INKEY  
1TYPE\_ONE M[1][8]  
1OPENHINT INKEY  
1DUPEADDR M[1][2]  
2DUPEADDR M[1][1]  
BROWSE\_WINDUPEMASTAD  
BROWSE\_WINMASTER  
GETMEMO R\_HOW  
CONVERT INFILE  
1CONVERT INKEY  
IMPORT MINFILE  
2CONVERT M[1][1]  
2CONVERT INKEY  
IMPORT MCONVERT  
IMPORT MOUTFILE  
SHOWREF MASTER  
SHOWREF INFILE  
IMPORTSELE MOUTFILE  
6ASSIGNFLD M[1][8]  
3ASSIGNFLD M[1][7]  
4ASSIGNFLD M[1][9]  
1ASSIGNFLD INKEY  
7ASSIGNFLD INKEY  
2ASSIGNFLD INKEY  
5ASSIGNFLD INKEY  
2CHKFILE INKEY  
1BADASCII INKEY  
1CHKFILE INKEY  
3CONVERT INKEY  
4CONVERT M[1][1]  
BRINGIN RECAP  
BRINGIN STDSALUT  
BRINGIN AREACODE  
BRINGIN CITYSTATE  
1BRINGIN INKEY  
2BRINGIN INKEY  
SET\_YEAR MBEG  
SET\_YEAR MEND  
REGISTER WHY  
REGISTER HOW  
REGISTER SHARE  
REGISTER ASP  
REGISTER FAMILY  
R\_TEXT  
REGISTER SUPPORT  
REGISTER ADDONS  
R\_PRINT USCANADA  
SET\_DUPE CNAME

Sheet1

SET_DUPE	CADD
1CORRECT	C
EXPORT	EXPORTPATH
EXPORT	MSTYLE
EXPORT	EXPORTTYPE
2P_DEFAULT	USELAST
P_DEFAULTS	DEF_TYLO
P_DEFAULTS	DEF_TYHI
1P_DEFAULT	DEF_ORDER
1EXPORT	CPRINT
2P_NAMES	FNEWPAGE
P_DEPOSIT	MONESOURCE
2FILEM	MRUNREPAIR
3FILEM	INKEY